


2-2166



Cabo Mining Corp.

Cobalt Area Project
(Gillies Limit North Township, Ontario)

Drill Hole # CC-12

(* Core Stored on Site ***)**








Figure 2: Claim Location Sketch Showing Location of Holes CC-11 and CC-12 (Cabo Mining Corp.) in Gillies Limit North Township, Larder Lake Mining Division, Ontario.



Cabo Mining Corp.
Cobalt Project
 (Gillies Limit North Twp.)
New Lake Grid
Drill Hole Location Sketch

2.21686



CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
 HOLE No.: CC12
 Collar Eastings: 595.00
 Collar Northings: -75.00
 Collar Elevation: 335.00
 Grid: New Lake
 Claim# 1219338

Collar Inclination: -70.00
 Grid Bearing: 205.00
 Final Depth: 195.00 metres
 BQ Core

Logged by: S. Sears
 Date: 28 Mar - 14 Apr 2001
 Down-hole Survey: none
 Drilled by Canuck Drilling

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS					
								Ag	Cu	Zn	Co	Pb	
0	3.0	CASING - left in place											
3.0	30.8	MAFIC VOLCANIC ROCKS: Light to medium, grey-green; pillowed; fine grained; intensely altered (calcite, chlorite; minor sulphides) characterized by a network of hairline calcite fractures and narrow calcite +/- quartz veinlets and stringers; up to 10% calcite overall; local zones of "chlorite spotting"; lower contact gradational over about 1.0 metres. 9.7 - 12.3: "Chlorite spotting"; densely packed chlorite "spots". 12.3 - 13.8: Up to 10% dark chlorite fractures and gash fillings with sulphides. 13.8 - 14.3: Chlorite spotting, weakly developed.	751713	12.30	13.20	0.90	0.005	0.20	157	4	49	8	
			751714	13.20	14.00	0.80	0.005	0.20	95	72	38	2	
30.8	36.5	BRECCIA ZONE: 60 - 70% pale to medium grey, carbonated mafic fragments up to 3 cm. across, elongated at 30 - 35 degrees to the C/A; matrix is dark grey to black, fine grained, weakly siliceous; technically a pseudobreccia; very little mobilization of fragments; matrix percentage increases locally to the 50% range; sulphide patches increase when amount of black	751674	33.50	34.00	0.50	0.005	1.00	126	64	57	26	
			751675	34.00	34.50	0.50	0.005	0.60	103	502	32	190	
			751676	34.50	35.00	0.50	0.005	5.40	207	602	92	756	
			751677	35.00	35.50	0.50	0.010	10.00	1260	244	90	3990	
			751678	35.50	36.00	0.50	0.005	2.20	105	1360	35	464	
			751679	36.00	36.50	0.50	0.005	3.60	81	8870	42	2500	

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS					
								Ag	Cu	Zn	Co	Pb	
		matrix increases and when this matrix becomes more siliceous; sulphides include Pyrite, sphalerite & chalcopyrite; Lower contact gradational.											
36.5	53.3	PILLOW BRECCIA: Pale to medium grey green; intensely carbonated (Stringers and pervasine); 10% calcite stringers and veinlets; local quartz veining; local silicified sections with sulphides; lower contact sharp at 55 degrees to the C/A; 41.9 - 43.0: Quartz Breccia vein; 15% mafic xenoliths; low angle to the C/A (10 - 15 degrees); trace sphalerite. 45.0 - 48.5: Silicified zone with increased fine grained black matrix and 2 - 5% sulphide (Py, Cpy greenish soft sulphide and arsenopyrite). 49.4 - 49.6: Several narrow calcite veinlets with chalcopyrite and grey mineral.	751708	36.50	37.00	0.50	0.005	0.20	79	2010	41	166	
			751709	37.00	38.00	1.00	0.005	1.80	112	416	39	398	
			751712	41.90	43.00	1.10	0.005	0.60	49	990	11	42	
			751680	44.80	45.20	0.40	0.005	0.20	123	100	51	28	
			751710	45.20	46.00	0.80	0.005	0.80	106	150	50	36	
			751711	46.00	47.00	1.00	0.005	0.40	130	68	46	18	
			751681	47.00	47.50	0.50	0.005	1.20	193	64	55	42	
			751682	47.50	48.00	0.50	0.005	2.00	232	114	64	116	
			751683	48.00	48.50	0.50	0.005	0.60	101	44	10	28	
			751684	49.40	49.60	0.20	0.005	0.60	295	56	24	86	
53.3	62.9	BLACK CHERT & CHERT BRECCIA: Black; fine grained; 10 - 20% sulphides overall including Py, Sph, Cpy, Gal, Aspy, and a greenish brown mineral (Possibly sphalerite); local carbonate veinlets; occasional distinct breccia with quartz, chert and sulphide fragments; scattered lenses and stringers near massive sulphide, including Py, Cpy, Gal, Sph; highly deformed; lower contact a breccia underlain by a white quartz vein, 30 - 35 degrees to C/A. 53.3 - 55.0: Scattered lenses & patches of near massive sulphides (Cpy, Sph, Gal, Py).	751685	53.00	53.40	0.40	0.005	5.00	735	2450	50	1500	
			751686	53.40	54.00	0.60	0.040	19.60	7970	7520	77	2280	
			751687	54.00	54.50	0.50	0.010	15.00	1545	17200	60	8210	
			751688	54.50	55.00	0.50	0.005	5.40	317	566	45	1280	
			751689	55.00	55.50	0.50	0.005	9.00	790	160	47	674	
			751690	55.50	56.00	0.50	0.010	4.60	244	332	34	772	
			751691	56.00	56.50	0.50	0.005	6.20	144	100	68	932	
			751692	56.50	57.00	0.50	0.010	10.40	219	522	96	4180	
			751693	57.00	57.50	0.50	0.015	19.40	436	366	117	1705	
			751694	57.50	58.00	0.50	0.010	11.40	880	208	45	944	
			751695	58.00	58.50	0.50	0.005	6.80	281	114	70	404	

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS				
								Ag	Cu	Zn	Co	Pb
		55.3 - 55.4: Calcite veinlets with 10% Aspy, Py, minor Cpy.	751696	58.50	59.00	0.50	0.005	3.60	361	324	63	338
		55.4 - 59.0: Stringers and narrow lenses of near massive sulphides (Py, Sph, Gal, Cpy, greenish brown mineral).	751697	59.00	59.50	0.50	0.005	4.00	425	754	52	878
			751698	59.50	60.00	0.50	0.015	6.20	687	1295	153	1785
		59.0 - 62.0: Scattered breccia zones, with calcite or quartz matrix; scattered stringers and lenses of near massive sulphides.	751699	60.00	60.50	0.50	0.005	6.60	707	526	101	482
			751700	60.50	61.00	0.50	0.005	9.20	144	354	128	658
		62.0 - 62.9: 5% sphalerite with abundant breccia zones.	751701	61.00	61.50	0.50	0.010	24.60	272	260	87	1230
			751702	61.50	62.00	0.50	0.010	11.20	922	1275	85	836
			751703	62.00	62.50	0.50	0.025	7.20	516	6920	95	420
62.9	82.1	PILLOW BRECCIA:	751704	62.50	63.00	0.50	0.010	5.80	284	15500	27	2950
		Similar to above (36.5 - 53.3) except less pervasive carbonate alteration and nearly void of hairline calcite fractures; scattered quartz veinlets and vein zones as well as calcite +/- quartz veinlets;	751705	63.00	63.50	0.50	0.005	2.40	402	1550	32	784
		Lower contact vague due to interlayered sedimentary or volcanic tuffs in lower several metres.	751706	63.50	64.50	1.00	0.005	4.80	121	1530	34	882
		65.3 - 66.0: Quartz vein zone, 30% irregular quartz with associated sulphides (Py, Cpy, Sph); sulphide also occur in the wallrock margins.	751707	64.50	65.00	0.50	0.005	2.60	98	912	47	296
			751715	65.00	65.70	0.70	0.005	1.40	22	1015	47	378
		74.3: A 4 cm. qtz vein with 3 - 5% sulphides (Py, Sph, Cpy).	751716	65.70	66.30	0.60	0.005	0.20	18	188	34	80
			751717	66.30	66.70	0.40	0.005	1.00	105	118	48	124
		77.5 - 78.0: Quartz vein zone, 25% irregular quartz veining and breccia matrix; scattered sulphides (Py, silver mineral).	751718	66.70	67.10	0.40	0.005	0.60	49	142	41	168
			751719	67.10	67.80	0.70	0.005	2.00	119	426	54	248
			751720	67.80	68.50	0.70	0.005	0.20	24	610	30	66
			751721	68.50	69.20	0.70	0.005	0.20	67	350	49	48
			751722	69.20	69.50	0.30	0.005	1.60	270	152	67	148
			751723	69.50	70.30	0.80	0.005	0.80	66	246	76	118
			751724	70.30	71.10	0.80	0.005	1.00	45	470	37	448
			751725	71.10	71.90	0.80	0.005	1.40	102	1350	38	522
		78.2: A 4 cm. calcite vein with 5 - 10% sulphides (Py and greyish green coloured sulphides).	751726	71.90	72.70	0.80	0.005	1.20	67	894	50	762
			751727	72.70	73.60	0.90	0.005	0.60	45	764	33	228
		79.8 - 80.4: Massive textured interflow sediment or intermediate tuff.	751728	73.60	74.20	0.60	0.005	1.20	61	964	33	310
			751729	74.20	74.40	0.20	0.005	2.00	33	1575	36	414

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS				
								Ag	Cu	Zn	Co	Pb
		81.7 - 81.9: Fine grained tuff or interflow sediment.	751730	74.40	75.20	0.80	0.005	1.80	38	624	45	412
			751731	75.20	76.10	0.90	0.005	2.20	53	1085	43	318
			751732	76.10	77.00	0.90	0.005	1.80	96	1295	34	232
			751733	77.00	77.50	0.50	0.005	1.00	24	528	26	370
			751734	77.50	78.00	0.50	0.005	0.60	58	214	14	150
			751735	78.00	78.30	0.30	0.005	0.80	42	202	29	120
			751736	78.30	78.70	0.40	0.005	0.80	15	198	43	272
			751737	78.70	79.30	0.60	0.005	1.40	66	1970	49	374
			751738	79.30	79.80	0.50	0.005	4.80	441	2900	69	900
			751739	79.80	80.60	0.80	0.005	1.60	122	1030	25	668
			751740	80.60	81.40	0.80	0.005	1.60	153	442	31	292
			751741	81.40	82.10	0.70	0.005	3.60	200	1995	42	1400
82.1	144.4	FELSIC METAVOLCANIC ROCKS:	751742	82.10	83.00	0.90	0.005	2.20	229	650	33	328
		Pale, medium to dark greenish-grey; fine	751743	92.40	93.20	0.80	0.005	3.20	37	2200	14	412
		grained massive textured to coarse grained quartz	751744	103.50	104.00	0.50	0.005	1.20	56	3990	34	48
		-phenocryst tuff; local layers of very fine grained	751745	104.00	105.10	1.10	0.005	NIL	43	170	11	28
		mottled to dark grey rock that probably are	751746	107.50	108.00	0.50	0.005	0.60	48	296	13	32
		interlayered metasedimentary rocks (chert,	751747	108.00	108.50	0.50	0.005	1.00	15	170	14	670
		argillite); pyritic throughout (< 1% Py) locally	751748	108.50	109.00	0.50	0.005	0.20	14	72	12	10
		containing sphalerite, pyrrhotite & rare Cpy;	751749	109.00	109.50	0.50	0.005	0.20	7	170	11	110
		sphalerite occurs as disseminated grains in quartz	751750	109.50	110.00	0.50	0.005	1.00	27	8370	23	478
		phenocryst tuffs and associated with local narrow	751751	110.00	110.50	0.50	0.005	2.20	102	1405	34	810
		quartz stringers; layering from 30 - 45 degrees to	751752	110.50	111.00	0.50	0.005	0.60	30	576	12	236
		the C/A; local carbonate and chloritic alteration.	751784	114.40	114.60	0.20	0.005	1.40	150	570	14	760
		82.1 - 90.3: Quartz-phyric tuff; calcite-chlorite	751785	120.70	121.30	0.60	0.005	0.20	12	70	10	26
		alteration of the mafic phenocrysts; 3 cm. quartz	751786	121.30	121.90	0.60	0.005	0.80	15	1065	18	242
		vein at 86.0.	751787	121.90	122.40	0.50	0.005	1.40	19	1325	19	610

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS				
								Ag	Cu	Zn	Co	Pb
90.3	92.4	Rhyolite tuff, very fine grained, cherty appearance overall with local small quartz-phyric zones; chloritized.	751788	124.50	125.10	0.60	0.005	1.00	14	2640	35	600
			751789	125.10	125.80	0.70	0.005	0.40	21	866	13	182
			751790	131.40	131.90	0.50	0.005	0.80	9	1025	23	372
92.4	96.0	Interlayered fine grained cherty rhyolite and coarser grained tuff; fractured with dark chloritic fine grained material filling matrix of fractures.	751791	131.90	132.40	0.50	0.005	2.60	41	2570	17	2120
			751792	132.40	133.00	0.60	0.005	0.20	22	280	17	98
			751793	133.00	133.50	0.50	0.005	0.20	14	548	13	176
			751794	133.50	134.00	0.50	0.005	0.80	14	574	12	580
96.0	103.5	Tuffaceous rocks with < 10% very fine grained rhyolitic layers; quite strongly brecciated; abundant chloritic patches and stringers, but dominantly siliceous material in fractures and breccia matrix.										
103.5	105.1	Rhyolitic zone, very fine grained with tiny quartz phenocrysts; sphalerite between 103.5 - 104.0; pyritic throughout, 1 - 2%.										
105.1	107.5	Tuffaceous rocks as above (96.0 - 103.5), quartz-phyric; chloritized.										
107.5	111.0	Rhyolitic zone, brecciated; scattered sphalerite associated with fractures and breccia matrix as well as scattered disseminated grains.										
111.0	122.5	Tuffaceous rocks as above (105.1 - 107.5), with local narrow zones of sphaleritic rhyolite-chert; pyrite throughout, local sphalerite with narrow quartz stringers; chloritized grains or weak "spotting" locally.										
114.4	114.6	Calcite +/- qtz veinlets with sphalerite; broken.										
121.3	122.3	Coarse grained zone with disseminated Sphalerite grains; also includes two quartz stringers										

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS							
								Ag	Cu	Zn	Co	Pb			
		(1 - 2 cm. at 33 degrees to C/A) and a quartz filled low angle, irregular and splayed fracture; both contain Sph.													
122.5	124.5	Fine grained zone, siliceous, may be siliceous interflow sediment or fine grained rhyolitic tuff; layered at 35 to 37 degrees to the C/A; lower contact gradational.													
122.9	123.4	Fault zone with quartz +/- calcite vein, at 15 - 20 degrees to the C/A.													
124.5	126.7	Massive looking, uniform, fine grained tuffaceous rock; quartz-phyric; sphalerite occurs up to 1% overall as disseminated grains and with two narrow quartz stringers (30 - 35 degrees to the C/A) from 124.5 - 125.8.													
126.7	130.1	Tuffaceous rocks, quartz phyric, disseminated pyrite; includes 10 quartz stringers from 1/2 to 4 cm. wide with chloritic patches stringers and margins.													
130.1	144.4	Fine grained tuffaceous rocks with local interlayered coarser grained tuffs and cherty sediments; locally well layered at 30 - 35 degrees to the C/A; massive appearance in other parts.													
131.4	131.9	Zone of calcite stringers and "chlorite spotting".													
131.9	134.0	Massive, fine grained zone with chloritic layers; sphalerite and galena occur with narrow quartz stringers and as disseminated grains.													
134.0	144.4	Relatively fine grained, quartz-phyric tuffaceous rocks.													

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS				
								Ag	Cu	Zn	Co	Pb
144.4	154.0	INTERFLOW - METASEDIMENTS: Interlayered black cherts, black and dark grey argilliteous, chloritized grey wacke and minor rhyolitic volcanic rocks (waterlain tuffs); dark grey to black; relatively fine grained rocks; scattered calcite, quartz and quartz/calcite/chlorite veinlets and gash fillings, often with associated sulphide mineralization; highly fractured, often pseudobreccia textures. 144.4 - 146.2: Argillite/wacke; chlorite-quartz stringers with sphalerite. 146.2 - 150.1: Black chert (80%) with interlayered wacke and argillite; abundant quartz-calcite-chlorite veinlets with associated sphalerite and minor galena. 150.1 - 154.0: Wacke; waterlain tuffs; argillite-chert zone, locally brecciated; scattered calcite veinlets; abundant chlorite stringers, breccia matrix and weakly developed spotting; scattered sphalerite mineralization; A 3 cm. calcite breccia vein at 40 degrees to C/A, barren. 152.8 - 153.6: 1 - 2% sphalerite within fracture zones and with stringers.	751753	144.60	145.10	0.50	0.005	0.80	25	2090	58	598
			751754	145.10	145.80	0.70	0.005	0.40	16	550	25	242
			751755	145.80	146.50	0.70	0.005	0.60	107	280	28	110
			751756	146.50	147.40	0.90	0.005	1.00	46	688	28	482
			751757	147.40	147.80	0.40	0.005	6.60	1780	690	176	708
			751758	147.80	148.20	0.40	0.005	2.80	834	946	69	1420
			751759	148.20	148.70	0.50	0.005	2.00	549	220	113	446
			751760	148.70	149.40	0.70	0.005	2.00	232	3050	98	1630
			751761	149.40	150.30	0.90	0.005	1.20	39	726	39	622
			751762	150.30	151.20	0.90	0.010	1.00	47	616	29	540
			751763	151.20	152.00	0.80	0.005	0.80	24	904	24	632
			751764	152.00	152.80	0.80	0.005	0.40	15	334	10	206
			751765	152.80	153.60	0.80	0.005	1.80	153	1710	20	1845
			751766	153.60	154.00	0.40	0.005	4.40	3190	532	130	516
154.0	159.7	BLACK CHERT: Fine grained; black highly fractured with hairline fractures being chloritic and often bearing sphalerite; locally the zone approaches an argillite; upper and lower contacts sharp at 45 and 60 degrees respectively. 155.4 - 155.9: Up to 2% sphalerite.	751767	154.00	154.70	0.70	0.005	0.80	57	218	37	156
			751768	154.70	155.40	0.70	0.005	0.80	73	890	20	320
			751769	155.40	155.90	0.50	0.005	1.00	146	428	16	486
			751770	155.90	156.80	0.90	0.005	0.20	17	112	7	120
			751771	156.80	157.80	1.00	0.005	0.80	58	314	18	216
			751772	157.80	158.80	1.00	0.005	1.00	23	536	47	232

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12


FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS				
								Ag	Cu	Zn	Co	Pb
159.7	160.8	CHERTY RHYOLITE: Fine grained, medium to dark grey with greenish tint; chloritic hairline fractures; lower contact broken.	751773	158.80	159.80	1.00	0.005	1.60	276	796	51	480
			751774	159.80	160.80	1.00	0.005	0.20	8	84	5	68
160.8	165.7	MAFIC ROCK (LAMPROPHYRE): Fine to medium grained, medium grey; strongly carbonated, 10% biotite; scattered calcite veinlets with traces of Py, Cpy, Sph, Galena; lower contact appears chilled but may be a contact metamorphic effect; lower contact irregular, ragged; rock has an igneous texture.										
165.7	173.1	RHYOLITE: Buff to brownish grey; with black specks (amphibole); massive texture; pyritic throughout with up to 1% disseminated grains; local fracture zones with bleached light grey or black-grey; epidotized margins.										
173.1	183.9	BLACK CHERT-ARGILLITE-WACKE ZONE: Black with 30% medium to dark grey siliceous metasediments; shatter fractured with hairline fractures bleached grey (epidotization) or less commonly, chlorite; scattered zones of sphalerite with fractures and narrow stringers as well as minor chalcopyrite; lower contact broken. 173.1 - 177.6: 80% black chert, fractured and weak pseudobreccia texture with associated sphalerite, chalcopyrite. 177.6 - 182.1: 50% black chert, 40% fine grained,	751775	173.10	174.10	1.00	0.005	0.40	15	102	8	108
			751776	174.10	175.00	0.90	0.005	0.80	59	2630	13	264
			751777	175.00	175.80	0.80	0.005	0.60	47	74	19	48
			751778	175.80	176.30	0.50	0.005	0.80	89	56	16	24
			751779	176.30	176.80	0.50	0.005	0.80	65	70	10	36
			751783	176.80	177.30	0.50	0.005	1.00	78	86	22	44

CABO MINING CORP

DIAMOND DRILL LOG

PROPERTY: New Lake
HOLE No.: CC12

FROM	TO	LITHOLOGICAL DESCRIPTION	SAMPLE No.	FROM	TO	WIDTH	Au grams	ASSAYS						
								Ag	Cu	Zn	Co	Pb		
		medium to light grey argillite-wacke and 10% grey green chert. 182.1 - 183.9: Wacke (80%) with 20% black argillite -chert; minor sulphides.												
183.9	195.0	RHYOLITE: Buff coloured; moderately fractured; fractures are bleached white or filled with dark chloritic material; pyrite occurs throughout as disseminated grains (< 1%); Galena, sphalerite and chalcopyrite occur rarely associated with fractures; these sulphides are best displayed between 185.5 - 186.0 where they form the matrix to a pseudobreccia; lower 1/2 metre contains 40% black cherty interlayered material, contact broken; only 10 cm. of pebbles recovered from last metre.	751780	185.00	185.50	0.50	0.005	0.40	6	145	10	236		
			751781	185.50	186.00	0.50	0.005	2.40	19	2040	7	2280		
			751782	186.00	186.50	0.50	0.005	0.60	11	796	1	320		
		195.0 E.O.H.												



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-8163

To: CABO MINING CORP.

502 - 595 HOWE ST.
 VANCOUVER, BC
 V6C 2T5

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC/JOHN VERSFELT

Page Number 1-A
 Total Pages 4
 Certificate Date: 24-MAY-01
 Invoice No. 10116616
 P.O. Number
 Account QXG

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
751674	205 226	5	1.0	3.70	24	10	10	0.5	2	1.61	2.0	57	173	126	8.86	10	1	0.02	10	2.74
751675	205 226	5	0.6	2.88	26	10	10	0.5	2	2.61	3.0	32	170	103	6.07	10	1	0.02	10	2.26
751676	205 226	5	5.4	1.88	74	10	10	0.5	4	1.05	3.0	92	124	207	7.62	10	1	0.03	10	1.51
751677	205 226	10	10.0	1.98	152	10	20	0.5	16	2.13	1.5	90	63	4260	8.04	10	1	0.08	10	1.61
751678	205 226	5	2.2	2.77	28	10	10	0.5	8	1.95	6.0	35	132	105	6.57	10	1	0.01	10	2.51
751679	205 226	5	3.6	3.79	88	10	10	0.5	2	2.35	34.0	42	114	81	8.17	10	1	0.01	10	3.01
751680	205 226	5	0.2	2.45	58	10	10	0.5	2	2.01	1.0	53	80	123	5.08	10	1	0.06	10	1.98
751681	205 226	5	1.2	2.51	34	10	10	0.5	2	2.39	1.5	55	117	193	5.67	10	1	0.03	10	1.90
751682	205 226	5	2.0	2.18	64	10	10	0.5	6	2.02	0.5	84	113	232	5.57	10	1	0.03	10	1.75
751683	205 226	5	0.6	2.32	16	10	10	0.5	2	1.14	1.5	30	110	103	5.15	10	1	0.04	10	1.94
751684	205 226	5	0.6	2.37	20	10	10	0.5	2	1.75	1.0	24	81	295	4.65	10	1	0.03	10	2.05
751685	205 226	5	5.0	3.43	140	10	10	0.5	6	2.54	19.0	50	111	735	6.57	10	1	0.12	10	2.47
751686	205 226	40	19.6	2.67	158	10	10	0.5	4	0.23	26.0	77	113	7970	5.95	10	1	0.06	10	2.26
751687	205 226	10	15.0	2.39	122	10	10	0.5	8	0.27	50.5	60	125	1545	5.65	10	1	0.07	10	2.03
751688	205 226	5	5.4	1.36	96	10	20	0.5	2	0.21	2.0	45	55	317	4.52	10	1	0.16	10	1.06
751689	205 226	5	9.0	1.30	60	10	20	2.0	2	1.58	0.5	47	75	798	7.32	10	1	0.15	10	1.08
751690	205 226	10	4.8	1.45	62	10	30	0.5	6	0.14	0.5	34	87	244	4.02	10	1	0.18	10	1.14
751691	205 226	5	6.2	1.37	120	10	30	0.5	2	0.15	0.5	68	75	144	4.82	10	1	0.18	10	1.06
751692	205 226	10	10.4	1.50	146	10	20	1.0	2	0.11	1.5	96	76	219	8.36	10	1	0.15	10	1.20
751693	205 226	15	19.4	1.11	136	10	10	1.5	2	0.08	2.5	117	74	436	14.30	10	1	0.13	10	0.82
751694	205 226	10	11.4	1.46	50	10	20	1.0	2	0.61	0.5	45	97	880	6.87	10	1	0.14	10	1.22
751695	205 226	5	6.8	2.01	158	10	10	1.0	2	2.75	1.0	70	93	281	7.08	10	1	0.13	10	1.73
751696	205 226	5	3.6	2.20	126	10	10	0.5	2	0.86	1.0	63	112	361	5.16	10	1	0.12	10	1.94
751697	205 226	5	4.0	1.63	118	10	10	0.5	2	1.91	3.0	52	140	425	4.30	10	1	0.09	10	1.97
751698	205 226	15	6.2	1.53	1545	10	10	0.5	10	2.78	5.5	153	110	687	4.06	10	1	0.08	10	1.99
751699	205 226	5	6.6	1.60	522	10	20	0.5	10	1.06	2.0	183	110	707	4.09	10	1	0.15	10	1.35
751700	205 226	5	9.2	2.00	322	10	10	0.5	10	0.53	1.0	128	97	144	5.08	10	1	0.12	10	1.72
751701	205 226	10	24.6	2.07	200	10	10	0.5	16	0.90	1.5	87	97	272	8.30	10	1	0.11	10	1.72
751702	205 226	10	11.2	1.99	1130	10	10	0.5	10	0.85	5.0	85	119	922	6.41	10	1	0.10	10	1.72
751703	205 226	25	7.2	1.55	3370	10	10	0.5	6	0.94	24.0	95	114	516	5.02	10	1	0.05	10	1.59
751704	205 226	10	5.8	0.98	54	10	10	0.5	8	2.38	49.0	27	136	284	3.26	10	1	0.03	10	2.03
751705	205 226	5	2.4	2.25	42	10	10	0.5	4	3.44	0.5	32	138	402	4.98	10	1	0.01	10	2.27
751706	205 226	5	4.8	3.27	78	10	10	0.5	6	1.58	7.5	34	138	121	7.15	10	1	0.02	10	3.06
751707	205 226	5	2.6	3.62	72	10	10	0.5	6	2.43	6.5	47	132	98	7.66	10	1	0.22	10	3.17
751708	205 226	5	0.2	3.92	70	10	10	0.5	8	4.10	9.0	41	105	79	6.08	10	1	6.01	10	2.90
751709	205 226	5	1.8	3.61	54	10	10	0.5	2	4.93	3.5	39	96	112	6.08	10	1	0.01	10	2.67
751710	205 226	5	0.8	2.52	44	10	10	0.5	2	2.19	1.5	50	78	106	5.27	10	1	0.03	10	1.96
751711	205 226	5	0.4	2.30	50	10	10	0.5	2	4.90	1.5	46	68	130	4.73	10	1	0.01	10	1.73
751712	205 226	5	0.6	1.19	2	10	10	0.5	2	6.88	2.5	11	82	49	2.27	10	1	0.01	10	0.82
751713	205 226	5	0.2	4.36	2	10	10	0.5	8	4.97	3.5	49	107	157	7.75	10	1	0.01	10	2.63



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: CABO MINING CORP.

##

502 - 595 HOWE ST.
 VANCOUVER, BC
 V6C 2T5


Page Number: 1-B
 Total Pages: 4
 Certificate Date: 24-MAY-01
 Invoice No.: 10116616
 P.O. Number:
 Account: QXG

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC JOHN VERSFELT

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
751674	205 226	1205	1	0.04	113	340	26	2.87	4	27	5	0.10	< 10	< 10	295	< 10	64
751675	205 226	1050	1	0.07	75	310	190	1.21	2	24	10	0.17	< 10	< 10	278	< 10	502
751676	205 226	580	1	0.06	162	360	756	5.26	8	12	5	0.09	< 10	< 10	160	< 10	602
751677	205 226	1010	4	0.04	131	430	3990	5.09	4	9	25	0.07	< 10	< 10	96	120	244
751678	205 226	940	1	0.06	77	330	464	2.61	2	22	7	0.19	< 10	< 10	252	< 10	1360
751679	205 226	1225	1	0.04	85	300	2500	2.91	6	29	10	0.12	< 10	< 10	263	< 10	8870
751680	205 226	1450	1	0.05	77	250	28	0.44	2	8	8	0.34	< 10	< 10	176	< 10	100
751681	205 226	1345	1	0.09	114	320	42	1.17	8	12	11	0.24	< 10	< 10	200	< 10	64
751682	205 226	1125	1	0.06	96	320	116	1.92	10	12	8	0.28	< 10	< 10	198	< 10	114
751683	205 226	1160	1	0.07	81	300	28	0.76	8	10	5	0.39	< 10	< 10	184	< 10	44
751684	205 226	1215	1	0.07	52	310	86	0.31	2	7	9	0.35	< 10	< 10	158	< 10	56
751685	205 226	1015	2	0.05	97	370	1500	1.05	12	28	14	0.22	< 10	< 10	263	< 10	2450
751686	205 226	655	2	0.04	104	430	2780	2.59	14	18	2	0.12	< 10	< 10	211	< 10	7520
751687	205 226	585	2	0.05	125	380	8210	3.11	10	18	3	0.15	< 10	< 10	218	< 10	10000
751688	205 226	305	4	0.01	131	390	1280	2.79	8	6	4	0.06	< 10	< 10	72	< 10	566
751689	205 226	405	5	0.01	221	380	674	6.29	14	5	7	0.02	< 10	< 10	62	< 10	160
751690	205 226	315	6	0.01	86	410	772	2.14	6	6	4	0.03	< 10	< 10	77	< 10	332
751691	205 226	295	7	0.01	142	460	932	3.17	6	6	4	0.03	< 10	< 10	77	< 10	100
751692	205 226	330	5	0.01	227	370	4180	6.66	10	6	3	0.03	< 10	< 10	94	< 10	572
751693	205 226	240	6	0.01	438	340	1785	10.00	10	4	1	0.01	< 10	< 10	69	20	366
751694	205 226	355	4	0.01	153	360	944	5.29	10	7	4	0.03	< 10	< 10	93	< 10	208
751695	205 226	620	4	0.01	141	390	404	4.94	16	10	10	0.04	< 10	< 10	115	< 10	114
751696	205 226	550	6	0.02	105	330	338	2.07	12	11	4	0.08	< 10	< 10	137	< 10	324
751697	205 226	495	2	0.01	88	340	878	1.95	2	8	8	0.03	< 10	< 10	91	< 10	754
751698	205 226	545	1	0.01	91	280	1785	1.94	8	9	10	0.03	< 10	< 10	93	< 10	1295
751699	205 226	420	5	0.01	145	420	482	1.92	6	13	6	0.01	< 10	< 10	109	< 10	526
751700	205 226	500	5	0.01	132	430	658	2.39	8	14	4	0.01	< 10	< 10	146	< 10	354
751701	205 226	555	6	0.01	225	430	1230	6.01	12	14	4	0.01	< 10	< 10	154	< 10	260
751702	205 226	525	5	0.01	130	400	836	3.99	16	13	4	0.04	< 10	< 10	141	< 10	1275
751703	205 226	440	3	0.01	48	210	420	3.23	14	10	4	0.02	< 10	< 10	100	< 10	6920
751704	205 226	400	1	0.06	50	330	2950	2.78	2	13	11	0.11	< 10	< 10	155	< 10	10000
751705	205 226	840	1	0.08	47	300	784	1.18	2	23	20	0.22	< 10	< 10	212	< 10	1550
751706	205 226	875	1	0.05	59	340	882	1.25	10	24	9	0.19	< 10	< 10	269	< 10	1530
751707	205 226	975	2	0.05	63	300	296	0.56	2	26	14	0.20	< 10	< 10	239	< 10	912
751708	205 226	1350	1	0.04	71	250	166	0.38	2	29	13	0.24	< 10	< 10	253	< 10	2010
751709	205 226	1265	3	0.03	71	300	398	0.92	2	25	16	0.18	< 10	< 10	224	< 10	416
751710	205 226	1460	1	0.05	73	280	36	0.65	8	10	8	0.32	< 10	< 10	186	< 10	150
751711	205 226	1450	1	0.08	63	250	18	0.46	2	12	24	0.22	< 10	< 10	169	< 10	68
751712	205 226	910	48	0.03	27	70	42	0.11	2	7	43	0.11	< 10	< 10	80	< 10	990
751713	205 226	1555	2	0.01	91	250	8	0.58	10	4	13	0.20	< 10	< 10	151	< 10	84

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd. Mississauga
 Ontario, Canada L4W 2S3
 PHONE 905-624-2806 FAX 905-624-8163

To: CABO MINING CORP

502 - 595 HOWE ST
 VANCOUVER, BC
 V6C 2T5

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC:JOHN VERSFELT


Page Number: 2-A
 Total Pages: 4
 Certificate Date: 24-MAY-01
 Invoice No.: 10116616
 P.O. Number:
 Account: QXG

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
751714	205 226	< 5	0.2	3.82	4	< 10	< 10	< 0.5	2	4.79	2.5	38	90	95	6.81	< 10	1	0.02	< 10	2.40
751715	205 226	< 5	1.4	4.21	82	< 10	< 10	< 0.5	2	1.08	9.0	47	144	22	8.46	10	< 1	0.16	< 10	3.62
751716	205 226	< 5	0.2	4.15	50	< 10	< 10	< 0.5	< 2	2.18	4.0	34	138	18	8.34	10	< 1	0.22	< 10	3.57
751717	205 226	< 5	1.0	1.86	52	< 10	< 10	< 0.5	2	1.15	1.0	48	122	105	5.22	< 10	1	0.12	< 10	1.66
751718	205 226	< 5	0.6	2.17	38	< 10	< 10	< 0.5	< 2	1.50	0.5	41	128	49	5.83	< 10	1	0.14	< 10	1.83
751719	205 226	< 5	2.0	3.25	72	< 10	< 10	< 0.5	10	1.69	4.0	54	126	119	7.45	10	1	0.27	< 10	2.87
751720	205 226	< 5	0.2	3.28	40	< 10	< 10	< 0.5	2	1.71	4.0	30	116	24	7.42	10	< 1	0.18	< 10	2.91
751721	205 226	< 5	0.2	3.23	78	< 10	< 10	< 0.5	2	1.58	3.5	49	121	67	7.39	10	2	0.21	< 10	2.87
751722	205 226	< 5	1.6	2.91	96	< 10	< 10	< 0.5	4	2.82	2.5	67	111	270	6.85	10	1	0.25	< 10	2.49
751723	205 226	< 5	0.8	2.99	96	< 10	< 10	< 0.5	< 2	1.35	3.0	76	109	66	7.74	10	1	0.23	< 10	2.52
751724	205 226	< 5	1.0	3.00	54	< 10	< 10	< 0.5	< 2	1.90	2.5	37	114	45	6.88	< 10	1	0.30	< 10	2.58
751725	205 226	< 5	1.4	2.92	56	< 10	< 10	< 0.5	4	1.09	5.5	38	120	102	6.86	10	1	0.24	< 10	2.54
751726	205 226	< 5	1.2	2.82	74	< 10	< 10	< 0.5	< 2	1.18	4.0	50	123	67	6.79	10	< 1	0.22	< 10	2.46
751727	205 226	< 5	0.6	2.83	50	< 10	< 10	< 0.5	4	0.94	4.5	33	122	45	6.31	10	2	0.17	< 10	2.64
751728	205 226	< 5	1.2	2.86	34	< 10	< 10	< 0.5	4	0.88	5.0	33	121	61	6.39	< 10	< 1	0.13	< 10	3.00
751729	205 226	< 5	2.0	3.32	44	< 10	< 10	< 0.5	4	0.97	11.0	36	127	33	7.37	10	< 1	0.14	< 10	3.56
751730	205 226	< 5	1.8	3.48	56	< 10	< 10	< 0.5	4	1.14	6.5	45	138	38	7.54	10	1	0.10	< 10	3.82
751731	205 226	< 5	2.2	3.06	42	< 10	< 10	< 0.5	6	0.80	10.5	43	140	53	6.72	10	1	0.12	< 10	3.42
751732	205 226	< 5	1.8	3.79	42	< 10	< 10	< 0.5	4	0.51	8.5	34	129	96	8.24	10	< 1	0.08	< 10	3.45
751733	205 226	< 5	1.0	1.56	30	< 10	30	< 0.5	2	2.59	3.0	26	56	24	3.95	< 10	< 1	0.16	10	1.86
751734	205 226	< 5	0.6	1.39	18	< 10	< 10	< 0.5	2	0.84	1.5	14	82	58	3.31	< 10	< 1	0.04	< 10	1.56
751735	205 226	< 5	0.8	1.89	44	< 10	< 10	< 0.5	2	0.60	1.0	29	67	42	5.22	< 10	< 1	0.07	< 10	1.75
751736	205 226	< 5	0.8	2.57	64	< 10	< 10	< 0.5	2	1.68	2.5	43	96	15	5.74	< 10	1	0.10	< 10	2.42
751737	205 226	< 5	1.4	2.74	60	< 10	< 10	< 0.5	6	0.40	8.0	49	117	66	6.62	10	< 1	0.12	< 10	2.58
751738	205 226	< 5	4.8	2.23	86	< 10	< 10	< 0.5	14	0.59	11.0	69	104	441	6.52	10	1	0.18	< 10	2.01
751739	205 226	< 5	1.6	2.71	22	< 10	< 10	< 0.5	2	0.75	5.0	25	50	122	6.08	10	1	0.07	< 10	2.39
751740	205 226	< 5	1.6	2.93	38	< 10	< 10	< 0.5	6	0.46	3.0	31	120	153	6.04	10	< 1	0.12	< 10	2.80
751741	205 226	< 5	3.6	2.78	44	< 10	< 10	< 0.5	4	0.74	8.5	42	151	200	5.98	10	< 1	0.08	< 10	2.71
751742	205 226	< 5	2.2	1.61	34	< 10	< 10	< 0.5	2	0.42	2.0	33	70	228	3.53	< 10	< 1	0.06	< 10	1.44
751743	205 226	< 5	3.2	1.19	10	< 10	< 10	< 0.5	10	1.31	8.5	14	51	37	2.70	< 10	1	0.04	< 10	0.91
751744	205 226	< 5	1.2	1.14	40	< 10	< 10	< 0.5	4	0.17	15.5	34	57	56	2.77	< 10	< 1	0.08	< 10	0.84
751745	205 226	< 5	0.8	1.34	14	< 10	50	< 0.5	6	0.16	0.5	11	42	43	2.32	< 10	< 1	0.21	< 10	0.81
751746	205 226	< 5	0.6	1.46	16	< 10	40	< 0.5	< 2	0.16	1.5	13	45	48	2.42	< 10	< 1	0.21	10	0.87
751747	205 226	< 5	1.0	1.51	18	< 10	30	< 0.5	2	0.17	0.5	14	48	15	2.73	< 10	< 1	0.17	10	0.95
751748	205 226	< 5	0.2	1.46	18	< 10	40	< 0.5	< 2	0.14	0.5	12	40	14	2.34	< 10	< 1	0.19	10	0.91
751749	205 226	< 5	0.2	1.63	16	< 10	20	< 0.5	< 2	0.26	0.5	11	54	7	3.01	< 10	1	0.11	< 10	1.12
751750	205 226	< 5	1.0	1.71	26	< 10	50	< 0.5	10	0.18	33.5	23	45	27	3.05	< 10	1	0.20	< 10	1.11
751751	205 226	< 5	2.2	1.46	30	< 10	50	< 0.5	2	0.19	5.5	34	38	102	3.08	< 10	< 1	0.24	20	0.85
751752	205 226	< 5	0.6	1.43	16	< 10	40	< 0.5	2	0.13	2.0	12	37	30	2.28	< 10	< 1	0.20	10	0.92
751753	205 226	< 5	0.8	1.96	100	< 10	40	< 0.5	6	0.16	6.0	58	49	25	3.17	< 10	< 1	0.25	< 10	1.25

CHEMEX LABS Alpha-FAX2

PAGE 004



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd. Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: CABO MINING CORP.
 502 - 595 HOWE ST.
 VANCOUVER, BC
 V6C 2T5

##

Page Number 2-B
 Total Pages 4
 Certificate Date 24-MAY-01
 Invoice No. 10116616
 P.O. Number
 Account QXG

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC JOHN VERSFELT


CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
751714	205 226	1325	1	0.01	77	240	2	0.50	2	4	12	0.22	< 10	< 10	130	< 10	72
751715	205 226	1040	1	0.04	67	340	378	0.20	8	32	5	0.32	< 10	< 10	289	< 10	1315
751716	205 226	1115	1	0.04	60	340	80	0.15	6	31	18	0.32	< 10	< 10	277	< 10	188
751717	205 226	585	1	0.03	98	190	124	0.89	8	11	8	0.16	< 10	< 10	130	< 10	118
751718	205 226	710	1	0.05	65	170	168	0.89	10	11	14	0.19	< 10	< 10	144	< 10	142
751719	205 226	1090	2	0.05	101	340	248	0.62	8	11	14	0.31	< 10	< 10	234	< 10	426
751720	205 226	1135	1	0.06	71	320	66	0.28	4	10	13	0.32	< 10	< 10	220	< 10	618
751721	205 226	1155	1	0.06	88	350	48	0.34	8	10	13	0.32	< 10	< 10	224	< 10	350
751722	205 226	1165	1	0.06	106	290	148	0.57	6	11	19	0.30	< 10	< 10	208	< 10	152
751723	205 226	1085	2	0.05	110	330	118	0.83	2	10	10	0.29	< 10	< 10	212	< 10	246
751724	205 226	1090	1	0.08	74	300	448	0.37	8	12	11	0.33	< 10	< 10	210	< 10	478
751725	205 226	1080	1	0.06	83	320	522	0.42	2	10	9	0.32	< 10	< 10	221	< 10	1350
751726	205 226	1080	1	0.07	84	320	762	0.68	2	10	10	0.33	< 10	< 10	219	< 10	896
751727	205 226	1025	1	0.07	70	290	228	0.17	2	14	8	0.35	< 10	< 10	218	< 10	764
751728	205 226	935	1	0.06	80	330	310	0.42	4	14	9	0.33	< 10	< 10	217	< 10	964
751729	205 226	1095	1	0.04	76	230	414	0.47	2	21	10	0.18	< 10	< 10	279	< 10	1575
751730	205 226	1115	1	0.05	88	260	412	0.30	4	18	10	0.30	< 10	< 10	323	< 10	624
751731	205 226	930	1	0.05	92	290	318	0.35	2	19	10	0.29	< 10	< 10	277	< 10	1385
751732	205 226	1240	1	0.05	76	420	232	0.19	2	16	6	0.24	< 10	< 10	260	< 10	1295
751733	205 226	1145	1	0.10	46	1230	370	0.23	2	13	19	0.10	< 10	< 10	144	< 10	528
751734	205 226	545	1	0.07	24	750	150	0.31	6	8	10	0.11	< 10	< 10	115	< 10	214
751735	205 226	670	1	0.09	35	920	120	1.32	8	5	10	0.17	< 10	< 10	156	< 10	202
751736	205 226	1015	1	0.06	68	320	272	0.14	6	6	15	0.23	< 10	< 10	177	< 10	198
751737	205 226	915	1	0.06	93	330	374	0.90	10	6	3	0.22	< 10	< 10	198	< 10	1970
751738	205 226	725	1	0.10	93	360	900	2.55	8	8	7	0.24	< 10	< 10	171	< 10	2900
751739	205 226	875	1	0.08	34	1250	668	0.49	8	6	10	0.16	< 10	< 10	177	< 10	1030
751740	205 226	845	1	0.08	80	340	292	0.42	8	13	5	0.25	< 10	< 10	202	< 10	442
751741	205 226	815	2	0.08	117	360	1400	0.86	2	14	6	0.25	< 10	< 10	237	< 10	1995
751742	205 226	455	3	0.12	56	270	328	0.64	8	7	6	0.11	< 10	< 10	77	< 10	650
751743	205 226	445	3	0.09	27	220	412	0.44	2	3	11	0.06	< 10	< 10	37	< 10	2200
751744	205 226	265	10	0.10	17	250	48	0.86	2	3	4	0.06	< 10	< 10	33	< 10	3990
751745	205 226	240	5	0.09	15	310	28	0.23	6	2	5	0.07	< 10	< 10	28	< 10	170
751746	205 226	250	2	0.08	15	270	32	0.15	2	2	5	0.08	< 10	< 10	26	< 10	296
751747	205 226	280	3	0.08	21	280	670	0.18	2	3	4	0.09	< 10	< 10	35	< 10	170
751748	205 226	250	2	0.08	12	260	18	0.08	2	1	5	0.07	< 10	< 10	24	< 10	72
751749	205 226	310	3	0.06	13	190	110	0.19	4	3	4	0.07	< 10	< 10	37	< 10	170
751750	205 226	300	4	0.07	29	320	478	0.73	2	5	4	0.08	< 10	< 10	59	< 10	8370
751751	205 226	225	3	0.08	47	310	810	1.08	4	3	5	0.06	< 10	< 10	30	< 10	1405
751752	205 226	220	5	0.06	18	260	236	0.08	2	1	4	0.05	< 10	< 10	25	< 10	576
751753	205 226	255	3	0.06	34	300	598	0.20	6	4	4	0.06	< 10	< 10	49	< 10	1890

CERTIFICATION

CHEMEX LABS Alpha-FAX2

PAGE 005



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists & Geochemists - Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE 905-624-2806 FAX 905-624-6163

To: CABO MINING CORP. ##

502 - 595 HOWE ST.
 VANCOUVER, BC
 V6C 2T5

Page Number 3-A
 Total Pages 4
 Certificate Date: 24-MAY-01
 Invoice No. 10116616
 P.O. Number
 Account QXG

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC JOHN VERSFELT

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
751754	205 226	< 5	0.4	1.96	52	< 10	50	< 0.5	6	0.19	2.5	25	44	16	2.90	< 10	< 1	0.33	< 10	1.20
751755	205 226	< 5	0.6	1.89	62	< 10	40	< 0.5	2	0.55	1.0	28	38	107	2.78	< 10	< 1	0.31	10	1.19
751756	205 226	< 5	1.0	1.92	62	< 10	40	< 0.5	2	0.27	3.0	28	40	46	2.74	< 10	< 1	0.31	10	1.27
751757	205 226	< 5	6.6	2.06	314	< 10	10	< 0.5	6	0.68	2.5	176	54	1780	3.63	< 10	< 1	0.10	10	1.75
751758	205 226	< 5	2.8	2.90	160	< 10	30	< 0.5	6	0.73	3.5	69	162	834	4.54	< 10	2	0.23	< 10	2.28
751759	205 226	< 5	2.0	2.09	232	< 10	40	< 0.5	4	0.23	1.5	113	37	549	3.11	< 10	< 1	0.30	< 10	1.42
751760	205 226	< 5	2.0	2.08	182	< 10	30	< 0.5	4	0.23	11.0	98	48	232	3.08	< 10	< 1	0.28	< 10	1.37
751761	205 226	< 5	1.2	2.83	102	< 10	30	< 0.5	2	1.04	3.5	39	165	39	4.06	< 10	1	0.25	< 10	2.28
751762	205 226	< 10	1.0	3.93	82	< 10	10	< 0.5	6	2.22	4.0	29	408	47	5.55	< 10	1	0.10	10	3.99
751763	205 226	< 5	0.8	3.41	86	< 10	10	< 0.5	4	2.09	4.0	24	375	24	4.60	< 10	1	0.11	< 10	3.88
751764	205 226	< 5	0.4	1.64	26	< 10	40	< 0.5	2	0.82	1.0	10	33	15	2.22	< 10	< 1	0.21	< 10	1.33
751765	205 226	< 5	1.8	1.52	72	< 10	30	< 0.5	2	0.38	6.0	28	42	153	2.21	< 10	< 1	0.15	< 10	1.25
751766	205 226	< 5	4.4	4.29	262	< 10	10	< 0.5	2	2.06	4.5	130	348	3190	6.67	< 10	< 1	0.07	20	3.91
751767	205 226	< 5	0.8	1.88	90	< 10	50	< 0.5	2	0.22	0.5	37	43	57	2.47	< 10	< 1	0.27	< 10	1.47
751768	205 226	< 5	0.8	1.73	72	< 10	60	< 0.5	2	0.22	3.0	20	33	73	2.20	< 10	1	0.31	< 10	1.29
751769	205 226	< 5	1.0	1.84	52	< 10	50	< 0.5	2	0.28	1.0	16	46	146	2.35	< 10	< 1	0.28	10	1.42
751770	205 226	< 5	0.2	1.24	26	< 10	60	< 0.5	2	0.14	< 0.5	7	15	17	1.42	< 10	< 1	0.30	10	0.81
751771	205 226	< 5	0.8	1.44	58	< 10	50	< 0.5	2	0.17	1.0	18	32	58	2.13	< 10	< 1	0.23	10	1.11
751772	205 226	< 5	1.0	1.60	134	< 10	60	< 0.5	2	0.21	2.5	47	42	73	2.17	< 10	< 1	0.24	< 10	1.32
751773	205 226	< 5	1.6	0.99	110	< 10	50	< 0.5	2	0.11	2.5	51	39	276	1.25	< 10	< 1	0.23	< 10	0.66
751774	205 226	< 5	0.2	1.28	14	< 10	60	< 0.5	2	0.26	< 0.5	5	31	8	1.47	< 10	< 1	0.24	10	0.96
751775	205 226	< 5	0.4	1.62	30	< 10	50	< 0.5	2	0.14	< 0.5	8	25	15	1.64	< 10	< 1	0.44	< 10	0.96
751776	205 226	< 5	0.8	1.81	84	< 10	30	< 0.5	2	0.15	10.0	13	36	59	2.37	< 10	< 1	0.23	< 10	1.43
751777	205 226	< 5	0.6	1.75	128	< 10	50	< 0.5	2	0.17	< 0.5	19	32	47	2.16	< 10	< 1	0.39	< 10	1.09
751778	205 226	< 5	0.8	1.85	40	< 10	70	< 0.5	6	0.17	< 0.5	16	28	89	2.46	< 10	< 1	0.43	< 10	1.06
751779	205 226	< 5	0.8	1.86	44	< 10	50	< 0.5	2	0.17	< 0.5	18	34	65	2.82	< 10	< 1	0.33	< 10	1.20
751780	205 226	< 5	0.4	1.05	42	< 10	30	< 0.5	2	0.09	< 0.5	10	45	6	1.24	< 10	< 1	0.27	< 10	0.62
751781	205 226	< 5	2.4	0.45	30	< 10	10	< 0.5	2	0.03	7.5	7	62	19	0.57	< 10	< 1	0.13	< 10	0.21
751782	205 226	< 5	0.6	0.35	8	< 10	10	< 0.5	2	0.11	3.0	1	59	11	0.35	< 10	< 1	0.18	< 10	0.12
751783	205 226	< 5	1.0	2.08	122	< 10	80	< 0.5	2	0.20	0.5	22	35	78	2.45	< 10	< 1	0.49	< 10	1.23
751784	205 226	< 5	1.4	3.12	16	< 10	10	< 0.5	2	2.45	3.5	14	211	150	5.53	< 10	< 1	0.06	< 10	3.06
751785	205 226	< 5	0.2	1.47	14	< 10	10	< 0.5	2	0.16	0.5	10	86	12	2.62	< 10	< 1	0.05	< 10	1.08
751786	205 226	< 5	0.8	1.27	20	< 10	10	< 0.5	2	0.19	4.0	18	82	15	2.45	< 10	1	0.04	< 10	0.94
751787	205 226	< 5	1.4	1.29	26	< 10	10	< 0.5	2	0.20	5.0	19	95	19	2.42	< 10	< 1	0.05	< 10	0.95
751788	205 226	< 5	1.0	1.66	52	< 10	10	< 0.5	2	0.11	10.0	35	76	14	3.00	< 10	1	0.08	< 10	1.12
751789	205 226	< 5	0.4	1.56	20	< 10	10	< 0.5	2	0.12	1.0	13	74	21	2.82	< 10	< 1	0.09	< 10	1.06
751790	205 226	< 5	0.8	3.85	22	< 10	20	< 0.5	2	2.07	5.0	23	206	9	6.25	< 10	< 1	0.22	< 10	3.43
751791	205 226	< 5	2.6	1.79	22	< 10	30	< 0.5	2	0.14	9.5	17	63	41	3.00	< 10	< 1	0.19	< 10	1.32
751792	205 226	< 5	0.2	1.75	26	< 10	40	< 0.5	2	0.14	1.5	17	62	22	2.66	< 10	< 1	0.20	< 10	1.23
751793	205 226	< 5	0.2	1.72	20	< 10	20	< 0.5	4	0.21	2.0	13	72	14	2.74	< 10	1	0.13	< 10	1.29



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: CABO MINING CORP. ##

502 - 595 HOWE ST.
 VANCOUVER, BC
 V6C 2T5


Page Number 3-B
 Total Pages 4
 Certificate Date 24-MAY-01
 Invoice No. 10116616
 P.O. Number
 Account QXG

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC:JOHN VERSFELT

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
751754	205 226	245	4	0.05	40	350	242	0.09	10	3	5	0.07	< 10	< 10	43	< 10	550
751755	205 226	265	4	0.04	40	330	110	0.06	6	3	6	0.07	< 10	< 10	40	< 10	280
751756	205 226	235	3	0.05	37	310	482	0.08	2	3	6	0.06	< 10	< 10	39	< 10	688
751757	205 226	315	5	0.08	57	250	708	0.30	8	5	7	0.03	< 10	< 10	64	< 10	690
751758	205 226	385	4	0.04	60	850	1420	0.18	8	9	7	0.06	< 10	< 10	99	< 10	946
751759	205 226	240	20	0.03	68	350	446	0.10	< 2	2	4	0.05	< 10	< 10	36	< 10	228
751760	205 226	235	3	0.06	45	320	1630	0.26	8	3	6	0.04	< 10	< 10	46	< 10	3050
751761	205 226	385	3	0.03	58	590	622	0.11	< 2	6	12	0.06	< 10	< 10	71	< 10	726
751762	205 226	625	2	0.02	73	1090	540	0.09	2	14	20	0.07	< 10	< 10	134	< 10	616
751763	205 226	575	2	0.02	76	1050	632	0.07	4	13	18	0.07	< 10	< 10	123	< 10	904
751764	205 226	250	1	0.05	22	300	206	0.06	2	1	6	0.03	< 10	< 10	18	< 10	334
751765	205 226	195	1	0.06	34	420	1845	0.19	2	2	5	0.04	< 10	< 10	40	< 10	1710
751766	205 226	655	4	0.02	74	1360	516	0.45	2	14	19	0.08	< 10	< 10	149	< 10	532
751767	205 226	210	1	0.04	40	330	156	0.06	6	2	4	0.06	< 10	< 10	33	< 10	218
751768	205 226	175	3	0.04	46	500	320	0.20	2	1	4	0.08	< 10	< 10	25	< 10	890
751769	205 226	195	2	0.04	39	370	486	0.17	6	2	5	0.05	< 10	< 10	25	< 10	428
751770	205 226	115	2	0.04	13	310	120	0.08	6	1	5	0.04	< 10	< 10	7	< 10	132
751771	205 226	150	2	0.06	45	380	216	0.37	2	1	5	0.05	< 10	< 10	24	< 10	314
751772	205 226	175	3	0.08	50	410	232	0.23	< 2	3	6	0.06	< 10	< 10	41	< 10	536
751773	205 226	90	2	0.05	24	350	480	0.17	< 2	1	5	0.02	< 10	< 10	14	< 10	796
751774	205 226	135	3	0.07	12	360	68	0.02	2	1	7	0.04	< 10	< 10	13	< 10	84
751775	205 226	110	7	0.04	18	300	108	0.02	2	1	3	0.04	< 10	< 10	11	< 10	102
751776	205 226	145	3	0.07	25	380	264	0.22	6	1	4	0.03	< 10	< 10	28	< 10	2630
751777	205 226	110	2	0.08	41	520	48	0.21	< 2	1	4	0.04	< 10	< 10	35	< 10	74
751778	205 226	120	3	0.07	45	500	24	0.31	< 2	1	4	0.05	< 10	< 10	27	< 10	56
751779	205 226	130	3	0.07	39	490	36	0.51	2	1	4	0.05	< 10	< 10	33	< 10	70
751780	205 226	75	5	0.07	15	250	236	0.03	< 2	1	4	0.01	< 10	< 10	14	< 10	146
751781	205 226	35	1	0.11	5	10	2280	0.21	< 2	1	5	0.01	< 10	< 10	1	< 10	2040
751782	205 226	25	1	0.10	3	10	320	0.10	< 2	1	7	0.01	< 10	< 10	1	< 10	796
751783	205 226	140	3	0.04	46	440	44	0.13	< 2	1	6	0.04	< 10	< 10	26	< 10	86
751784	205 226	955	1	0.04	37	1310	760	0.29	6	13	23	0.13	< 10	< 10	153	< 10	570
751785	205 226	240	2	0.08	17	190	26	0.10	6	4	4	0.09	< 10	< 10	48	< 10	70
751786	205 226	220	4	0.08	23	170	242	0.21	2	4	4	0.08	< 10	< 10	52	< 10	1065
751787	205 226	215	5	0.08	19	190	610	0.21	< 2	4	4	0.06	< 10	< 10	54	< 10	1325
751788	205 226	215	3	0.10	23	250	600	0.27	6	5	4	0.05	< 10	< 10	54	< 10	2640
751789	205 226	195	3	0.08	20	230	182	0.16	6	4	3	0.06	< 10	< 10	47	< 10	866
751790	205 226	1040	1	0.05	46	1680	372	0.31	2	14	29	0.18	< 10	< 10	152	< 10	1025
751791	205 226	305	3	0.07	28	270	2120	0.29	< 2	4	5	0.07	< 10	< 10	53	< 10	2570
751792	205 226	245	1	0.09	27	260	98	0.07	2	4	5	0.07	< 10	< 10	48	< 10	280
751793	205 226	260	2	0.11	25	300	176	0.08	< 2	5	7	0.08	< 10	< 10	59	< 10	548

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists • Geochemists • Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: CABO MINING CORP
 502 - 585 HOWE ST
 VANCOUVER, BC
 V6C 2T5

Page Number: 4-A
 Total Pages: 4
 Certificate Date: 24-MAY-01
 Invoice No.: 10116616
 P.O. Number:
 Account: QXG

Project: CC
 Comments: ATTN: SEYMOUR SEARS CC JOHN VERSFELT

CERTIFICATE OF ANALYSIS A0116616

SAMPLE	PREP CODE	Au ppb FA-AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
751794	205-226	0.5	0.8	1.59	18	10	20	0.5	2	0.12	2.0	12	54	14	2.76	10	0.1	0.12	10	1.13



ALS Chemex

Aurora Laboratory Services Ltd.
Analytical Chemists • Geochemists • Registered Assayers
5175 Timberlea Blvd Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2808 FAX: 905-624-6163

To: CABO MINING CORP.

502 - 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project: CC
Comments: ATTN: SEYMOUR SEARS CC JOHN VERSFELT

Page Number: 4-B
Total Pages: 4
Certificate Date: 24-MAY-01
Invoice No.: 10116616
P.O. Number:
Account: QXG

CERTIFICATE OF ANALYSIS

A0116616

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
751794	205 226	230	3	0.07	25	230	580	0.11	2	4	4	0.05	10	10	50	10	574

Date: 2001-SEP-06

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

CONSOLIDATED PROFESSOR MINES LIMITED
5501 LAKEVIEW DRIVE
ROYAL OAK MINES (USA)
KIRKLAND, WASHINGTON
98033 UNITED STATES

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.21666
Transaction Number(s): W0180.30366

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact BRUCE GATES by email at bruce.gates@ndm.gov.on.ca or by phone at (705) 670-5856.

Yours Sincerely,



Roy Spooner
Supervisor, Geoscience Assessment Office

Cc: Resident Geologist


Consolidated Professor Mines Limited
(Claim Holder)

Outcrop Explorations Limited
(Claim Holder)

Assessment File Library

Consolidated Professor Mines Limited
(Assessment Office)

Simon Keith Wareing
(Claim Holder)



MINING LAND TENURE MAP

Date / Time of Issue Apr 5 2001 14:48h Eastern
TOWNSHIP / AREA PLAN
GILLIES LIMIT NORTH G-3429
ADMINISTRATIVE DISTRICTS / DIVISIONS
Mining Division Larder Lake
Land Titles/Registry Division TIMISKAMING
Ministry of Natural Resources District NORTH BAY

2.21686

TOPOGRAPHIC and LAND TENURE legend. Includes symbols for Administrative Boundaries, Township, Concession, Lot, Provincial Park, Indian Reserve, etc. Also includes LAND TENURE WITHDRAWALS and IMPORTANT NOTICES legend.

Handwritten blue text: 2.21666, 2.21686, PORILL, ASSAY.

LAND TENURE WITHDRAWAL DESCRIPTIONS


Table with columns: Number, Type, Date, Description. Lists various mining withdrawal descriptions with dates from Jan 1 2001.

IMPORTANT NOTICES

Areas under which special regulations, limitations or conditions exist that affect mineral prospecting, mining and mineral development activities.



31M05SE2034 2.21666 GILLIES LIMIT 200



Those wishing to stake mining claims should consult with the Provincial Mining Recorder's Office of the Ministry of Northern Development and Mines for additional information on the status of the various mining claims. This map is not intended for cartographic, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may be obtained through the local Lands Titles or Registry Office, or the Ministry of Natural Resources.

General Information and Limitations

Contact Information: Provincial Mining Recorder's Office, Timiskaming, Ontario. Map Datum: NAD 83, Projection: UTM (18N), Topographic Data Source: Provincial Mining Recorder's Office.

This map is not shown with registered land titles and interests in land including certain patents, leases, easements, right of way, beneficial rights, reversions, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and uses that restrict or prohibit free entry to stake mining claims may not be illustrated.