

**Report on 2004 Prospecting and Mapping  
In Gillies Limit North Area  
(Waldman & Cummings Pit Area)  
Assessment Report for Cabo Mining Enterprises Corp**

S Wareing / A. Kon / S.Sears  
June, 2004

2 . 2794 1



31M05SE2067 2.27941 COLEMAN

010

## **INTRODUCTION**

A small work program involving prospecting and rock sampling was carried out on the Waldman Ag/Co/BM Prospect by S. Wareing and A. Kon of Temiskaming Shores, Ontario. Sampling and mapping was also completed on a nearby Prospect - the Cummings Pits Ag/Co/BM. The work was completed between May 1<sup>st</sup> and June 23, 2004 on behalf of Cabo Mining Enterprises Corp. The Waldman – Cummings Pits area is located approximately two (2) km south of the town of Cobalt (Figures 1&2).

## **PROPERTY DESCRIPTION & ACCESS**

The prospecting on the Waldman Prospect was completed on **Claim 1212226**, located in the extreme north part of Gillies Limit North Township, Larder Lake Mining Division. Work on the Cummings Pits Prospect (1 km southeast of the Waldman Shaft) was on **Claim 1212226**.

Access is via the Coleman Road that departs eastwards from Highway 11A at the south western end of the town of Cobalt for 1.5 km and for 1 km south along the Houndchutes Road (a Hydro Dam access road).

## **GEOGRAPHY**

Maximum relief on the property is approximately 20 metres. Topography is generally rolling with local steep ledges and cliffs and occasional swamp. The eastern side of the property drains into Giroux Lake while the western side drains westwards into a small creek, both of which drain into Giroux Creek. This creek flows southward and westward through the area mapped and into the Montreal River.

Overburden is relatively shallow over much of the area except for local swamps. Vegetation consists mainly of mature mixed forest with abundant dense underbrush.

## **GEOLOGY**

The area is located in the southern part of the Cobalt mining camp. The northern half of the grid is underlain by a shallow cover of relatively flat lying, Huronian aged, Coleman Group conglomerate. These rocks, as well as the remainder of the grid are underlain by Archean massive to pillowed mafic meta-volcanic rocks. Four known “Cobalt Type” prospects, consisting of silver-cobalt-base metals hosted within calcite-quartz veins and vein breccia, are known to exist within the grid area. These have been explored by at least 5 shafts with associated underground development. One of these, the “Waldman”, is reported to have produced 33,525 oz of silver and 2066 lbs of Cobalt between 1918 and 1919 (Sergiades, 1968).



Figure 1: Regional Location Map of Ontario


**TOWNSHIP / AREA**  
**GILLIES LIMIT NORTH**

**SHOWING THE WALDMAN GRID OF**  
**CABO MINING ENTERPRISES CORP.**

**ADMINISTRATIVE DISTRICTS / DIVISIONS**

Mining Division  
Land Titles/Registry Division  
Ministry of Natural Resources District

Larder Lake  
TIMISKAMING  
NORTH BAY



**TOPOGRAPHIC**

- Administrative Boundaries
- Township
- Commission Lot
- Provincial Park
- Indian Reserve
- CIP, PVI & PVI
- Contour
- Mine Shaft
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- 1888m
- Tower

**Land Tenure**

- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only
- Leased Pasture
- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only
- License of Occupation
- Uses Not Specified
- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only
- Last Use Permit
- Order in Council (Not open for staking)
- Water Power Lease Agreement



- LAND TENURE WITHDRAWALS**
- Area Withdrawn from Staking
  - Mining Claim
  - Pled Claim Mining Claims
- IMPORTANT NOTICES**
- Mining Claim
  - Pled Claim Mining Claims



**LAND TENURE WITHDRAWAL DESCRIPTIONS**

Identifier	Type	Date	Description
-	Wm	Jul 10, 2001	- DISCREPANCIES IN TOWNSHIP FABRIC - Claim staking in these townships must be done according to the Staking Regulations, for staking in surveyed territory.
4552	Wm	Jan. 1, 2001	STAKING OF MINING CLAIMS WITHIN TOWNSHIPS ONLY WITH COMMENT OF THE MINISTER
4610	Wm	Jan. 1, 2001	G.P.
4619	Wm	Jan. 1, 2001	G.P.
4622	Wm	Jan. 1, 2001	PENDING APPLICATION UNDER THE PUBLIC LANDS ACT MINING ACT (CLASSIC 2001)
4625	Wm	Jan. 1, 2001	PENDING APPLICATION UNDER THE PUBLIC LANDS ACT - FEB. 15/2000
4626	Wm	Jan. 1, 2001	4021 P. SURFACE RIGHTS RESERVATION ALONG THE SHORES OF ALL LAKES & RIVERS
WL-66-03	Wm	Feb. 15, 2000	See 20. WL-08-00 1849 2003/006 165150
WL-68-05	Wm	Jan. 1, 1955	WL-44-95 JUMP 14.9 MINEING RIGHTS
WL-58-60	Wm	Aug. 17, 1958	WL-58-60 WER 50PT 17.6 AND FORESTRY AND PIPE LINE
WL-58-95	Wm	Aug. 17, 1958	WL-58-95 NER SEPT. 17/55 SHD OND HYDRO
WL-58-96	Wm	Aug. 17, 1958	WL-58-96 NER SEPT. 17/55 SHD OND HYDRO

This information is derived from digital data available in the Provincial Mining Records' Office of the Ministry of Northern Development and Mines web site.

The information shown is derived from digital data available in the Provincial Mining Records' Office of the Ministry of Northern Development and Mines web site.

**General Information and Limitations**  
 Contact Information:  
 Provincial Mining Records' Office  
 1602 Queen Street Centre 933 Ramsey & 400 Road  
 Sudbury ON P2L 8B9  
 Home Page: www.mrdm.gov.on.ca/MNDM/REGISTRATION/ntmprog2.htm

Toll Free: 1 (800) 415-6315 ext 5798 (outside UTM 8 degrees)  
 Fax: 1 (877) 570-3444

Map Datum: NAD 83  
 UTM 8 degrees

This map may not show unregistered land tenure and interests in land including certain public, town, easements, right of way, boundary rights, easements, or other forms of disposition of rights and interest from the Crown. Also note that some land uses that require or prohibit free entry to state mining claims may not be indicated.

## **Previous Work:**

The northern part of the grid area was first explored in 1909 by Waldman Silver Mines Ltd. who sunk a shaft (85') and commenced production in 1910. Additional production was attained in 1918, 1919 and 1930. Two other shafts (110' & 105') and a total of 4000 feet of underground drifting and x-cutting was completed on this prospect, including work in 1948 and 1955. In 1944 and 1949, Waldag Mining Co. Ltd. are reported to have completed 33 drill holes (in excess of 10,000 feet) although not all logs are available. No assay results were reported. In 1978, Teck Corp completed a ground Mag and VLF-EM survey over part of the claims.

In the southern part of the grid, two shafts were completed on old prospects. These include the "South Keora" (109 ft deep & 143 ft of drifting) in 1927-1928 and the "Walingford" (70 ft & 70 ft X-cut) from 1909-1913. In 1963, Canadian Asteria Minerals Ltd. completed 11 drill holes totalling 2214 feet in the southern part of the grid area.

Cabo Mining Corp. (the predecessor of Cabo Mining Enterprises Corp.) completed two drill holes for 237.2 metres, beneath the Waldman shaft in 1999 (Sears, 2000).

## **Work Program**

The June work program consisted of prospecting and sampling a portion of an 8 km cut grid centered around the old shaft at the past producing Waldman Ag/Co/BM prospect and mapping and sampling of the Cummings Pit Ag/Co/BM Prospect located approximately 1 km to the south.

## **Waldman Area Prospecting**

Summary Report - S. Wareing (See Figure 3)

Preliminary examination and general mapping of a portion of the claims has revealed a moderate amount of outcropping. Ground is generally rolling with occasionally steep sloping rises and drops. Most of this claim area is on one slope or another and much is obscured by earth and overburden. Consequently, no new occurrences were located, no samples sent for assay and there is little to report. Numerous old working and former exploration work proliferates the property. The surface of the ground is thick with forest little and overburden and so consequently; only occasion erosion has revealed bedrock. Bedrock is revealed in places where steep faces occur but were not fully examined by this writer. Much of the claims are a tangle of low undergrowth interspersed with cedar brush and swampy valleys. I presume it will be much drier later in the summer and thus make exploration possible. Many of the low areas and gulleys are currently in standing water.

A number of shaft areas and mine dumps have been located as have a number of old pit workings and overburden trenching as outlined on preliminary map provided. Little was revealed in the examination of these sites with the

exception of the main shaft and dump at 00 point on the grid. This dump area shows easily signs of rich mineralization from the old workings. Numerous scattered pieces of highgrade ore were gathered for examination. This location has been heavily disturbed by heavy equipment in previous years as the other dump site has not been disturbed for several generations. These other sites are layered with overburden and detritus and lie, badly overgrown.

Recent trenching in the area to the south of the dump edge of the main dump at 00 location remains visible and is still clear of undergrowth. Some minor sulphide mineralization was observed in places in the trench but there is little of note during observation.

S. Wareing (6 man days)

**May 14:** Prospecting Waldman shaft #1 area, Line 0 and 100W from 350S to 00 line.

**May 15:** Prospecting north of 00 line to TL-400N, Line 0.

**May 16:** Prospecting North of 00 line, line 100W and 200W

**May 17:** Prospecting in shaft area and line 200W south of Baseline 00

**May 18:** Prospecting on lines 200W and 100W south of Baseline 00

**June 23:** Prospecting line 400W

Summary of Work - Al Kon (See Figure 4)

May 19<sup>th</sup>, 25<sup>th</sup> to 30<sup>th</sup>.

*Wednesday, May 19<sup>th</sup>*

Followed trails roads and some lines on claim. Found 3 shafts; Headframe #1, fenced shaft #2 & capped shaft #3. Also located several trenches and pits.

*Tuesday, May 25<sup>th</sup>*

Sampled muck piles around Headframe and small muck piles along the trail leading to shaft #3.

*Wednesday, May 26<sup>th</sup>*

Sampled muck piles around fenced shaft # 2

*Thursday, May 27<sup>th</sup>*

Sampled muck piles around capped shaft #3

*Friday, May 28<sup>th</sup>*

Sampled trenches near Headframe.


*Saturday May 29<sup>th</sup>*

Sampled trenches and pits near shaft #2.

*Sunday May 30<sup>th</sup>*

Sampled trenches and pits near shaft #3

Post # 1  
1212226



SCALE 1:2500

CLAIM # 1212226


CLAIM # 1212231

BD  
BEAVER DAM

- ↑ rise direction
- ▣ shaft
- PIT
- ⌘ SWAMP OR WET AREA
- trail

- ⊕ MULTI-TRENCH
- TRENCH
- ▭ OVERBURDEN
- Rock covering obvious outcrop
- ▣ Faced SHAFT

PROSPECTING SKETCH OF THE WALDMAN MINE AREA (Gillies Limit North Township)





### SAMPLE DESCRIPTION

Four rock samples were collected and sent in for assay from the Waldman prospect area (Results Pending). These include

#211587- Grab sample of float near the #1 Waldman shaft area. (Possible waste dump); Calcite vein with sulphide.

#211579- Grab sample of float from trench area near shaft #2; calcite veining with chalcopyrite/galena

#211580- conglomerate from beside old trench 175m north of main shaft, pyrite

#211581- sample of narrow E-W calcite vein (5-15cm) with 5-10% galena, trace chalcopyrite.

### **Cummings Pit Prospect Mapping**

The "Cummings Pit" Area is completely underlain by a portion of a large, north-south trending, gently east dipping Nipissing Diabase sill. This sill is one of the main structures with which many of the Cobalt area silver producers were associated.

Figure 5 presents the geology of a stripped area referred to as the Cummings Pit's Prospect. It gets its name from three large pits from 1 to 3 metres deep that were dug to explore the extent of extensive calcite veining with associated sulphides of lead, zinc, copper and pyrite. The calcite appears to be a relatively flat lying, narrow vein with limited potential. Six (6) grab samples were collected from the showing area on May 1, 2004 (See results in Appendix I). Three of the samples (211551 to 211553) contained in excess of 100 g/t silver. Two contained significant gold values (211553 @ 7.09 g/t and 211554 @ 25.27 g/t). Because of these results, the zone was mapped (S. Sears/J. Sears) on June 23 to determine the nature of the mineralization. The sample locations are shown on Figure 5. The data shows an east-west trending, calcite-quartz breccia vein zone ranging in width from 0.1 to 1.0 metre wide. The zone is steeply dipping to vertical and has a 1 metre to 3 metre wide fractured envelope showing calcite-quartz alteration. Associated with the vertical vein are a number of "flat" calcite veins from cm scale to 0.3 metres thick. Both the vertical vein system and the flat veins contain galena, chalcopyrite and sphalerite as coarse patches and grains. Four additional samples were collected from the vertical vein system with results unavailable at this time.

Cabo CLAIM # T19492  
 (230m east to Line Post)  
 Line Post - 400 m S  
 of #1 Post, claim 12/2225

# 12/2225

- Legend
- D Nipissing Diabase
  - ◻ Calcite-Diabase Breccia
  - ▨ Calcite Vein
  - ▩ Vertical Calcite-quartz Breccia Vein (fragments of Diabase)
  - ▲ Sample Location
  - ⚡ Fracturing
  - ⊙ Pit
  - Claim Post Located






Figure 5  
 CABO MINING ENTERPRISES CORP  
 COBALT AREA PROJECT  
 CUMMINS PITS PROSPECT  
 (Gillies Limit North Township)  
 GEOLOGY MAP OF OLD STRIPPED  
 AREA WITH SAMPLE  
 LOCATIONS

## Conclusions and Recommendations

Prospecting at the Waldman Prospect in Gillies Limit North Township shows extensive old trenches and pits. These should be further investigated. Prospecting should be intensified in the area south and west of the Waldman # 1 Shaft and the new grid should be geologically mapped.

Gold and silver values with associated base metal mineralization at the Cummings Pit area appears to be associated with a previously unidentified vertical vein system within a Nipissing diabase sill. Additional stripping, washing and channel sampling should be carried out over and along strike of the vein zone.

  
S. Secor  
for S. Worsley / A. Kon

## REFERENCES

### Ontario Geological Survey

2000: Airborne magnetic and electromagnetic surveys, Temagami area; Ontario Geological Survey, Map 82 066, scale 1:20 000.

### Sears, S.M.

2000: Report on a 1999 Drill Program in the Cobalt Area, for Cabo Mining Corp. (Includes 2 holes under the Waldman Prospect and 2 in the Cummings Pits area).

### Sergiades, A.O.

1968: Silver Cobalt Calcite Vein Deposits of Ontario; Ontario Department of Mines, Mineral Resources Circular No. 10.

### Thompson, R.

1961: Preliminary Report on parts of Coleman Township, Concession IV, Lots 1 to 5 and Gillies Limit, the Eastern "A" Claims, District of Timiskaming; Ontario Department of Mines, P.R. 1961-6.

1963: Cobalt Silver Area, Southwestern Sheet; Ontario Department of Mines Map 2051, Scale 1:12,000.

Assessment Files of the Ontario Geological Survey, Larder Lake Office.

**APPENDIX I**  
(Assay Results)

Cabo Mining Corp.  
 Date Created: 04-05-11 09:44 AM  
 Job Number: 200440377  
 Date Received: 5/4/2004  
 Number of Samples: 120  
 Type of Sample: Core  
 Date Completed: 5/10/2004  
 Project ID:

Accurassay #	Client Tag	Au PPB	Pt PPB	Pd PPB	Rh PPB	Ag PPM	Co PPM	Cu PPM	Fe PPM	Ni PPM	Pb PPM	Zn PPM
22136	2015	11										
22137	2016	10										
22138	2017	<5										
22139	2018	17										
22140	2019	17										
22141	2020	16										
22142	2021	17										
22143	2022	13										
22144	2023	<5										
22145	2024	8										
22146	2024	9										
22147	2025	7										
22148	2026	7										
22149	2027	6										
22150	2028	9										
22151	2029	5										
22152	2044	5										
22153	2045	8										
22154	2046	8										
22155	2047	<5										
22156	2047	<5										
22157	2048	<5										
22158	2049	<5										
22159	2050	<5										
22160	2051	<5										
22161	2052	<5										
22162	2053	<5										
22163	2054	<5										
22164	2055	<5										
22165	2056	<5										
22166	2056	<5										
22167	2057	<5										
22168	2058	<5										
22169	2059	<5										
22170	2060	<5										
22171	2061	6										
22172	2062	<5										
22173	2063	<5										
22174	2064	<5										
22175	2065	7										
22176	2065	<5										
22177	2066	<5										
22178	2067	6										
22179	2068	5										
22180	2069	7										
22181	2070	<5										
22182	2071	<5										
22183	122455	<5										
22184	122456	<5										
22185	122457	<5										
22186	122457	<5										
22187	122458	<5										
22188	122459	<5										
22189	122460	<5										
22190	122461	<5										
22191	122462	<5										
22192	122463	<5										
22193	122464	<5										
22194	122465	<5										
22195	122466	<5										
22196	122466	<5										
22197	122467	<5										
22198	122468	<5										
22199	122469	<5										
22200	122470	7										
22201	122471	<5										
22202	122472	<5										
22203	122473	<5										
22204	122474	<5										

NO

22205	122475	△△
22206	122475	△△△
22207	122476	△△△△
22208	122477	△△△△
22209	122478	△△△△△
22210	122479	△△△△△
22211	122480	△△△△△
22212	122481	△△△△△
22213	122482	△△△△△
22214	122483	△△△△△
22215	122484	△△△△△
22216	122484	△△△△△
22217	122485	△△△△△
22218	122486	△△△△△
22219	122487	△△△△△
22220	122488	△△△△△
22221	122489	
22222	122490	△△
22223	122491	
22224	122492	△△
22225	122493	△△
22226	122493	△△
22227	122494	△△
22228	122495	△△
22229	122496	△△
22230	122497	△△
22231	122498	△△
22232	122499	△△
22233	122500	△△
22234	211501	△△
22235	211502	△△
22236	211502	△△
22237	211503	△△
22238	211504	△△
22239	211505	△△
22240	211506	△△
22241	211507	△△
22242	211508	△△
22243	211509	△△
22244	211510	△△
22245	211511	△△
22246	211511	△△
22247	211512	△△
22248	211513	△△
22249	211514	△△
22250	211515	△△
22251	211516	△△
22252	211517	△△
22253	211518	△△
22254	211519	△△
22255	211520	△△
22256	211520	△△
22257	211521	△△
22258	211522	△△
22259	211523	△△
22260	211524	△△
22261	211551	289
22262	211552	659
22263	211553	7092
22264	211554	25274
22265	211555	85
22266	211555	86
22649	211547	△△
22650	211556	263

NO SAMPLE  
NO SAMPLE

NO

NO SAMPLE

Cummings Pits







1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

2, 279 41

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22136	2015	11	<0.001	0.011
22137	2016	10	<0.001	0.010
22138	2017	<5	<0.001	<0.005
22139	2018	17	<0.001	0.017
22140	2019	17	<0.001	0.017
22141	2020	16	<0.001	0.016
22142	2021	17	<0.001	0.017
22143	2022	13	<0.001	0.013
22144	2023	<5	<0.001	<0.005
22145	2024	8	<0.001	0.008
22146 Check	2024	9	<0.001	0.009
22147	2025	7	<0.001	0.007
22148	2026	7	<0.001	0.007
22149	2027	6	<0.001	0.006
22150	2028	9	<0.001	0.009
22151	2029	5	<0.001	0.005
22152	2044	5	<0.001	0.005
22153	2045	8	<0.001	0.008
22154	2046	8	<0.001	0.008
22155	2047	<5	<0.001	<0.005
22156 Check	2047	<5	<0.001	<0.005
22157	2048	<5	<0.001	<0.005
22158	2049	<5	<0.001	<0.005

PROCEDURE CODES: AL4A03, AL4ICPAR

Certified By:   
Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
 Suite 20-289 Cedar St.  
 Sudbury, ON, CA  
 P3B1M8  
 Ph#:  
 Fax#: (705) 560-0286  
 Email

Date Received : 04-May-04  
 Date Completed : 10-May-04  
 Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22159	2050	<5	<0.001	<0.005
22160	2051	<5	<0.001	<0.005
22161	2052	<5	<0.001	<0.005
22162	2053	<5	<0.001	<0.005
22163	2054	<5	<0.001	<0.005
22164	2055	<5	<0.001	<0.005
22165	2056	<5	<0.001	<0.005
22166 Check	2056	<5	<0.001	<0.005
22167	2057	<5	<0.001	<0.005
22168	2058	<5	<0.001	<0.005
22169	2059	<5	<0.001	<0.005
22170	2060	<5	<0.001	<0.005
22171	2061	6	<0.001	0.006
22172	2062	<5	<0.001	<0.005
22173	2063	<5	<0.001	<0.005
22174	2064	<5	<0.001	<0.005
22175	2065	7	<0.001	0.007
22176 Check	2065	<5	<0.001	<0.005
22177	2066	<5	<0.001	<0.005
22178	2067	6	<0.001	0.006
22179	2068	5	<0.001	0.005
22180	2069	7	<0.001	0.007
22181	2070	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:   
 Derek Demjanuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22182	2071	<5	<0.001	<0.005
22183	122455	<5	<0.001	<0.005
22184	122456	<5	<0.001	<0.005
22185	122457	<5	<0.001	<0.005
22186 Check	122457	<5	<0.001	<0.005
22187	122458	<5	<0.001	<0.005
22188	122459	<5	<0.001	<0.005
22189	122460	<5	<0.001	<0.005
22190	122461	<5	<0.001	<0.005
22191	122462	<5	<0.001	<0.005
22192	122463	<5	<0.001	<0.005
22193	122464	<5	<0.001	<0.005
22194	122465	<5	<0.001	<0.005
22195	122466	<5	<0.001	<0.005
22196 Check	122466	<5	<0.001	<0.005
22197	122467	<5	<0.001	<0.005
22198	122468	<5	<0.001	<0.005
22199	122469	<5	<0.001	<0.005
22200	122470	7	<0.001	0.007
22201	122471	<5	<0.001	<0.005
22202	122472	<5	<0.001	<0.005
22203	122473	<5	<0.001	<0.005
22204	122474	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bac., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22205	122475	<5	<0.001	<0.005
22206 Check	122475	<5	<0.001	<0.005
22207	122476	<5	<0.001	<0.005
22208	122477	15	<0.001	0.015
22209	122478	<5	<0.001	<0.005
22210	122479	<5	<0.001	<0.005
22211	122480	<5	<0.001	<0.005
22212	122481	<5	<0.001	<0.005
22213	122482	<5	<0.001	<0.005
22214	122483	7	<0.001	0.007
22215	122484	<5	<0.001	<0.005
22216 Check	122484	7	<0.001	0.007
22217	122485	<5	<0.001	<0.005
22218	122486	<5	<0.001	<0.005
22219	122487	<5	<0.001	<0.005
22220	122488	<5	<0.001	<0.005
22221	122489		No Sample	
22222	122490	<5	<0.001	<0.005
22223	122491		No Sample	
22224	122492	<5	<0.001	<0.005
22225	122493	<5	<0.001	<0.005
22226 Check	122493	<5	<0.001	<0.005
22227	122494	<5	<0.001	<0.005

PROCEDURE CODES: AL4A13, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22228	122495	<5	<0.001	<0.005
22229	122496	6	<0.001	0.006
22230	122497	5	<0.001	0.005
22231	122498	6	<0.001	0.006
22232	122499	<5	<0.001	<0.005
22233	122500	<5	<0.001	<0.005
22234	211501	<5	<0.001	<0.005
22235	211502	<5	<0.001	<0.005
22236 Check	211502	6	<0.001	0.006
22237	211503	19	<0.001	0.019
22238	211504	<5	<0.001	<0.005
22239	211505	<5	<0.001	<0.005
22240	211506	<5	<0.001	<0.005
22241	211507	<5	<0.001	<0.005
22242	211508	<5	<0.001	<0.005
22243	211509	<5	<0.001	<0.005
22244	211510	<5	<0.001	<0.005
22245	211511	5	<0.001	0.005
22246 Check	211511	<5	<0.001	<0.005
22247	211512	<5	<0.001	<0.005
22248	211513	<5	<0.001	<0.005
22249	211514	<5	<0.001	<0.005
22250	211515	<5	<0.001	<0.005

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 5 of 6

1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL [accuracy@tbaytel.net](mailto:accuracy@tbaytel.net) WEB [www.accurassay.com](http://www.accurassay.com)

## Certificate of Analysis

Monday, May 10, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377

Reference :

Sample #: 120 Core

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
22251	211516	<5	<0.001	<0.005
22252	211517	<5	<0.001	<0.005
22253	211518	10	<0.001	0.010
22254	211519	6	<0.001	0.006
22255	211520	<5	<0.001	<0.005
22256 Check	211520	<5	<0.001	<0.005
22257	211521	<5	<0.001	<0.005
22258	211522	<5	<0.001	<0.005
22259	211523	<5	<0.001	<0.005
22260	211524		No Sample	
22261	211551	289	0.008	0.289
22262	211552	659	0.019	0.659
22263	211553	7092	0.207	7.092
22264	211554	25274	0.737	25.274
22265	211555	85	0.002	0.085
22266 Check	211555	86	0.003	0.086
22649	211547	<5	<0.001	<0.005
22650	211556	263	0.008	0.263


PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By: \_\_\_\_\_  
Derek Demianiuk H.B.Sc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 6 of 6



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Wednesday, May 12, 2004

Cabo Mining Corp.  
Suite 20-289 Cedar St.  
Sudbury, ON, CA  
P3B1M8  
Ph#:  
Fax#: (705) 560-0286  
Email

Date Received : 04-May-04  
Date Completed : 10-May-04  
Job # 200440377  
Reference :  
Sample #: 120 Core

Accurassay #	Client Id	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
22251	211516							
22252	211517							
22253	211518							
22254	211519							
22255	211520							
22256 Check	211520							
22257	211521							
22258	211522							
22259	211523							
22260	211524							
22261	211551	137		21277			78081	
22262	211552	239		44776			96614	
22263	211553	1641		18578			140563	
22264	211554	116		87764			7143	7761
22265	211555	189		5117				
22266 Check	211555	106		5096				
22649	211547							
22650	211556	93		99222				


No Sample

PROCEDURE CODES: AL4Au3, AL4ICPAR

Certified By:   
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory






Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Recieved: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

2.27941

\* The results included on this report relate only to the items tested  
\* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
\*The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22136	2015	<2	1.18	6	42	14	<1	3.58	<10	23	105	187	8.47	0.16	1.29	627	1	0.17	31	282	11	<10	<5	0.09	23	2104	<1	37	<10	9	111
22137	2016	<2	1.19	13	39	11	<1	2.02	<10	20	93	187	7.53	0.07	1.38	451	<1	0.09	28	286	6	<10	<5	0.10	12	1763	<1	27	<10	9	106
22138	2017	<2	1.06	<3	42	14	<1	2.00	<10	17	161	86	5.66	0.15	0.97	343	<1	0.17	18	299	3	<10	<5	0.08	19	1867	<1	27	<10	6	58
22139	2018	<2	1.27	33	42	<10	<1	2.28	<10	43	79	1271	8.77	0.10	1.37	731	<1	0.10	29	269	13	<10	<5	0.08	19	1984	<1	32	<10	9	93
22140	2019	<2	1.27	563	46	<10	<1	8.81	<10	404	124	127	9.01	0.10	1.52	1282	5	0.09	73	267	7	<10	<5	0.14	43	3097	<1	68	<10	31	71
22141	2020	<2	1.37	335	43	11	<1	2.69	<10	246	64	1029	9.47	0.10	1.29	679	2	0.08	37	334	11	<10	<5	0.10	48	3334	<1	54	<10	12	76
22142	2021	<2	1.15	21	98	<10	<1	2.49	<10	46	72	148	8.67	0.12	1.06	647	<1	0.10	26	372	12	<10	<5	0.07	16	3162	<1	69	<10	8	76
22143	2022	<2	1.17	20	45	<10	<1	1.73	<10	44	48	158	>10.00	0.09	1.14	607	<1	0.08	26	370	10	<10	<5	0.06	11	2993	<1	77	<10	8	82
22144	2023	<2	1.08	13	46	<10	<1	1.61	<10	38	54	118	8.51	0.12	1.03	541	1	0.11	29	415	8	<10	<5	0.06	14	3143	<1	85	<10	8	56
22145	2024	<2	1.02	10	38	<10	<1	2.20	<10	26	51	90	7.05	0.15	0.83	441	14	0.09	20	348	6	<10	<5	0.07	21	3061	<1	59	<10	8	42
22146	2024	<2	1.01	8	38	<10	<1	2.16	<10	27	50	90	7.01	0.15	0.83	434	15	0.09	21	341	6	<10	<5	0.07	20	2988	<1	59	<10	8	40
22147	2025	<2	1.06	15	39	<10	<1	1.77	<10	30	46	27	8.06	0.11	1.15	493	1	0.10	24	417	5	<10	<5	0.12	17	2781	<1	85	<10	8	47
22148	2026	<2	1.67	14	45	18	<1	4.53	<10	31	92	86	8.57	0.14	1.52	1406	<1	0.19	47	233	6	<10	<5	0.10	26	1630	<1	26	<10	8	30
22149	2027	<2	1.38	7	47	<10	<1	>10.00	<10	21	138	38	8.93	0.04	2.03	1746	1	0.03	55	172	5	<10	<5	0.11	37	529	<1	46	<10	20	26
22150	2028	<2	1.59	28	44	<10	<1	4.44	<10	40	115	88	>10.00	0.05	1.76	1622	<1	0.05	58	252	7	<10	<5	0.12	7	1941	<1	57	<10	8	36
22151	2029	<2	1.60	29	49	<10	<1	6.10	<10	85	174	32	>10.00	0.08	1.98	1448	2	0.03	80	189	7	<10	<5	0.18	24	576	<1	42	<10	11	22
22152	2044	<2	0.30	10	36	<10	<1	0.12	<10	15	464	678	2.21	<0.01	0.35	<100	40	0.01	33	<100	3	<10	<5	0.02	<5	<100	<1	3	<10	<1	4
22153	2045	<2	0.13	<3	32	<10	<1	0.08	<10	4	423	116	1.22	<0.01	0.15	<100	4	0.01	15	<100	4	<10	<5	0.02	<5	<100	<1	<2	<10	<1	2
22154	2046	<2	1.80	6	52	<10	<1	2.96	<10	47	440	388	>10.00	0.04	2.20	996	2	0.03	190	1855	7	<10	<5	0.23	17	3986	<1	26	<10	21	49
22155	2047	<2	1.14	10	37	<10	<1	2.60	<10	23	431	154	7.44	0.02	1.34	478	2	0.03	63	727	5	<10	<5	0.08	16	1217	<1	18	<10	8	21
22156	2047	<2	1.18	9	38	<10	<1	2.78	<10	24	448	160	7.60	0.02	1.39	510	2	0.03	66	768	4	<10	<5	0.11	17	1282	<1	19	<10	9	21
22157	2048	<2	1.65	18	47	<10	<1	2.51	<10	44	355	126	>10.00	0.10	2.00	752	<1	0.03	85	1454	8	<10	<5	0.09	15	2548	<1	30	<10	11	39

Certified By:   
Derek Demianuk, H.Bsc.

Cabo Mining Corp.  
 Date Created: 04-05-11 09:44 AM  
 Job Number: 200440377  
 Date Recieved: 5/4/2004  
 Number of Samples: 120  
 Type of Sample: Core  
 Date Completed: 5/10/2004  
 Project ID:

\* The results included on this report relate only to the items tested  
 \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
 \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22158	2049	<2	1.54	15	44	95	<1	4.62	<10	38	342	282	>10.00	0.83	1.86	792	7	0.04	132	2036	6	<10	<5	0.15	32	3857	<1	27	<10	14	32
22159	2050	<2	0.99	25	35	15	<1	0.96	<10	35	208	1253	5.95	0.11	1.16	298	6	0.05	55	856	13	<10	<5	0.08	9	918	<1	5	<10	8	14
22160	2051	<2	0.15	5	36	<10	<1	0.07	<10	11	446	58	1.49	<0.01	0.17	<100	6	0.01	16	<100	6	<10	<5	0.02	<5	<100	<1	<2	<10	<1	4
22161	2052	<2	0.54	9	37	<10	<1	0.15	<10	22	411	49	3.05	0.06	0.56	119	5	0.03	27	274	8	<10	<5	0.03	<5	426	<1	<2	<10	2	7
22162	2053	<2	0.04	<3	39	<10	<1	0.03	<10	3	570	9	1.06	<0.01	0.04	<100	3	0.02	13	<100	5	<10	<5	0.01	<5	<100	<1	<2	<10	<1	<1
22163	2054	<2	0.03	3	40	<10	<1	0.03	<10	4	447	7	0.84	<0.01	0.03	<100	3	0.01	8	<100	7	<10	<5	0.01	<5	<100	<1	<2	<10	<1	4
22164	2055	<2	0.07	<3	49	<10	<1	0.19	<10	5	610	10	1.23	<0.01	0.07	<100	6	0.02	14	622	5	<10	<5	0.02	<5	<100	<1	<2	<10	<1	<1
22165	2056	<2	0.37	17	39	<10	<1	0.09	<10	46	550	112	2.67	<0.01	0.44	111	62	0.01	29	200	5	<10	<5	0.03	<5	139	<1	3	<10	1	7
22166	2056	<2	0.39	16	38	<10	<1	0.10	<10	48	579	118	2.81	0.01	0.47	117	66	0.01	30	208	6	<10	<5	0.02	<5	146	<1	3	<10	1	9
22167	2057	<2	1.46	18	44	39	<1	3.53	<10	42	333	132	>10.00	0.28	1.87	680	1	0.06	51	1513	6	<10	<5	0.16	25	2835	<1	36	<10	14	51
22168	2058	<2	1.39	3	47	13	<1	3.21	<10	22	363	4	8.13	0.24	1.80	653	<1	0.09	53	1633	7	<10	<5	0.14	28	3164	<1	36	<10	12	47
22169	2059	<2	1.38	<3	40	15	<1	2.86	<10	17	286	6	7.93	0.25	1.78	624	<1	0.06	50	1483	6	<10	<5	0.15	22	2818	<1	29	<10	9	57
22170	2060	<2	0.94	<3	43	28	<1	1.69	<10	17	139	21	7.26	0.38	0.82	375	4	0.05	42	426	64	<10	<5	0.05	65	2716	<1	21	<10	10	70
22171	2061	<2	1.30	21	41	22	<1	1.61	<10	27	150	127	8.63	0.30	1.39	552	4	0.06	29	267	37	<10	<5	0.08	13	1515	<1	9	<10	6	229
22172	2062	<2	1.53	16	49	<10	<1	1.01	<10	34	147	77	>10.00	0.04	1.78	487	1	0.08	32	501	14	<10	<5	0.11	7	1306	<1	18	<10	8	31
22173	2063	<2	1.57	17	51	<10	<1	0.89	<10	46	148	448	>10.00	0.05	1.87	502	8	0.08	47	632	13	<10	<5	0.14	6	1174	<1	16	<10	9	34
22174	2064	<2	1.50	17	48	19	<1	0.91	<10	19	111	83	8.78	0.20	1.84	463	2	0.09	43	719	11	<10	<5	0.14	7	2333	<1	22	<10	8	53
22175	2065	<2	1.43	<3	46	17	<1	2.00	<10	15	136	32	7.51	0.30	1.76	531	2	0.09	28	601	13	<10	<5	0.11	11	2195	<1	21	<10	9	74
22176	2065	<2	1.42	5	48	17	<1	1.96	<10	15	139	31	7.48	0.30	1.74	516	2	0.09	27	593	11	<10	<5	0.11	12	2137	<1	21	<10	9	73
22177	2066	<2	1.34	5	43	12	<1	1.91	<10	18	72	63	6.92	0.20	1.67	512	2	0.07	34	512	28	<10	<5	0.09	10	2757	<1	25	<10	11	126
22178	2067	<2	1.23	10	44	<10	<1	2.35	<10	24	182	108	6.53	0.14	1.48	503	1	0.08	41	356	30	<10	<5	0.10	15	2839	<1	26	<10	12	137
22179	2068	<2	1.34	10	48	25	<1	2.15	<10	32	136	117	7.55	0.31	1.57	530	3	0.10	62	321	42	<10	<5	0.11	12	3185	<1	27	13	11	256


Certified By:   
 Derek Demianiuk, H. Bsc.



Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Recieved: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

\* The results included on this report relate only to the items tested  
\* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
\*The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	TI ppm	V ppm	W ppm	Y ppm	Zn ppm
22180	2069	<2	1.41	104	48	<10	<1	2.54	<10	90	117	2564	9.52	0.10	1.59	551	5	0.09	80	435	15	<10	<5	0.10	12	2825	<1	32	<10	10	39
22181	2070	<2	1.45	14	43	<10	<1	1.11	<10	24	156	175	9.50	0.07	1.75	483	5	0.08	43	442	10	<10	<5	0.14	5	2383	<1	27	<10	9	24
22182	2071	<2	1.44	44	42	<10	<1	0.85	<10	88	162	25	9.87	0.03	1.75	430	2	0.09	62	304	11	<10	<5	0.15	<5	1833	<1	26	<10	8	24
22183	122455	<2	1.15	83	42	16	<1	1.19	<10	69	105	64	7.17	0.18	1.28	377	3	0.08	68	298	7	<10	<5	0.08	14	2278	<1	23	<10	9	30
22184	122456	<2	1.28	<3	45	<10	1	1.59	<10	13	191	5	8.12	0.03	1.66	498	5	0.06	47	209	9	<10	<5	0.10	7	976	<1	10	<10	22	25
22185	122457	<2	1.41	9	47	42	<1	1.77	<10	22	148	83	7.44	0.54	1.32	429	3	0.12	58	309	8	<10	<5	0.05	28	2397	<1	18	16	13	34
22186	122457	<2	1.48	12	51	46	<1	1.94	<10	24	163	90	7.86	0.59	1.40	470	4	0.13	64	353	10	<10	<5	0.05	31	2615	<1	20	12	14	35
22187	122458	<2	1.24	10	45	<10	<1	2.01	<10	21	102	56	9.50	0.10	1.40	545	<1	0.08	64	408	30	<10	<5	0.09	10	2978	<1	22	<10	12	120
22188	122459	<2	1.50	21	49	50	<1	2.27	<10	33	153	321	9.07	0.57	1.49	569	2	0.21	86	468	509	<10	<5	0.10	42	2867	<1	15	<10	10	367
22189	122460	<2	1.39	9	52	<10	<1	2.70	<10	28	194	183	>10.00	0.04	1.59	687	1	0.07	50	444	12	<10	<5	0.13	10	1487	<1	15	<10	8	69
22190	122461	<2	1.57	<3	52	23	<1	1.89	<10	25	148	32	>10.00	0.38	1.80	723	2	0.08	60	475	9	<10	<5	0.12	14	2737	<1	20	<10	10	94
22191	122462	<2	1.53	<3	63	54	<1	1.25	<10	23	165	29	8.06	0.95	1.53	502	3	0.12	38	494	7	<10	<5	0.08	40	2704	<1	13	<10	8	88
22192	122463	<2	1.22	8	54	31	<1	1.80	<10	21	177	107	6.80	0.38	1.33	470	2	0.09	50	612	52	<10	<5	0.12	25	2469	<1	12	<10	7	87
22193	122464	<2	0.92	9	48	21	<1	2.11	<10	15	190	206	6.10	0.13	0.96	380	2	0.07	35	635	109	<10	<5	0.08	16	1849	<1	10	<10	7	183
22194	122465	<2	0.98	38	63	<10	<1	7.58	<10	20	143	220	>10.00	0.03	1.29	754	<1	0.03	88	408	12	<10	<5	0.09	24	566	<1	14	<10	8	40
22195	122466	<2	1.50	4	53	<10	<1	4.26	<10	22	227	80	>10.00	0.25	1.78	807	1	0.05	77	899	8	<10	<5	0.18	16	1726	<1	11	<10	9	63
22196	122466	<2	1.55	5	56	<10	<1	4.64	<10	24	252	87	>10.00	0.26	1.85	882	2	0.04	85	976	7	<10	<5	0.16	18	1855	<1	11	<10	10	65
22197	122467	<2	1.43	22	58	12	<1	1.14	<10	36	266	292	9.65	0.14	1.64	500	5	0.08	87	984	11	<10	<5	0.14	8	2149	<1	10	<10	8	39
22198	122468	<2	1.44	6	50	30	<1	2.95	<10	28	257	47	9.06	0.28	1.78	590	3	0.07	131	1663	5	<10	<5	0.14	16	3977	<1	25	<10	12	37
22199	122469	<2	1.46	4	56	47	<1	3.63	<10	29	276	70	9.87	0.60	1.84	680	5	0.07	148	681	6	<10	<5	0.18	19	2261	<1	19	<10	14	35
22200	122470	<2	1.62	<3	64	23	<1	3.84	<10	32	412	108	>10.00	0.47	2.05	880	5	0.06	212	850	6	<10	<5	0.16	21	2441	<1	21	<10	16	52
22201	122471	<2	1.50	3	55	13	<1	4.93	<10	27	392	29	>10.00	0.23	1.89	809	7	0.06	222	795	6	<10	<5	0.13	24	2510	<1	17	<10	17	55

Certified By:   
Derek Demianiuk, H.Bsc.

Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Received: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

\* The results included on this report relate only to the items tested  
\* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
\*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22202	122472	<2	1.59	<3	57	<10	<1	5.47	<10	24	188	4	>10.00	0.02	2.02	1144	<1	0.05	70	194	8	<10	<5	0.16	9	1153	<1	43	<10	15	24
22203	122473	<2	1.79	<3	59	<10	<1	1.11	<10	35	183	1	>10.00	0.02	2.16	745	<1	0.05	61	256	8	<10	<5	0.18	<5	2546	<1	53	<10	7	35
22204	122474	<2	1.59	<3	58	<10	<1	7.42	<10	20	188	241	>10.00	0.02	2.05	1234	<1	0.03	76	156	12	<10	<5	0.15	16	1005	<1	33	<10	21	24
22205	122475	<2	1.75	<3	62	<10	<1	3.46	<10	30	187	879	>10.00	0.02	2.19	987	<1	0.04	81	225	19	<10	<5	0.18	8	1601	<1	53	<10	11	29
22206	122475	<2	1.76	3	63	<10	<1	3.51	<10	31	189	897	>10.00	0.02	2.21	1004	<1	0.04	83	226	21	<10	<5	0.19	8	1612	<1	52	<10	12	30
22207	122476	5	1.53	5	48	38	<1	3.03	<10	30	568	27	6.53	0.25	2.20	692	3	0.03	313	1956	678	<10	<5	0.17	30	2384	<1	14	<10	5	138
22208	122477	<2	1.16	33	46	<10	<1	1.35	<10	88	281	54	7.22	0.07	1.73	387	<1	0.06	227	1325	64	<10	<5	0.13	17	2267	<1	23	<10	8	93
22209	122478	<2	0.89	7	48	14	<1	1.48	<10	18	238	6	6.04	0.08	1.35	313	<1	0.12	44	1460	21	<10	<5	0.14	20	3086	<1	38	<10	10	66
22210	122479	<2	1.11	9	48	13	<1	1.53	<10	23	147	55	6.01	0.05	1.42	596	5	0.10	51	838	419	<10	<5	0.14	8	3032	<1	20	<10	14	771
22211	122480	<2	1.85	29	65	158	<1	0.66	<10	39	444	62	>10.00	1.78	2.22	968	35	0.03	143	863	39	<10	<5	0.19	10	2838	<1	13	<10	6	288
22212	122481	<2	1.53	17	67	<10	<1	1.81	<10	23	426	47	>10.00	0.09	2.09	832	2	0.02	117	140	67	<10	<5	0.16	13	478	<1	11	<10	5	191
22213	122482	<2	1.67	22	68	37	<1	3.11	<10	40	389	800	>10.00	0.38	2.23	1267	3	0.05	183	2008	118	<10	<5	0.19	18	3876	<1	31	<10	15	432
22214	122483	<2	1.33	30	54	17	<1	2.15	<10	37	179	158	8.60	0.13	1.67	775	9	0.10	92	676	128	<10	<5	0.15	12	2907	<1	20	<10	15	616
22215	122484	<2	1.26	20	61	19	<1	2.49	<10	26	166	129	7.83	0.14	1.54	742	13	0.10	72	696	92	<10	<5	0.11	13	3209	<1	18	<10	18	1780
22216	122484	<2	1.18	17	52	17	<1	2.23	<10	23	148	115	7.29	0.13	1.44	664	11	0.09	63	625	86	<10	<5	0.13	12	2851	<1	16	<10	16	1685
22217	122485	<2	1.23	7	55	23	<1	1.38	<10	21	211	33	8.55	0.18	1.47	517	1	0.11	68	592	12	<10	<5	0.12	18	3047	<1	19	<10	12	65
22218	122486	<2	1.16	4	51	76	<1	1.84	<10	21	261	29	6.89	0.41	1.23	417	9	0.12	65	668	7	<10	<5	0.09	20	2470	<1	15	<10	11	34
22219	122487	<2	1.13	<3	61	76	<1	3.47	<10	26	210	15	>10.00	0.67	1.15	469	4	0.08	105	588	12	<10	<5	0.08	22	2579	<1	16	<10	9	20
22220	122488	<2	1.27	<3	50	146	<1	1.41	<10	21	239	13	6.31	1.09	1.27	441	10	0.08	81	630	7	<10	<5	0.08	15	2708	<1	3	<10	9	24
22221	122489							No Sample Received																							
22222	122490	<2	1.42	6	55	31	<1	3.41	<10	29	178	132	7.81	0.33	1.38	665	3	0.06	52	536	7	<10	<5	0.05	18	2581	<1	19	<10	10	28
22223	122491							No Sample Received																							

Certified By:   
Derek Demianiuk, H.Bsc.



Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Recieved: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

\* The results included on this report relate only to the items tested  
\* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
\*The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22224	122492	<2	1.44	<3	52	22	<1	3.03	<10	40	176	47	8.59	0.21	1.50	580	2	0.05	61	570	6	<10	<5	0.08	18	2278	<1	16	<10	12	29
22225	122493	<2	1.13	<3	60	13	<1	2.92	<10	17	201	20	>10.00	0.08	1.27	503	1	0.08	73	623	11	<10	<5	0.08	31	2497	<1	40	<10	14	41
22226	122493	<2	1.08	<3	63	13	<1	2.85	<10	16	184	18	>10.00	0.07	1.22	470	<1	0.08	67	589	10	<10	<5	0.08	30	2411	<1	36	<10	13	38
22227	122494	<2	1.64	6	68	40	<1	1.71	<10	48	417	14	>10.00	0.29	1.91	522	5	0.08	127	1205	10	<10	<5	0.12	12	3484	<1	23	<10	12	26
22228	122495	<2	1.50	<3	63	11	<1	0.58	<10	23	336	18	9.47	0.12	1.72	430	1	0.06	84	828	7	<10	<5	0.09	6	1776	<1	16	<10	10	28
22229	122496	<2	1.23	<3	61	13	<1	1.11	<10	23	338	223	7.80	0.09	1.43	586	1	0.09	67	517	8	<10	<5	0.07	20	2438	<1	16	<10	12	53
22230	122497	<2	1.27	4	54	17	<1	3.36	<10	18	181	78	7.49	0.17	1.51	774	<1	0.06	62	479	5	<10	<5	0.08	22	2688	<1	16	<10	12	58
22231	122498	<2	1.67	6	58	<10	<1	7.15	<10	48	462	60	>10.00	0.15	2.14	1511	<1	0.02	220	1248	11	<10	<5	0.12	78	1503	<1	17	<10	18	45
22232	122499	<2	1.67	69	52	333	<1	0.66	<10	41	834	92	8.67	1.83	2.27	457	4	0.04	353	1112	84	<10	<5	0.12	13	2159	<1	25	<10	5	173
22233	122500	<2	1.27	<3	49	136	<1	1.17	<10	19	255	13	6.01	0.70	1.18	266	5	0.13	61	599	6	<10	<5	0.07	28	2362	<1	11	<10	10	37
22234	211501	<2	1.22	18	52	30	<1	1.03	<10	38	112	84	>10.00	0.30	1.31	397	2	0.09	63	472	15	<10	<5	0.08	28	3178	<1	26	<10	8	63
22235	211502	<2	0.71	9	46	<10	<1	0.78	<10	17	225	216	3.85	0.03	0.75	217	4	0.10	31	507	17	<10	<5	0.06	28	2251	<1	15	<10	7	33
22236	211502	<2	0.67	7	48	<10	<1	0.73	<10	15	215	200	3.63	0.02	0.71	203	3	0.09	28	477	16	<10	<5	0.06	26	2111	<1	13	<10	6	33
22237	211503	<2	1.00	9	54	54	<1	1.91	<10	28	123	193	6.08	0.29	1.02	328	4	0.08	44	728	18	<10	<5	0.07	63	3525	<1	31	<10	8	42
22238	211504	<2	1.45	25	58	<10	<1	0.38	<10	72	128	360	9.97	0.03	1.55	567	1	0.06	30	289	332	<10	<5	0.10	<5	1165	<1	6	<10	11	236
22239	211505	<2	1.37	12	54	38	<1	1.11	<10	26	116	88	7.54	0.22	1.34	492	1	0.06	28	411	20	<10	<5	0.07	52	2363	<1	8	11	7	80
22240	211506	<2	1.25	4	51	59	<1	1.95	<10	18	166	55	6.76	0.44	1.12	385	4	0.10	26	426	11	<10	<5	0.07	45	1976	<1	9	<10	8	28
22241	211507	<2	1.28	14	57	<10	<1	2.52	<10	100	137	79	8.28	0.10	1.48	579	2	0.10	39	254	8	<10	<5	0.07	14	1724	<1	11	<10	13	32
22242	211508	<2	0.90	6	52	<10	<1	4.78	<10	59	79	44	5.29	0.02	1.52	957	2	0.09	22	234	15	<10	<5	0.07	14	1440	<1	18	<10	15	21
22243	211509	<2	1.30	7	54	<10	<1	1.46	<10	64	141	79	8.17	0.02	1.50	510	1	0.09	37	368	12	<10	<5	0.08	7	1750	<1	12	<10	7	39
22244	211510	<2	1.29	5	49	<10	<1	2.22	<10	53	117	160	8.26	0.03	1.47	578	6	0.09	32	371	11	<10	<5	0.10	9	1597	<1	12	12	15	41
22245	211511	<2	1.50	30	56	14	<1	1.20	<10	59	97	115	>10.00	0.14	1.75	666	2	0.10	40	580	12	<10	<5	0.10	10	2335	<1	15	<10	10	56

Certified By:   
Derek Demianiuk, H.Bsc.

Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Recieved: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

\* The results included on this report relate only to the items tested  
\* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.  
\*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22246	211511	<2	1.42	28	51	12	<1	1.05	<10	52	85	100	>10.00	0.13	1.64	585	2	0.09	35	519	12	<10	<5	0.10	9	2077	<1	13	<10	9	52
22247	211512	<2	1.34	16	58	17	<1	1.79	<10	22	125	825	9.37	0.19	1.51	610	1	0.07	33	434	14	<10	<5	0.07	17	2095	<1	12	<10	10	54
22248	211513	<2	0.94	4	48	17	<1	1.15	<10	17	172	20	5.48	0.08	0.94	494	2	0.09	28	442	337	<10	<5	0.06	74	2131	<1	12	<10	7	109
22249	211514	<2	1.54	7	67	24	<1	2.97	<10	69	82	7	>10.00	0.26	2.02	1107	1	0.08	89	462	14	<10	<5	0.10	18	1916	<1	19	<10	17	90
22250	211515	<2	1.07	8	57	<10	<1	1.68	<10	29	222	8	6.70	0.04	1.35	422	3	0.08	44	1207	19	<10	<5	0.09	120	3151	<1	15	<10	8	68
22251	211516	<2	0.59	7	59	11	<1	1.70	<10	21	155	148	9.05	0.05	0.71	361	18	0.10	27	378	41	<10	<5	0.05	22	2378	<1	28	<10	9	42
22252	211517	<2	0.52	4	51	<10	<1	5.54	<10	16	93	9	3.82	0.04	0.69	573	2	0.08	14	423	14	<10	<5	0.06	41	2156	<1	18	<10	7	36
22253	211518	<2	1.47	13	66	95	<1	2.41	<10	35	114	104	>10.00	0.60	1.78	668	1	0.11	95	472	10	<10	<5	0.11	31	3798	<1	31	21	14	43
22254	211519	<2	1.69	4	59	32	<1	2.53	<10	55	688	212	>10.00	0.26	2.20	956	4	0.03	324	965	8	<10	<5	0.17	14	2166	<1	18	<10	14	49
22255	211520	<2	1.55	7	60	<10	<1	2.17	<10	52	459	10	>10.00	0.08	1.91	670	<1	0.05	114	1009	10	<10	<5	0.14	10	1074	<1	21	<10	16	35
22256	211520	<2	1.49	8	59	<10	<1	1.95	<10	47	412	7	>10.00	0.07	1.83	606	<1	0.05	104	920	11	<10	<5	0.15	9	982	<1	18	<10	14	33
22257	211521	<2	1.40	4	56	18	<1	1.09	<10	31	145	10	>10.00	0.21	1.63	470	<1	0.07	56	633	10	<10	<5	0.10	7	1429	<1	12	<10	11	31
22258	211522	<2	0.92	<3	62	26	<1	3.56	<10	18	132	11	>10.00	0.30	1.53	748	5	0.06	56	248	39	<10	<5	0.08	22	2077	<1	30	<10	6	103
22259	211523	<2	1.37	11	61	44	<1	2.06	<10	32	110	36	>10.00	0.42	1.65	677	<1	0.09	99	368	16	<10	<5	0.11	15	3099	<1	33	<10	12	74
22260	211524	No Sample Received																													
22261	211551	>100	0.38	44	50	<10	<1	0.24	<10	14	77	>5,000	5.51	<0.01	0.46	139	1	0.07	24	<100	>4,000	<10	47	0.06	<5	235	<1	7	<10	<1	357
22262	211552	>100	0.26	89	50	<10	<1	0.33	13	33	65	>5,000	8.68	<0.01	0.32	<100	<1	0.05	20	173	>4,000	<10	102	0.07	<5	567	<1	10	<10	<1	2708
22263	211553	>100	0.41	45	46	<10	<1	1.16	<10	49	61	>5,000	4.72	<0.01	0.25	<100	<1	0.03	163	149	>4,000	<10	492	0.07	7	815	3	5	<10	2	312
22264	211554	66	0.02	83	49	<10	<1	>10.00	24	26	6	>5,000	>10.00	<0.01	0.03	601	<1	<0.01	150	173	>4,000	<10	7	0.02	17	<100	<1	43	<10	6	>4,000
22265	211555	54	0.79	1891	47	<10	2	>10.00	<10	411	45	>5,000	5.42	<0.01	0.90	1552	2	0.02	463	138	1046	<10	<5	0.05	24	947	<1	30	<10	48	144
22266	211555	51	0.78	1908	48	<10	2	>10.00	<10	407	43	4720	5.30	<0.01	0.88	1537	2	0.02	454	132	767	<10	<5	0.05	23	924	<1	29	<10	46	125
22649	211547	<2	1.28	20	53	11	<1	2.81	<10	28	271	353	8.40	0.09	1.85	589	<1	0.06	156	2159	75	<10	<5	0.14	19	3524	<1	17	<10	14	69

Certified By:   
Derek Demianiuk, H.Bsc.




1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3 PHONE: (807) 626-1630 FAX: (807) 623-6820 EMAIL: accuracy@tbaytel.net WEB: www accurassay.com

Cabo Mining Corp.  
Date Created: 04-05-11 09:44 AM  
Job Number: 200440377  
Date Recieved: 5/4/2004  
Number of Samples: 120  
Type of Sample: Core  
Date Completed: 5/10/2004  
Project ID:

- \* The results included on this report relate only to the items tested
- \* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
- \*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
22650	211556	67	1.12	144	63	<10	<1	2.92	<10	52	78	>5,000	>10.00	<0.01	1.24	532	<1	0.03	80	322	874	<10	<5	0.10	13	1491	<1	22	<10	3	315

Certified By:   
Derek Demianiuk, H. Bsc.





Date: 2004-AUG-24

GEOSCIENCE ASSESSMENT OFFICE  
933 RAMSEY LAKE ROAD, 6th FLOOR  
SUDBURY, ONTARIO  
P3E 6B5

OUTCROP EXPLORATIONS LIMITED  
12 MARTIN DRIVE  
COBALT, ONTARIO  
P0J 1C0 CANADA

Tel: (888) 415-9845  
Fax: (877) 670-1555

**Submission Number:** 2.27941  
**Transaction Number(s):** W0480.00984

Dear Sir or Madam

**Subject: Approval of Assessment Work**

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

The revisions outlined in the Notice dated July 05, 2004 have been corrected. Accordingly, assessment work credit has been approved as outlined on the Declaration of Assessment Work Form that accompanied this submission.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at [steve.beneteau@ndm.gov.on.ca](mailto:steve.beneteau@ndm.gov.on.ca) or by phone at (705) 670-5855.

Yours Sincerely,



Ron.C. Gashinski  
Senior Manager, Mining Lands Section

**Cc:** Resident Geologist

Outcrop Explorations Limited  
(Claim Holder)

Seymour M Sears  
(Agent)

Assessment File Library

Outcrop Explorations Limited  
(Assessment Office)

Cabo Mining Enterprises Corp.  
(Claim Holder)



31M05SE2067 2.27941 COLEMAN

200

ONTARIO CANADA

MINISTRY OF NORTHERN DEVELOPMENT AND MINES PROVINCIAL MINING RECORDERS' OFFICE

Mining Land Tenure Map

Date / Time of Issue: Wed Oct 06 13:47:27 EDT 2004


TOWNSHIP / AREA GILLIES LIMIT NORTH

PLAN G-3429

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division  
Land Titles/Registry Division  
Ministry of Natural Resources District

Larder Lake  
TIMISKAMING  
NORTH BAY




TOPOGRAPHIC

- Administrative Boundaries
Township
Concession Lot
Provincial Park
Indian Reserve
C.R., P.I. & P.
Contour
Mine Shafts
Mine Headframe
Railway
Road
Trail
Natural Gas Pipeline
Utilities
Tower

Land Tenure


- Freehold Patent
Surface And Mining Rights
Surface Rights Only
Mining Rights Only
Leasold Patent
Surface And Mining Rights
Surface Rights Only
Mining Rights Only
Licence of Occupation
Uses Not Specified
Surface And Mining Rights
Surface Rights Only
Mining Rights Only
Land Use Permit
Order In Council (Not open for staking)
Water Power Lease Agreement



LAND TENURE WITHDRAWALS

- 1234 Areas Withdrawn from Disposition
Mining Acts Withdrawal Types
Surface And Mining Rights Withdrawn
Surface Rights Only Withdrawn
Mining Rights Only Withdrawn
Order In Council Withdrawal Types
Surface And Mining Rights Withdrawn
Surface Rights Only Withdrawn
Mining Rights Only Withdrawn

IMPORTANT NOTICES



LAND TENURE WITHDRAWAL DESCRIPTIONS

Table with columns: Identifier, Type, Date, Description. Contains details about mining claim withdrawals and dates.

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon.

General Information and Limitations

Contact Information: Provincial Mining Recorders' Office, Willet Green Miller Centre 933 Ramsey Lake Road, Sudbury ON P3E 6B5

Toll Free Tel: 1 (855) 415-9845 ext 5777 Fax: 1 (877) 870-1444

Map Datum: NAD 83 UTM (8 degree) Topographic Data Source: Land Information Ontario Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

2.27941 PROSP.