

**REPORT ON GEOLOGICAL MAPPING
OF THE SANTA MARIA GRID
GILLIES TOWNSHIP, ONTARIO**

November 30, 2004

For Cabo Mining Enterprises Corp

Seymour Sears, P.Geol.




TABLE OF CONTENTS

	Page
OVERVIEW	i
SUMMARY	1
INTRODUCTION AND LOGISTICS	2
PROPERTY LOCATION AND ACCESS	2
TOPOGRAPHY AND VEGETATION	2
EXPLORATION HISTORY	2
REGIONAL AND PROPERTY GEOLOGY	5
WORK PROGRAM AND RESULTS	5
CONCLUSIONS	6
REFERENCES	8

TABLE OF FIGURES

FIG 1: LOCATION MAP	3
FIG 2: CLAIM MAP	4

APPENDIX

Sample Descriptions	Appendix I
Assay Data	Appendix II

SUMMARY

The Santa Maria Property of Cabo Mining Corp. is located within the Cobalt Silver mining camp in northeastern Ontario (Figure 1). The property, located in Gilles Limit North Township (Figure 2), is part of a large land holding scattered through five Townships in the Cobalt area. The property contains numerous pits, trenches and shallow shafts dating back to the early 1900's in search of cobalt and silver. The geological mapping and rock sampling reported herein was completed over a 31 km grid completed earlier in 2004.

The grid is underlain by four different geological units. These include a basement of Archean aged mafic to felsic volcanic rocks on the west with a narrow band of granitic rocks (Lorrain Granite) occupying the northeast and eastern side. A band of Huronian aged Coleman Group conglomerates occurs sporadically in the eastern part of the grid, and a relatively narrow Nipissing Diabase Sill cuts through the southern part. This sill dips gently towards the east and is thought to underly the other rocks at a shallow depth.

Fifty two rocks were collected during the mapping program and analysed for gold and 30 element ICP. The rocks sampled did not contain any economic mineralization. Several anomalous values in gold, silver and cobalt may warrant follow-up work including detailed mapping, rock sampling and soil test surveys.

Respectfully submitted,



Seymour M. Sears. P.Geo.
Geologist

Sudbury, Ontario
November 30, 2004

INTRODUCTION AND LOGISTICS

This work report has been prepared on behalf of Cabo Mining Corp. of Vancouver, British Columbia. The content of this report is based on geological mapping and supervision by the author with mapping assistance by Jack Partington of Kitchener, Ontario and field assistance of Al Kon of Temiskaming Shores (Haileybury), Ontario. The field work commenced on September 6th and was completed by October 5th, 2004.

PROPERTY LOCATION AND ACCESS

The work was completed on five claims located in the southeastern part of Gillies Limit Township, Larder Lake Mining Division, Ontario. The claims are listed below and shown on Figure 2, a portion of claim Index Map G - 3429.

1098668	(9units)
1135378	(10 units)
1140509	(16 units)
1114399	(5 units)
1221535	(16 units)

The northern part of the grid is accessed by an old road (Mayfair Mine Road) that departs from the Coleman Road which in turn departs from the town of Cobalt and passes around the North side of Giroux Lake, towards Silver Lake and ultimately to Santa Maria (approximately 12 km southeast of Cobalt). The last 6 kilometres is suitable only for all terrain vehicles (ATV's). The southern part of the grid can be reached by traveling south for 13 km along the Houndchutes Road that departs from the Coleman road approximately 2 km southeast of Cobalt. An overgrown ATV trail leads to Botha Lake (800 metres).

TOPOGRAPHY AND VEGETATION

Maximum relief on the grid is approximately 30 meters. Topography is generally rolling with local steep ledges and cliffs. Most of the forest cover in this area is poplar with local mixed forest and cedar / alder swamps. Underbrush is typically dense. Drainage is towards the south and west into the Montreal River.

EXPLORATION HISTORY

Previous work in the Santa Maria area includes: trenching, pitting and prospecting in the early 1900's leading to the discovery of a large silver nugget in the 1920's. Very little information is available from this period.

During the period from 1946 to 1960, Santa Maria Mines Ltd. carried out trenching and

sampling and drilled 16 holes in the general area, although assay data is lacking.

In 1997 Wabana Explorations Ltd. carried out prospecting and limited stripping in the immediate area of the reported silver nugget. They collected 26 rock samples. In 2000 S. Wareing and M. Simpson completed prospecting, a small grid and ground magnetometer surveys.

In 1998, Cabo Mining Corp. flew a regional scale geophysical survey covering this claim (High Sense Geophysical Surveys). Cabo Mining Enterprises Corp. completed 6 drill holes in the immediate area of the Santa Maria shaft in the north part of the grid in March of 2004 (Sears, 2004). In June, 2004 a ground magnetometer survey was completed over the Santa Maria Grid (Clearview Geophysics Inc.).

REGIONAL AND PROPERTY GEOLOGY

The area is located in the southern part of the Cobalt mining camp and north of the Silver City mining camp and thus has not been well studied. It was included in a mapping program carried out by the Ontario Geological Survey in 1990 (Born and Hitch, Map 2551). The grid lies within an inlier of Archean volcanic rocks. This inlier is bounded on the northeast side by the Lorrain Granite Batholith and on the southwest and south by a Nipissing Diabase sill. On a regional scale these Archean inliers occur within extensive areas of Huronian sedimentary rocks. Several types of Lamprophyre crosscut the Archean rocks in the Cobalt area.

WORK PROGRAM AND RESULTS

The work program on the Santa Maria grid included geological mapping and the collection of 52 rock samples representing all observed mineralization. The data is plotted on Map 1 accompanying this report (back pocket) at a scale of 1:5000. Rock sample locations are plotted on this map with brief sample descriptions included as Appendix 1. Analytical results are included as Appendix 2.

The following Table presents rocks observed on the grid.

Table of Lithologies

NIPISSING

Unit 9) Diabase Sill; Medium to dark grey green, fine to medium grained to local pods of pegmatite, "varitextured"; generally barren of sulphides but locally pyritic; locally magnetite bearing;




Figure 1: Regional Location Map of Ontario

Date / Time of Issue: Wed Jun 23 03:45:58 EDT 2004


TOWNSHIP / AREA
GILLIES LIMIT NORTH

PLAN
G-3429

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

Larder Lake
TIMISKAMING
NORTH BAY



TOPOGRAPHIC

- Administrative Boundaries
- Township
- Conservation Lot
- Provincial Park
- Indian Reserve
- CR, PA & PR
- Canal
- Wild Earth
- Wild Herbivores
- Railway
- Road
- Trail
- Island (See Planter)
- Liberal
- Tower

Land Tenure

Proclaim Plans:

- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only

Leased Plans:

- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only


Leased or Otherwise:

- Does Not Qualify
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only
- Land Lease Permit
- Order in Council (See notes for details)
- Water Power Lease Agreement
- Mining Claim
- Flat Only Mining Claims

LAND TENURE WITHDRAWALS

- 1224 Areas Withdrawn From Description Mining Area Withdrawal Types
- 1224-1 Surface And Mining Rights Withdrawal
- 1224-2 Surface Rights Only Withdrawal
- 1224-3 Mining Rights Only Withdrawal
- 1224-4 Order in Council Withdrawal Types
- 1224-5 Surface And Mining Rights Withdrawal
- 1224-6 Surface Rights Only Withdrawal
- 1224-7 Mining Rights Only Withdrawal

IMPORTANT NOTICES



LAND TENURE WITHDRAWAL DESCRIPTIONS

Withdrawal	Type	Date	Description
4652	Water	Jan 1, 2001	FLOODING R.R.P.C. RESERVATION 786.50 FT. L.O. 7058
4650	Water	Jan 1, 2001	400 FT SURFACE RIGHTS RESERVATION ALONG THE SHORES OF ALL LAKES & RIVERS
CR180000	Water	Apr 5, 2001	CR180000 Conservation Reserve
W.L. 0296	Water	Sep 17, 1999	SURFACE RIGHTS WITHDRAWAL FROM STAKING PROSPECTING BY ORDER IN COUNCIL MNR AB07 1785 RESEARCH
W.L. 0296	Water	Sep 17, 1999	W.L. 0296 MNR DEPT 1780 CMT HYDRO
W.CMT 0360	Water	Sep 17, 1999	SEC 3000 W.CMT 0360 DEPT 1780 MNR - Surface. This withdrawal area has now been regulated as a Conservation Reserve, consult the Mining Recorder's Office for the regulated boundary as it may go beyond the Withdrawal Order

Those wishing to stake mining claims should consult with the Provincial Mining Recorder's Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land use information purposes as the information shown on this map is compiled from various sources. Comprehensive and accurate information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

This information is derived from digital data available in the Provincial Mining Recorder's Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Copyright Information:
Provincial Mining Recorder's Office
1600 Avenue Major Carole 633 Ramsey Lake Road
Sudbury ON P3C 6B9

Tel: 709
Tel: 1 (800) 415-5943 ext 5784
Fax: 1 (877) 878-1444

Map Datum: NAD 83
Projection: UTM (8 degree)
Elevation Data Source: Land Information Ontario
Mining Land Tenure (surface) Provincial Mining Recorder's Office

This map may not show unregistered land tenure and interests in land including surface patents, leases, easements, right of ways, bonding rights, licences, or other forms of occupation of rights and interests from the Crown. Also certain land tenure and land uses that result of errors in the way in which mining claims may not be shown.

HURONIAN

Unit 6) Coleman Group Sediments

6a) Conglomerate: sparse to very cobble rich; cobbles from cm scale to metre scale, typically of granite (very coarse boulders near base), greenstone and occasional quartz; relatively massive (unlayered); typically flat lying;

PRECAMBRIAN

Unit 5) Mafic to Ultramafic Intrusive Rocks; Dark green to black, fine to coarse grained, biotitic, generally barren of sulphides; occurs as dykes.

5a) Lamprophyre Dykes: brown to greyish green, to black; contains biotite massive and relatively undeformed; occasionally contain xenoliths of various lithologies.

PRECAMBRIAN

Unit 3) Felsic Metavolcanic or Intrusive Rocks: Light grey to greenish to buff coloured, generally fine grained, locally fragmental; often confused with silicified mafic rocks.

3a) Rhyolite: generally light buff to white, fine grained, massive, may be sill of rhyolitic rock, may be silicified mafic rocks near granite contact.

3b) Tuffaceous rocks: Light grey to greenish, may be brecciated, silicified mafic to intermediate volcanic

3c) Sericite Schist: Light grey to buff, sheared felsic rock.

3e) Felsite: Light buff to white, very fine grained, may be granitic dykes.

Unit 2) Intermediate Metavolcanic Rocks: Light to medium grey to grey green, fine to coarse grained, massive to pillowed to brecciated rocks.

2a) Andesitic Flows: medium grey-green, pillowed to massive.

2b) Tuffaceous Rocks: Light to medium grey-green, often highly epidotized, may be brecciated, silicified mafic rocks.

2d) Coarse Fragmental Rocks: Light to dark grey-green breccia, rounded to angular fragments to several tens of cm.

Unit 1) Intermediate to Mafic Metavolcanic Rocks: Pale grey to dark green; fine to medium to coarse grained; massive to pillowed; placed in two subtypes:

1a) Massive Flows: generally dark grey green, medium to coarse grained; may in some instances be gabbroic intrusive rocks: rare pyrite as coarse patches; variably deformed, chloritic.

1b) Pillowed Flows: typically light grey green to dark green; fine to rarely medium grained; pillows from 20 cm to several metres in size; margins locally contain chlorite, calcite, pyrite.

1c) Chlorite Schist: grey to grey green; highly silicified, cherty appearance;

1e) Silicified Mafic Rocks: light grey to green, often brecciated, often epidotized.

1g) Gabbro (intrusive): dark grey green, medium to fine grained, weakly deformed.

The grid area is underlain by four different rock types. These include a sequence of mafic to felsic volcanic rocks that constitute the majority of the exposure. These rocks appear to have a northwest trend, but are highly deformed. They are included together as one unit on the map because there is much doubt as to their proper classification. These rocks are shallowly underlain by a gently east dipping Nipissing aged diabase sill. This sill has caused unmeasurable deformation (brecciation, faulting, micro and macro fracturing) and alteration (pseudo-brecciation, chlorite, epidote) causing the rocks to appear felsic and often volcanoclastic. It is beyond the scope of this mapping program to resolve the units on a small scale basis. The units are also affected by alteration and deformation from the granitic complex (Lorrain Granite) that flanks the volcanics on the east side.

A narrow strip of Huronian aged Coleman group volcanics covers much of the eastern contact between the granite and volcanic rocks in the southern two thirds of the grid area. These sediments are generally flat lying but can be locally steeply dipping.

The Archean rocks are locally sheared and contain minor sulphides. The sulphide content increases adjacent to granitic contacts. Sphalerite, chalcopyrite and galena have been observed in fractures and strained stringers, but the amounts are considered insignificant.

Numerous old pits are located within the grid as well as several deep pits classified as "shafts". Rocks in these areas often contain narrow calcite or quartz stringers as well as pyrite, but seldom was any other sulphides observed. Cobalt bloom (erytherite) occurs on rare pieces of muck near an old pit and adit near 800 North on Line 100 West. A sample from this location (sample # 211914) assayed 1977 ppm Co. No other significant assays are apparent from the rock sampling.

CONCLUSIONS

Geological mapping and rock sampling was carried out over a 31 km grid located in the southeastern part of Gillies Limit North Township, Ontario. The work covered parts of five unpatented mining claims, part of a much larger claim group in the Cobalt Area held by Cabo Mining Enterprises Corp.

The grid is underlain by four different geological units. These include a basement of Archean aged mafic to felsic volcanic rocks on the west with a narrow band of granitic rocks (Lorrain Granite) occupying the northeast and eastern side. A band of Huronian aged Coleman Group conglomerates occurs sporadically in the eastern part of the grid, and a relatively narrow Nipissing Diabase Sill cuts through the southern part. This sill dips gently towards the east and is thought to underly the other rocks at a shallow depth.

Fifty two rocks were collected during the mapping program and analysed for gold and 30 element ICP. The rocks sampled did not contain any economic mineralization. One weak cobalt assay and several weaker anomalous values in gold and silver may warrant follow-up work including detailed mapping, rock sampling and soil test surveys.

Respectfully Submitted,

A handwritten signature in black ink, appearing to be 'S. M. Sears', with a long horizontal flourish extending to the right.

Seymour M. Sears
November 30, 2004

REFERENCES

Born, P. and Hitch, M.W.

1990: Precambrian Geology, Bay Lake Area; Ontario, Geological Survey Report 276; including map 2551, Eastern half; 1:20,000.

Clearview Geophysics Inc.

2004: Report on Magnetics Surveys at the Santa Maria Prospect, Cobalt Area, NE Ontario; Assessment Report for Cabo Mining Corp.

High Sense Geophysics Ltd

1998: Assessment Report for Cabo Mining Corp.

Lovell, H.L., and de Grijns, J.

1978: Lorrain Township, Southern Part, Concessions I to VI, District of Timiskaming; Ontario, Geological Survey Preliminary Map, P1559; Scale 1:15,840.

Nicholson, J

1999: Report of Prospecting and Geochemical Surveys on the North Cobalt Property; an Assessment Report for Cabo Mining Corp.

Sears, S.M.

2004: Drill Hole Logs, Holes CSM-1 to CSM-6, Santa Maria Area; Gillies Limit North Twp., Cobalt Area Project, Assessment Report for Cabo Mining Corp.

Ontario Geological Survey

2000: Airborne magnetic and electromagnetic surveys, Temagami area; Ontario Geological Survey, Maps 82067 & 82069, scale 1:20 000.

Thompson, R.

1960: Preliminary Report on Bucke Township, District of Timiskaming, Description of Properties. Ontario Department of Mines Report, P.R. 1960-2.

1963: Cobalt Silver Area, Northern Sheet. Ontario Department of Mines Map 2050, Scale 1:12,000.

Assessment Files of the Ontario Geological Survey, Larder Lake Office.

Appendix I Sample Descriptions

Cabo Mining Enterprises Corp.; Cobalt Project
Santa Maria Grid Area, Sample Descriptions

Sample #	UTM Grid		Description
	Northing	Easting	
211856	5239885	602499	Gabbro, minor pyrite
211857	5240226	602230	Pillowed mafic volcanics with up to 5% pyrite
211858	5238960	602625	Mafic volcanics with 1% to 2% pyrite
211859	5240165	602265	Altered mafic to intermediate volcanic
211861	5238151	602429	Mafic to intermediate volcanics with 2% pyrite/pyrrhotite
211862	5239676	602512	Boulder, mafic volcanic, 1% Py
211863	5238385	602250	Felsic volcanic, grey; 5% to 10% sulphides
211864	5238493	601845	Quartz vein
211865	5240180	602663	Altered granite, trace fluorite?
211866	5239982	602251	Altered mafic breccia, 1% to 2% pyrite
211867	5239482	602223	Mafic Volcanic, 2% pyrite; calcite veinlets
211868	5238262	601740	Santa Maria # 2 Shaft, Wall rock, coarse diabase
211869	5238269	602287	Altered mafic volcanic, trace pyrite
211870	5238400	602315	Felsic to intermediate volcanic, minor sulphides
211871	5238542	601999	Altered mafic, minor quartz veinlets, 5% pyrite
211872	5238041	602024	Diabase with calcite veinlets and 1% to 2% pyrite
211873	5238310	602323	Altered mafic, pseudobreccia texture, scattered magnetite
211874	5238420	601915	Intermediate volcanic
211875	5238250	602421	Muckpile, mafic volcanic, 2% pyrite
211876	5237880	602600	Conglomerate, 5% sulphides
211877	5237780	602672	Mafic rock, pseudobreccia, calcite veinlets, 2% pyrite
211878	5239675	602248	Mafic volcanic
211879	5238370	602250	Felsic to intermediate volcanic, 4% to 5% sulphides
211880	5238530	602399	Pillowed mafic volcanic, 2% pyrite
211881	5238855	602590	Altered pillowed mafic volcanic, 5% pyrite
211882	5238625	602380	Silicified mafic volcanic or felsic rock
211883	5238615	602385	Felsic volcanic or silicified mafic
211884	5238770	602115	Sheared zone, sericitized, minor biotite
211885	5238128	602300	Intermediate volcanic with epidote, quartz, 2% pyrite
211886	5238678	602365	Felsic volcanic or silicified mafic
211887	5238004	602518	Conglomerate, 2% sulphides
211888	5238110	602288	Intermediate volcanic with epidote & calcite stringers
211889	5239017	602314	Intermediate volcanic, igneous texture
211890	5239655	602375	Mafic volcanic, silicified
211891	5239700	602270	Mafic volcanic, silicified
211892	5238905	602630	Conglomerate
211893	5239855	602330	Mafic volcanic
211894	5238420	602315	Felsic rock, with lamprophyre, fine galena or hematite
211895	5239575	602125	Mafic to intermediate volcanic, calcite veinlets, 5% pyrite
211896	5238002	601970	Diabase with actinolite veinlets
211897	5239495	602028	Mafic volcanic with epidote, quartz, 2-3 % pyrite
211898	5239070	602318	Intermediate volcanic, 2% pyrite
211899	5239310	602615	Quartz vein in altered mafic volcanic, scattered pyrite
211900	5239495	602160	Intermediate volcanic, quartz, epidote veinlets, 2% pyrite
211909	5239105	602500	Quartz carbonate veining in felsic dyke
211910	5239364	602320	Intermediate volcanic
211911	5238637	602318	Pillowed mafic volcanics (with felsic & lamprophyre dykes)
211912	5239630	602368	Silicified, brecciated mafic volcanic
211913	5238927	602115	Altered mafic to intermediate volcanic
211914	5238405	601865	Muck sample, diabase with calcite veinlets, cobalt bloom
211915	5237780	602610	Muck sample, diabase with calcite veinlets

Appendix II Analytical Results



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

Certificate of Analysis

Friday, October 15, 2004

Cabo Mining Corp.
 Suite 20-289 Cedar St.
 Sudbury, ON, CA
 P3B 1M8
 Ph#: (705) 560-0286
 Fax#: (705) 560-7468
 Email

Date Received : 12-Oct-04
 Date Completed : 15-Oct-04
 Job # 200441475
 Reference : COB
 Sample #: 65 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
67780	211851	17	<0.001	0.017
67781	211852	8	<0.001	0.008
67782	211853	<5	<0.001	<0.005
67783	211854	7	<0.001	0.007
67784	211855	<5	<0.001	<0.005
67785	211856	<5	<0.001	<0.005
67786	211857	<5	<0.001	<0.005
67787	211858	<5	<0.001	<0.005
67788	211859	8	<0.001	0.008
67789	211860	17	<0.001	0.017
67790 Check	211860	21	<0.001	0.021
67791	211861	12	<0.001	0.012
67792	211862	<5	<0.001	<0.005
67793	211863	81	0.002	0.081
67794	211864	<5	<0.001	<0.005
67795	211865	<5	<0.001	<0.005
67796	211866	15	<0.001	0.015
67797	211867	9	<0.001	0.009
67798	211868	<5	<0.001	<0.005
67799	211869	119	0.003	0.119
67800	211870	8	<0.001	0.008
67801 Check	211870	5	<0.001	0.005
67802	211871	12	<0.001	0.012

PROCEDURE CODES: AL4AU3, AL4PCPAR

Page 1 of 4

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

Certificate of Analysis

Friday, October 15, 2004

Cabo Mining Corp.
Suite 20-289 Cedar St.
Sudbury, ON, CA
P3B1M8
Ph#: (705) 560-0286
Fax#: (705) 560-7468
Email

Date Received : 12-Oct-04
Date Completed : 15-Oct-04
Job # 200441475
Reference : COB
Sample #: 65 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
67803	211872	10	<0.001	0.010
67804	211873	7	<0.001	0.007
67805	211874	<5	<0.001	<0.005
67806	211875	<5	<0.001	<0.005
67807	211876	153	0.004	0.153
67808	211877	7	<0.001	0.007
67809	211878	<5	<0.001	<0.005
67810	211879	5	<0.001	0.005
67811	211880	35	0.001	0.035
67812	Check 211880	37	0.001	0.037
67813	211881	<5	<0.001	<0.005
67814	211882	14	<0.001	0.014
67815	211883	8	<0.001	0.008
67816	211884	<5	<0.001	<0.005
67817	211885	6	<0.001	0.006
67818	211886	11	<0.001	0.011
67819	211887	10	<0.001	0.010
67820	211888	<5	<0.001	<0.005
67821	211889	<5	<0.001	<0.005
67822	211890	19	<0.001	0.019
67823	Check 211890	23	<0.001	0.023
67824	211891	<5	<0.001	<0.005
67825	211892	<5	<0.001	<0.005

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 2 of 4

Certified By:

Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0437-19/15/2004 02:56 PM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

Certificate of Analysis

Friday, October 15, 2004

Cabo Mining Corp.
Suite 20-289 Cedar St.
Sudbury, ON, CA
P3B1M8
Ph#: (705) 560-0286
Fax#: (705) 560-7468
Email

Date Received : 12-Oct-04
Date Completed : 15-Oct-04
Job # 200441475
Reference : COB

Sample #: 65 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
67826	211893	<5	<0.001	<0.005
67827	211894	<5	<0.001	<0.005
67828	211895	8	<0.001	0.008
67829	211896	<5	<0.001	<0.005
67830	211897	19	<0.001	0.019
67831	211898	5	<0.001	0.005
67832	211899	47	0.001	0.047
67833	211900	9	<0.001	0.009
67834 Check	211900	<5	<0.001	<0.005
67835	211901	15	<0.001	0.015
67836	211902	13	<0.001	0.013
67837	211903	6	<0.001	0.006
67838	211904	<5	<0.001	<0.005
67839	211905	<5	<0.001	<0.005
67840	211906	5	<0.001	0.005
67841	211907	23	<0.001	0.023
67842	211908	7	<0.001	0.007
67843	211909	18	<0.001	0.018
67844	211910	7	<0.001	0.007
67845 Check	211910	<5	<0.001	<0.005
67846	211911	<5	<0.001	<0.005
67847	211912	10	<0.001	0.010
67848	211913	9	<0.001	0.009

PROCEDURE CODES: AL4AU3, AL4ICPAR

Page 3 of 4

Certified By:
Derek Demianiuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0437-10/15/2004 02:56 PM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

Certificate of Analysis

Friday, October 15, 2004

Cabo Mining Corp.
 Suite 20-289 Cedar St.
 Sudbury, ON, CA
 P3B1M8
 Ph#: (705) 560-0286
 Fax#: (705) 560-7468
 Email

Date Received : 12-Oct-04
 Date Completed : 15-Oct-04
 Job # 200441475
 Reference : COB
 Sample #: 65 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
67849	211914	38	0.001	0.038
67850	211915	6	<0.001	0.006

PROCEDURE CODES: AL4AU3, AL4PCPAR

Page 4 of 4

Certified By:


 Derek Demianiuk B.Sc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

AL903-0437-10/15/2004 02:56 PM

Cabo Mining Corp.
Date Created: 04-10-22 07:17 PM
Job Number: 200441475
Date Received: 10/12/2004
Number of Samples: 65
Type of Sample: Rock
Date Completed: 10/15/2004
Project ID: COB

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
67780	211851	<2	1.17	51	57	172	<1	2.04	<10	46	158	149	3.29	0.29	0.89	904	4	0.08	81	262	15	<10	<5	0.11	7	3546	<1	94	<10	15	64
67781	211852	<2	0.89	30	51	82	<1	0.98	<10	19	307	49	1.73	0.23	0.76	536	3	0.06	43	1373	9	<10	<5	0.08	19	3284	<1	22	<10	11	42
67782	211853	2	1.15	26	60	47	<1	1.41	<10	46	162	236	4.01	0.26	0.72	1154	8	0.17	49	238	18	<10	<5	0.12	33	2927	<1	25	<10	8	68
67783	211854	<2	1.28	23	60	108	<1	1.35	<10	33	159	299	3.69	0.45	0.88	890	5	0.22	70	312	32	<10	<5	0.15	22	4073	<1	74	<10	13	76
67784	211855	<2	1.06	30	56	105	<1	0.71	<10	25	288	11	2.27	0.18	0.92	572	<1	0.06	47	1355	11	<10	<5	0.07	7	3181	<1	25	<10	11	54
67785	211856	<2	1.04	<3	62	45	<1	1.03	<10	19	147	20	2.41	0.19	0.80	519	7	0.08	42	854	11	<10	<5	0.11	58	3917	<1	26	<10	16	52
67786	211857	<2	0.96	<3	40	29	<1	0.51	<10	23	149	21	2.05	0.23	0.86	469	5	0.10	69	575	13	<10	<5	0.16	16	2405	<1	12	<10	8	69
67787	211858	<2	0.88	<3	46	34	<1	0.64	<10	14	136	28	1.76	0.17	0.63	277	13	0.08	47	394	20	<10	<5	0.08	32	2244	<1	8	<10	9	44
67788	211859	<2	0.94	<3	45	92	<1	0.61	<10	17	125	56	1.66	0.37	0.69	366	8	0.11	34	519	52	<10	<5	0.10	33	2340	<1	8	<10	8	61
67789	211860	2	1.18	70	58	84	<1	0.60	<10	93	153	1160	4.10	0.53	0.75	707	5	0.17	77	270	29	<10	<5	0.11	16	2404	<1	41	<10	8	60
67790	211860	<2	1.11	63	53	71	<1	0.54	<10	81	132	994	3.61	0.45	0.69	624	5	0.15	67	228	26	<10	<5	0.11	14	2169	<1	37	<10	7	54
67791	211861	<2	0.91	<3	54	12	<1	0.25	<10	25	147	242	2.34	0.05	0.82	211	8	0.11	33	352	9	<10	<5	0.12	8	1182	<1	12	<10	10	17
67792	211862	<2	1.08	5	56	41	<1	0.68	<10	15	147	23	2.85	0.18	0.77	569	4	0.09	54	737	11	<10	<5	0.10	36	3046	<1	13	<10	14	63
67793	211863	<2	0.86	6	71	152	<1	0.96	<10	37	207	666	6.08	0.50	0.75	373	18	0.04	34	1441	39	<10	<5	0.12	63	2115	<1	40	1247	10	82
67794	211864	<2	0.33	6	52	<10	<1	0.15	<10	6	211	47	1.05	0.02	0.26	124	14	0.04	12	219	45	<10	<5	0.04	6	504	<1	8	30	3	33
67795	211865	<2	0.42	<3	64	37	<1	0.22	<10	3	161	6	0.81	0.17	0.22	273	10	0.06	6	337	16	<10	<5	0.05	10	290	<1	<2	<10	9	21
67796	211866	<2	0.62	3	53	34	<1	0.22	<10	12	167	24	2.21	0.11	0.46	254	13	0.08	11	302	17	<10	<5	0.09	9	1364	<1	8	<10	19	32
67797	211867	<2	1.13	<3	57	62	<1	1.25	<10	27	112	25	2.78	0.48	0.76	533	9	0.16	37	592	13	<10	<5	0.09	45	3549	<1	20	<10	13	39
67798	211868	<2	1.01	<3	45	41	<1	0.98	<10	29	58	101	1.77	0.18	0.57	345	3	0.09	32	213	9	<10	<5	0.05	19	1777	<1	13	<10	5	68
67799	211869	<2	0.54	<3	43	17	<1	0.54	<10	24	86	67	1.50	0.06	0.40	151	4	0.08	39	359	10	<10	<5	0.05	32	2313	<1	17	<10	10	18
67800	211870	<2	0.76	4	53	34	<1	0.59	<10	14	81	14	1.68	0.18	0.59	293	5	0.07	33	401	16	<10	<5	0.06	19	2418	<1	16	<10	8	32
67801	211870	<2	0.71	5	42	31	<1	0.53	<10	13	73	12	1.55	0.16	0.55	265	4	0.07	36	371	17	<10	<5	0.08	17	2136	<1	14	<10	7	32

Certified By: 
Derek Demianiuk, H.B.Sc.

Cabo Mining Corp.
Date Created: 04-10-22 07:17 PM
Job Number: 200441475
Date Recieved: 10/12/2004
Number of Samples: 65
Type of Sample: Rock
Date Completed: 10/15/2004
Project ID: COB

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
67802	211871	<2	1.14	11	56	37	<1	0.28	<10	17	165	23	3.44	0.29	0.99	577	7	0.06	77	440	39	<10	<5	0.12	8	2875	<1	21	<10	9	188
67803	211872	<2	1.02	17	46	14	<1	1.28	<10	28	119	174	2.42	0.02	0.42	369	7	0.03	13	434	17	<10	<5	0.06	54	4389	<1	49	<10	8	22
67804	211873	<2	1.01	<3	47	45	<1	0.70	<10	16	119	34	1.97	0.38	0.73	347	8	0.08	40	451	20	<10	<5	0.07	36	2778	<1	13	<10	9	52
67805	211874	<2	0.76	4	44	<10	<1	0.12	<10	7	117	5	1.94	0.02	0.52	138	8	0.10	11	299	14	<10	<5	0.09	8	846	<1	5	<10	15	13
67806	211875	<2	1.20	<3	55	36	<1	0.55	<10	24	165	24	3.11	0.15	1.04	875	8	0.06	54	1017	14	<10	<5	0.10	22	3587	<1	33	<10	17	83
67807	211876	<2	0.48	4	56	13	<1	0.57	<10	26	148	61	4.01	0.06	0.41	211	44	0.05	21	771	25	<10	<5	0.09	15	2811	<1	61	<10	10	26
67808	211877	<2	1.35	<3	53	11	<1	1.03	<10	23	180	32	2.97	0.04	1.00	494	4	0.11	83	527	10	<10	<5	0.10	35	2753	<1	7	<10	5	39
67809	211878	<2	0.74	<3	46	55	<1	0.53	<10	12	142	21	1.71	0.26	0.55	271	9	0.11	37	342	13	<10	<5	0.11	13	2131	<1	20	<10	8	35
67810	211879	<2	1.02	10	52	65	<1	0.49	<10	37	136	37	2.84	0.51	0.83	244	4	0.08	71	502	11	<10	<5	0.13	15	2601	<1	15	<10	11	45
67811	211880	<2	1.02	5	48	18	<1	0.54	<10	21	111	22	2.77	0.08	0.78	476	4	0.07	54	429	46	<10	<5	0.16	13	2660	<1	18	<10	11	171
67812	211880	<2	1.08	7	56	19	<1	0.63	<10	24	124	23	3.10	0.08	0.84	543	5	0.08	61	483	52	<10	<5	0.15	16	3075	<1	21	<10	13	187
67813	211881	<2	0.53	<3	46	11	<1	0.29	<10	6	117	84	1.47	0.06	0.23	131	9	0.06	5	143	11	<10	<5	0.05	18	569	<1	<2	<10	14	15
67814	211882	<2	0.64	3	47	45	<1	0.44	<10	16	110	8	1.67	0.16	0.49	156	5	0.07	39	832	15	<10	<5	0.07	30	1619	<1	6	<10	5	16
67815	211883	<2	0.69	<3	49	27	<1	0.71	<10	16	210	73	1.69	0.25	0.38	302	15	0.07	10	628	14	<10	<5	0.05	32	2658	<1	7	<10	14	24
67816	211884	<2	0.81	<3	53	12	<1	0.17	<10	11	161	74	1.63	0.11	0.63	139	9	0.11	15	365	13	<10	<5	0.06	9	767	<1	5	<10	3	13
67817	211885	<2	1.07	3	50	141	<1	0.50	<10	19	148	45	2.37	0.97	0.79	288	7	0.08	58	484	23	<10	<5	0.11	17	2644	<1	10	<10	13	85
67818	211886	<2	0.77	7	51	24	<1	0.61	<10	8	126	330	1.63	0.10	0.55	243	5	0.06	33	441	20	<10	<5	0.12	79	2646	<1	25	<10	12	24
67819	211887	<2	1.09	<3	53	10	<1	0.17	<10	27	159	12	2.76	0.05	0.93	232	12	0.05	58	531	11	<10	<5	0.12	<5	326	<1	14	<10	7	18
67820	211888	<2	0.98	<3	55	51	<1	0.87	<10	23	124	49	1.97	0.65	0.61	279	7	0.10	55	546	13	<10	<5	0.06	33	2735	<1	9	42	9	28
67821	211889	<2	0.90	<3	46	110	<1	0.73	<10	17	155	63	1.61	0.39	0.60	276	9	0.10	42	355	13	<10	<5	0.09	26	2231	<1	8	<10	9	22
67822	211890	<2	0.83	8	51	13	<1	0.09	<10	16	120	35	1.62	0.14	0.52	151	11	0.07	14	235	9	<10	<5	0.06	<5	319	<1	2	<10	9	11
67823	211890	<2	0.72	6	41	<10	<1	0.06	<10	14	97	30	1.36	0.12	0.44	125	9	0.06	11	191	9	<10	<5	0.06	<5	247	<1	<2	<10	8	9

Certified By: 
Derek Demianiuk, H.Bsc.

Cabo Mining Corp.
Date Created: 04-10-22 07:17 PM
Job Number: 200441475
Date Received: 10/12/2004
Number of Samples: 65
Type of Sample: Rock
Date Completed: 10/15/2004
Project ID: COB

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025


Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
67824	211891	<2	0.63	<3	44	14	<1	0.81	<10	14	156	48	1.27	0.12	0.41	315	8	0.05	29	305	22	<10	<5	0.03	17	1887	<1	15	<10	9	29
67825	211892	<2	0.75	<3	41	85	<1	0.55	<10	13	140	7	1.80	0.37	0.45	273	10	0.09	5	547	8	<10	<5	0.07	8	2139	<1	14	<10	10	26
67826	211893	<2	1.02	<3	49	118	<1	1.61	<10	13	135	17	1.95	0.63	0.54	276	5	0.12	30	653	10	<10	<5	0.05	17	2423	<1	8	<10	12	22
67827	211894	<2	1.13	<3	49	72	<1	0.58	<10	20	97	93	2.15	0.73	0.79	319	5	0.04	52	370	78	<10	<5	0.06	34	2021	<1	3	<10	9	98
67828	211895	<2	0.76	<3	48	<10	<1	1.29	<10	13	129	59	3.47	0.02	0.69	322	38	0.07	30	899	14	<10	<5	0.07	10	2631	<1	63	<10	11	50
67829	211896	<2	1.09	<3	41	<10	<1	1.07	<10	14	185	7	1.62	0.02	0.72	325	5	0.04	66	170	19	<10	<5	0.07	59	1214	<1	4	<10	4	50
67830	211897	<2	0.77	<3	49	14	<1	0.59	<10	14	131	34	2.08	0.06	0.61	235	6	0.08	46	471	11	<10	<5	0.08	20	2649	<1	20	<10	8	23
67831	211898	<2	0.97	<3	39	38	<1	0.10	<10	12	163	8	2.12	0.25	0.75	155	13	0.02	32	443	11	<10	<5	0.12	<5	162	<1	3	<10	2	10
67832	211899	<2	0.74	<3	42	84	<1	0.66	<10	15	220	54	1.47	0.28	0.58	305	8	0.06	42	695	20	<10	<5	0.08	21	2453	<1	10	<10	9	28
67833	211900	<2	0.89	<3	45	59	<1	0.78	<10	22	170	66	1.92	0.54	0.71	298	6	0.08	63	873	9	<10	<5	0.11	37	2473	<1	12	<10	8	29
67834	211900	<2	0.92	<3	50	63	<1	0.83	<10	26	184	71	2.08	0.59	0.74	321	7	0.09	68	950	6	<10	<5	0.10	39	2635	<1	13	<10	9	29
67835	211901	17	0.74	56	42	14	<1	3.81	<10	13	133	13	2.00	0.15	0.08	608	4	0.01	10	238	>4,000	<10	<5	0.05	8	2532	<1	79	<10	14	315
67836	211902	<2	1.45	585	60	23	<1	1.28	<10	335	107	13	6.47	0.06	0.97	3955	1	0.05	122	341	337	<10	<5	0.16	7	1862	<1	18	<10	13	1332
67837	211903	3	0.44	11	39	<10	<1	3.26	<10	13	261	213	1.21	0.05	0.35	329	18	0.05	23	<100	44	<10	<5	0.10	10	1044	<1	19	<10	5	33
67838	211904	<2	0.95	25	51	26	<1	1.33	<10	62	223	59	2.84	0.24	0.62	568	14	0.04	63	<100	33	<10	<5	0.15	16	951	<1	22	<10	14	40
67839	211905	<2	1.23	<3	53	20	<1	0.64	<10	34	132	64	4.07	0.19	0.92	879	1	0.08	74	285	17	<10	<5	0.18	<5	4593	<1	53	<10	15	62
67840	211906	<2	1.26	37	56	157	<1	0.76	<10	55	226	49	4.18	0.25	0.98	964	6	0.10	88	279	22	<10	<5	0.18	8	3716	<1	87	<10	17	107
67841	211907	8	1.23	156	52	14	<1	1.46	<10	68	188	787	3.61	0.02	0.98	876	3	0.07	93	353	400	<10	<5	0.11	<5	4965	<1	125	<10	17	225
67842	211908	2	1.23	96	48	42	<1	0.86	<10	60	172	312	3.70	0.28	0.95	869	4	0.09	95	325	72	<10	<5	0.16	<5	3737	<1	91	<10	15	102
67843	211909	<2	0.33	<3	41	13	<1	0.04	<10	1	94	12	0.26	0.18	0.06	<100	7	0.06	5	<100	13	<10	<5	0.04	<5	<100	<1	<2	<10	15	7
67844	211910	<2	1.04	<3	49	31	<1	0.61	<10	18	183	33	2.19	0.13	0.88	490	7	0.10	68	451	13	<10	<5	0.15	21	2836	<1	12	<10	12	58
67845	211910	<2	1.00	<3	46	29	<1	0.56	<10	17	169	30	2.07	0.12	0.85	459	7	0.10	63	424	12	<10	<5	0.14	19	2645	<1	12	<10	11	56

Certified By: 
Derek Demianiuk, H.Bsc.

Cabo Mining Corp.
Date Created: 04-10-22 07:17 PM
Job Number: 200441475
Date Recieved: 10/12/2004
Number of Samples: 65
Type of Sample: Rock
Date Completed: 10/15/2004
Project ID: COB

* The results included on this report relate only to the items tested
* This Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.
*The methods used for these analysis are not accredited under ISO/IEC 17025

Accur. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
67846	211911	<2	0.70	<3	47	42	<1	0.77	<10	13	236	8	1.64	0.13	0.73	268	4	0.10	66	1380	10	<10	<5	0.20	34	2150	<1	16	<10	11	21
67847	211912	<2	1.11	<3	51	42	<1	0.71	<10	21	152	64	1.95	0.23	0.82	534	7	0.16	60	351	22	<10	<5	0.08	32	2442	<1	9	<10	10	54
67848	211913	<2	0.58	21	42	43	<1	0.31	<10	11	171	62	0.99	0.25	0.24	148	20	0.09	14	275	20	<10	<5	0.05	20	1097	<1	3	<10	3	19
67849	211914	<2	0.87	3244	44	<10	<1	1.93	<10	1977	159	5	1.10	<0.01	0.40	211	21	0.10	366	<100	25	<10	<5	0.09	125	435	7	11	<10	6	15
67850	211915	<2	0.96	18	46	13	<1	1.32	<10	62	93	198	1.78	0.07	0.79	251	5	0.11	88	299	10	<10	<5	0.09	18	3092	<1	74	<10	6	14

Certified By 
Derek Demianiuk, H.Bsc.

Date: 2004-DEC-24

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

CABO MINING ENTERPRISES CORP.
595 HOWE STREET, SUITE 502
VANCOUVER, BRITISH COLUMBIA
V6C 2T5 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.28896
Transaction Number(s): W0480.01900

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,



Ron C. Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Consolidated Professor Mines Limited
(Claim Holder)

Seymour M Sears
(Agent)

Cabo Mining Enterprises Corp.
(Assessment Office)

Assessment File Library

Outcrop Explorations Limited
(Claim Holder)

Cabo Mining Enterprises Corp.
(Claim Holder)

Date / Time of Issue: Thu Jan 13 09:52:35 EST 2005


TOWNSHIP / AREA
GILLIES LIMIT NORTH

PLAN
G-3429

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

Larder Lake
TIMISKAMING
NORTH BAY



TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cliff, Pit & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower

Land Tenure



- Freehold Patent**
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
- Leasehold Patent**
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
- Licence of Occupation**
 - Uses Not Specified
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
 - Land Use Permit
 - Order in Council (Not open for staking)
 - Water Power Lease Agreement

- Mining Claim
- Filled Only Mining Claims

LAND TENURE WITHDRAWALS

- Areas Withdrawn from Disposition
- Mining Acts Withdrawal Types
 - Wsm Surface And Mining Rights Withdrawn
 - Wsr Surface Rights Only Withdrawn
 - Wmr Mining Rights Only Withdrawn
- Order in Council Withdrawal Types
 - W'arm Surface And Mining Rights Withdrawn
 - W'sr Surface Rights Only Withdrawn
 - W'mr Mining Rights Only Withdrawn

IMPORTANT NOTICES




2.28896
ASSAY
Geol

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

General Information and Limitations
Contact Information:
Provincial Mining Recorders' Office
Wildcat Green Miller Centre 833 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/mlsmpage.htm

Toll Free
Tel: 1 (888) 415-9845 ext 5770
Fax: 1 (877) 670-1444
Map Datum: NAD 83
Projection: UTM (6 degree)
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.



Legend

Keweenaw

10 OLIVINE & QUARTZ DIABASE DYKES

Nipissing

9 QUARTZ DIABASE DYKES & SILLS

Huronian

8 LORRAIN FORMATION (Sediments)

8a) Arkose
8b) Quartzite

7 FIRSTBROOK FORMATION (Sediments)

7a) Greywacke
7b) Quartzite

6 COLEMAN FORMATION (Sediments)

6a) Conglomerate
6b) Greywacke
6c) Arkose
6d) Quartzite

5 MAFIC TO ULTRAMAFIC INTRUSIVE ROCKS

5a) Lamprophyre
5b) Pyroxenite
5c) Gabbro

Algoman

4 GRANITIC ROCKS

4a) Equigranular Granite
4b) Quartz-Feldspar Porphyry
4c) Syenite

Keewatin

3 FELSIC METAVOLCANIC OR INTRUSIVE ROCKS

3a) Rhyolite
3b) Tuffaceous Rocks
3c) Sericite Schist
3d) Agglomerate
3e) Felsite

2 INTERMEDIATE METAVOLCANIC ROCKS

2a) Andesitic Flows
2b) Tuffaceous Rocks
2c) Sericite-chlorite Schist
2d) Coarse Fragmental Rocks

1 METAVOLCANIC ROCKS

1a) Massive Flows
1b) Pillowed Flows
1c) Chlorite Schist
1d) Coarse Fragmental Rocks
1e) Silicified Mafic Rocks
1f) Chert, Greywacke & Other Interflow Sediments
1g) Gabbro Sill or Dyke

Key

Swamp

Outcrop

Shaft

Adit

Pit

Trench

Claim Post Located

Claim Post Assumed

Drill Hole

Fault

Sample Location

GPS Waypoint

Strike & Dip Vein or Bed

Schistosity (Shearing)

Area of Outcrop

Geological Contact

Boulder or small outcrop

1221535

1140509

1135378

1098668

1114399

2.28896

Cabo Mining Enterprises Corp.
Cobalt Area Project

Santa Maria Grid
(Gillies Limit North Twp)

Geology and Rock Sample Locations

