

GI



31M05SE9775 17 GILLIES LIMIT

010

This file contains work performed by Ciglen Investments on claims:


T.55767

Hole #	C-69-1;	1969
	C-69-2;	1969
	C-69-3;	1969
	C-69-4;	1969





30 - 30 - 30  
April 26 - 69 Sept. 1 - 69



36' 530' EAST 50' SOUTH M-483  
OF R.G. Post Clinton Block 62  
Gillies Limited  
PROPERTY NAME

30 - 30 - 30

DEPTH	DESCRIPTION	PLANAR FEATURE	CORR. SPEC. VLN. ANGLE	CORR. FOOTAGE	DIP	SAMPLE NO.	SAMPLE FOOTAGE		SAMPLE LENGTH	REMARKS
							FROM	TO		
30 - 30	FINE GRAINED SLIP AT 9' 6" - 24' 8"									
30 - 30	30" (CORE) " 2" OF FRACTURED MATERIAL & Gouge between 59' 4" + 59' 6"									
75 - 100	NARROW CALCITE STRINGERS AT 69' 4" + 71' 10" FINE GRAINED (5" ALTERATION between 76' 10" + 78' 12") 7" SLIP OF ALTERATION RUNNING ALONG WITH CORE between 83' - 83' 7". FRACTURING AT 99' 6"									
100 - 149	FINE GRAINED (FRACTURING WITH SEVERAL NARROW CALCITE STRINGERS AT 138' 2". 5" ALTERATION between 139' 1" + 139' 5"  end of Hole 149'									

For features such as foliation, bedding, schistosity, measured from the long axis of the core.

Additional credit available. See Assessment Work Regulations.

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. **C-69-2** PAGE NO. **1**

DATE OF LOGGING: **1961**  
 LOCATION: **40' SOUTH**  
 TOTAL FOOTAGE: **151'**  
 DIP OF HOLE AT COLLAR: **40'**  
 LOGGED BY: **J.H. PRICE**

LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM

**535' EAST 40' SOUTH OF # 4 Post. T-55767**

MAP REFERENCE NO.

**M 483**

LOCATION (Tp., Lot, Con. OR Lat. and Long.)

**Block 62 Gillies Limits**

CLAIM NO.

**T-55767**

PROPERTY NAME

DESCRIPTION <small>Color, grain size, texture, minerals, alteration, etc.</small>	PLANAR FEATURE ANGLE	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS -	
				FROM	TO			
7' Broken-up ground between 38' - 45' (1/4" Calcite at 42'6")								
7' Broken ground between 44' - 45'								
7' ground with several bands of alteration in this section. (1/4" stringer of Calcite & local burning along with core between 80'6" - 82'6" with considerable alteration at this point).								
7' Broken ground between 75' - 81'								
3" Lost Core between 75'8" - 75'11"								
" " " " 76'2" - 76'5"								
" " " " 79'2" - 79'5"								
" " " " 80'2" - 80'4"								
7' Fine grained (1/4" soft white Calcite at 101') (3" lost core between 107'6" - 107'9")								
7' Fine grained (18" alteration & chilled material between 128' - 129'6" containing several stringers of Calcite up to 1/4" in width.								
End of hole - 151'								

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. C-69-3 PAGE NO. 1

SECTION: *235' SOUTH 20° WEST*  
 DEPTH OF HOLE FROM SURFACE: *158'*  
 DIP OF HOLE AT COLLAR: *40°*  
 SUPERVISOR: *J. H. PRICE*  
 SIGNATURE: *J. H. PRICE*

LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM: *235' SOUTH 20° WEST OF #1 HOLE*

MAP REFERENCE NO.: *M. 483*  
 CLAIM NO.: *T-55767*  
 LOCATION (Tp., Lot, Con. OR Lat. and Long.):  
 PROPERTY NAME: *Block 62 Billies Limits*

DEPTH	DESCRIPTION <small>Colour, grain size, texture, minerals, alteration, etc.</small>	PLANAR FEATURE ANGLE °	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +
					FROM	TO		
<i>11' 8" - 12' 2"</i>	<i>8" CRUSHED GONE BETWEEN</i>							
<i>50' 10" - 51' 3"</i>	<i>CRUSHED GONE BETWEEN</i>							
<i>51' 7" - 51' 11"</i>	<i>1/2" ALTERATION</i>							
<i>61' 10" - 62' 5"</i>	<i>7" BRACKEN MATERIAL</i>							
	<i>MASSIVE FINE GRAINED</i>							
	<i>MORE FRACTURING IN THIS SECTION WITH 16" OF CRUSHED MATERIAL BETWEEN 128' - 129' 4"</i>							
	<i>1/4" CALCITE STRINGER AT 190' 6"</i>							
	<i>END OF HOLE 158'</i>							

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. <b>C-69-4</b>	PAGE NO. <b>1</b>
CLAIM NO. <b>T-55767</b>	

BEARING OF HOLE FROM TRUE NORTH <b>Dir North</b>	TOTAL FOOTAGE <b>143'</b>	DIP OF HOLE AT COLLAR <b>40°</b>
DATE LOGGED <b>Sept 1962</b>	LOGGED BY <b>J. H. Price</b>	
DATE SUBMITTED <b>Sept 30, 1962</b>	SUBMITTED BY (Signature) <i>J. H. Price</i>	

LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM  
**26' SOUTH OF C-69-3 hole**

MAP REFERENCE NO.

LOCATION (Twp., Lot, Con. OR Lat. and Long.)  
**Block 62  
Gillies Limits**

PROPERTY NAME

DEPTH	DESCRIPTION <small>Colour, grain size, texture, minerals, alteration, etc.</small>	PLANAR FEATURE ANGLE *	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +	
					FROM	TO			
10'	Diabase Fine grained with short sections of lighter colored material. Considerable broken ground in this section.								
15'	Fine grained (massive) Broken-up zone								
20'	Fine grained (massive)								
25'	A mixture of light & medium colored diabase fine grained with several sections of twisted broken core.								
30'	Fine grained								
35'	Crushed twisted core.								
40'	Fine grained massive								
end of hole 143.									

\* Additional credit available. See Assessment Work Regulations.