


2 17634

***Trenching and Sampling
Bouzane Claims***

Claim # 1150621, & 1186542

**Mulligan Township, District of Timiskaming
N.E. Ontario**

RECEIVED
SEP 02 1997
GEOSCIENCE ASSESSMENT
OFFICE
C. O'S A
A



31M13NE0032 2.17634 MULLIGAN

010

NTS 31-M-13

A.W. Beecham
Haileybury, Ontario
25 August 1997

Contents

<i>Introduction</i>	2
<i>Description of Work</i>	3
<i>Discussion and Recommendations</i>	3

List of Illustrations

Fig. 1 <i>Bouzane Claims, Part of Mulligan Township</i>	2b
Fig. 2 <i>Part of Bouzane Claims, Mulligan Township</i> <i>Showing Location of Trench #1 and #2</i>	2c
Fig. 3 <i>Sketch Plan #1 Trench as of 5th June 1997</i>	2d
Fig. 4 <i>Sketch Map and Section, #1 and #2 Trenches, as of 15 August 1997</i>	2e

Tables

Table 1 <i>Sample Descriptions and Assays, Mulligan Property, June & August 1997</i>	2a
--	----

Appendix Assay Certificates



010C

INTRODUCTION

The claims lie in Mulligan Township, near the Ontario-Quebec border and about 25 km. ENE of the town of Englehart and the same distance SSE of the town of Larder Lake. The purpose of the work was to follow up a gold value located by Ellgring and Bouzane in 1991. This gold value, 0.088 opt Au (3.02 g/t) occurs in rusty till including clasts of Huronian rocks and a decomposing mafic or ultramafic rock. The value was located at the base of a steep slope. This report covers trenching and sampling in December 1996, examination of the Dec. 1996 trenching by geologist, A.W. Beecham in June 1997 and further trenching and sampling in August 1997. All of the work was on claim 1150621.

The work is being partly financed by an Ontario Prospector's Assistance Program (OPAP) grant and with the remaining funds from by the claim holder, D. Bouzane and associates.

The program of trenching and sampling described here make up part of the proposed OPAP work. The remainder of the proposal consists of diamond drilling an EM conductor located about 200 FT. WSW of the trenching.

Background information, such as geological setting and previous work, is provided in the OPAP prospecting proposal of 13 May 1997, by A.W. Beecham.

Access

Access from the junction of Highway 11 and 569 south of Englehart is as follows: east on Highway 569 for 9.6 km. where Highway 569 turns south; east from this point 2.2 km. to a cross road. Turn left (north) at crossroads and proceed for 3.2 km to "T" junction; turn right (east). The road deteriorates at Ingram-Pense township boundary into a forest access road. Follow eastward and then northward a distance of 11.4 km from "T" junction where a trail leads off to the right. From this point travel on foot or by ATV in SE direction for about 1 km. to a stream crossing, and then to a hunting camp. The base line at 20N is near this point.

The property is also accessible from the south end Highway 569 at the '9 Mile Corner' on Highway 11 north of New Liskeard. By this route one turns east at a point 18 km. north of 9 Mile Corner, where Highway 569 turns west, and follows the instructions above.

Property Description

The property consists of 2 claims, each of 4 units, located in east-central Mulligan Township as listed below:

Claim #	Units	Recording Date	Registered Owner
1150621	4	16 Sept. 1991	D. Bouzane, Haileybury, Ontario
1186542	4	1 June 1992	D. Bouzane, Haileybury, Ontario

Table I

**Sample Description and Assays, Trench #1 and #2
Mulligan Tp. Property, D. Bouzane, June & August 1997**

Sampled						Assays			
Sam. #	Field #	By *	Location	Type	Description	Au ppb	Ag ppm	Cu ppm	Ni ppm
Upper part of trench #1, 15th Dec. 1996 & 5th June 1997									
#8	#8	D. B.	Trench #1, south wall	grabs	Rusty till	11			
#11	#11	D. B.	Trench #1, north wall	grabs	Rusty till	5			
#12	#12	D. B.	Trench #1, floor	grabs	Rusty till	2		23	28
#13	#13	D. B.	Trench #1, floor	grabs	Rusty till	3			
#14	#14	D. B.	Trench #1, floor	grabs	Rusty till	8	0.1	37	49
13371	B-2	AWB	Trench #1	grabs	siltstone-fine sandstone, minor fine Py	5			
13372	B-1	AWB	Trench #1, east end, 6 Ft below surface	grabs	1 FT thick layer or pod of rusty gravel with cobbles of mafic-ultramafic;	3			
13373	#16	D.B.	Trench #1, 1.5 to 3 Ft below surface	grabs	Pod of rusty sand;	9			
13374	#17	D.B.	Trench #1, south side	grabs	Pod very rusty gravel	94			
Lower part of Trench #1 after deepening 15th August 1997									
14802		AWB	north wall trench #1	crude channel	limonite cemented till	nil		48	70
14803		AWB	north wall trench #1	crude channel	limonite cemented till	nil		47	58
14804		AWB	north wall trench #1	crude channel	rubbly, rusty, decomposed coarse mafic rock	3		44	66
14805		AWB	floor of trench #1	crude channel	rubbly coarse grained mafic rock	2		52	57
14806		AWB	floor of trench #1	crude channel	rubbly coarse grained mafic rock	4		88	65
14808	#1	D.B.	excavated material Tr. #1	grabs	rusty till	nil		47	55
14809	#2	D.B.	excavated material Tr. #1	grabs	rusty till	nil		46	53
Trench #2									
14807		AWB	floor of trench #2	chips	medium grained diabase	nil		51	69


* AWB = A. W. Beecham

D.B. =Don Bouzane

A.W. Beecham

26-Aug-97

Bayly Twp.



PROVINCE

OF

PROVINCE



M
SCALE

- PATENT
- DEEDS
- LEASES
- LOCATED
- LICENSE
- ROADS
- IMPROVE
- RAILWAY
- POWER
- KING'S
- MINES

Bouzane Claims
Part of Mulligan Township
 District of Timiskaming
 Plan No. M-373
 Scale: 1:31680

NTS: 31-M-13

Fig.

Scale 1:31680

JS 298
T
4225

JS 252
T
374


JS 303
T
374

JS 251
T
130

JS 83 JS 302

1187005


Fig 1



SCALE: 1:4800 APPROX.
 0 200 400 600 800 1000 FT.
 0 100 200 300 m.

PART OF BOUZANIE CLAIM
 MULLIGAN TOWNSHIP.
 SHOWING LOCATION OF
 TRENCH #1 AND #2.

A.V. BEECHAM 24/8/97.




ASSAYS

SAMPLE#	ppb Au
#13,371	5
# 13,372	3
# 13,373	9
# 13,374	94
# 8	11
# 11	5
# 12	2
# 13	3
# 14	9

SKETCH PLAN
TRENCH No 1

BOLZANG, MULLIGAN
TOWNSHIP CLAIMS
AS OF 5th JUNE 1997




SCALE:




(1:240)




LEGEND.

-  Cgl Siltstone, paraconglomerate (Huronian)
-  M Rusty, weathered coarse grained mafic rock (Diabase?)
-  Db Medium-coarse grained diabase




PLAN



SECTION

RECEIVED
 SEP 02 1997
 10:05 AM
 GEOSCIENCE ASSESSMENT
 OFFICE

ASSAYS	Ppb	Ni
14802		
14803	Ni	
14804	3	
14805	2	
14806	4	



SKETCH - MAP AND SECTION

#1 AND #2 TRENCH
 BOUZANE CLAIMS
 MULLIGAN TP.
 AS OF 15 AUG 1997 FIG. 4.

DRAWN BY: A.W. BEECHAM
 23/8/97.

Description of Work

Trench #1 was excavated on 15th Dec. 1997 to a depth of approximately 8 FT. The trench was sampled by D. Bouzane at this time in an attempt to duplicate and expand on the gold value located in 1991. See Table I. Only low gold values were returned. This trench was examined by Bouzane and Beecham on 5th June 1997 and additional sampling done. However, only one weakly anomalous gold value (94 ppb Au) was found. On 15th August, a large backhoe was brought back onto the property and the #1 trench deepened about 10 feet through hard, limonite-cemented till into the rusty rubbly bedrock. A second trench was put in about 70 FT to the north. At the second trench there is little or no weathering and limonite. On this occasion both the rusty overburden and the rusty rubbly mafic bedrock were sampled. No significant values were found in the August sampling. Because of the large amount of limonite in the till and the presence of decomposed coarse grained mafic bedrock, it was thought advisable to also assay the samples for copper and nickel. However, only uniformly low levels of copper or nickel were found.


A list of sample locations and sample description is given in Table I.

Discussion & Recommendations

The iron oxides (mostly limonite) cementing the till and in the decomposed mafic rock was originally assumed to be a gossan. However, no significant amount of sulphides were seen in bedrock. It appears that either the iron oxides come from the breakdown of silicate minerals in the mafic rock (diabase) or they have been transported some distance, presumably down slope from the Huronian rocks to the east.


The mafic dyke underlying the rusty till weathers recessively and the contact of the dyke with Huronian conglomerate is steep. These characteristics suggests it is a post Huronian, olivine diabase. These dykes are common in the Cobalt camp, in similar geological settings, i.e. along region NNW striking faults.

That 1991 gold value was not duplicated, suggests the gold is very erratic, possibly as isolated auriferous clasts in the till or fragments of Huronian rocks that have moved down slope. No further trenching is recommended. However, some additional prospecting and sampling of the Huronian rocks up slope is recommended. It is also recommended to 2 or 3 large till samples covering the vertical range of the till exposed in Trench #1.



A.W. Beecham
Haileybury, ON.

25 August 1997



Appendix
Assay Certificates



Swastika Laboratories

A Division of TSL/Assayers Inc.

Established 1928

Assaying - Consulting - Representation

Geochemical Analysis Certificate

6W-5415-RG1

Company: **D. BOUZANE**

Date: JAN-07-97

Project:

Attn: D. Bouzane

We hereby certify the following Geochemical Analysis of 5 Rock/Soil samples submitted DEC-18-96 by .

Sample Number	Au PPB	Au Check PPB	Ag PPM	Cu PPM	Ni PPM
8	7	14	-	-	-
11	5	-	-	-	-
12	2	-	-	23	28
13	3	-	-	-	-
14	10	7	0.1	37	49

Certified by

P.O. Box 10, Swastika, Ontario P0K 1T0

Telephone (705)642-3244

FAX (705)642-3300



Swastika Laboratories

A Division of TSL/Assayers Inc.

Assaying - Consulting - Representation

Established 1928

Geochemical Analysis Certificate

7W-2269-RG1

Company: **A.W. BEECHAM**
Project: (Client)
Attn: A.W. Beecham / D. Bouzane

Date: JUN-12-97

We hereby certify the following Geochemical Analysis of 4 Rock & Gravel samples submitted JUN-06-97 by .

Sample Number	Au PPB	Au Check PPB
13371 (Rock)	5	-
13372 (Till-Gravel)	3	-
13373 (Till-Gravel)	9	-
13374 (Till-Gravel)	96	91

One assay ton portion used.

Certified by



Swastika Laboratories

A Division of TSL/Assayers Inc.

Assaying - Consulting - Representation

Established 1928

Geochemical Analysis Certificate

7W-3300-RG1

Company: **A. BEECHAM**

Project: Bouzane

Attn: A. Beecham

Date: AUG-20-97

We hereby certify the following Geochemical Analysis of 8 Chip samples submitted AUG-16-97 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM
14802	Nil	Nil	48	70
14803	Nil	-	47	58
14804	3	-	44	66
14805	2	-	52	57
14806	3	5	88	65
14807	Nil	-	51	69
14808	Nil	-	47	55
14809	Nil	-	46	53

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705)642-3244 Fax (705)642-3300



Ministry of Northern Development and Mines

Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)
9780'00900
Assessment Files Research Imaging

Personal Information Mining Act, the Information Questions about It 933 Ramsey Lake



31M13NE0032 2.17634 MULLIGAN

nd 66(3) of the Mining Act. Under section 8 of the t work and correspond with the mining land holder. of Northern Development and Mines, 6th Floor,

900

Instructions: - For work performed on Mining Land, use form 0240. - Please type or print in ink.

im, use form 0240.

2.17634

1. Recorded holder(s) (Attach a list if necessary)

Name <i>Don BOUZANE</i>	Client Number <i>302650</i>
Address <i>412 JOYAL DR. P.O. Box 71 HAILEYBURY ON P0J 1K0</i>	Telephone Number <i>705 672 5391</i>
	Fax Number
Name	Client Number
Address	Telephone Number
	Fax Number

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs)
 Physical: drilling, stripping, trenching and associated assays
 Rehabilitation



Work Type <i>STRIPPING AND OVERBURDEN TRENCHING.</i>	Office Use
	Commodity
	Total \$ Value of Work Claimed <i>2356</i>
	NTS Reference
Dates Work Performed From <i>15 12 1996</i> To <i>15 8 1997</i>	Mining Division <i>Larder Lake</i>
Global Positioning System Data (if available)	Resident Geologist District <i>Kirkland</i>
Township/Area <i>MULLIGAN TP.</i>	
M or G Plan Number <i>M-3.73</i>	

Please remember to:

- obtain a work permit from the Ministry of Natural Resources as required;
- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

Name <i>A.W. BELCHAM</i>	Telephone Number <i>705 672-5023</i>
Address <i>Box 867 Haileybury ON P0J 1K0</i>	Fax Number <i>705 672-3980</i>
Name	Telephone Number
Address	Fax Number
Name	Telephone Number
Address	Fax Number



4. Certification by Recorded Holder or Agent

I, *DON BOUZANE* (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent <i>D. Bouzane</i>	Date <i>Aug 27/97</i>
Agent's Address <i>Demo...</i>	Telephone Number <i>...</i>
	Fax Number

2.17634

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date.
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1150621	4	\$2356	\$2356	Nil	Nil
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals		\$2356	\$2356	Nil	Nil


I, DON BOUZANE (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: D. Bouzane Date: Aug. 27/97

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):



Note: If you have not indicated how your credits are to be deleted, credits will be followed by option number 2 if necessary.

ST For Office Use Only
 Received Stamp
 MINING DIVISION
 THUNDER LAKE

Deemed Approved Date <u>Nov 26/97</u>	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature) <u>[Signature]</u>	



Statement of Costs for Assessment Credit

Transaction Number (office use)

2.17634

Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Table with 4 columns: Work Type, Units of Work, Cost Per Unit of work, Total Cost. Rows include Backhoe Contract, Hitachi Exc, Assay, Consultant Fees, Claim Holders Wages, Associated Costs, Mine Supplies and Services, Transportation Costs, Food and Lodging Costs, and Total Value of Assessment Work.


Calculations of Filing Discounts:

- 1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work.

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification.



Certification verifying costs:

I, DON BOYZANA, do hereby certify, that the amounts stated are reasonable and the costs were incurred while conducting assessment work on the lands indicated on

the accompanying Declaration of Work form as RECORDED HOLDER I am authorized to make this certification.

Signature: D. Boyzana, Date: Aug. 27/97

October 20, 1997

DON BOUZANE
412 JOYAL DRIVE
P.O. BOX 71
HAILEYBURY, ONTARIO
P0J-1K0

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (705) 670-5863

Dear Sir or Madam:

Submission Number: 2.17634

Status

Subject: Transaction Number(s): W9780.00900 Deemed Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice.

Please note any revisions must be submitted in **DUPLICATE** to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Lucille Jerome by e-mail at jerome_l@torv05.ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.17634

Date Correspondence Sent: October 20, 1997

Assessor: Lucille Jerome

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9780.00900	1150621	MULLIGAN	Deemed Approval	October 17, 1997

Section:

10 Physical PSTRIP
10 Physical PTRNCH

Correspondence to:

Resident Geologist
Kirkland Lake, ON

Recorded Holder(s) and/or Agent(s):

DON BOUZANE
HAILEYBURY, ONTARIO

Assessment Files Library
Sudbury, ON



THE TOWNSHIP OF
MULLIGAN
 DISTRICT OF
 TIMISKAMING
 LARDER LAKE
 MINING DIVISION
 SCALE 1-INCH=40 CHAINS

LEGEND

- PATENTED LAND Ⓟ
- CROWN LAND SALE CS.
- LEASES Ⓛ
- LOCATED LAND Loc.
- LICENSE OF OCCUPATION L.O.
- ROADS —
- IMPROVED ROADS —
- RAILWAYS —
- POWER LINES —
- KING'S HIGHWAY —
- MINES ⚡
- MARSH OR MUSKEG —
- CANCELLED PATENTED S.R.O. Ⓟ

NOTES

400' Surface rights reservation around all lakes and rivers.


DATE OF ISSUE

OCT 17 1997

PROVINCIAL RECORDING
OFFICE - SUDBURY

PLAN NO. - M-373

ONTARIO # 34
MINISTRY OF NATURAL RESOURCES
 SURVEYS AND MAPPING BRANCH



THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.