



31M13SE0022 17 INGRAM

010

DIAMOND DRILLING

Township: Ingram

Report No: 17

WORK PERFORMED FOR: Foster Marshall

RECORDED HOLDER: SAME AS ABOVE [x]

: OTHER []

<u>CLAIM NO.</u>	<u>HOLE NO.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
L 821616	IM-2	350'	Nov/85	(1)
	IM-3	110'	Nov/85	(1)
	IM-4	350'	Nov/85	(1)
L 822224	IM-5	350'	Nov/85	(1)

NOTES: (1) #495-85

DIAMOND DRILL RECORD

PROPERTY Ingram Twp Claim 821616 HOLE No. IM-2
 SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED Nov 18/85
 LATITUDE 640' S of Post #1 DATUM _____ COMPLETED Nov 20/85
 DEPARTURE 550' W of Post #1 BEARING N 10° E ULTIMATE DEPTH 350'
 ELEVATION _____ DIP -50° BO core PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
0-9	Casing						
9-	Nipissing Diabase						
	good textured coarse to med						
	grained, grey-black few						
	fractures, no signs of heavy						
	weathering.						
	@42.5 fracture + gouge num						
	CA. 30°						
	@70.3 1/10" qtz-carbonate vein.	2-1	69.9	70.5	0.6	Nil	Tr
	- py. cp. CA. 40°						
	88 to 95 fractured core.						
	@92.0 fract + Ca water-minogy						

NORTHERN MINER FORM 505 REV./54

DRILLED BY _____ SIGNED _____

DIAMOND DRILL RECORD

PROPERTY _____ HOLE No. IM-2
 SHEET NUMBER 2 SECTION FROM _____ TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP _____ PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
	@145.2 1" qtz-carbonate vein + sp. py C.A. 35° possible metallic blk	2-4	144.8	145.5	0.7	0.02	0.01
	@161.9 1/4" qtz-carb strg + sp. py sph C.A. 20°	2-5	161.4	161.9	0.5	Tr	0.02
	@235.8 1/8" qtz-carb strg C.A. 30° num						
	270 to 285 - highly altered zone chill zone in Diabase w/ altered strags of qtz-carb throughout.						

NORTHERN MINER FORM 505 REV. 754

DRILLED BY _____ SIGNED _____

DIAMOND DRILL RECORD

PROPERTY..... HOLE No. IM-2
 SHEET NUMBER 3 SECTION FROM..... TO..... STARTED.....
 LATITUDE..... DATUM..... COMPLETED.....
 DEPARTURE..... BEARING..... ULTIMATE DEPTH.....
 ELEVATION..... DIP..... PROPOSED DEPTH.....

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
285	HURONIAN SEDIMENTS						
to	-fine-grained black-grey						
350	greywacke w/ no small pebbles						
	bedding @ 60° minor diss						
	py. on fractures.						
304.4	1/8" qtz-carb string + py.	2-14	304.3	305.4	1.1	Nil	Tc
	arsenopyrite, and cobalt. CA 30°						
348.8	1/10" py string + qtz CA 65°						
	END OF HOLE 350.0'						

NORTHERN MINER FORM 505 REV. 54
 DRILLED BY Raccoon Diamond Drilling SIGNED Dec 5/85 David R. Smith

DIAMOND DRILL RECORD

PROPERTY Ingram Twp. Claim 821616 HOLE No. FM-3
 SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED Nov 23/85
 LATITUDE 500' S of Post #1 DATUM _____ COMPLETED Nov 23/85
 DEPARTURE 460' W of Post #1 BEARING N 8° W ULTIMATE DEPTH 110'
 ELEVATION _____ DIP -45° BQ core. PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES		
						Ag	Au	
0-9'	Casing							
9-110'	Nipissing, Diabase good textured, med-grained gray-black. very little weathering on surface.							
	@130' 0.4' of dark fine-grained intrusive to py.							
	@430' 1/10' Ca water. & metallics	3-3	42.8	43.4	0.6	0.12	N.I.	
	65.3 to 68.0 very fine-grained black intrusive minor diss Ca.							

NORTHERN MINER FORM 505 REV./54

DRILLED BY _____ SIGNED _____

DIAMOND DRILL RECORD

PROPERTY HOLE No. IM-3
 SHEET NUMBER 2 SECTION FROM TO STARTED
 LATITUDE DATUM COMPLETED
 DEPARTURE BEARING ULTIMATE DEPTH
 ELEVATION DIP PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES		
						Ag	As	
	@ 77.5 1/2" gtz-carb string -sheared. to metallics. py, asp	3-6	77.0	77.8	0.8	0.18	0.04	

NORTHERN MINER FORM 505 REV./54
 DRILLED BY Darwin Diamond Drilling SIGNED Dec 5/85 David Mark

DIAMOND DRILL RECORD

PROPERTY Ingram Twp Claim 821616 HOLE No. IM-4
 SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED Nov 21/85
 LATITUDE 400' S of Post #1 DATUM _____ COMPLETED Nov 22/85
 DEPARTURE 285' W of Post #1 BEARING S 10° W ULTIMATE DEPTH 350'
 ELEVATION _____ DIP -45° BQ core PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
0-5	Casing						
5-	Nipissing Diabase - well textured, very little weathering, med-grained						
	@ 67.6 1/2" gtz-carb stringer, cp. asp. CA 60°	4-1	67.3	67.9	0.6	1.44	0.03
	85 to 87.0 fine grained black intrusions w/ wht gtz-carb structures + to py CA 70°						
	@ 145.3 1/4" gtz-carb stringer CA 60° num						

NORTHERN MINER FORM 505 REV./54

DRILLED BY _____

SIGNED _____

DIAMOND DRILL RECORD


PROPERTY HOLE No. FM-4
 SHEET NUMBER 2 SECTION FROM TO STARTED
 LATITUDE DATUM COMPLETED
 DEPARTURE BEARING ULTIMATE DEPTH
 ELEVATION DIP PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES		
						Ag	Au	
@ 199.5	2' Ca + gtz vein + mass py. poss Co. Asp. C.A. 50°	4-9	199.1	199.8	0.7	0.08	0.03	
@ 236.4	1/4" Ca + gtz string py C.A. 35°							
@ 319.3	1/4" Ca + micro gtz + asp py C.A. 50°	4-12	319.0	319.5	0.5	0.04	T.C.	
END OF HOLE 350.0 in Arabuco								

NORTHERN MINER FORM 505 REV. 7/54

DRILLED BY Bacon Diamond Drill Inc.

SIGNED De S/ES Dickhaut



CLAIM No.
821616

INGRAM TWP.
SCALE: 1" = 200'

DIAMOND DRILL RECORD

PROPERTY INGRAM TWP CLAIM 822224 HOLE No. IM-5
 SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED Nov 25/85
 LATITUDE 430' S of Post #4 DATUM _____ COMPLETED Nov 27/85
 DEPARTURE 340' E of Post #4 BEARING Due North ULTIMATE DEPTH 350'
 ELEVATION _____ DIP -45° BQ (core) PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
0-	Nipissing Niobase good textured, med-grained. little weathering						
	@ 20.0 1/4" grt + ca stry + py gn. asp CA 35°						
	@ 69.0 3/4" vuggy Ca + grt + gn. py Co asp CA 30°						
	@ 109.0 1/8" mass py asp co. gn CA 50°						
	@ 181.5 1" alt Ca - gn CA 60°	5-15	181.2	181.9	0.7	Tr.	0.01

NORTHERN MINER FORM 505 REV. 1/54

DRILLED BY _____ SIGNED _____

DIAMOND DRILL RECORD


PROPERTY HOLE No. FM-5
 SHEET NUMBER 2 SECTION FROM TO STARTED
 LATITUDE DATUM COMPLETED
 DEPARTURE BEARING ULTIMATE DEPTH
 ELEVATION DIP PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES	
						Ag	Au
	@ 229.0 1" gtz - calc. slaty + py cf. Co-asp CA 15°	S-18	228.5	229.4	0.9	0.94	0.03
355	MURONIAN SEDIMENTS						
to	fine-grained, greywacke few						
360	small scattered pebbles well bedded (45°) min py						
	256.5 - 1/8" Ca+gtz-py · Co-asp CA 25°	S-20	256.0	256.8	0.8	0.88	Tr
	307.0 to 210.0 fract. core + gauge to py						
	END OF HOLE			350.0'			

NORTHERN MINER FORM 505 REV./54

DRILLED BY Ramon Diamond Drilling SIGNED Dec 5/85 David Mark


N



CLAIM No. 822224

INGRAM TWP.

SCALE: 1" = 200'



Ingram
twp ms11

VI

V

IV

III

II

I



Name and Postal Address of Recorded Holder <i>Foster Marshall</i>	Prospector's Licence No. <i>B 23438</i>
<i>RR #1 Englehart, Ont P0J 1H0</i>	

Summary of Work Performance and Distribution of Credits

Total Work Days Cr. claimed <i>1160</i>	Mining Claim			Mining Claim			Mining Claim		
	Prefix	Number	Work Days Cr.	Prefix	Number	Work Days Cr.	Prefix	Number	Work Days Cr.
for Performance of the following work. (Check one only) <input type="checkbox"/> Manual Work <input type="checkbox"/> Shaft Sinking Drifting or other Lateral Work. <input type="checkbox"/> Compressed Air, other Power driven or mechanical equip. <input type="checkbox"/> Power Stripping <input checked="" type="checkbox"/> Diamond or other Core drilling <input type="checkbox"/> Land Survey	<i>L</i>	<i>821614</i>	<i>80</i>		<i>681431</i>	<i>80</i>			
		<i>821615</i>	<i>80</i>		<i>681432</i>	<i>80</i>			
		<i>821616</i>	<i>140</i>		<i>681433</i>	<i>80</i>			
		<i>821617</i>	<i>80</i>		<i>667058</i>	<i>80</i>			
		<i>822222</i>	<i>80</i>		<i>667059</i>	<i>80</i>			
		<i>822223</i>	<i>80</i>						
		<i>822224</i>	<i>140</i>						
	<i>681430</i>	<i>80</i>							

All the work was performed on Mining Claim(s): *821616, 822224.*

Required Information eg: type of equipment, Names, Addresses, etc. (See Table Below)

Diamond Drilling Contractor
Barron Diamond Drilling

ONTARIO GEOLOGICAL SURVEY
ASSESSMENT FILES
RESEARCH OFFICE
JAN 9 1985
RECEIVED

RECORDED
DEC 10 1985
REC No.

LARDED FILE
RECEIVED
DEC 10 1985
AM
7 18 19 10 11 12 1 1 2 3 4 5 6

Date of Report <i>Dec 5/85</i>	Recorded Holder or Agent (Signature) <i>David Marshall</i>
-----------------------------------	---

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying <i>David Marshall To Agnico-Eagle Mines Ltd.</i>	Date Certified <i>Dec 5/85</i>
<i>Box 140 Cobalt Ont. P0J 1C0</i>	Certified by (Signature) <i>David Marshall</i>

Table of Information/Attachments Required by the Mining Recorder

Type of Work	Specific information per type	Other information (Common to 2 or more types)	Attachments
Manual Work	Nil	Names and addresses of men who performed manual work/operated equipment, together with dates and hours of employment.	Work Sketch: these are required to show the location and extent of work in relation to the nearest claim post.
Shaft Sinking, Drifting or other Lateral Work			
Compressed air, other power driven or mechanical equip.	Type of equipment	Names and addresses of owner or operator together with dates when drilling/stripping done.	
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording.		
Diamond or other core drilling	Signed core log showing; footage, diameter of core, number and angles of holes.	Nil	Work Sketch (as above) in duplicate
Land Survey	Name and address of Ontario land surveyor.		Nil