



31M13SW0004 10 CHAMBERLAIN

010

DIAMOND DRILLING

Township: Chamberlain

Report No: 10

WORK PERFORMED FOR: Kapuskasing Resources Ltd.

RECORDED HOLDER: SAME AS ABOVE [X]

: OTHER []

<u>CLAIM NO.</u>	<u>HOLE NO.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
L 582649	1	400'	July-Aug/85	(1)

NOTES: (1) #317-85



THE MINING ACT - MINISTRY OF NATURAL RESOURCES
DIAMOND DRILLING LOG


Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. 1 PAGE NO. 1

DRILLING COMPANY MCKNIGHT DRILLING COMPANY LIMITED		COLLAR ELEVATION	BEARING OF HOLE FROM TRUE NORTH 060°	TOTAL FOOTAGE 400'	DIP OF HOLE AT 60° collar	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM 14+80E 23+80S SEE ATTACHED SKETCH	MAP REFERENCE NO. M446	CLAIM NO. 582649
DATE HOLE STARTED JULY 23 1985	DATE COMPLETED AUG 11 1985	DATE LOGGED AUG 21 1985	LOGGED BY John R Full		ft		LOCATION (Tp., Lot, Con. OR Lat. and Long.) CHAMBERLAIN TWP SE 1/4 OF N 1/2 LOT 6 CON 1	PROPERTY NAME CHAMBERLAIN TWP.
EXPLORATION CO., OWNER OR OPTIONEE KAPUSKASING RESOURCES LTD SUITE 201-200 BAY ST TORONTO ONT M5S 1P3		DATE SUBMITTED SEPT 3 1985	SUBMITTED BY (Signature) John R Full		ft			
					ft			

FOOTAGE FROM	TO	ROCK TYPE	DESCRIPTION Colour, grain size, texture, minerals, alteration, etc.	PLANAR FEATURE ANGLE *	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +	
							FROM	TO			
0.0	268.0	GRANITE PORPHYRY	pink to white feldspar and gty phenocrysts in grey matrix, phenocrysts to 1/2" 27.9-30.7 dark f.g. chloritized dyke? lower contact 70° to C.A. - scattered f.g. thick red sections. e.g. 18.3-18.9, 48.0-49.0, 75.5-77.5 100.6 1/2" g.v. at 30° to C.A. 153.0-154.8 milky g.v. 11 to CA 206.6-208.6 dark grey green f.g. chloritized dyke, minor scattered white gty and some granitic fragments. 209.3-209.6 50% milky white gty. 229.0-231.9 f.g. dark grey dyke, chilled upper + lower contacts at 70° to C.A. 230.9 1" milky white gty. 252.6-253.2 scattered dark gty - 1% around 1/2" g.v. that is subparallel to C.A. 266.7-267.0 sandy grey gty, contact at 45° to C.A.								
268.0	293.0	SYENITE	light red, fine to med. grained, some fine chlorite streaking 11 to C.A. - occasional white py. 279.6-282.2 thin white slon with minor g.v. 11 to C.A. 282.2-282.5 streaky milky gty 11 to C.A.								
293.0	332.0	GRANITE	grey to pink, 278.3-279.6 milky white gty with some fine banded py at upper contact				4541	298.3	299.0		
332.0	400.0	GRANITE PORPHYRY	no distinct contact with above. 365.0-365.4 milky white gty 376.5 1/2" 15% py 385.2-385.6, 389.0-390.0, 396.7-397.0, 397.8-398.2 milky gty, 391.5-391.9 f.g. dyke. End of hole.								



* For features such as foliation, bedding, schistosity, measured from the long axis of the core.

+ Additional credit available. See Assessment Work Regulations.

N
↑

10E

20E

1205

1225

L 582 649

HOLE #


-66

1245

1265

KAPUSKASING RESOURCES LTD
CHAMBERLAIN TWP.
1" = 200'

SHOWING LOCATION OF
HOLE #



KAPUSKASING RESOURCES LTD.
CHAMBERLAIN TWP.


1" = 200'

SHOWING LOCATION OF

HOLE #1

Chamberlain
DD#10 duplicate

Chan



Name and Postal Address of Recorded Holder
KAPUSKASING RESOURCES LTD. T1077
SUITE 201, 200 BAY ST. TORONTO ONT M5J 1P3

900

1537

Summary of Work Performance and Distribution of Credits

Total Work Days Cr. claimed	Mining Claim			Mining Claim			Mining Claim		
	Prefix	Number	Work Days Cr.	Prefix	Number	Work Days Cr.	Prefix	Number	Work Days Cr.
400	L	582 648	100						
for Performance of the following work. (Check one only) <input type="checkbox"/> Manual Work <input type="checkbox"/> Shaft Sinking Drifting or other Lateral Work. <input type="checkbox"/> Compressed Air, other Power driven or mechanical equip. <input type="checkbox"/> Power Stripping <input checked="" type="checkbox"/> Diamond or other Core drilling <input type="checkbox"/> Land Survey		582 649	100						
		600 952	100						
		600 953	100						

ONTARIO GEOLOGICAL SURVEY
 ASSESSMENT FILES
 RESEARCH OFFICE
 SEP 24 1985
 RECEIVED

All the work was performed on Mining Claim(s): **L 582 649**

Required Information eg: type of equipment, Names, Addresses, etc. (See Table Below)

McKNIGHT DRILLING COMPANY LIMITED
BOX 906
HAILEY BURY ONTARIO P0J 1K0
RECOVERING AQ CORE

RECORDED SEP - 6 1985
 REC No. _____

LARDER LAKE MINING DIV.
RECEIVED
 SEP 6 1985
 AM 7 18 9 10 11 12 1 2 3 4 5 6 PM

Date of Report: **AUG 21 1985**
 Recorded Holder or Agent (Signature): *John R Till*

Certification Verifying Report of Work


I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying
JOHN R. TILL 60 FIFTH CRESC. SCARBORO ONT
MIG 2 J5

Date Certified: **SEPT 3 1985**
 Certified by (Signature): *John R Till*

Table of Information/Attachments Required by the Mining Recorder

Type of Work	Specific information per type	Other Information (Common to 2 or more types)	Attachments
Manual Work	Nil	Names and addresses of men who performed manual work /operated equipment, together with dates and hours of employment.	Work Sketch: these are required to show the location and extent of work in relation to the nearest claim post.
Shaft Sinking, Drifting or other Lateral Work			
Compressed air, other power driven or mechanical equip.	Type of equipment	Names and addresses of owner or operator together with dates when drilling/stripping done.	Work Sketch (as above) in duplicate
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording.		
Diamond or other core drilling	Signed core log showing: footage, diameter of core, number and angles of holes.	Nil	Nil
Land Survey	Name and address of Ontario land surveyer.		



Chamberlain twp
M446 Dark Twp