



32D04SW0254 13 MCELROY

010

Diamond Drilling

Township of McElroy

Report NO: 13


Work performed by: Allerston on Knox Claims

Claim NO	Hole NO	Footage	Date	Note
L 57685	1	182'		
	2	32'		
	2A	128'		Received
	3	173'		October 1957
	5	202'		
L 64209	4	213'		Received Sept. 1957

780'

Notes:

1" = 5 ch



RECORDED OCT 10 1957
REC. No. _____

McElroy bwp

DIAMOND DRILL RECORD

Sketch in Appendix

ALLERSTON CLAIMS
 PROPERTY KNOX claims (Option) ALLERSTON HOLE NO. 1
 SHEET NUMBER Boyle Brothers (Boston) Inc SECTION FROM _____ TO _____ STARTED _____
 LATITUDE N. 7. E. 104 DATUM township COMPLETED
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0 - 8	Casing								
8 - 9	Granite								
9 - 11.5	Altered Greywacke Dolerite								
11.5-14	Granite Dolerite								
14- 53	Altered Greywacke with minor quartz stringers and granite injection with minor mineralization pyrite and chalcopryrite, very siliceous								
53 - 79	" " " "								
79 - 80	Granite Dolerite								
80 -132	Altered Greywacke with minor quartz stringers and granite injection with minor mineralization pyrite and chalcopryrite, very siliceous								

According to the location of these holes on Abrahams map (1950-3) the original log showing sediments is correct. Wright-Hargreaves' logs also record sediments.

ASSESSMENT WORK

Rec'd from Mining Recorder

Swastka

Date Oct 9/57 W.H.

Resident Geologist

DRILLED BY McCoy Bros SIGNED W.C. Cannon

DIAMOND DRILL RECORD

ALLERSTON CLAIMS
Knox claims (option)

PROPERTY Boyle Brothers (Eastern / etc) HOLE NO. 2 - 2 A

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED _____

LATITUDE _____ DATUM _____ COMPLETED _____

DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____

ELEVATION _____ DIP 45° - 35° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0 - 17	Casing <i>Dolerite</i>								
17 - 32	Altered Greywacke with granite injection <i>Dolerite</i>	(450)							
2 A									
0 - 15	Casing <i>Dolerite</i>								
15 - 95	Altered Greywacke with granite injection <i>Dolerite</i>	(350)							
95 - 128	Altered Greywacke with granitized sections and minor mineralization								

DRILLED BY Boyle Bros SIGNED Let [unclear]

DIAMOND DRILL RECORD

ALLERSTON CLAIMS

PROPERTY Knox claims (option) HOLE NO. 3
 SHEET NUMBER 1 SECTION FROM Boyles Brothers (Boston) TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP 90° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0 - 7	Casing								
7 - 26	Altered Greywacke ^{Dolerite} with 8" granite dyke at 4 feet minor mineralization mostly pyrite								
26 - 51	Altered Greywacke ^{Dolerite} with aplite minor mineralization mostly pyrite								
51 - 80	Granitized Greywacke ^{Dolerite} about 50% Granite injection altered conglomerate biotite gneiss								
80 - 99	Cherty greywacke								
99-143	Altered greywacke granite sill with quartz stringers sparsely mineralized								
143-145	Granite								
145-150	Granitized greywacke minor mineralization								
150-152	Granite								

DRILLED BY

Boyles Bros

SIGNED

[Signature]

DIAMOND DRILL RECORD

ALLERSTON CLAIMS

PROPERTY Knex claims (option) HOLE NO. 3
 SHEET NUMBER 2 SECTION FROM Boyles Bros / Eastern TO W STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP 70° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
152-161	Cherty greywacke								
161-173	Altered greywacke with granitized sections mineralized with pyrite and minor amounts of Pyrrhotite								

DRILLED BY

Boyles Bros


SIGNED

[Signature]

"COPY" Claim L. 64209

1" = 200'

Larder Lake Div
Location UDH No 4



Corner 112' N 175' E of No 3 post

Original with claim papers for L. 64209.

DIAMOND DRILL RECORD

PROPERTY Knox claims HOLE NO. 4
 SHEET NUMBER 100-111-11-11 SECTION FROM _____ TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP 30° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0 - 18	Casing								
18 - 34	Granite								
34 - 52	Granitized ^{Dolerite} greywacke								
52 - 57	Granite								
57 - 67	Quartzite								
67 - 88	Granite diorite								
88 - 213	Granite with two small sections of granitized greywacke at 90' and at 145'								

ASSESSMENT WORK

Rec'd from Mining Recorder

S.M.A.S.T.A.K.A.

Date Sept 17/57 [Signature]
Resident Geologist

DRILLED BY Boyles Bros SIGNED [Signature]

DIAMOND DRILL RECORD

ALLERSTON CLAIMS

PROPERTY Knox claims (Knox Option) HOLE NO. 5
 SHEET NUMBER BOYLES BROTHERS? EASTERN Limited, SECTION FROM _____ TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0 - 6	Casing								
6 - 81	Altered greywacke <i>Dolerite</i> minor mineralization								
81 - 82	Granite								
82 - 84	Altered greywacke <i>Dolerite</i> with some chalcopyrite & marcasite along the fractures								
84 - 85	Granite								
85 - 114	Altered greywacke <i>Dolerite</i> with small granitized sections disseminated mineralization								
114 - 116	Granite								
116 - 147	Altered greywacke <i>Dolerite</i> with cherty sections								
147 - 183	Altered greywacke <i>Dolerite</i> with granitized sections with talc and epidote and other altered minerals pyrite, pyrrhotite and chalcopyrite								
183 - 189 - 202	Altered greywacke <i>Dolerite</i> with some granite injections								

DRILLED BY

Boyles Bros

SIGNED

W. J. ...