

32D04SW0363 10 BOSTON

010

Diamond Drilling

Township OF BOSTON

Report No: 10

Work performed by: Thomas Martin

Claim No	Hole No	Footage	Date	Note
L 103992	1	103'	Oct/68	(1)
	2	188'	June/69	(1)
	2	280' 42	Aug/69	(2)
	2	<u>333'</u>		

Notes:

(1) 64/69


(2) 131/69



THE MINING ACT - DEPARTMENT OF MINES
DIAMOND DRILLING LOG

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

DRILLING COMPANY <i>Martin</i>		COLLAR ELEVATION <i>18^m 45</i>	BEARING OF HOLE FROM TRUE NORTH <i>103</i>	TOTAL FOOTAGE <i>103</i>	DIP OF HOLE AT COLLAR <i>45.0</i>	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM 	MAP REFERENCE NO.
DATE HOLE STARTED <i>oct 5/68</i>	DATE COMPLETED <i>oct 21/68</i>	DATE LOGGED	LOGGED BY		ft	LOCATION (Twp., Loc., Con. Co.) <i>103 9 10</i>	PROPERTY NAME <i>Barlan Prop</i>
EXPLORATION CO., OWNER OR OPTIONEE <i>Owner</i>		DATE SUBMITTED	SUBMITTED BY (Signature)		ft		
					ft		
					ft		

FOOTAGE		ROCK TYPE	DESCRIPTION Colour, grain size, texture, minerals, alteration, etc.	PLANAR FEATURE ANGLE	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +
FROM	TO						FROM	TO		
0	15	gray gneiss								
15	40	gray gneiss								
40	50	red chert								
50	60	gray gneiss								
60	85	gray gneiss								
85	103	gray gneiss								

REPORT # 10

#64/69 Barlan Prop
J. H. Martin

* For features such as foliation, bedding, schistosity, measured from the long axis of the core.



THE MINING ACT - DEPARTMENT OF MINES
DIAMOND DRILLING LOG

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. 2 PAGE NO.

DRILLING COMPANY <i>Martin</i>		COLLAR ELEVATION	BEARING OF HOLE FROM TRUE NORTH	TOTAL FOOTAGE <i>188</i>	DIP OF HOLE AT collar	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM 	MAP REFERENCE NO.	CLAIM NO.
DATE HOLE STARTED <i>May 30/69</i>	DATE COMPLETED <i>June 7/69</i>	DATE LOGGED	LOGGED BY	ft	ft		LOCATION (Tp., Lot, Con. OR <i>103710</i>)	
EXPLORATION CO., OWNER OR OPTIONEE <i>owner.</i>		DATE SUBMITTED	SUBMITTED BY (Signature)	ft	ft		<i>S. W. Carna Boston, Ont</i>	
				ft	ft		PROPERTY NAME <i>Old-Palleg Mine</i>	

FOOTAGE		ROCK TYPE	DESCRIPTION	PLANAR FEATURE ANGLE*	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +
FROM	TO		Colour, grain size, texture, minerals, alteration, etc.				FROM	TO		
0	5	gray sandstone								
5	35	red sandstone	quartz stringers							
35	40	gray sandstone	ground up							
40	50	red sandstone	quartz stringers							
50	55	gray sandstone	quartz stringers							
55	75	gray sandstone	quartz stringers							
75	95	red sandstone	quartz stringers							
95	125	gray sandstone	quartz stringers							
125	180	gray sandstone	quartz stringers							
180	188	gray sandstone	quartz stringers							

* For features such as bedding, schistosity, measured from the long axis of the core.

+ Additional credit available. See Assessment Act Regulations.

188 to 198 grey Porphyry

198 to 202 red Porphyry
quartz stringers

202 - 207 grey Porphyry

207 to 210 green staurolite

210 - 212 red Porphyry

212 - ~~215~~ 230 grey Porphyry

15 ft staurolite

hole depth 230

drilling aug 13 to 15/69

1000 ft
4.103942

230 ft
103 ft
49 days
382

Thos Martin

131/69 Boston Sep

Thos Martin

230
188
42