



32D055E0013 10 PONTIAC

010

Diamond Drilling

Township OF PONTIAC

Report N^o: 10


Work performed by: PETER ROCHE

Claim N ^o	Hole N ^o	Footage	Date	Note
L 60236	1	120'	Apr/56	
L 60237	2	80'	Apr/56	
L 60240	3	40'	Apr/56	

Notes:



TWP. PONTIAC



3-3-111

DIAMOND DRILL RECORD, HOLE NO. #1

PROPERTY claim 60236 TWP. Pontiac

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED April 1, 1956

LATITUDE _____ DATUM _____ COMPLETED April 12, 1956

DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____

ELEVATION _____ DIP vertical PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 5'	Cherty rock, 75% quartz, 5% mineralization pyrite with some chalcopyrite This rock is fractured with gossan and malachite on fractured faces.								
5 - 25'	Cherty rock, little mineralization, rock fractured.								
25 - 62'	Fine grained dark rock more basic in nature. Some mineralization of pyrite and chalcopyrite.								
62 - 105'	Very soft chloritized greenstone.								
105-120'	Light gray cherty rock. Some mineralization.								

NORTHERN MINER FORM 505

DRILLED BY:

SIGNED P. F. Roche
PROVINCIAL INSTITUTE OF MINING

DIAMOND DRILL RECORD, HOLE NO. #2

PROPERTY Claim #60237 TWP. Pontiac

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED April 13, 1956
 LATITUDE _____ DATUM _____ COMPLETED April 15, 1956
 DEPARTURE _____ BEARING south ULTIMATE DEPTH _____
 ELEVATION _____ DIP 48 degrees PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD			
						AT.....	AT.....	AT.....	AT.....
0 - 35'	Fine grained cherty rock. 2% mineralization, pyrite and chalcopyrite.								
35 - 60'	Cherty rock some mineralization, the rock is fractured with gossan on fractured faces. Calcite stringers.								
60 - 79'	Light coloured soft feldspathic rock. no mineralization.								
79 - 80'	Hard cherty rock.								

NORTHERN MINER FORM 505

DRILLED BY

SIGNED P. F. Roche

PROVINCIAL INSTITUTE OF MINING

DIAMOND DRILL RECORD, HOLE NO. 3

PROPERTY Claim 60240 Twp. Pontiac

SHEET NUMBER _____ SECTION FROM 0 TO 40 ft. STARTED Apr. 15, 1956.
 LATITUDE _____ DATUM _____ COMPLETED Apr. 16, 1956.
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP Vertical. PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD	GOLD	GOLD	GOLD
						AT	AT	AT	AT
0 - 15	light gray medium grained feldspathic rock. The rock is fractured with gossan on fractured faces. 2% pyrite mineralization with a trace of chalcopyrite. Some 1/4 inch quartz stringers.								
15 - 40'	Fine grained soft gray rock. Small amount of mineralization decimated evenly through rock. In places the core is cut by narrow stringers of calcite.								