

2.23463

FRANCO-NEVADA MINING CORPORATION
HOLLOWAY PROJECT – ARGENTEX PORTION


Holloway Twp., Northeastern Ontario

2000 DIAMOND DRILLING PROGRAM

Diamond Drill Logs, Drill Section, Assays


April 25, 2002

David Talbot
Ken Kryklywy



32D12SE2023 2.23463 HOLLOWAY

010



NEWMONT CANADA

FRANCO-NEVADA

HOLLOWAY DRILL PLAN

Author: David A. Talbot	Scale: 1 :5,000
Project Number:	NTS Number: 32 D
Date: March 26 / 02	Workspace: Barrick 2000 DDH Plan..wor
Projection: UTM Zone 17 (NAD 27 for Timmins)	

CERTIFICATE OF QUALIFICATIONS

THIS IS TO CERTIFY THAT:


I, Michael Kenneth Kryklywy, reside at 1 Athenia Blvd., Swastika, Ontario, P0K 1T0.

I have worked as a geologist in Ontario since 1979 and have worked for Barrick Gold Corporation as an exploration and mine geologist since May 1987.

I have graduated from the University of Toronto with a Bachelor of Applied Science in 1979. I received a P. Eng. Designation in 1983.

I am a member of the Association of Professional Engineers of Ontario.

The fieldwork contained within this report was based upon field observations by myself and from those under my supervision.

A handwritten signature in black ink, appearing to read "Michael Kryklywy". The signature is written in a cursive style with a long horizontal stroke at the end.

CERTIFICATE OF QUALIFICATIONS

THIS IS TO CERTIFY THAT:

I, David Alexander Talbot, reside at 314 School Road, Timmins, Ontario, P4N 8C9.

I have worked as a geologist in the Province of Ontario since 1994 and have worked for Franco-Nevada Mining Corporation Limited (Newmont Mining Corporation of Canada) as a Project Geologist since May, 1997.

I have graduated with distinction from the University of Western Ontario (London) with an Honours Bachelor of Science in Geology in 1995.

I am a member of the Porcupine Prospectors and Developers Association (PPDA), Ontario Prospectors Association (OPA), Prospectors and Developers Association of Canada (PDAC) and the Association of Geoscientists of Ontario (AGO).

I do control interest in Newmont Mining Corporation of Canada by means of stock and options. I do not control any interest in the subject property, nor do I expect to receive any interest in the future, other than my professional fee.

A handwritten signature in black ink that reads "David Talbot". The signature is written in a cursive style with a long, sweeping tail on the letter "t".

BARRICK GOLD CORPORATION – HOLT-McDERMOTT MINE

DIAMOND DRILL RECORD

Drill Hole	F-00-1
Project	Franco-Nevada
Township	Holloway
Northing	9044
Easting	11050
Elevation	5000
Workplace	Surface
Grid Used	McDermott Mine Grid
Collar Azimuth	0 grid north, -15 degrees true north
Collar Dip	-76.3
Hole Length	1074.0 m
Depth to Bedrock	15.0 m
Number of Tropari's	22
Number of Samples	46
Sample #'s Used	75913 to 75958
Assay Lab	Holt-McDermott Mine
Core Size	BQ
Purpose of Hole	To test strike extension of South Zone, Vertical Zone of Holt-McDermott Mine
Claim	CLM 322 (former claim 599053) <i>Lease 105315</i>
Length per Claim	1074.0 m
Post Location	441 m south of, and 112 m east of Post # 4 of former claim 599053
Core Storage Location	Holt-McDermott Mine Site
Material Left in Hole	Casing Left In Hole
Drilling Started	April 20, 2000
Drilling Completed	May 10, 2000
Drilled By	Forage Garant & Freres
Logging Started	May 2, 2000
Logging Completed	May 15, 2000
Logged By	Ken Kryklywy



Hole F-00-1

Barrick Gold Corporation - Diamond Drill Record

From	To	Code	Description
			998.50 155 degree foliation
1000.10	1003.80	V7DE	Volcanics - dark, epidote Gradual lower contact
1003.80	1004.70	V7DM	Volcanics - dark, magnetic
1004.70	1005.00	GMFP	Ghostmount Fault 30 cm shear, blocky 1004.70 140 degree fault, 1.5 cm clay grid seam
1005.00	1007.60	V7DM	Volcanics - dark, magnetic 10% epidote-calcium carbonate veining 1007.60 Gradual contact 1009.00 55 degree foliation 1014.60 70 degree foliation
1007.60	1022.30	V7FU	Volcanics - 25-50% cal veining, quartz flooded, leucoxene 20% patchy J-alteration (albitic), silicified, 1-3% fine grained pyrite 1018.70 45 degree foliation 1021.10 45 degree shear, gravelly chlorite 1021.60 40 degree foliation
1022.30	1040.40	V7DF	Volcanics - dark, 25-50% calcite veining, quartz flooded, 1-3% fg pyrite 1022.30 60 degree shear, 1cm gravelly chlorite 1022.30 Gradual contact 1027.00 70 degree foliation 1029.60 55 degree foliation 1030.80 50 degree shear, strong 3mm chlorite slip 1033.20 30 degree foliation
1040.40	1074.00	V7F	Volcanics, quartz flooded, minor carbonate veining, 1% pyrite 1040.40 49 degree foliation, gradual contact 1042.50 45 degree foliation 1043.10 1043.30 blocky, possible fault zone? 1048.00 25 degree foliation 1055.00 20 degree foliation 1055.40 1055.70 blocky, possible fault zone or fracture zone sub-parallel

Sample #	From	To	Length	% Pyrite	Gold g/t
75915	999.00	1000.10	1.10	2	0.2
75916	1004.7	1005.00	0.30	trace	0.1
75917	1005.00	1006.00	1.00	trace	0.2
75918	1006.00	1007.00	1.00	trace	0.2
75919	1007.00	1007.60	0.60	trace	0.4
75920	1007.60	1008.10	0.50	5	4.8
75921	1008.10	1009.00	0.90	trace	0.2
75922	1009.00	1010.00	1.00	trace-1%	0.5
75923	1010.00	1011.00	1.00	trace	0.5
75924	1011.00	1011.80	0.80	trace	0.3
75925	1011.80	1012.40	0.60	5	1.9
75926	1012.40	1013.00	0.60	2	0.9
75927	1013.00	1014.00	1.00	1	0.3
75928	1014.00	1015.00	1.00	trace-1%	0.4
75929	1015.00	1016.00	1.00	trace	0.5
75930	1016.00	1017.00	1.00	1	0.3
75931	1017.00	1018.00	1.00	1	0.3
75932	1018.00	1019.00	1.00	1	0.2
75933	1019.00	1020.00	1.00	trace-1%	0.2
75934	1020.00	1021.00	1.00	trace-1%	0.4
75935	1021.00	1022.00	1.00	1	0.5
75936	1022.00	1022.30	0.30	3	0.6
75937	1022.30	1023.00	0.70	1	0.3
75938	1023.00	1024.00	1.00	1	0.5
75939	1024.00	1025.00	1.00	1	0.7
75940	1025.00	1026.00	1.00	1	0.3

Hole F-00-1

Barrick Gold Corporation - Diamond Drill Record

From	To	Code	Description
			to core axis
			1060.00 20 degree foliation
			1066.00 35 degree foliation
			1069.70 1074.00 possibly becoming pillowed
			1071.60 50 degree foliation
1074.00		EOH	End of Hole

Sample #	From	To	Length	% Pyrite	Gold g/t
75941	1026.00	1027.00	1.00	1	0.4
75942	1027.00	1028.00	1.00	1	0.3
75943	1028.00	1029.00	1.00	2	0.4
75944	1029.00	1030.00	1.00	1	0.3
75945	1030.00	1031.00	1.00	trace-1%	0.3
75946	1031.00	1032.00	1.00	trace	0.4
75947	1032.00	1033.00	1.00	trace-1%	0.2
75948	1033.00	1034.00	1.00	1	0.2
75949	1034.00	1035.00	1.00	1	0.3
75950	1035.00	1036.00	1.00	1	0.4
75951	1036.00	1037.00	1.00	trace-1%	0.8
75952	1037.00	1038.00	1.00	trace-1%	0.6
75953	1038.00	1039.00	1.00	trace-1%	1
75954	1039.00	1040.00	1.00	trace	0.2
75955	1040.00	1040.40	0.40	trace	0.5
75956	1049.70	1050.70	1.00	trace	0.3
75957	1050.70	1051.70	1.00	1	1.3
75958	1051.70	1052.70	1.00	trace	0.2

Down-hole Survey Data

Depth	Azimuth	Dip	Type
0	0.00	-76.30	Collar
26	1.00	-76.00	Tropari - mag
50	359.50	-76.00	Tropari - mag
100	359.00	-75.00	Tropari
150	4.50	-75.00	Tropari
200	359.00	-75.00	Tropari - mag
253	2.50	-75.00	Tropari
300	2.50	-75.00	Tropari
350	16.50	-75.00	Tropari
400	4.50	-75.00	Tropari
450	6.50	-74.00	Tropari
500	4.00	-74.00	Tropari
550	10.50	-74.00	Tropari
600	52.50	-73.00	Tropari - Az Out
650	1.50	-73.00	Tropari
700	10.50	-73.00	Tropari - mag
750	19.50	-72.00	Tropari
800	29.00	-72.00	Tropari
850	9.50	-71.00	Tropari - mag
900	13.50	-71.00	Tropari
950	13.50	-71.00	Tropari - mag
1000	12.50	-70.00	Tropari
1050	15.50	-69.00	Tropari

Rock Quality Density Data

From	To	RQD
15.00	162.80	90-100%
162.80	166.00	5%
166.00	985.50	90-100%
985.50	1008.40	74%
1008.40	1074.00	90-100%

BARRICK GOLD CORPORATION – HOLT-McDERMOTT MINE

DIAMOND DRILL RECORD

Drill Hole	F-00-2
Project	Franco-Nevada
Township	Holloway
Northing	8935
Easting	11050
Elevation	5000
Workplace	Surface
Grid Used	McDermott Mine Grid
Collar Azimuth	0 grid north, -15 degrees true north
Collar Dip	-76.5
Hole Length	1266.0 m
Depth to Bedrock	27.50 m
Number of Tropari's	26
Number of Samples	42
Sample #'s Used	75959 to 76000
Assay Lab	Holt-McDermott Mine
Core Size	BQ
Purpose of Hole	To test strike extension of South Zone, Vertical Zone of Holt-McDermott Mine
Claim	CLM 322 (former claim 599053) <i>Lease 105315</i>
Length per Claim	1074.0 m
Post Location	533 m south of, and 146 m east of Post # 4 of former claim 599053
Core Storage Location	Holt-McDermott Mine Site
Material Left in Hole	Casing Left In Hole
Drilling Started	May 15, 2000
Drilling Completed	June 8, 2000
Drilled By	Forge Garant & Freres
Logging Started	May 15, 2000
Logging Completed	June 12, 2000
Logged By	Ken Kryklywy



Hole F-00-2

Barrick Gold Corporation - Diamond Drill Record

From	To	Code	Description	Sample #	From	To	Length	% Pyrite	Gold g/t
0.00	27.50	OVB	Overburden 0 51.00 BW Casing - left in hole 0 30.00 NW Casing - left in hole						
27.50	28.00	V7DX	Volcanics - dark, volcanic breccia Broken lower contact						
28.00	131.20	V7D	Volcanics - dark 28.70 53.60 Blocky, possible fault zone						
131.20	131.80	V7DX	Volcanics - dark, volcanic breccia Gradual lower contact 131.20 145 degree sharp contact 131.20 1 cm laminated cherty band 131.50 160 degree, slip or shear fracture, chlorite coated 9 cm blocky core						
131.80	146.60	V7DM	Volcanics - dark, magnetic Gradual lower contact						
146.60	185.00	V7PM	Volcanics - pillowed, magnetic Patchy magnetite 184.80 184.90 Blocky core						
185.00	185.90	MIM	Mafic Intrusive, dark grey-green, fine grained 185.00 110 degree sharp contact 185.90 100 degree sharp contact						
185.90	246.90	V7PM	Volcanics - pillowed, magnetic Gradual lower contact						
246.90	286.30	V7DM	Volcanics - dark, magnetic Fine-medium grained, massive 246.90 260.20 Possibly weakly pillowed 281.00 282.80 5% calcite veining and brecciation						
286.20	312.30	V7D	Volcanics - dark Gradual lower contact 286.20 Gradual contact						

Hole F-00-2

Barrick Gold Corporation - Diamond Drill Record

From	To	Code	Description	Sample #	From	To	Length	% Pyrite	Gold g/t
			Dark grey, fine-medium grained 903.10 140 degree sharp contact						
904.10	906.90	V7DP	Volcanics - dark, pillowed 904.10 150 degree contact - 5 cm quartz carb vein						
906.90	913.40	MI	Mafic Intrusive 906.90 150 degree sharp contact						
913.40	916.60	V7DP	Volcanics - dark, pillowed 913.40 165 degree sharp irregular contact						
916.60	923.10	MI	Mafic Intrusive Dark grey, fine-medium grained 916.60 150 degree sharp contact						
923.10	929.70	V7DP	Volcanics - dark, pillowed 923.10 165 degree sharp irregular contact						
929.70	930.70	MI	Mafic Intrusive Dark grey, fine-medium grained 929.70 150 degree sharp irregular contact						
930.70	984.00	V7DP	Volcanics - dark, pillowed 930.70 150 degree sharp contact 947.70 947.90 Block fracture zone parallel to core axis						
984.00	992.70	V7D	Volcanics - dark Diffuse lower contact 984.0 115 degree sharp contact						
992.70	1001.10	V7DP	Volcanics - dark, pillowed Gradual lower contact						
1001.10	1006.20	V7DM	Volcanics - dark, magnetic Gradual lower contact						
1006.20	1008.20	V7PM	Volcanics - pillowed, magnetic Gradual lower contact						
1008.20	1026.10	V7MU	Volcanics - magnetic, leucoxene						

Hole F-00-2

Barrick Gold Corporation - Diamond Drill Record

From	To	Code	Description
	1230.30		150 degree foliation
1230.90	1232.00	V7D	Volcanics - dark, minor quartz flooding/carb veining, 1-3% fine pyrite Gradual lower contact
1232.00	1236.90	V7UF	Volcanics - leucoxene, foliated, 25-50% carb veining, J alt (albitic) Trace-1% coarse pyrite, Gradual lower contact 1234.80 140 degree foliation
1236.90	1238.40	V7MT	Volcanics - magnetic, tectonic breccia, 50-75% B alt (hematitic) 1-3% coarse grained pyrite, Gradual lower contact
1238.40	1247.90	V7DF	Volcanics - dark, foliated, minor carb veining, trace coarse pyrite 1239.40 140 degree foliation 1245.30 120 degree foliation
1247.90	1248.40	QV	Quartz vein 1247.90 125 degree sharp irregular contact
1248.40	1266.00	V7DF	Volcanics - dark, foliated, minor carbaonte veining 1248.40 120 degree sharp irregular contact 1248.40 1266.00 much contorted, kinked and broken foliation 1253.60 130 degree foliation 1264.50 110 degree foliation
1266.00		EOH	End of Hole

Sample #	From	To	Length	% Pyrite	Gold g/t
75992	1235.00	1236.00	1.00	trace	0.3
75993	1236.00	1236.90	0.90	trace	0.2
75994	1236.90	1238.00	1.10	3	0.2
75995	1238.00	1238.40	0.40	3	0.5
75996	1238.40	1239.00	0.60	trace	0.1
75997	1239.00	1240.00	1.00	1	0.1
75998	1240.00	1241.00	1.00	1	0.2
75999	1241.00	1242.00	1.00	trace	0.2
76000	1242.00	1243.00	1.00	1	0.2

Depth	Azimuth	Dip	Type	Notes
0	0.00	-76.50	Collar	
86	7.50	-75.00	Tropari	
113	24.50	-75.00	Tropari	
113	24.50	-75.00	Tropari	
150	2.50	-76.00	Tropari	Mag
200	4.50	-76.00	Tropari	Mag
250	178.50	-75.00	Tropari	Mag
300	27.50	-75.00	Tropari	
350	19.50	-74.00	Tropari	
400	9.50	-74.00	Tropari	
450	10.50	-75.00	Tropari	
500	29.00	-74.00	Tropari	
550	347.00	-74.00	Tropari	Mag
600	56.50	-74.00	Tropari	Mag
650	11.50	-74.00	Tropari	
700	13.50	-74.00	Tropari	
750	16.50	-74.00	Tropari	
800	17.50	-74.00	Tropari	
850	52.50	-75.00	Tropari	
900	48.50	-74.00	Tropari	
950	341.50	-75.00	Tropari	
1000	19.50	-73.00	Tropari	Mag
1050	20.50	-73.00	Tropari	Mag
1100	17.50	-72.00	Tropari	Mag
1150	15.50	-71.00	Tropari	Mag
1200	29.50	-71.00	Tropari	Mag
1250	35.50	-69.00	Tropari	

Rock Quality Density Data

From	To	RQD
0.00	53.60	5%
53.60	1266.00	90-100%

Barrick Gold Corporation

Holt-McDermott Mine

14p

Account:

McDermott

Date:

9-Jun-00

SAMPLE	g/t Au	SAMPLE	g/t Au	SAMPLE	g/t Au
1		FBp 75959	0.18		
2		FBp 75960	0.15 0.14		
3		FBp 75961	0.15		
4		FBp 75962	0.11		
5		FBp 75963	0.11		
6		FBp 75964	0.15		
7		FBp 75965	0.40		
8		FBp 75966	0.13		
9		FBp 75967	0.13		
10		FBp 75968	0.17		
11		FBp 75969	0.07		
12		FBp 75970	0.13 0.08		
13		FBp 75971	0.07		
14		FBp 75972	1.00		
15		FBp 75973	0.15		
16		FBp 75974	0.18		
17		FBp 75975	0.17		
18		FBp 75976	0.30		
19		FBp 75977	0.16		
20		FBp 75978	0.14		
21		FBp 75979	0.11		
22		FBp 75980	0.11 0.17		
23		FBp 75981	0.28		
24		FBp 75982	0.19		
25		FBp 75983	0.23		
26		FBp 75984	0.18		
27		FBp 75985	0.18		
28		FBp 75986	0.11		
29		FBp 75987	0.23		
30		FBp 75988	0.25		
	Bp	2			
	FBp	33			
	o	30			

Work Report Summary

Transaction No: W0280.00745

Status: APPROVED

Recording Date: 2002-APR-29

Work Done from: 2000-APR-20

Approval Date: 2002-JUN-11

to: 2000-JUN-12

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
L 588476	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588477	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588478	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588479	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588534	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588535	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588536	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588537	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588540	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588558	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588559	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588560	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588563	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588564	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588565	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588566	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588567	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588568	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588569	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588570	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588573	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588574	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 588575	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599010	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599011	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599012	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599013	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599014	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599020	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599021	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599022	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599023	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599024	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 599025	\$0	\$0	\$1,200	\$1,200	\$0	0	\$0	\$0	2007-FEB-16
L 1213841	\$0	\$0	\$1,600	\$1,600	\$0	0	\$0	\$0	2005-FEB-14
	\$118,544	\$118,544	\$83,200	\$83,200	\$83,200	\$83,200	\$35,344	\$35,344	

Date: 2002-JUN-12

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

FRANCO-NEVADA MINING CORPORATION
LIMITED
1900 - 20 EGLINTON AVENUE WEST
TORONTO, ONTARIO
M4R 1K8 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.23463
Transaction Number(s): W0280.00745

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,



Ron Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist


Franco-Nevada Mining Corporation Limited
(Claim Holder)

David Alexander Talbot
(Agent)

Assessment File Library

Franco-Nevada Mining Corporation Limited
(Assessment Office)

PDRILL 23463 ASSAYS



TOPOGRAPHIC

- Administrative Boundary
- Topographic Contour
- Proposed Gas
- Water Feature
- Other Water Feature
- Control
- Control - Signal, Aerial, or other
- Spot
- Post Treatment
- Powerline
- Road
- Trail
- Natural Gas Feature
- Mine Line
- Common Boundary
- Wooded Area
- Mineral or Geographical Feature

LAND TENURE

Freehold Patent

- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only

Leasehold Patent

- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only

License of Occupation

- License for Surface
- Surface and Mining Rights
- Surface Rights Only
- Mining Rights Only

LAND TENURE WITHDRAWALS

- Area Withdrawal (Depositor)
- Mining Act Withdrawal (Type)
- Surface Rights Only Withdrawal
- Mining Rights Only Withdrawal
- Order in Council Withdrawal (Type)
- Surface Rights Only Withdrawal
- Mining Rights Only Withdrawal

IMPORTANT NOTICES

323547 Mining Claim

LAND TENURE WITHDRAWAL DESCRIPTIONS

Ministry	Type	Date	Description
323547	Withdrawal	Jan 1 2001	NO OPER. GRANTED

IMPORTANT NOTICES

Areas under which special requirements, restrictions or conditions exist in which normal prospecting, staking and mineral development activities:

32012582023 2.23463 HOLLOWAY 200

General Information and Limitations

This map may not show registered land tenure and interests in land including, but not limited to, easements, covenants, rights of way, mining claims, or other forms of land tenure. It is not intended to be used as a legal document. For more information, contact the Provincial Mining Records Office.

Contact Information:
Provincial Mining Records Office, Full Time
1000-1000-1000-1000
1000-1000-1000-1000

Map Scale: 1:50,000
UTM Zone 17
Geographic Grid Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Records Office

F-00-08

F-00-01

S

N


NEWMONT (FRANCO-NEVADA)
BARRICK

CLM 322
Lease 105315

F-00-2
8955 N
11050 E
5000 el
-76.5°
345°
1266m


F-00-1
9044 N
11050 E
5000 el
-76.5°
345°
1077m

- LEGEND**
- GEOLOGY**
- V7 Volcanics
 - S3 Greywacke
 - S4 Argillite
 - SG Gabbro
 - 3D Diabase
 - IS Syenite
 - MI Mafic Intrusive
 - GMF Ghostmount Fault
- DESCRIPTIVE**
- C Crystal
 - D Dark
 - L Light
 - P Pillowed
 - A Amygdaloidal
 - X Volcanic Breccia
 - T Tectonic Breccia
 - M Magnetic
 - U Leucovene
 - F Foliated
- STURCTURE**
- 1 Slip or shear
 - 2 Fault
 - 3 Foliation, Bedding
 - 4 Contact
 - 6 Fracture
 - 9 Veining
- ALTERATION**
- B Hematitic - dark purple
 - J Albitic, siliceous - light grey
 - K Albitic, siliceous - buff
 - F Quartz flooded
 - H Hematitic - red
 - G Carbonate veining
- PYRITE CONTENT**
- 2 TRACE - 1%
 - 3 1-3 %
 - 4 3-5 %
 - 5 > 5%
- Av 31/



32012881023 2.23463 BOLLNOWAY

220



REV	DATE	APPROVED BY	DESCRIPTION
1			
2			
3			
4			

DATE	DRAWN BY	CHECKED	APPROVED
03-26-02			

HOLT McDERMOTT MINE
110750E (60M WINDOW)

MAP INDEX NUMBER SCALE DRAWING NUMBER
1:1000-M

2.23463