








010

-  VLF-EM ANOMALY/STRIPPED
-  OUTCROP AREA
-  PIT
-  CLAIM POST
-  CLAIM BOUNDARY

OP90-028	OP90-028A
CASSON LAKE PROJECT	
	
D. BRUNNE OCT/90	

CASSON LAKE PROJECT
AN-6



TR-4 TRENCH

SCALE:



CASSON LAKE PROJECT
AN-3 DETAIL

L8+25W

L8W

STRIPPED not washed

1+50S

STRIPPED AREA

CHANNEL SAMPLE




2+00S


SCALE:



METRES



BY: D. BRUNNE



BY: D. BRUNNE

R. STRINGER

NAME

P. O. Box 2063

ADDRESS

ESPANOLA, Ont. POP 1C0

CITY, PROV., POSTAL CODE

011

NOV 23 1990

Pay to the Order of *ACCURASSAY LABORATORIES* *17,289.90*

Sum of *two thousand eight hundred & ninety* *100* Dollars

THE TORONTO-DOMINION BANK
115 MEAD BLVD. & CENTRE AVE.
ESPANOLA, ONTARIO
POP 1C0


Roger Stringer

TRIAL SERIES

TORONTO DOMINION BANK
TORONTO DATA CENTRE
TORONTO, ONTARIO

2 4 ATND

ND '90' 28
TORONTO DOMINION BANK
TORONTO DATA CENTRE
TORONTO, ONTARIO



FOR DEPOSIT ONLY
B1275
302266

1 3 3 0 2 6 2 3 4

ACCURASSAY LABORATORIES LTD.

CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS
 Box 426, 3 Industrial Dr., Kirkland Lake
 Ontario, Canada P2N 3J1

900816

TO TEL.: (705) 567-3361 - FAX: (705) 567-8368

Mr. Roger Stringer
 374 Parchmount Street,
 Espanola, Ontario
 POP 1C0

DATE	October 23, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	Various
DATE SUBMITTED	

TERMS

net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
19	Aqua Regia Digestion W.O.# 900691A	1.50	28 50
19	Copper & Nickel Analysis (.95 ea) cert. 36835	1.90	36 10
42	Aqua Regia Digestion W.O. #900702A	1.50	63 00
42	Copper & Nickel Analysis (.95 ea) cert. 36836	1.90	79 80
30	Aqua Regia Digestion W.O. #900709A	1.50	45 00
30	Copper & Nickel Analysis (.95 ea) cert. 36838	1.90	57 00
30	Aqua Regia Digestion W.O. #900710A	1.50	45 00
30	Copper & Nickel Analysis (.95 ea) cert. 36847	1.90	57 00
20	Aqua Regia Digestion W.O. # 900711A	1.50	30 00
20	Copper & Nickel Analysis (.95 ea) cert. 36848	1.90	38 00
30	Aqua Regia Digestion W.O.# 900712A	1.50	45 00
30	Copper & Nickel Analysis (.95 ea) cert. 36839	1.90	57 00
30	Aqua Regia Digestion W.O.# 900713A	1.50	45 00
30	Copper & Nickel Analysis (.95 ea) cert. 36849	1.90	57 00
Amount due before November 22, 1990.....			683.40
Please note: Accounts more than 45 days past due will lose any price discounts			

LF-1297

Thank You!

ACCURASSAY LABORATORIES LTD.

CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS

Box 426, 3 Industrial Dr., Kirkland Lake
Ontario, Canada P2N 3J1

900838

TEL.: (705) 567-3361 - FAX: (705) 567-8368

TO

Mr. Roger Stringer
374 Parchmount Street,
Espanola, Ontario
POP 1C0

DATE	October 26, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	Various
DATE SUBMITTED	

TERMS net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
6	Silica W.O.#900739 cert. # 36927	9.50	57 00
8	Sample Prep.	3.95	23 70
AMOUNT due before November 25, 1990.....			80 70
Please note: Accounts more than 45 days past due will lose any price discounts			

LF-1297

Thank You!

ACCURASSAY LABORATORIES LTD.

CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS
 Box 426, 3 Industrial Dr., Kirkland Lake
 Ontario, Canada P2N 3J1

900848

TO TEL.: (705) 567-3361 - FAX: (705) 567-8368

Mr. Roger Stringer
 374 Parchmount Street,
 Espanola, Ontario
 POP 1C0

DATE	October 26, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	Various
DATE SUBMITTED	

TERMS net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
30	Gold,Platinum & Palladium W.O.#900731	14.25	427 50
30	Sample Prep cert. 36936-37	3.25	97 50
30	Gold ,Platinum & Palladium W.O. #900732	14.25	427 50
30	Sample Prep. cert. # 36939-40	3.25	97 50
12	Gold, Platinum & Palladium W.O.# 900735	14.25	171 00
12	Sample Prep. cert. # 36938	3.25	39 00
30	Aqua Regia Digestion W.O.# 900731A cert36840	1.50	45 00
30	Copper and Nickel Analysis (.95 ea)	1.90	57 00
30	Aqua Regia Digestion W.O.# 900732A	1.50	45 00
30	Copper And Nickel Analysis (.95ea) cert36850	1.90	57 00
12	Aqua Regia Digestion W.O.# 900735A cert36852	1.50	18 00
12	Copper and Nickel Analysis (.95 ea)	1.90	22 80
Amount due before November 25, 1990.....			1504 80
Please note: Accounts more than 45 days past due will lose any price discounts			

LF-1297

Thank You!

ACCURASSAY LABORATORIES LTD.

CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS

Box 426, 3 Industrial Dr., Kirkland Lake
Ontario, Canada P2N 3J1

900849

TEL.: (705) 567-3361 - FAX: (705) 567-8368

TO

DATE	October 31, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	900733B
DATE SUBMITTED	

Mr. Roger Stringer
374 Parchmount Street,
Española, Ontario
POP 1C0

TERMS net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
30	Gold, Platinum, Palladium W.O.# 900733B	14.25	427 50
30	Sample Prep. cert.# 36957-58 ✓	3.25	97 50
30	Aqua Regia Digestion W.O.# 900733A	1.50	45 00
30	Copper and Nickel Analysis (.95 ea cert36851)	1.90	57 00
Amount due before November 30, 1990.....			627 00
Please note: Accounts more than 45 days past due will lose any price discounts			

LF-1297

Thank You!



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36835 Mr. Roger Stringer
374 Parchmont Street
Española, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900691A
Project :

SAMPLE NUMBERS	Customer	Copper ppm	Nickel ppm
Accurassay			
226959	10901	71	550
226960	10902	59	510
226961	10903	320	480
226962	10904	410	430
226963	10905	490	460
226964	10906	1800	680
226965	10907	1300	620
226966	10908	4600	1600
226967	10909	820	450
226968	10910	5100	1400
226969	10911	2700	150
226970	10912	540	110
226971	10913	430	550
226972	10914	420	280
226973	10915	38	64
226974	10916	320	710
226975	10917	1700	2000
226976	FOL-101	50	53
226977	FOL-102	460	44



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36836 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900702A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
227352	10918 ✓	450	260
227353	10919 ✓	1100	500
227354	10920 ✓	320	150
227355	10921 ✓	910	310
227356	10922 ✓	6300	2500
227357	10923 ✓	2200	770
227358	10924 ✓	4200	1500
227359	10925 ✓	2100	940
227360	10926 Sample Missing		
227361	10927 ✓	420	340
227362	10928 ✓	2300	1200
227363	10929 ✓	1900	870
227364	10930 ✓	220	100
227365	10931 ✓	300	120
227366	10932 ✓	310	54
227367	10933 ✓	260	44
227368	10934 ✓	260	38
227369	10935 ✓	61	40
227370	10936 ✓	96	82
227371	10937 ✓	180	120
227372	10938 ✓	840	330
227373	10939 ✓	4000	1000
227374	10940 ✓	1100	360
227375	10941 ✓	1900	410
227376	10942 ✓	1600	430
227377	10943 ✓	2000	760
227378	10944 ✓	1700	970
227379	10945 ✓	1200	550
227380	10946 ✓	840	330
227381	10947 ✓	1200	460
227382	10948 ✓	1500	610



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis

Page: 2

36837 Mr. Roger Stringer
374 Parchmont Street
Espanola, Ontario
POP 1C0


Date: October 22 19 90

Work Order # : 900702A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
227383	10949	290	160
227384	10950	200	120
227385	10951	350	450
227386	10952	2300	1200
227387	10953	1200	420
227388	10954	1700	610
227389	10955	560	300
227390	10956	470	270
227391	10957	170	89
227392	10958	230	90
227393	10959	170	71
227394	10960	350	150



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis

Page: 1

36838 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90


Work Order # : 900709A
Project :

SAMPLE NUMBERS	Customer	Copper ppm	Nickel ppm
Accurassay	<i>An-3aren</i>		
227484	204707 ✓	1600	71
227485	204708 ✓	890	76
227486	204709 ✓	1000	90
227487	204710 ✓	1600	70
227488	204711 ✓	1300	110
227489	204712 ✓	1900	90
227490	204713 ✓	1200	160
227491	204714 ✓	1300	130
227492	204715 ✓	3300	110
227493	204716 ✓	1100	150
227494	204717 ✓	2100	81
227495	204718 ✓	3200	57
227496	204719 ✓	3900	87
227497	204720 ✓	1300	170
227498	204721 ✓	550	180
227499	204722 ✓	1700	240
227500	204723 ✓	290	190
227501	204724 ✓	250	70
227502	204725 ✓	410	34
227503	204726 ✓	1800	360
227504	204727 ✓	1100	320
227505	204728 ✓	92	220
227506	204729 ✓	2500	510
227507	204730 ✓	1000	450
227508	204731 ✓	120	220
227509	204732 ✓	100	300
227510	204733 ✓	170	580
227511	204734 ✓	12	320
227512	204735 ✓	170	530
227513	204736 ✓	410	150



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36847 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 23 19 90

Work Order # : 900710A
Project :

SAMPLE NUMBERS	Customer	Copper ppm	Nickel ppm
Accurassay	An-3		
227514	204737	800	440
227515	204738	230	130
227516	204739	290	140
227517	204740	290	200
227518	204741	530	380
227519	204742	560	190
227520	204743	200	290
227521	204744	94	380
227522	204745	77	300
227523	204746	87	180
227524	204747	46	310
227525	204748	240	310
227526	204749	160	170
227527	204750	170	95
227528	204751	180	120
227529	204752	99	72
227530	204753	97	87
227531	204754	76	59
227532	204755	72	71
227533	204756	84	76
227534	204861	210	180
227535	204862	2000	930
227536	204863	1800	1000
227537	204864	3900	1400
227538	204865	4400	1300
227539	204866	1600	620
227540	204867	670	310
227541	204868	250	160
227542	204869	2100	800
227543	204870	2200	710



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36848 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POF 1C0

Date: October 23 19 90


Work Order # : 900711A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
227544	204871 ✓	320	170
227545	204872 ✓	430	220
227546	204873 ✓	1100	410
227547	204874 ✓	160	100
227548	204875 ✓	3400	1300
227549	204876 ✓	100	90
227550	204877 ✓	540	260
227551	204878 ✓	440	230
227552	204879 ✓	480	240
227553	204880 ✓	790	290
227554	204881 ✓	480	100
227555	204882 ✓	130	110
227556	204883 ✓	5000	84
227557	204884 ✓	3900	1900
227558	204885 ✓	3200	1300
227559	204886 ✓	1400	700
227560	204887 ✓	1400	730
227561	204888 ✓	1600	780
227562	204889 ✓	1700	640
227563	204890 ✓	3900	1300



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 428
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36839 Mr. Roger Stringer
374 Parchmont Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90


Work Order # : 900712A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
227564	204801 ✓	1400	520
227565	204802 ✓	3000	720
227566	204803 ✓	3100	1400
227567	204804 ✓	3300	1400
227568	204805 ✓	4100	1900
227569	204806 ✓	7300	3100
227570	204807 ✓	3700	1400
227571	204808 ✓	3400	820
227572	204809 ✓	1800	380
227573	204810 ✓	4600	1900
227574	204811 ✓	5700	2200
227575	204812 ✓	4200	1400
227576	204813 ✓	3500	1000
227577	204814 ✓	1800	760
227578	204815 ✓	1900	830
227579	204816 ✓	2800	940
227580	204817 ✓	3000	1400
227581	204818 ✓	4400	1700
227582	204819 ✓	2600	990
227583	204820 ✓	290	160
227584	204821 ✓	640	320
227585	204822 ✓	1500	870
227586	204823 ✓	1200	650
227587	204824 ✓	2600	1000
227588	204825 ✓	3000	850
227589	204826 ✓	1100	520
227590	204827 ✓	1400	560
227591	204828 ✓	4200	1200
227592	204829 ✓	3200	1200
227593	204830 ✓	6100	1500



Per: G Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36849 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 23 19 90

Work Order # : 900713A
Project :

SAMPLE NUMBERS		Copper	Nickel
Accurassay	Customer	ppm	ppm
227594	204831 ✓	8400	3400
227595	204832 ✓	3000	1300
227596	204833 ✓	7500	2600
227597	204834 ✓	3600	310
227598	204835 ✓	7600	880
227599	204836 ✓	4800	1700
227600	204837 ✓	7900	2400
227601	204838 ✓	4800	2500
227602	204839 ✓	1100	520
227603	204840 ✓	730	230
227604	204841 ✓	1700	870
227605	204842 ✓	1700	710
227606	204843 ✓	2200	890
227607	204844 ✓	5500	810
227608	204845 ✓	4500	830
227609	204846 ✓	4600	810
227610	204847 ✓	4500	580
227611	204848 ✓	4500	470
227612	204849 ✓	2300	440
227613	204850 ✓	2400	840
227614	204851 ✓	1800	900
227615	204852 ✓	2400	1100
227616	204853 ✓	4100	1700
227617	204854 ✓	2400	880
227618	204855 ✓	1000	420
227619	204856 ✓	610	380
227620	204857 ✓	480	370
227621	204858 ✓	820	550
227622	204859 ✓	2300	1100
227623	204860 ✓	1100	820



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36936 Mr. Roger Stringer
374 Parchmont Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900731
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
227990	11701 ✓	20	0.001	25	27	
227991	11702 ✓	9	<0.001	24	23	
227992	11703 ✓	96	0.003	180	282	
227993	11704 ✓	57	0.002	53	66	
227994	11705 ✓	338	0.010	264	478	
227995	11706 ✓	257	0.007	376	759	
227996	11707 ✓	72	0.002	121	206	
227997	11708 ✓	118	0.003	183	297	
227998	11709 ✓	305	0.009	407	749	
227999	11710 ✓	282	0.008	333	709	
227999	11710 X	214	0.006	294	537	Check
228000	11711 ✓	385	0.011	395	993	
228001	11712 ✓	387	0.011	358	876	
228002	11713 ✓	115	0.003	148	268	
228003	11714 ✓	295	0.009	366	604	
228004	11715 ✓	110	0.003	171	316	
228005	11716 ✓	143	0.004	257	460	
228006	11717 ✓	25	0.001	<15	<10	
228007	11718 ✓	112	0.003	142	311	
228008	11719 ✓	31	0.001	59	86	
228008	11719 X	27	0.001	41	76	Check
228009	11720 ✓	200	0.006	358	587	
228010	11721 ✓	8	<0.001	15	<10	
228011	11722 ✓	307	0.009	950	1759	
228012	11723 ✓	55	0.002	53	97	
228013	11724 ✓	14	<0.001	45	80	
228014	11725 ✓	33	0.001	66	137	
228015	11726 ✓	647	0.019	438	811	
228016	11727 ✓	265	0.008	300	445	
228017	11728 ✓	178	0.005	243	801	
228017	11728 X	188	0.005	250	794	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

36937 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900731
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium
Accurassay	Customer	ppb	Oz/T	ppb	ppb
228018	11729 ✓	95	0.003	155	416
228019	11730 ✓	21	0.001	22	27
228019	11730 ✗	36	0.001	37	29 Check



Per: *G. Duncan*



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36939 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900732
Project :

SAMPLE NUMBERS Accurassay	Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
228020	11731 ✓	27	0.001	43	57	
228021	11732 ✓	92	0.003	131	241	
228022	11733 ✓	127	0.004	211	305	
228023	11734 ✓	9	<0.001	28	19	
228024	11735 ✓	42	0.001	53	65	
228025	11736 ✓	128	0.004	162	275	
228026	11737 ✓	62	0.002	73	119	
228027	11738 ✓	152	0.004	184	367	
228028	11739 ✓	9	<0.001	29	18	
228029	11740 ✓	10	<0.001	29	17	
228029	11740 X	9	<0.001	37	17	Check
228030	11744 ✓	62	0.002	98	179	
228031	11745 ✓	340	0.010	358	978	
228032	11746	7	<0.001	17	<10	
228033	204701 ✓	261	0.008	<15	<10	
228034	204702 ✓	89	0.003	22	34	
228035	204703 ✓	262	0.008	18	<10	
228036	204704 ✓	11	<0.001	32	24	
228037	204705 ✓	12	<0.001	31	23	
228038	204706 ✓	9	<0.001	27	22	
228038	204706 X	9	<0.001	30	22	Check
228039	204757 ✓	9	<0.001	36	36	
228040	204758 ✓	13	<0.001	44	50	
228041	204759 ✓	10	<0.001	35	37	
228042	204760 ✓	7	<0.001	31	21	
228043	204761 ✓	24	0.001	109	134	
228044	204762 ✓	191	0.006	313	364	
228045	204763 ✓	301	0.009	349	781	
228046	204764 ✓	108	0.003	210	444	
228047	204765 ✓	158	0.005	253	491	
228047	204765 X	172	0.005	295	500	Check



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

36940 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900732
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium
Accurassay	Customer	ppb	Oz/T	ppb	ppb
228048	204766 ✓	111	0.003	232	382
228049	204767 ✓	15	<0.001	70	47
228049	204767 X	14	<0.001	75	47 Check





ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36938 Mr. Roger Stringer
374 Parchmont Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900735
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium	
Accurassay	Customer	ppb	Oz/T	ppb	ppb	
228085	204789 ✓	170	0.005	188	433	
228086	204790 ✓	247	0.007	344	871	
228087	204791 ✓	24	0.001	62	62	
228088	204792 ✓	47	0.001	96	163	
228089	204793 ✓	37	0.001	72	137	
228090	204794 ✓	37	0.001	79	108	
228091	204795 ✓	24	0.001	54	72	
228092	204796 ✓	43	0.001	84	129	
228093	204797 ✓	41	0.001	82	144	
228094	204798 ✓	13	0.001	45	43	
228094	204798 ✗	23	0.001	49	39	Check
228095	204799 ✓	1144	0.033	48	55	
228096	204800 ✓	22	0.001	40	15	
228096	204800 ✗	20	0.001	32	15	Check



Per: G Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36840 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0


Date: October 22 19 90

Work Order # : 900731A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
227990	11701 ✓	92	120
227991	11702 ✓	77	150
227992	11703 ✓	<1	4
227993	11704 ✓	960	180
227994	11705 ✓	2000	880
227995	11706 ✓	5100	150
227996	11707 ✓	1700	570
227997	11708 ✓	2800	870
227998	11709 ✓	6400	1800
227999	11710 ✓	5800	1700
228000	11711 ✓	7100	2400
228001	11712 ✓	7500	2200
228002	11713 ✓	2300	780
228003	11714 ✓	4500	1200
228004	11715 ✓	1500	640
228005	11716 ✓	2600	770
228006	11717 ✓	1400	94
228007	11718 ✓	1400	640
228008	11719 ✓	480	260
228009	11720 ✓	1600	830
228010	11721 ✓	2600	110
228011	11722 ✓	7300	1800
228012	11723 ✓	3100	200
228013	11724 ✓	200	150
228014	11725 ✓	340	270
228015	11726 ✓	5100	1100
228016	11727 ✓	2400	1300
228017	11728 ✓	1100	530
228018	11729 ✓	970	640
228019	11730 ✓	1100	120



Per: G Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 428
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36850 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POF 1C0

Date: October 23 19 90

Work Order # : 900732A
Project :

SAMPLE NUMBERS		Copper	Nickel
Accurassay	Customer	ppm	ppm
228020	11731 ✓	490	180
228021	11732 ✓	560	270
228022	11733 ✓	1900	1100
228023	11734 ✓	260	120
228024	11735 ✓	830	270
228025	11736 ✓	1800	750
228026	11737 ✓	790	290
228027	11738 ✓	1600	920
228028	11739 ✓	140	79
228029	11740 ✓	120	73
228030	11744 ✓	900	350
228031	11745 ✓	2700	1600
228032	11746 ✓	93	65
228033	204701 ✓	12	63
228034	204702 ✓	6	49
228035	204703 ✓	10	58
228036	204704 ✓	130	93
228037	204705 ✓	310	110
228038	204706 ✓	150	120
228039	204757 ✓	130	66
228040	204758 ✓	120	80
228041	204759 ✓	170	100
228042	204760 ✓	100	140
228043	204761 ✓	120	250
228044	204762 ✓	980	440
228045	204763 ✓	1600	720
228046	204764 ✓	1000	560
228047	204765 ✓	710	680
228048	204766 ✓	800	560
228049	204767 ✓	150	81



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36852 Mr. Roger Stringer
374 Parchmont Street
Española, Ontario
POB 100

Date: October 23 19 90

Work Order # : 900735A
Project :

SAMPLE NUMBERS		Copper	Nickel
Accurassay	Customer	ppm	ppm
228085	204789 ✓	2000	840
228086	204790 ✓	2900	1300
228087	204791 ✓	230	230
228088	204792 ✓	700	330
228089	204793 ✓	490	320
228090	204794 ✓	640	360
228091	204795 ✓	250	200
228092	204796 ✓	530	270
228093	204797 ✓	440	350
228094	204798 ✓	230	150
228095	204799 ✓	300	180
228096	204800 ✓	680	130



Per: G Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

Mr. Roger Stringer
36957 374 Parchmount Street
Espanola, Ontario
POF 1C0

Date: October 22 19 90

Work Order # : 900733B
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb		
	228050	204768	18	0.001	119	130	
	228051	204769	74	0.002	157	339	
	228052	204770	11	<0.001	71	39	
	228053	204771	21	0.001	84	208	
	228054	204772	21	0.001	80	148	
	228055	204773	67	0.002	169	358	
	228056	204774	170	0.005	165	282	
	228057	204775	43	0.001	79	113	
	228058	204776	7	<0.001	56	50	
	228059	204777	21	0.001	68	160	
	228059	204777	19	0.001	92	152	Check
	228060	204778	220	0.006	150	224	
	228061	204779	978	0.028	3400	4507	
	228062	204780	17	<0.001	43	55	
	228063	204781	11	<0.001	41	49	
	228064	204782	60	0.002	118	283	
	228065	204783	13	<0.001	53	64	
	228066	204785	27	0.001	111	219	
	228067	204786	57	0.002	156	216	
	228068	204787	122	0.004	101	227	
	228068	204787	62	0.002	113	241	Check
	228069	204788	29	0.001	37	18	
	228070	204891	66	0.002	36	35	
	228071	204892	15	<0.001	37	28	
	228072	204893	63	0.002	99	196	
	228073	204894	22	0.001	35	56	
	228074	204895	14	<0.001	26	20	
	228075	204896	31	0.001	72	118	
	228076	204897	29	0.001	58	86	
	228077	204898	31	0.001	44	54	
	228077	204898	29	0.001	50	62	Check



Per: _____

G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

36958 Mr. Roger Stringer
374 Parchmont Street
Espanola, Ontario
POP 1C0

Date: October 22 19 90

Work Order # : 900733B
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
228078	204899 //	64	0.002	67	95	
228079	204900 //	144	0.004	165	272	
228079	204900 X	176	0.005	175	286	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

36851 Mr. Roger Stringer
374 Parchmount Street
Esplanada, Ontario
POP 1C0

Date: October 23 19 90

Work Order # : 900733A
Project :

Accurassay	SAMPLE NUMBERS Customer	Copper ppm	Nickel ppm
228050	204768 ✓	180	160
228051	204769 ✓	570	400
228052	204770 ✓	110	160
228053	204771 ✓	200	140
228054	204772 ✓	170	130
228055	204773 ✓	380	290
228056	204774 ✓	460	280
228057	204775 ✓	230	120
228058	204776 ✓	120	110
228059	204777 ✓	160	270
228060	204778 ✓	3400	2300
228061	204779 ✓	3000	1200
228062	204780 ✓	170	99
228063	204781 ✓	130	130
228064	204782 ✓	280	150
228065	204783 ✓	170	93
228066	204785 ✓	150	82
228067	204786 ✓	230	120
228068	204787 ✓	90	180
228069	204788 ✓	21	160
228070	204891 ✓	180	140
228071	204892 ✓	150	120
228072	204893 ✓	580	410
228073	204894 ✓	280	170
228074	204895 ✓	300	110
228075	204896 ✓	310	150
228076	204897 ✓	430	180
228077	204898 ✓	350	180
228078	204899 ✓	1100	310
228079	204900 ✓	1600	640



Per: G. Duncan

ORIGINAL

R. STRINGER

NAME P. O. Box 2063
ADDRESS ESPANOLA, Ont. P0P 1G0
CI / POSTAL CODE

AS

010

OCT. 29 1990

Pay to the Order of ACCURASSAY LABORATORIES LTD. \$ 3185.00

Sum of *three thousand one hundred & eighty five* ^{1/100} Dollars

THE TORONTO-DOMINION BANK
115 MEAD BLVD. & CENTRE AVE.
ESPANOLA, ONTARIO
POP 1G0

INV. # 900789
INV. # 900799

Roger Stringer

FLORAL SERIES

⑈010⑈ ⑆24062⑈004⑆ 0363⑈3108493⑈ ⑆0000318500⑆

CN86592 M 138 TDC TR27442-004 10/31/98

DT '90' 31
TORONTO DOMINION BANK
TORONTO DATA CENTRE
TORONTO, ONTARIO

34152578

TORONTO DOMINION
BANK
TORONTO, ONTARIO
0267-1330

B-1275

FOR DEPOSIT ONLY

ACCURASSAY LABORATORIES LTD.
 CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS
 Box 426, 3 Industrial Dr., Kirkland Lake
 Ontario, Canada P2N 3J1

900799

TO TEL.: (705) 567-3361 - FAX: (705) 567-8368

DATE	October 12, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	Various
DATE SUBMITTED	

Mr. Roger Stringer
 374 Parchmount Street,
 Espanola, Ontario
 POP 1C0

TERMS net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
30	Gold, Platinum, Palladium Assays W.O.900709B	14.25	427 50
30	Sample Prep. cert.# (35945-46) ✓	3.25	97 50
30	Gold, Platinum, Palladium Assays W.O.900712	14.25	427 50
30	Sample Prep. cert.# (35947-48) ✓	3.25	97 50
30	Gold, Platinum, Palladium Assays W.O.900713B	14.25	427 50
30	Sample Prep. cert.# (35949-50) ✓	3.25	97 50
Amount due before November 11, 1990.....			1575 00
Please note: Accounts more than 45 days past due will lose any price discounts			

LF-1297

Thank You!

ACCURASSAY LABORATORIES LTD.

✓ **RESEARCH CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS**
 Box 426, 3 Industrial Dr., Kirkland Lake
 Ontario, Canada P2N 3J1

900789

TO . TEL.: (705) 567-3361 - FAX: (705) 567-8368


DATE	October 11, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	Various
DATE SUBMITTED	

Mr. Roger Stringer
 374 Parchmount Street,
 Espanola, Ontario
 POP 1C0

TERMS net 30 days, 2.0% per month on overdue accounts.

QUANTITY	DESCRIPTION	PRICE	AMOUNT
42	Gold, Platinum, Palladium Assays	14.25	598 50
42	Sample Prep. cert.# 35904-05 ✓	3.25	136 50
30	Gold, Platinum, Palladium Assays	14.25	427 50
30	Sample Prep. cert.# 35906-07 ✓	3.25	97 50
20	Gold, Platinum, Palladium Assays	14.25	285 00
20	Sample Prep. cert.# 35908 ✓	3.25	65 00
	Amount due before November 10, 1990.....		1610 00
	Please note: Accounts more than 45 days past due will lose any price discounts		

Thank You!



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis

Page: 1

35945 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 12 19 90

Work Order # : 900709B
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
227484	204707 ✓	6	<0.001	25	20	
227485	204708 ✓	6	<0.001	25	20	
227486	204709 ✓	9	<0.001	32	33	
227487	204710 ✓	<5	<0.001	27	25	
227488	204711 ✓	7	<0.001	34	22	
227489	204712 ✓	6	<0.001	33	47	
227490	204713 ✓	6	<0.001	33	38	
227491	204714 ✓	7	<0.001	52	76	
227492	204715 ✓	11	<0.001	63	183	
227493	204716 ✓	12	<0.001	61	128	
227493	204716 X	15	<0.001	63	149	Check
227494	204717 ✓	9	<0.001	64	77	
227495	204718 ✓	15	<0.001	73	119	
227496	204719 ✓	15	<0.001	69	148	
227497	204720 ✓	7	<0.001	36	16	
227498	204721 ✓	7	<0.001	27	16	
227499	204722 ✓	15	<0.001	28	11	
227500	204723 ✓	<5	<0.001	26	11	
227501	204724 ✓	<5	<0.001	21	12	
227502	204725 ✓	<5	<0.001	17	<10	
227502	204725 X	<5	<0.001	<15	<10	Check
227503	204726 ✓	173	0.005	67	32	
227504	204727 ✓	34	0.001	42	47	
227505	204728 ✓	19	0.001	44	111	
227506	204729 ✓	10	<0.001	42	67	
227507	204730 ✓	123	0.004	33	42	
227508	204731 ✓	86	0.002	47	42	
227509	204732 ✓	176	0.005	34	42	
227510	204733 ✓	137	0.004	45	25	
227511	204734 ✓	22	0.001	25	13	
227511	204734 X	11	<0.001	24	11	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 428
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

35946 Mr. Roger Stringer
374 Parchmount Street
Esplanada, Ontario
POP 1C0

Date: October 12 19 90

Work Order # : 900709B
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium	
Accurassay	Customer	ppb	Oz/T	ppb	ppb	
227512	204735	40	0.001	29	27	
227513	204736	51	0.001	41	50	
227513	204736	21	0.001	55	58	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

35947 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 12 19 90


Work Order # : 900712
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb		
	227564	204801	821	0.024	250	520	
	227565	204802	316	0.009	1032	1540	
	227566	204803	246	0.007	359	1000	
	227567	204804	268	0.008	340	953	
	227568	204805	290	0.008	449	1201	
	227569	204806	687	0.020	1338	1876	
	227570	204807	347	0.010	478	1371	
	227571	204808	295	0.009	453	1239	
	227572	204809	383	0.011	1085	1545	
	227573	204810	411	0.012	500	1624	
	227573	204810	455	0.013	505	1445	Check
	227574	204811	466	0.014	1017	1614	
	227575	204812	308	0.009	412	1284	
	227576	204813	224	0.007	302	955	
	227577	204814	187	0.005	211	471	
	227578	204815	160	0.005	218	504	
	227579	204816	225	0.007	295	896	
	227580	204817	265	0.008	321	1032	
	227581	204818	370	0.011	460	1418	
	227582	204819	231	0.007	260	774	
	227582	204819	234	0.007	265	786	Check
	227583	204820	59	0.002	171	228	
	227584	204821	54	0.002	102	177	
	227585	204822	159	0.005	282	940	
	227586	204823	79	0.002	130	282	
	227587	204824	251	0.007	404	1027	
	227588	204825	239	0.007	337	836	
	227589	204826	64	0.002	74	203	
	227590	204827	171	0.005	190	423	
	227591	204828	697	0.020	534	1711	
	227591	204828	672	0.020	950	1716	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 587-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

35948 Mr. Roger Stringer
374 Parchmount Street
Espnola, Ontario
POP 1C0

Date: October 12 19 90

Work Order # : 900712
Project :


SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium	
Accurassay	Customer	ppb	Oz/T	ppb	ppb	
227592	204829 //	289	0.008	306	983	
227593	204830 //	766	0.022	1197	2154	
227593	204830 ✓	764	0.022	1114	2271	Check



Per: _____

G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

35949 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0


Date: October 12 19 90

Work Order # : 900713B
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
227594	204831/	1764	0.051	466	1575	
227595	204832/	162	0.005	257	714	
227596	204833/	786	0.023	532	2602	
227597	204834/	345	0.010	318	918	
227598	204835/	527	0.015	464	1458	
227599	204836/	375	0.011	365	1172	
227600	204837/	697	0.020	995	1657	
227601	204838/	399	0.012	418	1261	
227602	204839/	87	0.003	119	235	
227603	204840/	78	0.002	62	98	
227603	204840/	156	0.005	64	110	Check
227604	204841/	144	0.004	210	674	
227605	204842/	153	0.004	167	525	
227606	204843/	85	0.002	128	273	
227607	204844/	227	0.007	344	784	
227608	204845/	291	0.008	326	848	
227609	204846/	138	0.004	261	719	
227610	204847/	265	0.008	272	652	
227611	204848/	119	0.003	128	261	
227612	204849/	67	0.002	117	279	
227612	204849/	149	0.004	120	261	Check
227613	204850/	276	0.008	220	512	
227614	204851/	352	0.010	229	523	
227615	204852/	145	0.004	222	510	
227616	204853/	237	0.007	365	893	
227617	204854/	142	0.004	160	353	
227618	204855/	183	0.005	102	222	
227619	204856/	70	0.002	126	251	
227620	204857/	105	0.003	124	252	
227621	204858/	68	0.002	114	228	
227621	204858 X	66	0.002	100	211	Check



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

35950 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 12 19 90

Work Order # : 900713B
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium	
Accurassay	Customer	ppb	Oz/T	ppb	ppb	
227622	204859 //	192	0.006	285	838	
227623	204860 //	86	0.002	142	356	
227623	204860 X	81	0.002	149	360	Check



Per: _____

G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis

Page: 1

35904 Mr. Roger Stringer
874 Parchmont Street
Española, Ontario
POP 1C0

Date: October 10 19 90


Work Order # : 900702
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb		
227352	10918/	38	0.001	77	134		
227353	10919/	116	0.003	153	427		
227354	10920/	27	0.001	55	83		
227355	10921/	66	0.002	86	217		
227356	10922/	443	0.013	488	2216		
227357	10923/	206	0.006	194	791		
227358	10924/	377	0.011	376	1682		
227359	10925/	187	0.005	196	913		
227360	10926/	Sample Missing					
227361	10927/	41	0.001	84	185		
227361	10927X	44	0.001	80	168	Check	
227362	10928/	358	0.010	343	1271		
227363	10929/	297	0.009	283	1244		
227364	10930/	9	<0.001	23	20		
227365	10931/	18	0.001	33	46		
227366	10932/	9	<0.001	<15	<10		
227367	10933/	8	<0.001	35	12		
227368	10934/	5	<0.001	21	<10		
227369	10935/	6	<0.001	27	15		
227370	10936/	9	<0.001	63	111		
227370	10936X	9	<0.001	64	114	Check	
227371	10937/	17	<0.001	36	44		
227372	10938/	89	0.003	113	301		
227373	10939/	679	0.020	502	1771		
227374	10940/	118	0.003	177	327		
227375	10941/	234	0.007	83	465		
227376	10942/	207	0.006	163	529		
227377	10943/	333	0.010	210	915		
227378	10944/	227	0.007	351	1266		
227379	10945/	318	0.009	166	534		
227379	10945X	112	0.003	178	509	Check	



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

35905 Mr. Roger Stringer
874 Parchmount Street
Esplanada, Ontario
POP 1C0

Date: October 10 19 90

Work Order # : 900702
Project :

SAMPLE NUMBERS Accurassay	Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
227380	10946/	67	0.002	91	212	
227381	10947/	126	0.004	153	430	
227382	10948/	142	0.004	183	532	
227383	10949/	30	0.001	39	65	
227384	10950/	31	0.001	23	23	
227385	10951/	148	0.004	247	995	
227386	10952/	381	0.011	460	2087	
227387	10953/	128	0.004	132	515	
227388	10954/	209	0.006	200	1085	
227388	10954X	262	0.008	209	960	Check
227389	10955/	46	0.001	86	127	
227390	10956/	41	0.001	47	143	
227391	10957/	48	0.001	20	<10	
227392	10958/	7	<0.001	23	<10	
227393	10959/	7	<0.001	24	<10	
227394	10960/	22	0.001	31	15	
227394	10960X	18	0.001	18	11	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

35906 Mr. Roger Stringer
374 Parchmont Street
Española, Ontario
POP 1CO

Date: October 10 19 90


Work Order # : 900710
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb		
	227514	204737	122	0.004	131	400	
	227515	204738	81	0.002	91	173	
	227516	204739	36	0.001	91	158	
	227517	204740	60	0.002	124	260	
	227518	204741	43	0.001	190	423	
	227519	204742	31	0.001	98	293	
	227520	204743	50	0.001	121	268	
	227521	204744	160	0.005	42	33	
	227522	204745	22	0.001	56	61	
	227523	204746	22	0.001	76	167	
	227523	204746	28	0.001	78	173	Check
	227524	204747	8	<0.001	25	31	
	227525	204748	18	0.001	55	158	
	227526	204749	14	<0.001	35	39	
	227527	204750	11	<0.001	32	31	
	227528	204751	13	<0.001	26	29	
	227529	204752	10	<0.001	25	27	
	227530	204753	10	<0.001	34	24	
	227531	204754	8	<0.001	49	32	
	227532	204755	6	<0.001	37	30	
	227532	204755	6	<0.001	37	33	Check
	227533	204756	7	<0.001	35	35	
	227534	204861	32	0.001	49	63	
	227535	204862	138	0.004	189	455	
	227536	204863	180	0.005	278	799	
	227537	204864	348	0.010	400	1065	
	227538	204865	450	0.013	404	1102	
	227539	204866	99	0.003	146	300	
	227540	204867	35	0.001	64	122	
	227541	204868	18	0.001	36	51	
	227541	204868	18	0.001	40	50	Check



Per: G. Duncan

ORIGINAL



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 2

35907 Mr. Roger Stringer
374 Parchmount Street
Española, Ontario
POP 1C0


Date: October 10 19 90

Work Order # : 900710
Project :

SAMPLE NUMBERS		Gold	Gold	Platinum	Palladium	
Accurassay	Customer	ppb	Oz/T	ppb	ppb	
227542	204869 //	122	0.004	161	373	
227543	204870 //	91	0.003	137	345	
227543	204870 X	90	0.003	119	334	Check



Per: G. Duncan



ACCURASSAY LABORATORIES LTD.

P.O. BOX 428
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis


Page: 1

35908 Mr. Roger Stringer
374 Parchmount Street
Espanola, Ontario
POP 1C0

Date: October 10 19 90

Work Order # : 900711
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
227544	204871/	19	0.001	44	61	
227545	204872/	37	0.001	57	95	
227546	204873/	98	0.003	73	136	
227547	204874/	9	<0.001	40	28	
227548	204875/	235	0.007	291	756	
227549	204876/	6	<0.001	21	22	
227550	204877/	38	0.001	66	118	
227551	204878/	31	0.001	55	90	
227552	204879/	78	0.002	73	114	
227553	204880/	41	0.001	69	103	
227553	204880X	45	0.001	71	106	Check
227554	204881/	7	<0.001	21	<10	
227555	204882/	8	<0.001	20	<10	
227556	204883/	67	0.002	36	26	
227557	204884/	248	0.007	325	886	
227558	204885/	172	0.005	266	537	
227559	204886/	95	0.003	138	267	
227560	204887/	143	0.004	189	365	
227561	204888/	158	0.005	199	373	
227562	204889/	157	0.005	197	391	
227562	204889X	127	0.004	192	365	Check
227563	204890/	144	0.004	295	813	
227563	204890X	282	0.008	294	769	Check



Per: G. Duncan

ORIGINAL

R. STRINGER

008

NAME

P. O. Box 2063

ADDRESS

ESPANOLA, Ont. POP 1C0

CITY, PROV., POSTAL CODE

OCT 15 1990

PAY TO THE ORDER OF

ACCURASSAY LABORATORIES LTD \$ 332.50

three hundred thirty two and 50/100 DOLLARS

SECURITONE SERIES

THE TORONTO-DOMINION BANK
115 MEAD BLVD. & CENTRE AVE.
ESPANOLA, ONTARIO
POP 1C0

Roger Stringer

INV. # 900763

⑈008⑈ ⑆24062⑈004⑆ 0363⑈3108493⑈ ⑆0000033250⑆

OT '90 19
TORONTO DOMINION BANK
TORONTO DATA CENTRE
TORONTO, ONTARIO

8 341430 18

1275
302566

FOR DEPOSIT ONLY

ACCURASSAY LABORATORIES LTD.

CHARTERED CHEMISTS, ASSAYERS, ANALYTICAL CONSULTANTS

Box 26, 3 Industrial Dr., Kirkland Lake
Ontario, Canada P2N 3J1

INVOICE

900763

TO TEL.: (705) 567-3361 - FAX: (705) 567-8368

DATE	October 4, 1990
CUSTOMER ORDER N°	
WORK ORDER N°	900691
DATE SUBMITTED	

Mr. Roger Stringer
374 Parchmont Street,
Espanola, Ontario
P0P 1C0

TERMS net 30 days, 2.0% per month on overdue accounts.

19	Gold, Platinum, Palladium Assays	14.25	270	75
19	Sample Prep. cert. # 35796 W.O. #900691	3.25	61	75
	Amount due before November 3, 1990.....		332	50

Please note: Accounts more than 45 days past due will lose any price discounts

Paid out 15/90

\$ 332.50

RECEIVED

APR 03 1991

MINING LANDS SECTION

Thank You!



ACCURASSAY LABORATORIES LTD.

P.O. BOX 426
KIRKLAND LAKE, ONTARIO, CANADA P2N 3J1
TEL.: (705) 567-3361

President: Dr. GEORGE DUNCAN, M.Sc., Ph. D., C. Chem (Ont.), C. Chem (U.K.), M.C.I.C., M.R.S.C., A.R.C.S.T.

Certificate of Analysis

Page: 1


35796

Mr. Roger Stringer
374 Parchmount Street
Española, Ontario
POP 1C0

Date: October 1 19 90

Work Order # : 900691
Project :

Accurassay	SAMPLE NUMBERS Customer	Gold ppb	Gold Oz/T	Platinum ppb	Palladium ppb	
226959	10901	175	0.005	172	263	
226960	10902	16	<0.001	43	35	
226961	10903	361	0.011	44	61	
226962	10904	235	0.007	48	120	
226963	10905	657	0.019	50	82	
226964	10906	190	0.006	95	653	
226965	10907	108	0.003	130	377	
226966	10908	1187	0.035	445	2400	
226967	10909	207	0.006	300	607	
226968	10910	781	0.023	534	2226	
226968	10910X	781	0.023	543	2167	Check
226969	10911	39	0.001	49	153	
226970	10912	22	0.001	42	20	
226971	10913	226	0.007	39	35	
226972	10914	30	0.001	60	112	
226973	10915	5	<0.001	22	<10	
226974	10916	6	<0.001	28	<10	
226975	10917	212	0.006	520	1109	
226976	FOL-101	647	0.019	392	726	
226977	FOL-102	26	0.001	31	15	
226977	FOL-102X	18	0.001	17	<10	Check



Per: _____

G. Duncan

ORIGINAL



41104NE0070 2.14030 CURTIN

900

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Geoscience Approvals Section
159 Cedar Street, 4th Floor
Sudbury, Ontario
P3E 6A5

Toll Free: 1-800-465-3880
Telephone: (705) 670-7264
Fax: (705) 670-7262

October 4, 1991

Your File: W. 9170.00054
Our File: 2.14030

Mining Recorder
Ministry of Northern Development
and Mines
159 Cedar Street, 4th Street
Sudbury, Ontario
P3E 6A5

Dear Sir/Madam:

Re: Notice of Intent dated September 4, 1991 for Expenditures
on mining claims S. 984683 et al. in the Township of Curtin.

The assessment work credits, as listed with the above-mentioned
Notice of Intent have been approved as of the above date.

Please inform the recorded holder of these mining claims and so
indicate on your records.

Yours sincerely,

Ron C. Gashinski
Senior Manager, Mining Lands Branch
Mines and Minerals Division

CDS
CDS/jl

cc: Mr. Dan Brunne
Whitefish, Ontario

Resident Geologist
Sudbury, Ontario

Roger Stringer
Whitefish, Ontario

✓ Assessment Files Office
Toronto, Ontario



Ministry of
Northern Development
and Mines

W. 9170. 00054

Instructions

- Please type or print.
- Refer to Subsection 77(19), the Mining Act for assessment work requirements and maximum credits allowed under this Subsection.
- Technical Reports, maps and proof of expenditures in duplicate should be submitted to Mining Lands Section, Mineral Development and Lands Branch.

M.L.

Report of Work
(Expenditures, Subsection 77(19))

Type of Work Performed ASSAY	Mining Division SUDBURY	Township or Area CURTIN TWP
Recorded Holder DAN BRUNNE & ROGER STRINGER.		Prospector's Licence No. C-33853
Address P.O. Box 35 WHITEFISH FALLS ONT P0P 2H0		Telephone No.
Work Performed By ACCURASSAY LABORATORIES LTD. KIRKLAND LAKE ONT P2N 3J1		
Name and Address of Author (of Submission) DAN BRUNNE		Date When Work was Performed From: 17 09 90 To: 10 10 90 Day Mo. Yr. Day Mo. Yr.

All the work was performed on Mining Claim(s): Indicate no. of days performed on each claim. * See Note No. 1 on reverse side		Mining Claim 984684	No. of Days 5	Mining Claim 984683	No. of Days 1	Mining Claim 994573	No. of Days 7	Mining Claim 984688	No. of Days 5
Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days
Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days	Mining Claim	No. of Days

Instructions Total days credits may be distributed at claim holder's choice. Enter number of days credits per claim in the expenditure days credit column (below).	Calculation of Expenditure Days Credits Total Expenditures \$ 6413.40	Total Days Credits 15	Total Number of Mining Claims Covered by this Report of Work 10
---	--	---------------------------------	---

Mining Claims (List in numerical sequence). If space is insufficient, attach schedules with required information

Prefix	Mining Claim Number	Expend. Days Cr.	Prefix	Mining Claim Number	Expend. Days Cr.	Prefix	Mining Claim Number	Expend. Days Cr.	Prefix	Mining Claim Number	Expend. Days Cr.
S	994573	50	S	1136064	19.8						
	895241	50		984689	18.3						
	895242	50									
	895243	50									
	984683	50									
	984684	34.7									
	984685	44.7									
	993985	60									
2. 14030.											

Total Number of Days Performed 427.5	Total Number of Days Claimed 427.5	Total Number of Days to be Claimed at a Future Date
--	--	---

Certification of Beneficial Interest *See Note No. 2 on reverse side

I hereby certify that, at the time the work was performed, the claims covered in this report of work were recorded in the current recorded holder's name or held under a beneficial interest by the current recorded holder.

Date: **MAR 25/90** Recorded Holder or Agent (Signature): *Dan Brunne*

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Address of Person Certifying
DAN R BRUNNE

Telephone No. **705-94422** Date **APRIL 3/91** Certified By (Signature) *Dan Brunne*

For Office Use Only

Total Days Cr. Recorded 427.5	Date Recorded APRIL 3/91	Mining Recorder V.C. Miller
	Date Approved as Recorded "SEE REVISED WORK STATEMENT"	Provincial Manager, Mining Lands

Received Stamp

RECEIVED

APR 5 - 1991

A.M. 7 18 19 | 10 | 11 | 12 | 1 | 2 | 3 | 4 | 5 | 6 P.M.

11:35 a/s



Resource Holder
Dan Brunne and Roger Stringer

Township or Area
Curtin Township

Type of survey and number of Assessment days credit per claim	Mining Claims Assessed
Geophysical Electromagnetic _____ days Magnetometer _____ days Radiometric _____ days Induced polarization _____ days Other _____ days	\$5935.60 spent on assaying samples taken from Mining Claims: S.984684 984683 994573 984688
Section 77 (19) See "Mining Claims Assessed" column	
Geological _____ days	395.7 days credit allowed which may be
Geochemical _____ days	grouped in accordance with Section
Man days <input type="checkbox"/> Airborne <input type="checkbox"/>	76(6) of the Mining Act R.S.O. 1980
Special provision <input type="checkbox"/> Ground <input type="checkbox"/>	
<input type="checkbox"/> Credits have been reduced because of partial coverage of claims.	
<input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.	

Special credits under section 77 (16) for the following mining claims

No credits have been allowed for the following mining claims

not sufficiently covered by the survey insufficient technical data filed

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.

MAP SYMBOLS

	Aerial Cables
	Boundary
	Highway and Route No.
	Other Roads
	Surveyed Lines
	Townships, Base Lines, Etc.
	Lots, Mining Claims, Parcels, Etc.
	Unsurveyed Lines
	Lot Lines
	Area Boundary
	Marsh, Etc.
	Railway and Right of Way
	Utility Lines
	Non-Perennial Stream
	Flooding or Flooding Rights
	Subdivision or Composite Plan
	Reservations
	Original Shoreline
	Marsh or Muskeg
	Mines
	Traverse Monument

AREAS WITHDRAWN FROM DISPOSITION

	M.R.O. - MINING RIGHTS ONLY
	M.S. - SURFACE RIGHTS ONLY
	M.S. - MINING AND SURFACE RIGHTS

REVISIONS TO THIS MAP:
 - REVISION 1 DATED JANUARY 1987 AND FILE
 - REVISION 2 DATED JANUARY 1987 AND FILE
 SEE LETTER DATED JANUARY 1987 AND FILE
 R3 M45 W-77/87 1987 08 21
 R4 M45 W-78/87 1987 08 24

LEGEND

DISPOSITION OF CROWN LANDS

TYPE OF DOCUMENT

SYMBOL

PATENT SURFACE & MINING RIGHTS
 SURFACE RIGHTS ONLY
 MINING RIGHTS ONLY
 LEASE SURFACE & MINING RIGHTS
 SURFACE RIGHTS ONLY
 MINING RIGHTS ONLY
 LICENCE OF OCCUPATION
 ORDER-IN-COUNCIL
 RESERVATION
 CANCELLED
 SAND & GRAVEL

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 1, 1973, VESTED IN THE CROWN BY THE MINING ACT, 1973. MINING RIGHTS IN PARCELS PATENTED AFTER MAY 1, 1973, VESTED IN THE CROWN BY THE MINING ACT, 1973.

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File

AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 M.S. - SURFACE RIGHTS ONLY
 M.S. - MINING AND SURFACE RIGHTS

DESCRIPTION: Other No. Date Disposition File



LEGEND


HIGHWAY AND ROUTE No.
 OTHER ROADS
 TRAILS
 SURVEYED LINES
 TOWNSHIPS, BASE LINES, ETC.
 LOTS, MINING CLAIMS, PARCELS, ETC.
 UNSURVEYED LINES
 LOT LINES
 AREA BOUNDARY
 MARSH, ETC.
 RAILWAY AND RIGHT OF WAY
 UTILITY LINES
 NON-PERENNIAL STREAM
 FLOODING OR FLOODING RIGHTS
 SUBDIVISION OR COMPOSITE PLAN
 RESERVATIONS
 ORIGINAL SHORELINE
 MARSH OR MUSKEG
 MINES
 TRAVERSE MONUMENT

DISPOSITION OF CROWN LANDS

TYPE OF DOCUMENT

SYMBOL

PATENT SURFACE & MINING RIGHTS
 SURFACE RIGHTS ONLY
 MINING RIGHTS ONLY
 LEASE SURFACE & MINING RIGHTS
 SURFACE RIGHTS ONLY
 MINING RIGHTS ONLY
 LICENCE OF OCCUPATION
 ORDER-IN-COUNCIL
 RESERVATION
 CANCELLED
 SAND & GRAVEL



SCALE 1:20 000
 GRID ZONE 17
 Order No. W78/85 NR (See Plan R3 M45 Only)
 1985 12 12
 Order No. W-77/87 NR 1987 08 21

TOWNSHIP SUBJECT TO FORESTRY OPERATIONS

DATE OF ISSUE
 FEB 12 1987
 SUBURRY
 MINING RECORDERS OFFICE

THE INFORMATION THAT APPEARS ON THIS MAP AND ACCURACY IS NOT GUARANTEED BY THE MINISTRY OF NATURAL RESOURCES. CLAIMS SHOULD BE MADE TO THE MINISTRY OF NATURAL RESOURCES, 100 RUELLE DU PARC, OTTAWA, ONTARIO, CANADA K1P 6X6.

TOWNSHIP
CURTIN
 M.N.R. ADMINISTRATIVE DISTRICT
 ESPANOLA
 MINING DIVISION
 SUBURRY
 LAND TITLES / REGISTRY DIVISION
 SUBURRY
 Ministry of Natural Resources
 Land Management