

MAY 30 1977



41105NE0018 002201 DRURY

010

RECEIVED

OCT 27 1976

PROJECTS UNIT

KERR ADDISON MINES LIMITED

REPORT ON RADON GAS SURVEY

Claims S 291530
324578 - 324581
358413 - 358417
358471 - 358476
358588
358590 - 358592
359375
359378
359413 - 359414
359423 - 359425
424767 - 424768
438576 - 438578
438581 - 438582

NEWNORTH CLAIM GROUP

DRURY TOWNSHIP

D. M. Hendrick, P. Eng.,
Chief Geologist, Exploration.
October 12, 1976.

INTRODUCTION

Fifty-eight (58) claims are held under option from Ryanor Mining Company Limited and Newnorth Gold Mines Limited in Drury Township, Sudbury Mining Division.

The claims are staked on the following lots:

North half; Lot 8; Concession IV
South half; Lot 8; Concession V
Lot 9; Concession IV
South half; Lot 9; Concession V
Lot 10; Concession IV
South half; Lot 10; Concession V
Lot 11; Concession IV
South half; Lot 11; Concession V
Lot 12; Concession IV
South half; Lot 12; Concession V
South-east quarter; North half; Lot 12; Concession V
South-west quarter; North half; Lot 12; Concession V

This property is located some three miles to the east of Agnew Lake Mines. The significant claims were surveyed by Radon Gas Method to outline any favourable uraniferous sedimentary (arkose-conglomerate) beds.

LOCATION AND ACCESS

The Agnew Lake Mines road runs near the south boundary of the property and two gravel pit access roads lead onto the south and central areas of the claims.

The topography is rolling with some sharp hills to the north; relief is about 150 feet.

GEOLOGY AND MINERALIZATION

Radioactive quartz pebble conglomerate and arkose beds occur within argillite sediments south of a granite basement contact. The strike of the beds is approximately east-west. There are some volcanics underlying the sediments and also a later gabbro intrusive. There is also evidence of folding and cross faulting.

PROPOSED PROGRAMME

The grid results and experience at Agnew Lake suggest the drilling of six holes as located on attached plans D-3329 and D-3321.

In order to test the arkose horizon at a minimum depth of 700 feet, the drill hole must be kept on control to a depth of 500 feet from a collar dip of 80°, after 500 feet, the hole should bend or flatten across the target area to an ultimate depth of 1,000 feet. Recommended foresight bearing for all holes is grid north or N-20°-E.

Proposed locations are as follows:

HOLE #	NORTHERN	EASTERN
KR-76-1	9 + 00 S	45 + 75 E
KR-76-2	6 + 50 S	36 + 00 E
KR-76-3	3 + 50 S	26 + 00 E
KR-76-4	1 + 50 S	16 + 00 E
KR-76-5	1 + 00 S	4 + 00 E
KR-76-6	10 + 00 N	16 + 00 E

Estimated cost @ \$15./ft. plus \$10,000 contingency is approximately \$100,000.

Programme

Survey lines were cut, chained, and flagged in a north - south direction on 400 foot centres. Soil gas measurements were taken at 100 foot intervals, with anomalous zones reduced to 50 foot intervals over the width of the zone. Areas of outcrop, marsh-swamp, and lakes could not be surveyed.

Background counts both in soil and air averaged between 10 and 20 counts per minute. Readings are plotted as net counts per minute (i.e. first minute reading minus atmospheric background). Net counts greater than 50 are considered anomalous.

Survey Technique

The technique detects and measures alpha radiation associated with Radon in soil gas utilizing a Portable Radon Detector, model RD200, manufactured by EDA Electronics Ltd. of Ottawa, Ontario. Long known and used in Europe, the technique was introduced into Canada by the Geological Survey of Canada in 1968. The present system (EDA-RD-200) was based on an original design carried out by Atomic Energy of Canada Ltd. in co-operation with the Geological Survey of Canada.

Radon gas consists mainly of two isotopes: Radon 222 and Thoron 220. Radon 222 is the sixth member of the disintegration series of Uranium 238 (see attached sheet A). With a half life of 3.82 days, it decays by alpha emission to Polonium 218. Radon 220 is the fifth member of the disintegration series of Thorium 232, which decays with a half life of 54.5 seconds by alpha omission to Polonium 216 (see attached sheet B).

The RD-200 is a scintillometer that detects and counts alpha-particles over a pre-set period (usually three minutes), so that it is possible to detect radiation sources obscured by overburden, as well as differentiating a Uranium source from Thorium on the basis of respective longer and shorter half-lives.

The soil gas method is rapid and easy and requires that overburden be present to trap soil gas below or at the humus cover. The operation involves augering a hole in the ground and using a tube and bulb pump; the soil gas is circulated back into an alpha-sensitive zinc sulphide cell. This cell is coupled with the scintillometer that counts the alpha particles on a pre-set one minute sequence for a three minute period.

The advantage of this technique over previously and better known gamma-ray geiger and scintillometer surveys is that gamma-rays associated with the decay of Uranium, Thorium, and Potassium isotopes are easily masked by overburden and therefore only effective to bedrock exposures.

SHEET A

Table 1

Disintegration Series of Uranium 238

(Principal members only; isotopes constituting less than 0.2 per cent of the decay products are omitted)

Uranium 238 [4.51×10^9 y]

↓
 α

Thorium 234 [24.10d]

↓
 β

Protactinium 234 [1.14m]

↓
 β

Uranium 234 [2.48×10^5 y]

↓
 α

Thorium 230 [8.0×10^4 y]

↓
 α

Radium 226 [1,622y]

↓
 α

Radon 222 [3.825d]


↓
 α

Polonium 218 [3.05m]

SHEET B

Table 111

Disintegration Series of Thorium




RESULTS

Geological mapping of the Ryanor-Newnorth property confirms geology, structures, and presence of weakly radioactive arkose beds similar to favourable beds at Agnew Lake Mine that warrant drill testing.

The radon gas survey correlates well with radioactive horizons under shallow overburden.

However, strength of anomaly does not indicate an empirical relationship to quantity or quality of uranium and/or thorium mineralization.

A handwritten signature in black ink, appearing to read 'D. M. Hendrick', written in a cursive style.

D. M. Hendrick, P. Eng.,
Chief Geologist, Exploration.



41105NE0018 0022B1 DRURY

020

KEKR ADDISON MINES LIMITED

GEOLOGICAL REPORT

Claims S 291530
 324578 - 324581
 358413 - 358417
 358471 - 358476
 358588
 358590 - 358592
 359375
 359378
 359413 - 359414
 359423 - 359425
 424767 - 424768
 438576 - 438578
 438581 - 438582

NEWNORTH CLAIM GROUP

DRURY TOWNSHIP, ONTARIO

D. M. Hendrick, P. Eng.,
 Chief Geologist, Exploration.
 October 13, 1976

INTRODUCTION

Fifty-eight (58) claims are held under option from Ryanor Mining Company Limited and Newnorth Gold Mines Limited in Drury Township, Sudbury Mining Division.

The claims are staked on the following lots:

North half; Lot 8; Concession IV
South half; Lot 8; Concession V
Lot 9; Concession IV
South half; Lot 9; Concession V
Lot 10; Concession IV
South half; Lot 10; Concession V
Lot 11; Concession IV
South half; Lot 11; Concession V
Lot 12; Concession IV
South half; Lot 12; Concession V
South-east quarter; North half; Lot 12; Concession V
South-west quarter; North half; Lot 12; Concession V

This property is located some three miles to the east of Agnew Lake Mines. The significant claims were surveyed by Radon Gas Method to outline any favourable uraniferous sedimentary (arkose-conglomerate) beds.

LOCATION AND ACCESS

The Agnew Lake Mines road runs near the south boundary of the property and two gravel pit access roads lead onto the south and central areas of the claims.

The topography is rolling with some sharp hills to the north; relief is about 150 feet.

GEOLOGY

The claims are underlain mainly by steeply dipping, easterly striking, Huronian sediments consisting of arkose, argillite, greywacke, quartzite, polymictic conglomerate and, in places, oligomictic conglomerate interbedded with arkose. Intruded into the sediments are some gabbro sills. To the north of the sediments is basement granite and volcanics also intruded by gabbro dykes.

STRUCTURE

The sediments appear to have been folded into a syncline which has 3 separate horizons of arkose on the north limb and two on the south limb of the syncline. The syncline is probably cut by a few NNE striking faults and by an easterly striking north dipping thrust fault as indicated on the accompanying map. The mapping was done by J. Foster, B. Sc. under the supervision and advise of D.M. Hendrick and C.K. Wilton.

MINERALIZATION

The narrow beds of pyritic oligomictic conglomerate shown on the map are radioactive and have been found to contain values in uranium and thorium over narrow widths.

PROPOSED PROGRAMME

The grid results and experience at Agnew Lake suggest the drilling of six holes as located on attached plans D-3329 and D-3321.

In order to test the arkose horizon at a minimum depth of 700 feet, the drill hole must be kept on control to a depth of 500 feet from a collar dip of 80°, after 500 feet, the hole should bend or flatten across the target area to an ultimate depth of 1,000 feet. Recommended foresight bearing for all holes is grid north or N-20°-E.

Proposed locations are as follows:

HOLE #	NORTHERN	EASTERN
KR-76-1	9 + 00 S	45 + 75 E
KR-76-2	6 + 50 S	36 + 00 E
KR-76-3	3 + 50 S	26 + 00 E
KR-76-4	1 + 50 S	16 + 00 E
KR-76-5	1 + 00 S	4 + 00 E
KR-76-6	10 + 00 N	16 + 00 E


Estimated cost @ \$15./ft. plus \$10,000 contingency is approximately \$100,000.

RESULTS

Geological mapping of the Ryanor-Newnorth property confirms geology, structures, and presence of weakly radioactive arkose beds similar to favourable beds at Agnew Lake Mine that warrant drill testing.

The radon gas survey correlates well with radioactive horizons under shallow overburden.

However, strength of anomaly does not indicate an empirical relationship to quantity or quality of uranium and/or thorium mineralization.

A handwritten signature in cursive script, appearing to read "D. M. Hendrick".

D. M. Hendrick, P. Eng.,
Chief Geologist, Exploration.



Ministry of Natural Resources

File 2-2229

GEOPHYSICAL - GEOLOGICAL - GEOCHEMICAL
TECHNICAL DATA STATEMENT

TO BE ATTACHED AS AN APPENDIX TO TECHNICAL REPORT
FACTS SHOWN HERE NEED NOT BE REPEATED IN REPORT
TECHNICAL REPORT MUST CONTAIN INTERPRETATION, CONCLUSIONS ETC.

RECEIVED
OCT 27 1976

PROJECTS UNIT.

Type of Survey(s) 1) GEOLOGICAL 2) GEOPHYSICAL

Township or Area DRURY TOWNSHIP

Claim Holder(s) KERR ADDISON MINES P.O. BOX 91

J. Grant
Suite 2500, 390 COMMERCE COURT WEST, TORONTO, ONT

845 ST. TERONTO.
Survey Company PERFORMED BY KERR ADDISON MINES

Author of Report D.M. HENDRICK - CHIEF GEOLOGIST EXPLORATION

Address of Author KERR ADDISON MINES LTD

Covering Dates of Survey JUNE 21/76 - AUGUST 5/76
(linecutting to office)

Total Miles of Line Cut 31.0

MINING CLAIMS TRAVERSED
List numerically

(prefix) (number)

see attached list

4105NEN0018 002281 DRURY



900

TOTAL CLAIMS 34

SPECIAL PROVISIONS
CREDITS REQUESTED

DAYS
per claim

ENTER 40 days (includes
line cutting) for first
survey.

ENTER 20 days for each
additional survey using
same grid.

- Geophysical
 - Electromagnetic _____
 - Magnetometer _____
 - Radiometric 40
 - Other _____
- Geological 20
- Geochemical _____

AIRBORNE CREDITS (Special provision credits do not apply to airborne surveys)

Magnetometer _____ Electromagnetic _____ Radiometric _____
(enter days per claim)

DATE: OCT 7/76 SIGNATURE: [Signature]
Author of Report or Agent

Res. Geol. L.D. Qualifications 2-1884

Previous Surveys

File No.	Type	Date	Claim Holder
<u>2.378</u>	<u>Geology</u>	<u>1968</u>	<u>Acme Gas & Oil Co. Ltd</u>
<u>2.378</u>	<u>Geology</u>	<u>1968</u>	<u>Acme Gas & Oil Co. L</u>

Scientific attach list

GEOPHYSICAL TECHNICAL DATA

GROUND SURVEYS - If more than one survey, specify data for each type of survey

Number of Stations 1466 Number of Readings 1466
Station interval 100 FT Line spacing 400 FT
Profile scale
Contour interval 25 COUNTS PER MINUTE

MAGNETIC

Instrument
Accuracy - Scale constant
Diurnal correction method
Base Station check-in interval (hours)
Base Station location and value

ELECTROMAGNETIC

Instrument
Coil configuration
Coil separation
Accuracy
Method: Fixed transmitter Shoot back In line Parallel line
Frequency (specify V.L.F. station)
Parameters measured

GRAVITY

Instrument
Scale constant
Corrections made
Base station value and location
Elevation accuracy

INDUCED POLARIZATION RESISTIVITY

Instrument
Method Time Domain Frequency Domain
Parameters - On time Frequency
- Off time Range
- Delay time
- Integration time
Power
Electrode array
Electrode spacing
Type of electrode

SELF POTENTIAL

Instrument _____ Range _____

Survey Method _____

Corrections made _____

RADIOMETRIC

Instrument EDA PORTABLE RADON DETECTOR, RD-200

Values measured RADON-THORON SOIL GAS ACTIVITY IN COUNTS PER MINUTE

Energy windows (levels) _____

Height of instrument _____ Background Count APPROX 10 CPM

Size of detector _____

Overburden VARIABLE BUT IN 20 FT RANGE
(type, depth - include outcrop map)

OTHERS (SEISMIC, DRILL WELL LOGGING ETC.)

Type of survey _____

Instrument _____

Accuracy _____

Parameters measured _____

Additional information (for understanding results) _____

AIRBORNE SURVEYS

Type of survey(s) _____

Instrument(s) _____
(specify for each type of survey)

Accuracy _____
(specify for each type of survey)

Aircraft used _____

Sensor altitude _____

Navigation and flight path recovery method _____

Aircraft altitude _____ Line Spacing _____

Miles flown over total area _____ Over claims only _____



Ministry of
Natural
Resources

Ontario

4

MAY 30 1977

Your file:

Our file: 2.2229

1977 05 24

Mrs. R. M. Charnesky
Mining Recorder
Ministry of Natural Resources
174 Douglas Street West
Sudbury, Ontario
P3E 1G1

Dear Mrs. Charnesky:

Re: Mining Claims S. 291530 et al, Drury Township
File 2.2229

The Geophysical (Radiometric) and Geological assessment work credits as listed with my Notice of Intent dated April 29, 1977 have been approved as of the above date.

Please inform the recorded holder of these mining claims and so indicate on your records.

Yours very truly,

J. B. McGinn, Director
Lands Administration Branch
Whitney Block, Room 1617
Queen's Park
Toronto, Ontario
M7A 1X1
Phone: 416-965-6918

DN/mw

- cc: Kerr Addison Mines Ltd.
Toronto, Ontario
Attn: Mr. D. M. Hendrick
- cc: Mr. J. S. Grant
Toronto, Ontario
- cc: Deputy Regional Director
Sudbury, Ontario
Attn: Resident Geologist

LIST OF CLAIMS

S 291530
S 324578
S 324579
S 324580
S 324581
S 358413
S 358414
S 358415
S 358416
S 358417
S 358471
S 358472
S 358473
S 358474
S 358475
S 358476
S 358588
S 358590
S 358591
S 358592
S 359375
S 359378
S 359413
S 359414

S 359423
S 359424
S 359425
S 424767
S 424768
S 438576
S 438577
S 438578
S 438581
S 438582



Ministry of Natural Resources

DRURY TWP.

#76-87

FILE S. 291530

A separate form is required for each type of work to be recorded.

THE MINING ACT REPORT OF WORK

To the Recorder of SUBBURY Mining Division

I, MAXWELL JUBY ON BEHALF OF KERR ADDISON MINES LTD A.S.S.C. 22
name of Recorded Holder Prospector's Licence

P.O. BOX 91, COMMERCIAL COURT, EAST TORONTO, ONT.
Post Office Address

do hereby report the performance of 136.0 days of GEOPHYSICAL type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
.....
.....	<u>See attached sheet</u>
.....
.....
.....
.....

Geological Branch ODM
ASSESSMENT FILES
RESEARCH OFFICE
OCT 15 1976
RECEIVED

All the work was performed on Mining Claim (s) as above
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment - Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

REPORT AND MAPS TO FOLLOW

SUBBURY
MINING DIV
RECEIVED
OCT 8 1976
P.M.
7 8 9 10 11 12 1 2 3 4 5 6

Date Oct 7/76

Maxwell Juby for Kerr Addison
Signature of Recorded Holder or Agent

The Mining Act
Certificate Verifying Report of Work

I, MAXWELL JUBY
of KERR ADDISON MINES LTD, TORONTO, ONT.
(Post Office Address)

- hereby certify:
- That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
 - That the annexed report is true.

Dated Oct 7/76 19 76
Maxwell Juby
Signature

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

LIST OF CLAIMS

<u>CLAIM NO.</u>	<u>DAYS</u>	<u>CLAIM NO</u>	<u>DAYS</u>
S 291530	40	S 359423	40
S 324578	40	S 359424	40
S 324579	40	S 359425	40
S 324580	40	S 424767	40
S 324581	40	S 424768	40
S 358413	40	S 438576	40
S 358414	40	S 438577	40
S 358415	40	S 438578	40
S 358416	40	S 438581	40
S 358417	40	S 438582	40
S 358471	40		
S 358472	40		
S 358473	40		
S 358474	40		
S 358475	40		
S 358476	40		
S 358588	40		
S 358590	40		
S 358591	40		
S 358592	40		
S 359375	40		
S 359378	40		
S 359413	40		
S 359414	40		



Ministry of Natural Resources

DRURY TWP.

16-86
FILE S. 291530

A separate form is required for each type of work to be recorded.


THE MINING ACT REPORT OF WORK

To the Recorder of SUDBURY Mining Division
M. MAXWELL JUBY ON BEHALF OF KERR ADDISON MINES LTD A35072
name of Recorded Holder Prospector's Licence
P.O. BOX 91, COMMERCE COURT WEST TORONTO, ONT
Post Office Address
do hereby report the performance of 680 days of GEOLOGICAL type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.
.....
.....
.....
.....
.....
.....
.....

see attached sheet




All the work was performed on Mining Claim (s) as above
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

Report and maps to follow



Date OCT 7/76

M Maxwell Juby for KERR ADDISON
Signature of Recorded Holder or Agent

The Mining Act Certificate Verifying Report of Work

I, M. MAXWELL JUBY
of KERR ADDISON MINES LTD, TORONTO, ONT
(Post Office Address)

hereby certify:

- That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
- That the annexed report is true.

Dated OCT 7 19 76

M Maxwell Juby
Signature

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

LIST OF CLAIMS

<u>CLAIM NO.</u>	<u>DAYS</u>	<u>CLAIM NO.</u>	<u>DAYS</u>
S 291530	20	S 359423	20
S 324578	20	S 359424	20
S 324579	20	S 359425	20
S 324580	20	S 424767	20
S 324581	20	S 424768	20
S 358413	20	S 438576	20
S 358414	20	S 438577	20
S 358415	20	S 438578	20
S 358416	20	S 438581	20
S 358417	20	S 438582	20
S 358471	20		
S 358472	20		
S 358473	20		
S 358474	20		
S 358475	20		
S 358476	20		
S 358588	20		
S 358590	20		
S 358591	20		
S 358592	20		
S 359375	20		
S 359378	20		
S 359413	20		
S 359414	20		

GL - yellow shading

GL - yellow shading

Oct. 7 196


GP - red diagonal lines

GP - red diagonal lines

Trill Twp. (M)

Removal of Property

Hymn Twp. (M-945)



Trill Twp. (M-1163)

Forbank

VI

V

IV


III

II

I

Hyman Twp. (M-945)

Denison Twp. (M-756)



THE TOWNSHIP
OF
M-765 OF 2-2229.

DRURY

DISTRICT OF
SUDBURY

SUDBURY
MINING DIVISION

SCALE: 1-INCH = 40 CHAINS


Lorne Twp. (M-999)

SEE ACCOMPANYING
MAP(S) IDENTIFIED AS

DRURY-0022-B1.#1

DRURY-0022-B1.#2

LOCATED IN THE MAP
CHANNEL IN THE FOLLOWING
SEQUENCE (X)





LOT 12


LOT 11

LOT 10


LOT 9

LOT 8

CON. V.
CON. IV.



DRURY TWP.
HYMAN TWP.



LEGEND

- 1 831 Geo. City of Ontario, Ontario, Contract
- 2 832 V. Huronian
- 3 833 V. Huronian
- 4 834 V. Huronian
- 5 835 V. Huronian
- 6 836 V. Huronian
- 7 837 V. Huronian
- 8 838 V. Huronian
- 9 839 V. Huronian
- 10 840 V. Huronian
- 11 841 V. Huronian
- 12 842 V. Huronian
- 13 843 V. Huronian
- 14 844 V. Huronian
- 15 845 V. Huronian
- 16 846 V. Huronian
- 17 847 V. Huronian
- 18 848 V. Huronian
- 19 849 V. Huronian
- 20 850 V. Huronian
- 21 851 V. Huronian
- 22 852 V. Huronian
- 23 853 V. Huronian
- 24 854 V. Huronian
- 25 855 V. Huronian
- 26 856 V. Huronian
- 27 857 V. Huronian
- 28 858 V. Huronian
- 29 859 V. Huronian
- 30 860 V. Huronian
- 31 861 V. Huronian
- 32 862 V. Huronian
- 33 863 V. Huronian
- 34 864 V. Huronian
- 35 865 V. Huronian
- 36 866 V. Huronian
- 37 867 V. Huronian
- 38 868 V. Huronian
- 39 869 V. Huronian
- 40 870 V. Huronian
- 41 871 V. Huronian
- 42 872 V. Huronian
- 43 873 V. Huronian
- 44 874 V. Huronian
- 45 875 V. Huronian
- 46 876 V. Huronian
- 47 877 V. Huronian
- 48 878 V. Huronian
- 49 879 V. Huronian
- 50 880 V. Huronian
- 51 881 V. Huronian
- 52 882 V. Huronian
- 53 883 V. Huronian
- 54 884 V. Huronian
- 55 885 V. Huronian
- 56 886 V. Huronian
- 57 887 V. Huronian
- 58 888 V. Huronian
- 59 889 V. Huronian
- 60 890 V. Huronian
- 61 891 V. Huronian
- 62 892 V. Huronian
- 63 893 V. Huronian
- 64 894 V. Huronian
- 65 895 V. Huronian
- 66 896 V. Huronian
- 67 897 V. Huronian
- 68 898 V. Huronian
- 69 899 V. Huronian
- 70 900 V. Huronian
- 71 901 V. Huronian
- 72 902 V. Huronian
- 73 903 V. Huronian
- 74 904 V. Huronian
- 75 905 V. Huronian
- 76 906 V. Huronian
- 77 907 V. Huronian
- 78 908 V. Huronian
- 79 909 V. Huronian
- 80 910 V. Huronian
- 81 911 V. Huronian
- 82 912 V. Huronian
- 83 913 V. Huronian
- 84 914 V. Huronian
- 85 915 V. Huronian
- 86 916 V. Huronian
- 87 917 V. Huronian
- 88 918 V. Huronian
- 89 919 V. Huronian
- 90 920 V. Huronian
- 91 921 V. Huronian
- 92 922 V. Huronian
- 93 923 V. Huronian
- 94 924 V. Huronian
- 95 925 V. Huronian
- 96 926 V. Huronian
- 97 927 V. Huronian
- 98 928 V. Huronian
- 99 929 V. Huronian
- 100 930 V. Huronian
- 101 931 V. Huronian
- 102 932 V. Huronian
- 103 933 V. Huronian
- 104 934 V. Huronian
- 105 935 V. Huronian
- 106 936 V. Huronian
- 107 937 V. Huronian
- 108 938 V. Huronian
- 109 939 V. Huronian
- 110 940 V. Huronian
- 111 941 V. Huronian
- 112 942 V. Huronian
- 113 943 V. Huronian
- 114 944 V. Huronian
- 115 945 V. Huronian
- 116 946 V. Huronian
- 117 947 V. Huronian
- 118 948 V. Huronian
- 119 949 V. Huronian
- 120 950 V. Huronian
- 121 951 V. Huronian
- 122 952 V. Huronian
- 123 953 V. Huronian
- 124 954 V. Huronian
- 125 955 V. Huronian
- 126 956 V. Huronian
- 127 957 V. Huronian
- 128 958 V. Huronian
- 129 959 V. Huronian
- 130 960 V. Huronian
- 131 961 V. Huronian
- 132 962 V. Huronian
- 133 963 V. Huronian
- 134 964 V. Huronian
- 135 965 V. Huronian
- 136 966 V. Huronian
- 137 967 V. Huronian
- 138 968 V. Huronian
- 139 969 V. Huronian
- 140 970 V. Huronian
- 141 971 V. Huronian
- 142 972 V. Huronian
- 143 973 V. Huronian
- 144 974 V. Huronian
- 145 975 V. Huronian
- 146 976 V. Huronian
- 147 977 V. Huronian
- 148 978 V. Huronian
- 149 979 V. Huronian
- 150 980 V. Huronian
- 151 981 V. Huronian
- 152 982 V. Huronian
- 153 983 V. Huronian
- 154 984 V. Huronian
- 155 985 V. Huronian
- 156 986 V. Huronian
- 157 987 V. Huronian
- 158 988 V. Huronian
- 159 989 V. Huronian
- 160 990 V. Huronian
- 161 991 V. Huronian
- 162 992 V. Huronian
- 163 993 V. Huronian
- 164 994 V. Huronian
- 165 995 V. Huronian
- 166 996 V. Huronian
- 167 997 V. Huronian
- 168 998 V. Huronian
- 169 999 V. Huronian
- 170 1000 V. Huronian

DRURY-0022-B1-12

KERR ADDISON MINES LIMITED
 PROJECT: RYANOR NEWNORTH
 SURVEY: GEOLOGY SURVEY
 SCALE: 1" = 400 FT.
 DATE: AUG. 24, 75

D-3331

