



41I09NW2015 2.20686

JANES

010

GEOPHYSICS REPORT

2.20686

ON THE

MURRAY LAKE PGE PROPERTY

DAVIS TOWNSHIP

SUDBURY


MINING DIVISION

FOR

GOLDWRIGHT EXPLORATION INC.

BY

Dan Patrie



Dan Patrie
March, 2000



TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
SUMMARY AND RECOMMENDATIONS	2
LOCATION AND ACCESS	3
GEOLOGY	3
TOPOGRAPHY AND VEGETATION	3
CLAIM DESCRIPTION	3
INSTRUMENTATION AND WORK DONE	4
MAGNETOMETER, VLF AND INDUCED POLARIZATION SURVEY	4
INTERPRETATION	5
CONCLUSIONS	5
RECOMMENDED EXPLORATION PROGRAM	6
PERSONNEL	
CERTIFICATE OF QUALIFICATION	
LETTER OF CONSENT	
MAGNETIC, VLF AND PSEUDOSECTION MAPS	
BASE MAP	

INTRODUCTION

Goldwright Exploration Inc., acquired a group of 2 unpatented mining claims 32 units located in Davis Township in the Sudbury Mining Division.

The property is underlain by rocks of the Huronian Supergroup and the Nipissing diabase which are favorable host for economic Copper-Nickel-Platinum Group Element (Cu, Ni-PGE) deposits.

In summary the Murray Lake Property shows to have considerable merit and warrants further exploration work in order to evaluate its potential to host economic platinum group element deposits.

As per request of the property owners a geophysics program consisting of magnetometer, VLF and induced polarization survey which began March 26th to March 31st, 2000 and was carried out by Dan Patrie Exploration Ltd.

The following report summarizes the results of the work carried out during the current programme and the results obtained.



Respectively submitted,

Daniel F. Patrie

Geology and Geophysics Technologist

March, 2000

SUMMARY AND RECOMMENDATIONS

The Murray Lake property is located in Northeastern Ontario , District of Sudbury, in the Sudbury Mining Division.

The property is underlain by rocks of the Huronian Supergroup and the Nipissing diabase which are favorable hosts for economic Copper-Nickel-Platinum Group Element (Cu, Ni-PGE) deposits.

In summary the Murray Lake property has shown to have considerable merit and warrants further exploration work in order to evaluate its potential to host economic PGE deposits.

Further exploration of the Murray Lake property is warranted in proving its considerable merit in hosting economic PGE, Ni, Cu and Au mineralization.

A program 11.5 kilometers of magnetic, VLF and 10.7 kilometers of induced polarization survey was done to explore the Murray Lake property in Davis Township for its PGE potential.

The survey indicated two parallel high chargeability anomalies with corresponding mag and VLF anomaly running in an east west direction across the property which could host massive sulphides or Platinum Group Elements (Cu, Ni-PGE) .

Due to the lack of geological information the following programs are recommended to complete the evaluation.

1. Completion of the grid lines over entire property.
2. Humus sampling over anomalous areas to better define drill targets.
3. Magnetometer and VLF surveys over remainder of property.
4. Induced Polarization over all of property.
5. Diamond drilling I. P. anomalies to establish sulphide content and geology.

Following completion of this work and contingent upon the results then additional work should be considered to further evaluate the economic potential of the property for PGE mineralization.

The following report summarizes the results obtained from the work carried out during the current program and the interpretation is speculative.



FIGURE 1
MURRAY LAKE PROPERTY
LOCATION MAP



LOCATION AND ACCESS

The Murray Lake property is located north of town of Hagar, Ontario approximately 55 kilometers east of Sudbury, Ontario in Davis Township. Access to the property is by turning north off highway 17 from the town of Hagar, Ontario and traveling some 20 kilometers up the Murray Lake logging road to the center of the property in Davis Township.

GEOLOGY

The Murray Lake Property of Goldwright Exploration Inc. consists of a north trending Nipissing gabbro sheet that may in fact be part of the same Nipissing gabbro body in neighbouring Janes Township where Pacific North West Capital reported assay values ranging from 7 g/t combined PGE's up to 49.7 g/t combined PGE's (Nov. 6/98 press release).

This intrusive contains numerous Cu/Ni showings with potential for PGE mineralization.

TOPOGRAPHY AND VEGETATION

The Murray Lake property vegetation is currently a mix of alders, pines, willows and younger coniferous trees in a gently undulating landscape and some areas there is swamps.

CLAIM DESCRIPTION


Consisting of 2 unpatented mining claims (32 units), the Murray Lake property, located in Davis Township in the District of Sudbury, Sudbury Mining Division.







TABLE 1

MURRAY LAKE PROPERTY, DISTRICT OF SUDBURY

CLAIM DESCRIPTION

MINING CLAIM	NUMBER OF UNITS
1229839	16
1229747	<u>16</u>
TOTAL	32 units.



-  Lakes and Streams
-  Roads and Trails
-  Grid Lines
-  Claim Lines
-  Twp. Line
-  UTM Lines

5000 Feet




JAMES TWP.

Claim Blocks

1229838
1229747

**GoldWright Exploration
INC.
MURRAY LAKE Property**



1229727

Murray
1230014

Lake

1229511

1229839

1229507

1229747

JANES TWP.

5170000mN

80

70

60

550

003

PAK
ORVEL
26521K

INSTRUMENTATION AND WORK DONE

MAGNETOMETER , VLF AND INDUCED POLARIZATION SURVEY

The magnetometer, and VLF survey was carried out using an EDA Omni-Plus Mag/VLF unit with the total field being measured and an Omni-IV base station magnetometer for correcting magnetic drift. These are total field magnetometers which measure the magnetic field through the use of proton precessional effects caused by the interaction of a magnetic field with a spin aligned, proton rich fluid. An instrument accuracy precision and resolution of 0.1 nt may be obtained with these instruments under ideal conditions. The VLF allow you to read the vertical in-phase, vertical quadrature, total field strength, dip angle and the ability to obtain as many as 3 VLF stations , but at the time only one station was transmitting which was Cutler Mine 24.0 kHz. Microprocessors contained in these instruments allow for the collection of the readings along with the time and its position in digital form suitable for downloading to a computer for data processing. A total of 11.5 kilometers of combined magnetic and VLF readings were taken and readings were taken along the lines at 25 meter station intervals. The field measurements were corrected for diurnal variations of the earth's magnetic field by direct subtraction of the base station readings from the reading taken at the same moment in the field units. The corrected data was then downloaded to a computer and plotted on the total field magnetic map.

A total of 10.7 kilometers of induced polarization survey was done with an "a" spacing of 50 meters and 6 levels 1 to 6 read. The survey was a time domain pole dipole survey and was read with a Walcer MG-14 motor generator and a Hunttec 12 kilowatt Model transmitter and a Scintrex IPR-12 receiver. The motor generator and transmitter were stationary on the end of the line being read and current transmitted through a wire with an electrode driven down through the ground for a good contact and then transmitting current to that electrode from the transmitter by the transmitter man which is contact by radio to the receiver man. Ahead of the live current electrode is a crew of men driving electrodes in winter and using porous pots in summer at every station to be read and connected to the pots or electrode by length of wire from the receiver where the receiver operator picks up the readings with the receiver. The data is then downloaded from the receiver at the end of the day to a computer where the resistivity and chargeability is calculated and plotted using Geosoft software for the earth sciences in pseudosection maps.

INTERPRETATION

The magnetic of the property is quite homogenous overall, with a relatively quiet background relief on the order of 100-200 nT being interrupted with high amplitude anomalies on the order of 600-8000 nT above background running in an east west direction across the grid leaving it open to the east and to the west. The anomalies were centered at 2+00 north and 7+00 north.

The induced polarization survey picked up two chargeability zones running in an east west direction centered at 300 north and 700 north open to the east and west. The most prominent chargeability which is at 700 north on all lines and open to the north and to the east and west. The zone runs approximately 300 meters in width on line 300 west and tapers to 100 meters in width to the east which gives it a 900 meter strike length and open in all directions. This strong chargeability should represent disseminated sulphides which could contain PGE mineralization. The induced polarization picked up this strong zone to the north on all lines but the lines have to be extended to get a proper survey coverage.

The induced polarization survey proved successful in finding areas of high chargeability with corresponding low resistivity and high resistivity off to the side which merit more exploration work such as drilling these targets.

CONCLUSIONS

With the presence of a favorable geological environment for the localization of PGE mineralization of economic importance to further evaluate the property's potential the writer recommends an on going work program over the remaining claims and areas not already covered on the property, consisting of line cutting at 100 metre intervals, magnetometer, VLF and induced polarization surveys to locate areas of disseminated sulphides.

RECOMMENDED EXPLORATION PROGRAM

The following program is recommended to evaluate the property for its potential to host a PGE deposit.

1. Complete the line cutting by extending all lines to the north and extending the grid to the east and west at 100 metre spacing as required to provide a control for geological, geochemical and geophysical work.
2. Geochemical sampling over target areas.
3. Magnetometer survey over areas not covered.
4. Detailed Induced Polarization survey at 50 m "A" spacing and 6 levels read..
5. Geological mapping and sampling.
6. Stripping, trenching over anomalous areas.

As a result of encouraging data obtained from the recently completed geophysics survey additional exploration on the property is recommended.



Daniel F. Patrie

Geology and Geophysical Technologist

March, 2000

PERSONNEL

Dan Patrie

Massey, Ontario

Bryan Patrie

Massey, Ontario

Claude Dubreuil

Spanish, Ontario

Brent Patrie

Elliot Lake, Ontario

Bernie Morrissette

Elliot Lake, Ontario

Aron Andress

Massey, Ontario

Bronson Ede

Walford, Ontario

Lance Paradis

Spanish, Ontario


Claude Grimmard

Spanish, Ontario

CERTIFICATE OF QUALIFICATION

I, Daniel Patrie do hereby certify:

1. That I am a Geology and Geophysics Technologist and I reside at Hwy. 17 West, P.O. Box 45, Massey, Ont., Canada, P0P 1P0,
2. I graduated from Cambrian College Of Applied Arts and Technology, Sudbury, Ontario, in 1987 with a diploma in Geological Technology with a one year certificate in Geophysics,
3. And I have practiced my profession continuously since graduation, as well as being an active prospector since 1972.
4. That my report on the Murray Lake PGE Property, Sudbury Mining Division, Ontario, is based on my personal knowledge of the geology of the area, and on a review of published and unpublished information on the property and surrounding area.



Daniel F. Patrie

Geology and Geophysics Technologist (Dipl. T)

March, 2000

LETTER OF CONSENT

I, Daniel F. Patrie, of the Town of Massey, Ontario, do hereby consent to Goldwright Resources Inc., using in whole or in part my Geophysics report on the Murray Lake PGE Property situated the District of Sudbury, Sudbury Mining Division in a prospectus of statement of material facts or for filing with government regulatory bodies as deemed necessary.

A handwritten signature in black ink, appearing to read 'Daniel F. Patrie', with a long horizontal flourish extending to the right.

Dated at Massey, Ontario, this 31st day of March, 2000, in the District of Sudbury.

Daniel F. Patrie


Geology and Geophysics Technologist



41I09NW2015 2.20686 JANES

900

of subsection 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, an assessment work and correspond with the mining land holder. Questions about this Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury.



Instructions: - For work performed on Crown Lands before recording a claim, use form
- Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

Name <i>Goldwright Explorations Inc.</i>	Client Number <i>303574</i>
Address <i>General Delivery HAGAR Ontario</i>	Telephone Number <i>705-967-0216</i>
	Fax Number <i>705-967-0598</i>
Name	Client Number
Address	Telephone Number
	Fax Number

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs) ✓	Physical: drilling stripping, trenching and associated assays	Rehabilitation
Work Type <i>Geophysics I.P. Mag. + VLF</i>	Office Use	
	Commodity	
	Total \$ Value of Work Claimed <i>18,124.00</i>	
Dates Work Performed From Day <i>20</i> Month <i>03</i> Year <i>00</i> To Day <i>31</i> Month <i>11</i> Year <i>00</i>	NTS Reference	
Global Positioning System Data (if available)	Township/Area <i>Davis</i>	Mining Division <i>Sudbury</i>
	M or G-Plan Number <i>G-3182</i>	Resident Geologist (District) <i>Sudbury</i>

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required;
- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.


3. Person or companies who prepared the technical report (Attach a list if necessary)

Name <i>Dan Patrie</i>	Telephone Number
Address <i>P.O. Box 45 Massey Ont.</i>	Fax Number
Name	Telephone Number
Address	Fax Number
Name	Telephone Number
Address	Fax Number

4. Certification by Recorded Holder or Agent

I, *BRIAN WRIGHT* (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent <i>Brian Wright</i>	Date <i>Nov 3/00</i>
Agent's Address <i>Hagar Ont</i>	Telephone Number <i>705-967-0216</i>
	Fax Number <i>705-967-0598</i>



42767

5. **Work to be recorded and distributed.** Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W0070.00207

2,20686

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of Work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1229747	12 12	10,000	1800		5200
2 1229839	10	8,124	6400		1724
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals		18,124	11,200		6924

I, BRIAN WRIGHT (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing

Date

Brian Wright

Nov 3/00

6. **Instruction for cutting back credits that are not approved.**

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):


Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp

Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

0241 (03/97)



#2767

2,200.00

Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of Work <small>Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.</small>	Cost Per Unit of work	Total Cost
I.F Survey	10.7 Km	1200/Km	12840
Map & KLF	10.7 Km	120/Km	1284
Report	1		2000
Associated Costs (e.g. supplies, mobilization and demobilization).			
mob & Demob from Massey			2000
Transportation Costs			
Food and Lodging Costs			
Total Value of Assessment Work			18124

PROVINCIAL RECORDING
OFFICE - SUDBURY
RECEIVED
NOV 03 2000
A.M. 12:00 P.M.
7|8|9|10|11|12|1|2|3|4|5|6

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, Brian Wright (please print full name), do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as President (recorded holder, agent, or state company position with signing authority) I am authorized to make this certification.

RECEIVED
NOV 03 2000
GEOSCIENCE ASSESSMENT
OFFICE

Signature: Brian Wright Date: Nov 3/00

2167

December 13, 2000

Brian Wright
GOLDWRIGHT EXPLORATIONS INC
GENERAL DELIVERY
HAGAR, ONTARIO
P0M-1X0

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9845
Fax: (877) 670-1555

Dear Sir or Madam:

Submission Number: 2.20686

Status

Subject: Transaction Number(s): W0070.00207 Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in **DUPLICATE** to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact JIM MCAULEY by e-mail at james.mcauley@ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY
Lucille Jerome
Acting Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.20686

Date Correspondence Sent: December 13, 2000

Assessor: JIM MCAULEY

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W0070.00207	1229747	DAVIS	Approval	December 12, 2000

Section:

14 Geophysical IP
14 Geophysical MAG
14 Geophysical VLF

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

Correspondence to:

Resident Geologist
Sudbury, ON

Assessment Files Library
Sudbury, ON

Recorded Holder(s) and/or Agent(s):

Brian Wright
GOLDWRIGHT EXPLORATIONS INC
HAGAR, ONTARIO

January 1986

MAP SYMBOLOLOGY

Aerial Contour	Pipeline	Railroad
Boundary	Road	Right of Way
Contour	Stream	Utility Line
Drainage	Water	Well
Feature Outline	Water	Well
Flooded Land	Water	Well
Marsh or Swamp	Water	Well
Mud	Water	Well
Mine Head Frame	Water	Well
Outcrop	Water	Well


AREAS WITHDRAWN FROM DISPOSITION

M.R.O. - MINING RIGHTS ONLY
 S.R.O. - SURFACE RIGHTS ONLY
 M+S - MINING AND SURFACE RIGHTS

Description	Order No.	Date	Disposition	File
SEC 43-76	W 1475	20275	M+S	4948 V.7
Sec. 35 W. LL. F-181/00	ONT	OCT. 04/00	M+S	
Sec. 35 WS-66/00	24/11/00	M+S	195150	

NOTE

THE SUBDIVISION OF THIS TOWNSHIP INTO LOTS AND CONCESSIONS WAS PARTIALLY ANNULLED ON DECEMBER 29, 1953



LEGEND

HIGHWAY AND ROUTE No.

OTHER ROADS

TRAILS

SURVEYED LINES

TOWNSHIPS, BASE LINES, ETC.

LOTS, MINING CLAIMS, PARCELS, ETC.

UNSURVEYED LINES

LOT LINES

PARCEL BOUNDARY

MINING CLAIMS ETC.

RAILWAY AND RIGHT OF WAY

UTILITY LINES

NON-PERMANENT STREAM

FLOODING OR FLOODING RIGHTS

SUBDIVISION OR COMPOSITE PLAN

RESERVATIONS

ORIGINAL SHORELINE

MARSH OR MUSKEG


MINES

TRAVERSE MONUMENT

DISPOSITION OF CROWN LANDS

TYPE OF DOCUMENT	SYMBOL
PATENT SURFACE & MINING RIGHTS	○
" SURFACE RIGHTS ONLY	○
" MINING RIGHTS ONLY	○
LEASE, SURFACE & MINING RIGHTS	○
" SURFACE RIGHTS ONLY	○
" MINING RIGHTS ONLY	○
LICENSE OF OCCUPATION	○
ORDER-IN-COUNCIL RESERVATION	○
RESERVATION	○
CANCELLED SAND & GRAVEL	○
LAND USE PERMITS FOR COMMERCIAL TOURISM OUTPOST CAMPS	○

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6, 1915, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT, R.S.O. 1914, CHAP. 186, SEC. 13, SUBSECTION 1.



SCALE 1:20 000

GRID ZONE 17

THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.

JUNE 1985
 ONTARIO GAZETTE VOL. 102-10
 MAY 14, 1985
 PART 1 OF 1/2 LOT 9 CONU
 PART 4 OF 1/2 LOT 9 CONU
 3/4 OF 1/2 LOT 10 CONU
 SW 1/4 OF 1/2 LOT 10 CONU

2.20686
 I.P., MAG,
 J.L.F.

6. JUNE 1984, OPENING ONTARIO GAZETTE VOL. 101-20, MAY 14, 1984.

TOWNSHIP

DAVIS

IN THE ADMINISTRATIVE DISTRICT
SUDBURY
 MINING DIVISION
SUDBURY
 LAND TITLES / REGISTRY DIVISION
SUDBURY



Ministry of Natural Resources
 Land Management Branch
 Ontario

City of Sudbury
 SEP 1, 1985

Number: **G-3182**

G-3182






Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...



INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.



GOLDWRIGHT EXPLORATION INC.
INDUCED POLARIZATION SURVEY
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.


210
 41109NW2015 2.20686 JAMES



Pseudo Section Plot

2+00 W


Pole-Dipole Array



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
INDUCED POLARIZATION SURVEY
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP

Date: 02/04/2000
 Interpretation: B. PATRIE







DAN PATRIE EXPLORATION LTD.

220

JAMES
 41103NW2015 2.20686




1+00 N 2+00 N 3+00 N 4+00 N 5+00 N 6+00 N 7+00 N 8+00 N 9+00 N 10+00 N 11+00 N



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...





INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- U Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.



GOLDWRIGHT EXPLORATION INC.
INDUCED POLARIZATION SURVEY
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.

230
 41109NW2015 2-20686 JAMES




	1+00 N	2+00 N	3+00 N	4+00 N	5+00 N	6+00 N	7+00 N	8+00 N	9+00 N	10+00 N	11+00 N	Filter											
Average IP mV/V	4.41	4.35	4.27	3.72	3.39	4.56	4.25	3.58	4.34	3.17	4.19	4.75	5.88	6.85	7.76	8.78	11.3	11.5	10+00 N	11+00 N	13.6	12.2	Filter
Chargeability	4.19	4.15	4.13	3.48	3.18	4.27	3.99	3.37	4.11	2.86	3.88	4.44	5.58	6.26	7.39	8.4	10.8	11.2	10.8	13.1	11.8	Filter	
Calculated Resistivity Ohm/m	24800	20500	24700	21000	12300	22100	15800	11600	12800	9200	9870	7600	7340	8180	15300	19400	13400	9550	12400	30100	18700	Filter	
Tau	0.00957	0.0283	0.0586	0.0626	0.0295	0.043	0.03	0.016	0.015	0.00297	0.0268	0.117	0.459	0.272	0.429	0.519	0.576	1.11	1.17	1.17	0.65	1.25	Filter
Primary Voltage Vp	870	1080	1200	870	722	1110	850	611	418	233	259	272	303	384	653	772	804	619	738	1090	421	Filter	

240
 41109NW2015 2.20686
 JAMES



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION


- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.



GOLDWRIGHT EXPLORATION INC.
 INDUCED POLARIZATION SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.




Pseudo Section Plot 1+00 E



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...



INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
INDUCED POLARIZATION SURVEY
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.





Pseudo Section Plot 2+00 E



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
 INDUCED POLARIZATION SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP

Date: 02/04/2000
 Interpretation: B. PATRIE






DAN PATRIE EXPLORATION LTD.




IP_Avg mV/V	Mx	ResCalc Ohm/m	Tau
7	8.5	50000	4
6.5	8	45000	3.5
6	5.5	40000	3
5.5	5	35000	2.5
5	4.5	30000	2
4.5	4	25000	1.5
4	3.5	20000	1
3.5	3	15000	0.5
3	2.5	10000	0
		5000	
		0	



IP_Avg mV/V	Tau	ResCalc Ohm/m	Mx	IP_Avg mV/V
4	50000	8.5	7	
3.5	45000	8	6.5	
3	40000	5.5	6	
2.5	35000	5	5.5	
2	30000	4.5	5	
1.5	25000	4	4.5	
1	20000	3.5	4	
0.5	15000	3	3.5	
0	10000	2.5	3	
	5000			
	0			



Pseudo Section Plot 3+00 E



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
 INDUCED POLARIZATION SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP

Date: 02/04/2000
 Interpretation: B. PATRIE


DAN PATRIE EXPLORATION LTD.

41109NW2015 2.20686 JAMES 270



	1+00 N	2+00 N	3+00 N	4+00 N	5+00 N	6+00 N	7+00 N	8+00 N								
Average IP mV/V	4.17	5.41	5.55	5.62	5.08	5.26	5.4	5	5.45	6.27	6.1	7.84	7.64	5.09	5.86	8.07
n=1	0.25	4.7	5.7	5.6	4.5	4.5	3.4	4.3	3.4	3.9	4.4	6.8	8.8	6.8		
n=2	6.8	5	4.7	5.7	4.8	4	4.2	5.1	4	4.9	6.6	6.3	7.1	5.1		
n=3	3.1	4.3	4.8	6.1	4.4	5	4.7	5.6	4.8	6.8	6.3	4.9	5.3	9		
n=4	3.8	4.7	5.7	5.4	5.3	5.7	5.5	6.5	7	6.5	4.5	5	9.6	8.5		
n=5		3.3	5.5	4.9	6.5	6.2	6.6	6.1	6.4	7	4.7	6.3	8.7	8.8	8.6	
n=6			3.6	4.8	6	7	13	6.9	9	8	2.6	6.8	8.9	6	9.1	11
Chargeability	3.94	5.17	5.31	4.87	4.99	5.04	4.73	3.1	3.6	4.2	5.8	7.54	7.29	4.88	5.55	8.72
n=1	0.09	4.5	5.4	5.4	4.2	4	3.2	4.1	3.7	4.6	6.3	8.5	6.6			
n=2	6.6	4.7	4.5	5.5	4.5	3.6	3.9	4.7	3.7	4.6	6.3	6.8	4.9			
n=3	2.9	4.1	4.6	5.8	4.2	4.5	4.5	5.2	4.8	6.5	6	4.7	6.1	8.7		
n=4	3.7	4.5	5.4	5.2	5	5.2	5.1	6.2	6.7	6.2	4.2	4.8	9.2	8.2		
n=5		2.9	5.2	4.7	6.2	5.8	6	5.9	8	6.6	4.4	6	8.2	8.5	8.4	
n=6			3.5	4.6	5.8	6.7	12	6.5	8.8	6.9	2.6	6	8.7	7.6	8.8	10
Calculated Resistivity Ohm·m	39300	41900	33100	27400	23700	24500	26700	29200	17500	10100	17700	19000	19600	12300	14100	8740
n=1	104470	28574	40906	26777	23559	25280	27578	25786	2427.9	11594	3980.3	23714	13802	13610		
n=2	53453	32783	36049	25686	26264	28594	33783	4394.8	9123.2	26243	10299	24199	6182.1	13237		
n=3	39821	28474	32858	31187	33345	3900	35587.8	13820	16179	15189	11042	15116	9177.8	11248		
n=4	30608	23861	34945	38581	47661	5300.6	14908	20686	24811	42545	5717.1	15699	6658.4	12209		
n=5	21219	26074	43133	54833	6112.3	14105	21109	28750	20910	20713	7469.5	11453	8320.2	20908		
n=6	17669	30925	65079	7827	13325	20165	27655	24669	10179	24886	5597.7	14229	14348	27275		
Tau	0.0759	0.148	0.182	0.116	8.97	0.124	0.0828	179	0.0245	0.0381	0.0794	0.49	0.272	342	0.234	0.234
n=1	0	0.125	0.25	0.5	0.0625	0.00006	0.00781	0.0156	0.00006	0.00781	0.0625	0.25	1	0.25		
n=2	0.125	0.125	0.25	0.25	0.0625	0.00006	0.00781	0.00098	0.00781	0.0625	0.125	0.125	1	0.125		
n=3	0.00098	0.125	0.25	0.25	0.125	98	0.00012	0.0313	0.125	0.125	0.0625	0.0313	1	0.5		
n=4	0.00391	0.0625	0.0625	0.125	0.0313	0.00006	0.00024	0.0625	0.125	0.0625	0.00391	0.0156	0.25	0.25		
n=5	0.00006	0.0313	0.0625	0.125	0.00391	0.00006	0.0625	0.25	0.0156	0.0156	0.0313	0.0625	0.5	0.5		
n=6	0	0.0625	0.0625	0.0156	0	0.0625	1	0.25	2050	0	0.125	0.0313	0.25	0.125		
Primary Voltage Vp	4180	4310	3590	2710	2390	2410	2150	1650	1190	751	1350	1440	1120	831	457	210
n=1	15K	8190	14300	7670	7120	8040	9220	6980	657	4080	850	6420	3680	2820		
n=2	2550	3130	4210	2450	2850	3030	3760	396	623	3080	820	2180	738	913		
n=3	951	1380	1920	1490	1680	2100	311	614	729	3030	439	662	414	368		
n=4	438	683	1220	1100	1440	178	498	560	671	1490	136	425	180	253		
n=5	205	498	1010	1050	123	299	470	518	377	483	119	207	150	288		
n=6	120	422	1080	104	192	306	440	318	131	415	63.6	183	185	269		


Pseudo Section Plot 4+00 E



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...





INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
 INDUCED POLARIZATION SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.

280
 41109NW2015 2.20686 JAYES




Pseudo Section Plot 5+00 E



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.




GOLDWRIGHT EXPLORATION INC.
 INDUCED POLARIZATION SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP

Date: 02/04/2000
 Interpretation: B. PATRIE

DAN PATRIE EXPLORATION LTD.




41109NW2015 2.20686 JANES 290



Pseudo Section Plot

6+00 E


Pole-Dipole Array



Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...



INTERPRETATION

- Strong increase in polarization accompanied by marked decrease in resistivity.
- Well defined increase in polarization without marked resistivity decrease.
- Poorly defined polarization increase with no resistivity signature.
- ▼ Low resistivity feature.



GOLDWRIGHT EXPLORATION INC.
INDUCED POLARIZATION SURVEY
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP
 Date: 02/04/2000
 Interpretation: B. PATRIE
DAN PATRIE EXPLORATION LTD.

300
 JAMES
 2.20686
 41109NW2015





41109NW2015 2.20686 JAMES 310

GOLDWRIGHT EXPLORATION INC.




**TOTAL FIELD MAGNETICS
MURRAY LAKE PROPERTY
DAVIS TOWNSHIP**

BASE STATION CORRECTED
REFERENCE FIELD 57000nT
DATUM SUBTRACTED 0nT
INSTRUMENT USED; EDA OMNI PLUS

DAN PATRIE EXPLORATION LTD.



GOLDWRIGHT EXPLORATION INC.
 BASE MAP
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP
 DAN PATRIE EXPLORATION LTD.



41I09NW2015 2.20686 JANBS 330

GOLDWRIGHT EXPLORATION INC.
 VLF SURVEY
 MURRAY LAKE PROPERTY
 DAVIS TOWNSHIP
 IP ————
 QUAD ————
 INSTRUMENT USED; EDA OMNI PLUS
 DRAWN BY DAN PATRIE EXPLORATION LTD.