



41110NE0006 0011A1 KELLY

010

Diamond Drilling

Township of KELLY

Report NO 11

Work performed by: Kelly-K Mines Limited

Claim NO	Hole NO	Footage	Date	Note
S 134184	1	92.0'	Oct/66	
	2	82.0'	Oct/66	
	3	88.0'	Oct/66	
	4	55.0'	Oct/66	
S 134183	67-1	601.0'	June/67	
	67-2	602.0'	June/67	
	5	81.0'	Oct/66	
	6	71.0'	Oct/66	
	<u>7</u>	<u>80.0'</u>	Oct/66	

TOTAL: 9 DH 1752. FT.

Notes:

DIAMOND DRILL RECORD

PROPERTY KELLY-K MINES LIMITED (Kelly Twp.) HOLE NO. EXT core

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP _____ PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD %	SLUDGE GOLD %		
<u>HOLE NO. 1</u>	Loc: 12+40E, 25+75S; Dir: N.33° E (az.) Dip -45°						
0-92	Diabase; Course grained grading to gabbro		GOLD	SILVER	COPPER	LEAD	
21.0-22.5	18" quartz-calcite vein, sampled	S-3	0.16	1.32	2.30%	15.25%	
<u>HOLE NO. 2</u>	Loc: 11+85E, 25+25S; Dir: N.33° E (Az.) Dip -45°						
0-82	Diabase: Course grained grading to gabbro						
39-40.5	18" quartz-calcite vein, sampled	S-1	0.16	1.46	0.24%	6.80%	
<u>HOLE NO. 3</u>	Loc: 10+55E, 25+00S; Dir: N.33° E (Az.) Dip -45°						
0-88	Diabase: Course grained grading to gabbro						
49-50	12" quartz-calcite vein, sampled	S-6	nil	0.12	0.27%	4.30%	
<u>HOLE NO. 4</u>	Loc: 0+40W, 15+40S; Dir: N.30° E (az.) Dip -45°						
0-55	Diabase: Course grained grading to gabbro						
23-24	12" broken calcite vein, sampled	S-2	nil	nil	0.03%	0.25%	

N.M.P. TORONTO-STOCK FORM NO. 801 REV. 12/51

DRILLED BY ADVANCE GEOLOGY & GEOPHYSICS LIMITED

SIGNED G.L. Kirwan

DIAMOND DRILL RECORD

EXT core

PROPERTY KELLY-K MINES LIMITED (kelly Township) HOLE NO. _____

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED _____
 DEPARTURE _____ BEARING _____ ULTIMATE DEPTH _____
 ELEVATION _____ DIP _____ PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD %		SLUDGE GOLD %	
<u>HOLE NO. 5</u>	Loc: 12+40E, 27+10S, Dir: 010° Az.; Dip -47°						
0-81	Diabase: Course grained grading to gabbro		GOLD	SILVER	COPPER	LEAD	
74-74.8	9" quartz-calcite vein, sampled	S-4	tr.	2.38	0.53%	8.25%	
<u>HOLE NO. 6</u>	Loc: 11+20E, 26+90S, Dir: 035° Az.; Dip-43°						
0-71	Diabase: Course grained grading to gabbro						
33-33.7	8" quartz-calcite vein, sampled	S-5	nil	0.14	0.02%	0.24%	
<u>HOLE NO. 7</u>	Loc: 0+00, 15+70S, Dir: 005° Az.; Dip: -60°						
0-80	Diabase: Course grained grading to gabbro						

N.M.P., TORONTO-STOCK FORM NO. 901 REV. 12/51

DRILLED BY ADVANCE GEOLOGY & GEOPHYSICS LTD.

SIGNED G.L. Kiywan
 G.L. KIYWAN



41110NE0006 0011A1 KELLY

020

KELLY-K MINES LIMITED

BULK SAMPLING AND DIAMOND DRILL REPORT

KELLY TOWNSHIP, ONTARIO

KELLY-K MINES LIMITED
Suite 305-100 Adelaide St. West,
Toronto 1, Ontario.

Gentlemen:

A program of test pitting, bulk sampling with assaying, and a program of Packsack diamond drilling has just been completed on your Kelly Township holdings, Sudbury Area, Ontario.

PROPERTY, LOCATION, ACCESS:

The property consists of six, unleased, contiguous, mining claims numbered S.134183-188 incl., and is situated in the southwest portion of Kelly Township, Sudbury Mining Division, 25 air miles northeast of Sudbury.

Access is by aircraft from Sudbury to Kukagami Lake on the property, or by secondary road from highway No. 17 from a point 18 miles east of Sudbury.

GEOLOGY:

Government reports with maps indicate that the property

is underlain by conglomerate and quartzite of the Gowganda Formation which has been cut by gabbro intrusives. This gabbro occupies the southwestern quarter of the property, and a finger-like mass is located in the east central portion of the claim group, while another small mass is located in the extreme northwest corner.

Associated with the largest gabbro mass near the gabbro conglomerate contact in claim N. S 134184, is a substantial quartz-carbonate vein with amounts of lead, copper, gold, and silver.

HISTORY:

There are a number of old test pits located on the property from former operators. Mid-Nation Developments Ltd. conducted an electromagnetic survey over the area now covered by the Kelly-K claims and failed to extend mineralized zones.

Under the direction of Kelly-K Mines Ltd., a combined magnetic-self potential survey was done last summer with the detection of a 900 ft. long magnetic anomaly located in the western portion of the claim group. An old pit is noted at this location. A single station self potential anomaly, -290 millivolt reading, was registered in the area of No. 1 vein.

RESULTS OF BULK SAMPLING:

As set out in recommendations in my reports dated

March 14th and October 5th, last, certain areas on the property were subject to bulk sampling using plugger equipment.

At location 13+00E, 26+00S, vein No. 1, claim S 134184, a 6'x5'x10' long pit was placed and a 300 pound representative sample removed. This sample was split into three equal parts, 1(A), 1(B), and 1(C), and determinations were made for gold, silver, copper, and lead, with the following results:

<u>SAMPLE No.</u>	<u>GOLD(oz./T)</u>	<u>SILVER(oz./T)</u>	<u>COPPER(%)</u>	<u>LEAD(%)</u>	<u>Value of Total Metals</u>
1(A)	0.26	0.50	0.77	1.10	\$19.81
1(B)	nil	0.64	0.49	1.60	\$ 9.78
1(C)	nil	0.96	0.45	2.05	\$11.13
AVE:	0.087	0.70	0.57	1.58	\$13.57

At location 13+10E, 22+00S, pit No. 2, measuring 3'x3'x6' long, was placed on a gossaned sheer zone, and a 200 pound representative sample removed. This sample was split into three equal parts, 2(A), 2(B), 2(C), and determinations were made for gold, silver, copper, and lead, with the following results:

<u>SAMPLE No.</u>	<u>GOLD(oz./T)</u>	<u>SILVER(oz./T)</u>	<u>COPPER(%)</u>	<u>LEAD(%)</u>	<u>Value of Total Metals</u>
2(A)	nil	nil	0.08	0.05	\$0.73
2(B)	nil	nil	0.08	0.06	\$0.72
2(C)	nil	nil	0.02	0.04	\$0.18

At location 12+50E, 27+00S, pit No. 3, measuring 3'x2'x7' long, was placed on vein No. 3 and a 150 pound sample tested for gold, silver, copper, and lead, with the following results:

<u>SAMPLE No.</u>	<u>GOLD(oz./T)</u>	<u>SILVER(oz./T)</u>	<u>COPPER(%)</u>	<u>LEAD(%)</u>	<u>Value of Total Metals</u>
3	0.02	5.30	0.45	20.50	\$69.57

It is noted that sample No. 1 was taken from vein No. 1, which is 18" wide, sample No. 2 was taken from a sheer zone measuring 3 ft. wide, and sample No. 3 was taken from vein No. 3, which is 9" wide.

On the basis of results of sample 2, no test pit was placed northwest of this location on the same sheer zone. No test pit was placed on vein 5, coordinates 0+00, 15+00S, as mineralization noted warranted drilling.

DIAMOND DRILLING:

A total of 549 ft. of core was examined from a total of seven diamond drill holes placed on the Kelly-K property in order to examine the downdip extensions of veins.

Holes numbered 1, 2, and 3, respectively 92 ft. long, 82 ft. and 88 ft., examined vein No. 1. From hole No. 1, an 18" quartz-calcite section was subject to assay determinations, and similarly an 18" section was determined from hole No. 2, while hole No. 3 intersected 12" of quartz-calcite material. The following values were returned:

<u>HOLE No.</u>	<u>GOLD(oz./T)</u>	<u>SILVER(oz./T)</u>	<u>COPPER(%)</u>	<u>LEAD(%)</u>	<u>Value of Total Metals</u>
1	0.16	1.32	2.30	15.25	\$67.79
2	0.16	1.46	0.24	6.80	\$27.48
3	nil	1.12	0.27	4.30	\$15.17
AVE:	0.10	1.30	0.90	8.78	\$36.81

Hole No. 5 examined the downdip extension of vein No. 3 and intersected a 9" quartz-calcite section, which returned the following values:

<u>HOLE No.</u>	<u>GOLD(oz./T)</u>	<u>SILVER(oz./T)</u>	<u>COPPER(%)</u>	<u>LEAD(%)</u>	<u>Value of Total Metals</u>
5	tr.	2.38	0.53	8.25	\$9.85

Slight values were obtained from an 8" intersection of quartz-calcite material on the No. 4 vein from hole No. 6, while hole No. 4 returned negligible values on a 12" calcite intersection from vein No. 5. Hole No. 7, on the same vein, did not intersect any quartz or calcite material, perhaps because of its steep angle of 60°.

CONCLUSIONS:

Combined metal values for gold, silver, copper, and lead from the No. 1 vein, from bulk sampling and diamond drilling, averaged \$25.19 over an 18" quartz-calcite section, while the combined values for the No. 3 vein from the same metals averaged \$39.71 over a 9" quartz-calcite section. Other samples and intersections returned negligible values from other veins and sheer zones.

It is possible vein No. 5 may be the extension of the No. 1 vein, giving it an overall strike length of 1,800 ft. Vein No. 1 has an exposed strike length of 330 ft., while vein No. 3 is exposed for 300 ft. in length.

Although average values obtained to date are ore grade, intersection widths are small and assay values most erratic. However, vein widths did not diminish with depth. Because of results to date, further work appears warranted.

RECOMMENDATIONS:

1. Using AXT core, two diamond drill holes would simultaneously investigate the downdip extensions of vein No. 1 and No. 3. A total of 1200 feet will be drilled.

These holes would be collared in the following locations, and each would have a -60° dip with a bearing of 033° Az.: Hole No. 66-1 at 11+50E, 28+20S; hole No. 66-2 at 9+65E, 27+00S.

The estimated cost of this work, engineering included, but not assay costs, would be \$9,600.00

Further work, including additional diamond drilling, would be contingent upon the results of this program.


Respectfully submitted,



G.L. Kirwan, B.Sc.
Consulting Geologist

GLK/lk

Toronto, Ontario,
Nov. 7, 1966



• CHEMICAL RESEARCH AND ANALYSIS
• INSTRUMENT SALES AND SERVICE

TECHNICAL SERVICE LABORATORIES

DIVISION OF BURGNER TECHNICAL ENTERPRISES LIMITED
355 KING ST. W., TORONTO 2B, ONT., CANADA
TELEPHONE: 362-4248 - AREA 418

Representing ...
JARRELL-ASH COMPANY
HILGER & WATTS LIMITED
SADTLER RESEARCH
ULTRA CARBON CORPORATION
METALS RESEARCH LIMITED

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Kelly-K Mines Limited,
130 Kingslake Road,
Willowdale, Ontario.

Attn: Mr. G.L. Kirwan

REPORT NO.
T-04835

SAMPLE(S) OF ROCK

<u>Sample No.</u>	<u>Gold (Au) oz:ton</u>	<u>Silver (Ag) oz:ton</u>	<u>Copper (Cu)%</u>	<u>Lead (Pb)%</u>
S - 1	.16	1.46	.24	6.80
S - 2	---	---	.03	.25
S - 3	.16	1.32	2.30	15.25
S - 4	trace	2.38	.53	8.25
S - 5	nil	.14	.02	.24
S - 6	nil	1.12	.27	4.30

Pulps and rejects are stored for 6 months, then discarded.

DATE November 4, 1966

SIGNED C.S. Joyce



VANCOUVER - TSL LABORATORIES LTD., 325 HOWE ST., VANCOUVER 1, B.C.

C.S. JOYCE, B.Sc., Manager of Laboratories



• CHEMICAL RESEARCH AND ANALYSIS
• INSTRUMENT SALES AND SERVICE

TECHNICAL SERVICE LABORATORIES

DIVISION OF BURGNER TECHNICAL ENTERPRISES LIMITED

355 KING ST. W., TORONTO 2B, ONT., CANADA

TELEPHONE: 362-4248 - AREA 418

Representing . . .

JARRELL-ASH COMPANY
HILGER & WATTS LIMITED
SADTLER RESEARCH
ULTRA CARBON CORPORATION
METALS RESEARCH LIMITED

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Kelly-K Mines Ltd.,
130 Kingslake Road,
Willowdale, Ontario.

Attn: Mr. G.L. Kirwan

REPORT NO.
T-04771

SAMPLE(S) OF ROCK

<u>Sample No.</u>	<u>Gold (Au)oz:ton</u>	<u>Silver (Ag)oz:ton</u>	<u>Copper(Cu)%</u>	<u>Lead (Pb)%</u>
1 A	.26	.50	.77	1.10
1 B	nil	.64	.49	1.60
1 C	nil	.96	.45	2.05
2 A	nil	---	.08	.05
2 B	nil	---	.08	.06
2 C	nil	---	.02	.04
3	.02	5.30	.45	20.50

Pulps and rejects are stored for 6 months, then discarded.

DATE November 1, 1966

SIGNED C.S. Joyce

C.S. JOYCE, B.Sc., Manager of Laboratories

VANCOUVER - TSL LABORATORIES LTD., 325 HOWE ST., VANCOUVER 1, B.C.



CERTIFICATE

I, Gerald L. Kirwan of the city of Toronto in the Province of Ontario, hereby certify as follows:

1. THAT I am a geologist with offices at 160 Bay St., Toronto, and 130 Kingslake Rd., Willowdale, Ontario.
2. THAT I am a graduate of Carleton University, B.Sc., 1957, and that I have practised my profession continuously since graduation.
3. THAT I am a Fellow of the Geological Association of Canada.
4. THAT I have not received, nor do I expect to receive, any interest, directly or indirectly, in the properties or securities of Kelly-K Mines Ltd.
5. THAT the accompanying report has been prepared by myself and is based upon supervision of work programs herein noted.

Dated at Toronto, Ontario, this 7th day of November, 1966



G.L. Kirwan

DIAMOND DRILL RECORD

PROPERTY KELLY-K MINES LIMITED, Kelly Twp., Ont. HOLE NO. 67-1

SHEET NUMBER _____
 LATITUDE 28+50S
 DEPARTURE 11+50E
 ELEVATION _____

SECTION FROM 11+50E, 28+50S. TO or
 DATUM 1550 ft. east of P.3 claim
134183
 BEARING 033° Az.
 DIP -60°

STARTED June 7, 1967
 COMPLETED June 19, 1967
 ULTIMATE DEPTH 601
 PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD & SILVER			
				AG	Cu	Zn	Pb.
0-601 End	GABBRO: Typical course-grained. Much hornblende. Quartz vein 36-37 ft.	1	nil				
	quartz vein 63-63.6"	2	nil	0.24	1.40	nil	0.58
	205-207.5 ground core						
	227-228. quartz vein	3	nil				
	272-272.6" quartz vein	4	nil				
	329-331 quartz vein (no min.)	5	Tr.				
	473-473.9 Quartz vein	6	nil				
	475-477.5 ground core						

N.M.P., TORONTO—STOCK FORM NO. 501 REV. 12/61

DRILLED BY Geo-Surveys Consultants Ltd.

SIGNED *G.L. Kirwan*
G.L. KIRWAN, B.Sc.

DIAMOND DRILL RECORD

PROPERTY KELLY-K MINES LIMITED, Kelly Twp., Ont. HOLE NO. 67-2

SHEET NUMBER _____ SECTION FROM _____ TO _____ STARTED May 23, 1967
LATITUDE 27+00S DATUM north, post 3 claim 134183 COMPLETED June 3, 1967
DEPARTURE 9+65E BEARING 033° Az. ULTIMATE DEPTH 602
ELEVATION _____ DIP -60° PROPOSED DEPTH 600

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD g.	SLUDGE GOLD †
0-116	GABBRO: Typical coarse grained. Much hornblende				
116-125	DIABASE: Typical Nipissing diabase texture. Grades to gabbro				
125-379	(as 0-116) 197-199 slight sulphide min. 272.5-273 highly siliceous				
379-602 end	(as 116-125)				

N.M.P., TORONTO-STOCK FORM NO. 801 REV. 12/51

DRILLED BY Geo-Surveys Consultants Ltd.

SIGNED *G.L. Kirwan*
G.L. Kirwan, B.Sc.



41110NE0006 0011A1 KELLY

030

KELLY-K MINES LIMITED

DIAMOND DRILL REPORT

KELLY TOWNSHIP, ONTARIO

KELLY-K MINES LIMITED,
Suite 305-100 Adelaide St. West,
Toronto 1, Ont.

Gentlemen:

This report covers results of a 1,200 ft. diamond drill program recently completed over your property in Kelly Township, Sudbury Area, Ontario.

PROPERTY, LOCATION, ACCESS:

The property, consisting of six contiguous mining claims, numbered S. 134183-188 incl., is situated in the southwest corner of Kelly Township, Sudbury Mining Division, 25 air miles northeast of Sudbury, Ontario.

Access is by aircraft from Sudbury to Kukagami Lake covering parts of the property, or by secondary road from highway No. 17 to Kukagami Lake thence a two mile water route to the property.

GEOLOGY:

Government reports with maps indicate that the property

is underlain by conglomerate and quartzite of the Gowganda Formation which has been cut by gabbro intrusives. This gabbro occupies sections in the southern portions of the property, and a finger-like mass is located in the east central portion of the claim group, while another small intrusion occurs in the extreme northwest corner.

Associated with the larger gabbro mass near the gabbro-conglomerate contact in claim S.134184, is a substantial quartz-carbonate vein with amounts of lead, copper, gold, and silver.

HISTORY:

There are a number of old test pits located on the property from former operations. Mid-Nation Developments Ltd. conducted an electromagnetic survey over the area now covered by the Kelly-K claims and failed to extend mineralized zones.

Under the direction of Kelly-K Mines Ltd., a combined magnetic-self potential survey was done in the summer of 1966. A 900 ft. long magnetic anomaly was located in the western portion of the property and a single station self potential anomaly was recorded in the area of vein No. 1 in claim S.134184. Based upon these results, a program of trenching with sampling, and a total of 549 ft. of Ext drilling from three short holes over the quartz-carbonate vein No. 1 gave encouraging results and initiated the recommendation for two holes, each of 600 ft. in length, to investigate No. 1 vein and No. 3 vein some 150 ft.

south of the former vein, as well as No. 4 vein some 300 ft. south of vein No. 1.

DIAMOND DRILLING:

<u>HOLE NO.</u>	<u>LATITUDE</u>	<u>DEPARTURE</u>	<u>AZIMUTH</u>	<u>DIP</u>	<u>DEPTH (Ft.)</u>
67-1	28+50S	11+50E	033°	-45	601
67-2	27+00S	9+65E	033°	-45	602

Drill Results: Drilling commenced May 23rd and was terminated June 19th, 1967. A total of 1203 ft. of Axt core was recovered.

From hole No. 1, six samples were subject to analysis with no evidence of gold mineralization, and some evidence of silver-copper-lead mineralization from sample No. 2 which would correspond to a six inch section from vein No. 2. Silver ran 0.24 oz. per ton, copper 1.40% per ton, and lead 0.58% per ton.

The downdip extensions of veins 1, 3, and 4 were intersected from No. 67-1 hole, while no intersections were cut from No. 67-2 hole.

CONCLUSIONS:

A total of 1203 ft. of drilling was done on the Kelly Township property from two drill holes to investigate the downdip extensions of three veins noted on surface. Encouragement was given to deeper probe drilling from results of a previously done Packsack drill program along with trenching and sampling.


Although vein extensions were intersected in No. 67-1 hole, not intersected in 67-2 hole, mineralization containing silver, copper, and lead were returned in sub marginal amounts from vein No. 2. It is concluded that mineralization diminishes with depth.

RECOMMENDATIONS:

The property has been sufficiently tested for its ore-making potential, and no further work can be recommended.

Prior to lapse of the claim group, a re-appraisal will be made in the light that considerable property acquisition is being conducted in the area as potential uranium ground. It is possible the Kelly Township holdings may have geological environments similar to the uranium claims being acquired.

Respectfully submitted,



G.L. Kirwan, B.Sc.


Toronto, Ontario,
August 8, 1967

CERTIFICATE




I, Gerald L. Kirwan of the city of Toronto in the Province of Ontario, certify as follows:

1. THAT I am a geologist with offices at 160 Bay St., Toronto, and 130 Kingslake Rd., Willowdale, Ontario.
2. THAT I am a graduate of Carleton University, B.Sc., 1957, and that I have practised my profession continuously since graduation.
3. THAT I am a Fellow of the Geological Association of Canada.
4. THAT I have no interest, direct or indirect, in the properties or securities of Emerald Lake Mines Ltd.
5. THAT the accompanying report has been prepared by myself and is based upon supervision of all work programs done under Emerald Lake Mines Ltd.

Dated at Toronto, Ontario, this 8th day of August, 1967.



G.L. Kirwan



Geology and claims location map

KELLY-K MINES LTD.

KELLY TOWNSHIP, SUDBURY MIN. DIV., ONTARIO

SCALE: 1 IN TO 1/2 MILE



• CHEMICAL RESEARCH AND ANALYSIS
 • INSTRUMENT SALES AND SERVICE

TECHNICAL SERVICE LABORATORIES

DIVISION OF BURGNER TECHNICAL ENTERPRISES LIMITED
 355 KING ST. W., TORONTO 2B, ONT., CANADA
 TELEPHONE: 362-4246

Representing...
 JARRELL-ASH COMPANY
 HILGER & WATTS LIMITED
 SADTLER RESEARCH
 ULTRA CARBON CORPORATION
 METALS RESEARCH LIMITED

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Mr. Gerald L. Kirwan,
 130 Kingslake Road,
 WILLOWDALE, Ontario.

REPORT NO.
 T-07582

SAMPLE(S) OF DRILL CORE KELLY-K MINES LIMITED

Sample No.	Gold (Au) oz:ton	Silver (Ag) oz:ton	Copper (Cu) %	Zinc (Zn) %	Lead (Pb) %
1	nil	-	-	-	-
2	nil	0.24	1.40	nil	0.58
3	nil	-	-	-	-
4	nil	-	-	-	-
5	trace	-	-	-	-
6	nil	-	-	-	-

Samples, Pulps and Rejects discarded after six months
 DATE July 17th, 67.

SIGNED *C.S. Joyce*
 C.S. JOYCE, B.Sc., Manager of Laboratories





41110NE0006 0011A1 KELLY

900



ONTARIO

THE MINING ACT REPORT OF WORK

A separate form is required for each type of work to be recorded.

To the Recorder of Sudbury Mining Division

I, Kelly-K. Minors Limited

name of Recorded Holder Suite 305-100 Adelaide St. West, Toronto 1, Ont Miner's Licence

Post Office Address

do hereby report the performance of 22 days of Diamond Drilling type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
134183	22				
134184	22				
134185	22				
134186	22				
134187	22				
134188	22				

All the work was performed on Mining Claim (s) 134183, 134184
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment - Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geological and Geophysical Survey - The names and addresses of men employed as well as dates. Type of instrument used in the case of geophysical survey. Reports and maps in duplicate must be filed with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

Packsack Diamond Drill

Frank Jamieson, 517 O'Brien St., North Bay, Ont.
Fred Ouillette, 33-4th St., Jaccola, P.Q.

Each man worked an eight hour day from Oct. 1-19th, 1966.

Owners: Advance Geology & Geophysics Limited

Footage: 549 ft., core diam: 7/8". Each hole is -45° except for DDH 7 which is -60°. LENGTHS: Hole No. 1-92ft., 2-88', 3-88', 4-55', 5-71', 6-71', 7-80'

Date December 6, 1966

G.L. Kirwan
Signature of Recorded Holder or Agent
G.L. Kirwan, P.Eng.

The Mining Act Certificate Verifying Report of Work


I, Gerald L. Kirwan

130 Kingslake Rd., Willowdale, Ont.
(Post Office Address)

hereby certify:

- That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto having performed the work or witnessed same during and/or after its completion.
- That the annexed report is true

6 19 66



G.L. Kirwan
Signature
G.L. Kirwan

134183

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH



ONTARIO

THE MINING ACT REPORT OF WORK

Kelly Tap.

A separate form is required for each type of work to be recorded.

To the Recorder of SUDBURY Mining Division

I, Kelly-K. Mines Ltd. name of Recorded Holder Miner's Licence

130 Kingslake Rd., Willowdale, Ont. Post Office Address

do hereby report the performance of 1200 days of Diamond Drilling type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
S...134183	200
...134184	200
...134185	200
...134186	200
...134187	200
...134188	200

All the work was performed on Mining Claim (s) S...134184 *Kelly Tap.*
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.

For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator. Dates when drilling was done. Signed core log and sketch in duplicate.

For Compressed Air or Other Power Driven or Mechanical Equipment

Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.

For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.

With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.

For Geological and Geophysical Survey - The names and addresses of men employed as well as dates. Type of instrument used in the case of geophysical survey. Reports and maps in duplicate must be filed with the Minister within 60 days of recording.

For Land Survey - the name and address of Ontario land surveyor

The Required Information is as Follows: (Attach a list if this space is insufficient)

1200 ft. Two holes, each at -45°. Core diam. 1 1/8" (AXT)
Drill owner: Geo-Surveys Consultants Ltd., 130 Kingslake Rd., Willowdale, Ont. Drilling commenced May 23, 1967 and terminated June 19, 1967.

Date 1967

G.L. Kirwan
Signature of Recorded Holder or Agent
G.L. Kirwan

The Mining Act Certificate Verifying Report of Work

G.L. Kirwan

130 Kingslake Rd., Willowdale, Ont.
(Post Office Address)

hereby certify:

1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
2. That the annexed report is true.

Aug. 17 1967

G.L. Kirwan
Signature
G.L. Kirwan

134184

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

SEE ACCOMPANYING
MAP(S) IDENTIFIED AS
KELLY-0011-A1, #1, #2

LOCATED IN THE MAP
CHANNEL IN THE FOLLOWING
SEQUENCE (X)

