



41110NE0093 0026C1 DAVIS

010

* Part of report from

2.15/3

-1-

File 2:1723

INTRODUCTION

This report is considered only as a "Cursory Report", and was done only to make an initial study of the possible economic worth of the Gold Showing on parts of claims 358149 and 358150, Lots 9 and 10 Con 11, in Davis Township, Sudbury Mining Division, Ontario

The writer accompanied by Messrs Ed Rose, geologist, and Clifford Norman, prospector, both residents of Sudbury, visited the property between June 7 and 9, 1974. During this 3 day period, preliminary mapping and sampling were done.

During the summer 1974, bulk samples of the vien material have been taken by geologists of Pamour Porcupine Mines and tested at the mine for grade and recovery. The average grade was 0.45 Oz.Au/ton and recovery was 78.9%.

Subsequently, 7 short diamond drill holes were drilled and intersected the zone between 15 and 20 feet in depth. Four of these holes were completely assayed in detail and the average result of a 5 foot width along the foot wall of the zone gave 0.48 Oz.Au/ton.

MINERALIZATION

The main showing is located on the boundary of lot 9 and lot 10 approximately 200 feet North of Con 1.

It occurs in an East-West shear zone and dips approximately 84° to the North. This showing varies in width from 5 to 10 feet, and has been traced for a length of 130 feet. This showing is in an area of sheared argillites and quartzite, with minor occurrences of carbonate stringers. Gold occurs mainly in massive arsenopyrite which assays between 2.50 and 0.02 oz. per ton Au (grab samples). Sulphide mineralization includes massive arsenopyrite, chalcopyrite and pyrite. Assays from 2% to 0.65 Cu (grab samples) were obtained together with the gold values. Free gold was noted in only one location.

Assay results obtained from dust samples collected from plugger holes and analyzed by the Sudbury Assay office are as follows:

<u>Sample No.</u>	<u>Oz. Au/ton</u>	<u>Sample No.</u>	<u>Oz. Au/ton</u>
D-1	0.02	D-13	0.68
D-2	0.44	D-14	0.48
D-3	0.48	D-15	0.23
D-4	0.88	D-16	0.06
D-5	1.06	D-17	0.10
D-6	0.14	D-18	0.01
D-7	0.30	D-19	0.05
D-8	0.10	D-20	0.06
D-9	0.82	D-21	0.18
D-10	1.24	D-22	0.005
D-11	1.46	D-23	0.005
D-12	0.52		

Each sample was taken across a width of approximately 2 feet. Hole locations are plotted on sketch: Visual No. 1 (previously submitted).

DRILLING RESULTS

During the summer of 1974, 7 short holes were drilled on the main vein and are located as shown on visual No.1, (previously submitted).

Hole No. D-1: Azimuth 190°; Dip 45°; Length 33.5 feet.

From	To	AU Oz./Tn.	
5	6.5	.01	
6.5	7.0	.05	
7.0	10.0	.24	
10.0	12.0	.03	
12.0	13.0	.02	
13.0	16.5	.02	
16.5	18.0	.03	
18.0	19.0	.29	
19.0	20.0	.89	
20.0	21.5	.39	
21.5	22.0	.53	Av. .6/12'
22.0	25.0	1.59	
25.9	26.0	1.57	
26.0	30.0	.06	
30.5	33.5	.02	

Hole No. D-4: Azimuth 350°; Dip 45°; Length 31.5 feet

4.0	12.0	.02	
12.0	19.0	.04	
19.0	21.0	.05)
21.0	26.0	.59) Av. .394/8'
26.0	27.0	.10) or .5/6'
27.0	31.5	.04	

Hole No. D-7: Azimuth South; Dip 50°; Length 25'

0.0	7.0	Casing	
7.0	13.0	.24) Av. .24/6'
13.0	15.0	.04	
15.0	21.0	.08	
21.0	23.0	.57) Av. .36/4'
23.0	25.0	.15)

Hole No. D-6 Azimuth 235°; Dip 50°; Length 35 feet

2.0	5.0	.78)
6.6	9.0	.12) Av. .27/13'
10.0	15.0	.18)
15.0	17.0	.07)
17.0	21.0	.25)
22.5	24.5	.24) Av. .33/7'
24.5	25.5	.82)
25.5	34.5	.08)

CONCLUSION AND RECOMMENDATION

Two surface channel samples with a plugger across the 10 foot zone East of the 10 foot deep pit gave an average grade of 0.66 Oz. Au/ton, in June, 1974.

Seven short diamond drill holes were made in the summer of 1974: the first one, D-1, gave also an average grade of 0.6 Oz/ Au/ton over a true width of 7 feet, and hole D-6, cuth the same zone, 70 feet to the West, and gave an average grade of 0.3 Oz Au/ton over a true width of 5 feet. This lower value may be explained on account of the zone missing: the first 3 feet, next to the collar gave 0.78 Oz. Au/ton, we figure that part of this high grade zone was not assayed. The same remark applies for hole, D-7, which started in the zone and finished into it. Without taking account of these facts, the average grade of the four section holes is 0.48 Oz. Au/ton over 5 feet.

As a conclusion, deeper drilling shall be done to intersect the zone at 40 and at 80 feet below surface. This will determine the feasibility of mining a 10 foot wide trench instead of a 5 foot wide one.

Three bulk samples of 75 pounds each were tested at Pamour Porcupine Mines and gave an average grade of 0.45 Oz. and a recovery of 78.9%. Pamour agrees to custom mill 1000 tons of ore as soon as available.



SUDBURY ASSAY OFFICE

TEL: 705-673-1953
256 OAK STREET
SUDBURY, ONTARIO
P3C - 1M9

ANALYTICAL CHEMISTS — ASSAYERS — SHIPPERS' REPRESENTATIVES — CONSULTANTS

COPY

CERTIFICATE OF ANALYSIS

FINISHED

FOR

Canafri Limited,
10300 Boulevard Boulogne, Apt. 10,
MONTREAL, Quebec.
Attn: Mr. H. Farly Lylla,
Mr. Ed. Rose

APR 25 1975

PROJECTS UNIT

"Devil's Punchbowl"

LAB NO.	SAMPLE NO.	GOLD OZ. PER TON	SILVER OZ. PER TON	COPPER %	ZINC %	
569	1	0.04		0.02		D. D. H. CORE
570	2	0.05		0.02		SAMPLES.
571	3	0.24		0.02		See LOG.
572	4	0.03		0.02		
573	5	0.02		0.01		
574	6	0.02		0.02		
575	7	0.03		0.02		
576	8	0.23		0.02		
577	9	0.54		0.02		
578	10	0.53		0.01		
579	11	1.59		0.02		
580	12	1.57		0.11		
581	13	0.06		0.01		
582	14	0.02		Trace		
583	15	0.02		Trace		
584	16	0.04		0.01		
585	17	0.05		0.05		(Originally reported by 10/2/73)
586	18	0.59		0.18		

DATE: April 24, 1975

SUDBURY ASSAY OFFICE

PER

[Signature]



SUDBURY ASSAY OFFICE

TEL: 705-673-1953
256 OAK STREET
SUDBURY, ONTARIO
P3C - 1M9

ANALYTICAL CHEMISTS — ASSAYERS — SHIPPERS' REPRESENTATIVES — CONSULTANTS

COPY

CERTIFICATE OF ANALYSIS

FOR Canafri Limited,
10300 Boisse Boulogne, apt.10,
MONTREAL, Quebec.
Att'n: Mr. M'Faily Syllo,
Mr. Ed. Rose

"Davis Township"

LAB NO.	SAMPLE NO.	GOLD OZ. PER TON	SILVER OZ. PER TON	COPPER %	ZINC %			
587	19	0.10		0.11				
588	20	0.04		0.01				
589	D-4	0.39		0.10				
Note: Originally reported on May 16, 1974								
COST OF ASSAY								
GOLD \$ 4.50 each								
COPPER \$ 4.50 EACH								

DATE April 24, 1975

SUDBURY ASSAY OFFICE

PER 



SUDBURY ASSAY OFFICE

TEL: 705-673-1953
256 OAK STREET
SUDBURY, ONTARIO
P3C - 1M9

ANALYTICAL CHEMISTS — ASSAYERS — SHIPPERS' REPRESENTATIVES — CONSULTANTS

CERTIFICATE OF ANALYSIS

FOR
 ANALYSIS OF
 SAMPLE NO. 6-1
 ANALYSED BY
 DATE

LAB NO.	SAMPLE NO.	GOLD OZ. PER TON	SILVER OZ. PER TON	COPPER %	ZINC %
6-1					
6-2					
6-3					
6-4					
6-5					
6-6					
6-7					
6-8					
6-9					
6-10					
6-11					
6-12					
6-13					
6-14					
6-15					
6-16					
6-17					
6-18					
6-19					
6-20					
6-21					
6-22					
6-23					
6-24					
6-25					
6-26					
6-27					
6-28					
6-29					
6-30					

DATE: 1981-12-17

SUDBURY ASSAY OFFICE
 PER: *[Signature]*



SUDBURY ASSAY OFFICE

256 OAK STREET
SUDBURY, ONTARIO
TEL: 705-673-1953

ANALYTICAL CHEMISTS — ASSAYERS — SHIPPERS' REPRESENTATIVES — CONSULTANTS

CERTIFICATE OF ANALYSIS

Received from: Mr Paul Dusont

Samples of: 86 Lavoisier Laval. Laval Desrapives.

Recd from E. Ross Montreal. Quebec

LAB NO.	SAMPLE NO.	Gold % on	
			(Dust Sampling in Sketch for description.)
1667	ko-D-1	0.02	T. C. From Assay
1668	2	0.44	
1669	3	0.86	SKETCH OF LOCATION
1670	4	0.88	OF DUST SAMPLE PREVIOUSLY
1671	5	1.86	SUBMITTED (see Gen. Report
1672	6	0.14	also)
1673	7	0.96	
1674	8	0.20	
1675	9	0.82	
1676	10	1.24	
1677	11	2.46	
1678	ko-D-12	0.62	
1679	ko-D-13	0.66	

DATE June 14-73

SUDBURY ASSAY OFFICE

PER _____

1 OF 3

DAVIS Trap-Assay Results
FROM D. D. H. (By Subway Assay Office)

Hole #1 - Azimuth = 19° Dip = 45°
LENGTH = 33.51

FR.	TO	Au (oz/TN)
5	6.5	0.04
6.5	7.0	0.05
7.0	10.0	0.24
10.0	12.0	0.03
12.0	13.0	0.02
13.0	16.5	0.02
16.5	18.0	0.03
18.0	19.0	0.29
19.0	20.0	0.89
20.0	21.5	0.39
21.5	22.0	0.53
22.0	25.0	1.59
25.9	26.0	1.57
26.0	30.0	0.06
30.5	33.5	0.02

P.T.O.

2 of 3

D-4 Azimuth = 350° Dip = 45°
Length = 31.5'

FR.	TO.	Au (oz/TN.)
4	- 12	0.02
12	- 19	0.04
19	- 21	0.05
21	- 26	0.59
26	- 27	0.10
27	- 31.5	0.04

D-7 Azimuth = South Dip = 50°
Length = 25'

FR.	TO.	Au (oz/TN.)
7	- 13	0.24
13	- 15	0.04
15	- 21	0.08
21	- 23	0.57
23	- 25	0.15

P.T.O.

397

D6

Altitude = 235° Dip = 50° L = 35 ft

FR	TO	Au (oz/TN)
2	- 5	0.78
6.6	- 9	0.12
10.0	- 15.0	0.18
15.0	- 17.0	0.07
17.0	- 21.0	0.25
22.5	- 24.5	0.24
24.5	- 25.5	0.82
25.5	- 34.5	0.08

(34 Samples)

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - Davis Twp. Claim S-359149 HOLE NUMBER: D-1
 LOCATION : SW $\frac{1}{4}$, S $\frac{1}{2}$, Lot 9, Con. 2 DIP TESTS:
 LATITUDE : Dip: 45° Footage Reading Corrected
 DEPARTURE: Depth: 33'6"
 ELEVATION: Commenced: 10/5/74
 AZIMUTH : 190° Finished : 10/5/74 Logged by : E. A. Rose

FROM	TO	DESCRIPTION	SAMPLES		
			FROM	TO	AU AG CU
0.0-	5.0	Casing			
5.0-	6.9	Quartzite graphitic fracture at 6' @ 45° to core axis. Disseminated arsenopyrite, pyrite and chalcopyrite.	5.0-6.5		.04
			6.5-7.0		.05
			7.0-10.0		.24
6.9-	7.6	Impure quartzite-shear fracture. Dissem. sulphide mineralization.	10.0-12.0		.03
			12.0-13.0		.02
			13.0-16.5		.02
7.6-	19.0	Impure quartzite major fractures at 45° to 50° to core axis. Dissem. specks of sulphide mineralization throughout.	16.5-18.0		.03
			18.0-19.0		.29
19.0-	20.0	Massive to medium massive mineralization upto 40% arsenopyrite, pyrite, calco, carbonate and chloritic incls.			
20.0-	21.0	Lost core	Lost core		
21.0-	25.0	Massive mineralized section. some carbonate & chloritic inclusions. Sulphides (arsenopyrite to 50%) pyrite & chalcopyrite.	21.0-22.0		.53
			22.0-25.01		.59
25.0-	25.8	Lost core	Lost core		
25.8-	26.0	Massive mineralized section with carbonate, arsenopyrite and pyrite.			
26.0-	28.5	Quartzite specks of pyrite & arsenopyrite.	26.0-30.0		.06
28.5-	29.0	Quartzite-ground core			
29.0-	30.0	Impure quartzite carbonate stringers specks of arsenopyrite and pyrite on slip.			
30.0-	30.6	Lost core.			
30.6-	33.6	Impure quartzite specks of sulphide mineralization & chloritic & carbonate indisions at 32.6'-33.6' - Intense shearing and fractures Dissem. mineralization.	30.0-33.6		.02
END OF HOLE.					

Drilled by : Markstay Diamond Drillers, Markstay, Ontario

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP. Claim 359149 HOLE NUMBER: D-2
LOCATION : DIP TESTS:
LATITUDE : Dip: 45° Footage Reading Corrected
DEPARTURE: Depth: 30.0'
ELEVATION: Commenced: May 10/74
AZIMUTH : 17° Finished : May 11/74 Logged by : E.A.Rose

- 0.0- 3.0 Casing
 - 3.0-14.0 Impure Quartzite with intense fracturing throughout; major fractures at 40°-50° to core axis. Massive blebs and Dissem. specks of sulphide mineralization (arsenopyrite, pyrite and chalcopyrite).
 - 14.0-15.0 Massive mineralization with carbonate inclusions arsenopyrite and pyrite (minor chlorite)
 - 15.0-18.0 Quartzite
 - 18.0-30.0 Quartzite, granitic, carbonate stringers throughout. Massive to disseminated patches and specks of mineralization, mainly arsenopyrite and pyrite - major fractures at 40°-45° to core axis ground core at 20-21.8'
- END OF HOLE

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP Claim 359149 HOLE NUMBER: D-3
LOCATION :
LATITUDE : Dip: 50° Footage Reading Corrected
DEPARTURE: Depth: 3.0'
ELEVATION: Commenced: May 11/74
AZIMUTH : 170° Finished : May 11/74 Logged by : E. A. Rose

0.0 - 1.0 Casing

1.0 - 3.0 Quartzite, specks of pyrite and
arsenopyrite

Hole stopped.

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP CLAIM # 358149 HOLE NUMBER: D-4
LOCATION : DIP TESTS:
LATITUDE : Dip: 45° Footage Reading Corrected
DEPARTURE: Depth: 31.5'
ELEVATION: Commenced: May 12, 1974
AZIMUTH : 350° Finished : May 12/74 Logged by : E.A. Rose/May 74

		SAMPLES	
		FROM	TO
		AU	
0.0- 4.0	Casing		
4.0- 5.0	Quartzite, medium to fine grain.		
5.0-18.4	Quartzite with disseminated blobs and patches of pyrite, arsenopyrite and chalcopryrite Shear fractures from 7.0-7.8, from 12.0-13.3, weathering along slip faces. Ground core from 18.0-18.4	4.0-12.0	.02
		12.0-19.0	.04
18.4-18.8	Lost core		
18.8-21.0	Impure quartzite with specks of sulphide mineralization throughout; inclusions of carbonate stringers.		
21.0-22.0	Lost core		
22.0-26.6	Massive to medium mineralized section, includes arsenopyrite, pyrite, chalcopryrite and carbonate inclusions (some chlorite).		
26.6-31.5	Quartzite with specks and massive blebs of sulphide mineralization.		
	End of hole.		

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP CLAIM # 358150 HOLE NUMBER: D-5
LOCATION : DIP TESTS:
LATITUDE : Dip: 45° Footage Reading Corrected
DEPARTURE: Depth: 50.4
ELEVATION: Commenced: May 12, 1974
AZIMUTH : 215° Finished : May 12, 74 Logged by : E. A. Rose

- 0.0- 3.0 Casing
 - 3.0- 7.6 Granitic quartzite intensely fractured. Dissem. mineralization throughout blebs of pyrite on slip faces.
 - 7.6- 8.6 Quartzite intermixed with greywacke-weathered and fractured; blebs of pyrite and arsenopyrite.
 - 8.6- 9.0 Granitic to impure quartzite 15'-20%, major fracture at 8.7' at 45% to core axis.
 - 9.0-14.0 Impure quartzite intensely fractured from 10.0'-11.2' dissem. sulphide mineralization.
 - 14.0-28.0 Granitic quartzite major fracture at 40 to core axis carbonate and chloritic stringers dissem. sulphides.
 - 28.0-31.0 Quartzite-intensely fractured.
 - 31.0-44.0 Granitic to impure quartzite carbonate stringers some chlorite major fracture at 41.3 to 50 to core axis. fr. 43.1-44.0 shear fractures. dissem. Sulphide mineralization.
 - 44.0-50.4 Quartzite with some massive blebs of arsenopyrite & pyrite at 49.3-49.7 ground core.
- END OF HOLE.

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP C^r .IM # 358150 HOLE NUMBER: D-6
LOCATION : DIP TESTS:
LATITUDE : Dip: 50° Footage Reading Corrected
DEPARTURE: Depth: 34.5
ELEVATION: Commenced: June 13/74
AZIMUTH : 235° Finished : June 13/74 Logged by : E.A.Rose

0.0- 2.0 Casing
2.0- 5.0 Quartzite with sheared fractures massive & dissem. sulphide mineralization. 2.0'-5.0' .78 AU
5.0- 8.5 Weathered impure quartzite with chi. & carbonate inclusions massive to dissem. sulphide. arsenopyrite and chalcopyrite.
8.5-10.6 Granitic quartzite sulphides in stringers and massive blebs. 10.0' -15.0' .18 AU
10.6-12.5 Weathered quartzite 20-30% sulphides. 10.0'-15.0' .18 AU
12.5-18.3 Feldspathic quartzite with chlorite & carbonate inclusions, massive blebs & patches of sulphide mineralization.
18.3-19.1 Granitic quartzite specks of pyrite.
19.1-22.7 Granitic quartzite with massive to dissem. mineralized sections.
22.7-23.4 Feldspathic quartzite sulphide mineralization in massive stringers & specks.
23.4-24.6 Granitic quartzite dissem. sulphides.
24.6-31.9 Quartzite some feldspathic sections chloritic and carbonate inclusions massive to dissem. mineralization.
31.9-34.5 Impure quartzite dissem. specks and stringers of sulphides, pyrite and arsenopyrite.
END OF HOLE.

REPLACEMENT COPY

DIAMOND DRILL LOG

PROPERTY : ROSE & SYLLA - DAVIS TWP CLAIM # 358149 HOLE NUMBER: D-7
LOCATION : Lot 9 - Con. II DIP TESTS:
LATITUDE : Dip: 50° Footage Reading Corrected
DEPARTURE: Depth: 25.0
ELEVATION: Commenced: June 13/74
AZIMUTH : South Finished : June 13/74 Logged by : E. A. Rose


0.0- 7.0 Casing
7.0-14.0 Impure quartzite, massive mineralization pyrite 7'-13' .24 AU
and arsenopyrite on slip faces.
14.0-20.0 Quartzite intensely fractured. Dissem. pyrite
and arsenopyrite.
20.0-20.5 Lost core
20.5-25.0 Quartzite with massive to disseminated patches 21'-23' .57 AU
and blebs of arsenopyrite and pyrite throughout.
End of hole.

REPLACEMENT COPY

CLAIMS 358149 & 358150 - D.D.H. LOCATIONS

DAVIS TWP
 SUBURRY MINING DIVISION
 ONTARIO

- LOCATIONS OF DUST SAMPLING



AVE. VALUE OF TRENCH AT 0 = 0.55/10' - OZ Au/TN
 " " " " " 10N = 0.785/10' - " " "
 " " OF 2 TRENCHES = 0.666/10' - " " "

LEGEND

- D₁ - 2 FT D. HOLE FR. WHICH DUST SAMPLES WERE COLLECTED & ASSAYED
 - RESULTS in OZ/AU/TN
 - SHEAR & SILICIFIED ZONE HEAVY ARSENOPYRITE MIN.
 - OUTLINE OF SHEAR INCLUDING OXIDISED & DISSERT. MIN WALLS.
 - D₂ - D. D. HOLE
- SCALE: 1" = 10 FT
- SAMPLED BY: E. A. ROSE, GEOI.
- : P. E. DUNNAT, P. ENG.
- : C. NORMAN.
- DATE: MAY 11-12, 1974.



41110NE0093 0026C1 DAVIS

900



Ontario

Ministry of Natural Resources

Lands Administration Branch

Projects Unit

Technical Assessment Work Credits

File 2.1513

Recorded Holder Mr. E. A. Rose and Mr. N. F. Sylla

Township or Area Davis Township

Type of survey and number of Assessment days credit per claim	ASSAYING
<p>Geophysical</p> <p>Electromagnetic _____ days</p> <p>Magnetometer _____ days</p> <p>Radiometric _____ days</p> <p>Induced polarization _____ days</p> <p>Section 86 (18) <u>19 & 20</u> see across _____ days</p> <p>Geological _____ days</p> <p>Geochemical _____ days</p> <p>Man days <input type="checkbox"/> Airborne <input type="checkbox"/></p> <p>Special provision <input type="checkbox"/> Ground <input checked="" type="checkbox"/></p>	<p align="center">- Diamond Drilling -</p> <p>Location of (7) Drill Holes:</p> <p>Mining Claims - S. 358149 358150</p> <p>Amount expended on assaying core samples = \$237.00</p> <p>Total assessment days credit allowed = 16</p> <p>The above two mining claims may be grouped under Section 85 (6) of The Mining Act, for the purposes of recording the work credits of <u>16 days</u>.</p>
<p>Notice of Intent to be issued:</p> <p><input type="checkbox"/> Credits have been reduced because of partial coverage of claims.</p> <p><input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant.</p> <p><input type="checkbox"/> No credits have been allowed for the following mining claims as they were not sufficiently covered by the survey:</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p align="center"><i>Leo Benin</i></p> <p>Approved - June 5, 1975</p>

DUPLICATE COPY

DAVIS TWP.
(1748)



ONTARIO

THE MINING ACT REPORT OF WORK

#74-33
L.L.C. 5. 358149
A separate form is required for each type of work to be recorded.

To the Recorder of.....Sudbury.....Mining Division

Ed. A. Ross & N. P. Sylla Licence #C312535 & G31478
name of Recorded Holder Miner's Licence

of 226 Jorges St. #104, Sudbury, Ont. L1G 1G0 Bois De Boulogne, Montreal, P.Q.

do hereby report the performance of45..... days ofDiamond Drilling.....
Type of Work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
358149	23	358150	22		
.....
.....
.....
.....
.....

All the work was performed on Mining Claim (s) ...358149 & 358150..... (Davis Township).....
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

A total of 180 feet of Diamond Drilling equivalent to 51 days credit was done by Markstay Diamond Drillers of 15 Hagar St., Markstay, Ontario (See core log for additional information) (ex core)

Geological Branch ODM
ASSESSMENT FILES
RESEARCH OFFICE
JUL 5 1974
RECEIVED

Date June 3, 1974

Signature of Recorded Holder or Agent

The Mining Act
Certificate Verifying Report of Work

I, Eric Laskstrom
31 Cedar St. Sudbury, Ontario
(Post Office Address)

hereby certify:

- That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
- That the annexed report is true.

Dated June 3, 1974

Signature

RECEIVED

JUL 10 1974

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

THE MINING ACT REPORT OF WORK

To the Recorder of Sudbury Mining Division

Mr. Wm. Ed. A. Rose & U.F. Sylla Licence #831235 & G31478
 name of Recorded Holder
 of 226 Jogues St. #104, Sudbury, Ont. & 10300 Bois De Boulogne, Montreal, P.Q.
 Post Office Address (D.D. holes 25' and less)

do hereby report the performance of 5 days of Mechanical type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
358149	2	358150	3		

Geological Branch ODM
 ASSESSMENT FILES
 RESEARCH OFFICE
 JUL 5 1974
 RECEIVED

All the work was performed on Mining Claim (s) 358149
 (In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.

For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.

For Compressed Air or Other Power Driven or Mechanical Equipment

Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.

For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.

With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.

For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (in cutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.

For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

Hole #3 = 3 feet deep: Done on May 11, 1974: (D.D. holes 25 feet and
 Hole #7 = 25 feet deep: Done on May 13, 1974: less)

Total hours worked on Hole #3 = 3 hours: Total: 15 hours
 Total hours worked on Hole #7 = 12 hours: 5 days credit.

These holes were drilled by Markstay Diamond Drillers with a 2 man drilling crew. (see sketch for locations)

Date June 3, 1974

Signature of Recorded Holder or Agent

The Mining Act
 Certificate Verifying Report of Work

I, Eric Lackstrom
31 Cedar St. Sudbury, Ontario
 (Post Office Address)

hereby certify:

1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
2. That the annexed report is true.

Dated June 3, 1974

Signature E. Lackstrom

RECEIVED

JUL 10 1974

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

DUPLICATE COPY

#74-35

file # 358149

DAVIS TWP.



ONTARIO

THE MINING ACT REPORT OF WORK

A separate form is required for each type of work to be recorded.

To the Recorder of Sudbury Mining Division

E. Rose, 226 Jogues St., #104, Sudbury, Ont. Licence #C31235 & C31478

do hereby report the performance of 8 days of Mechanical Equipment

not before reported to be applied on the following contiguous claims

Table with columns: Claim No., Days, Claim No., Days, Claim No., Days. Includes claim numbers 358149 and 358150.

Geological Branch O.M. ACCUMULATION FILES RESEARCH OFFICE JUL 5 1974 RECEIVED

All the work was performed on Mining Claim (s) 358149 & 358150 (Davis Township)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.

The Required Information is as Follows: (Attach a list if this space is insufficient) (See Sketch)

A total of 8 days credit for Cobra Drill Plugger used for collecting samples from 23 - (2 foot holes.) See sketch for plugger hole locations.

Table with columns: Men Employed, Dates, Total Hrs. Worked, Credit. Lists E. Rose and C. Norman with their respective work dates and hours.

The Mining Act Certificate Verifying Report of Work

I, Eric Lackstrom, 31 Cedar St., Sudbury, Ontario

hereby certify:

- 1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.

Dated June 3, 1974

Signature of Recorded Holder or Agent

RECEIVED

JUL 10 1974

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

ONTARIO

THE MINING ACT REPORT OF WORK

A signature is required for each type of work to be recorded.

To the Recorder of.....Sudbury.....Mining Division

of WE: Ed. A. Rose & N. F. Sylla Licence # C31235 & C3147B
name of Recorded Holder Miner's Licence

of 226 Joques St. Apt # 104 Sudbury Ont. & 10300 Bois De Boulogne Apt # 110
Post Office Address Montreal P. Q.

do hereby report the performance of 16 days of Assay Analysis
type of work

not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
358149	8	358150	8		
.....
.....
.....
.....
.....

All the work was performed on Mining Claim (s) 358149 & 358150 (Davis Township)
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)
A total of 16 days credit for Assay Lab fees \$240.00 paid to Sudbury Assay Office 256 Oak Street Sudbury Ont. --re fees for core sample Assay & Dust (May 17, 1974) see attached receipt

Date June 3, 1974
Signature of Recorded Holder or Agent

The Mining Act Certificate Verifying Report of Work

I, Eric Lackstrom
31 Cedar Street Sudbury Ont.
(Post Office Address)

hereby certify:
1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed here-to having performed the work or witnessed same during and/or after its completion.
2. That the annexed report is true.

Dated JUNE 3, 1974
Signature

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

RECEIVED

MAY 6 1975

PROJECTS UNIT

E.A. Rose
226 Jogues St., Apt. 304
Sudbury, Ontario

May 1, 1975


2.1781

Supervisor Project Section
Ministry of Natural Resources
Whitney Block
Queen's Park
Parliament Buildings
Toronto, Ontario

Dear Sir:

Please find enclosed new plans of Mag. and E.M. surveys (4 copies) and assay invoice to complete assessment work submitted on claims S358148-S358151, inclusive, in Davis Twp., Sudbury Mining Division. (Reports and previous plans delivered to your office in Toronto on April 29, 1975).

Yours truly,



E.A. Rose

EAR:cb

encl.

Assaying on

File 2.1513



Ministry of
Natural
Resources

June 5, 1975

RECEIVED

JUN 9 - 1975

Our file number 2.1513

Your file number

Mr. J. M. Hughes
Regional Director
Ministry of Natural Resources
P.O. Box 1900
Sault Ste. Marie, Ontario
P6A 5N9

Dear Sir:

Re: Mining Claims S. 358149 - 50
Davis Township, File 2.1513

The Minister has, under the provisions of Section 86 (sub-sections 18, 19 and 20) of The Mining Act, approved assessment work credits for Assaying of Drill Core as shown on the attached statement.

A copy of this letter should be sent to the Mining Recorder who should inform the recorded holder of these mining claims and so indicate on his records.

Yours very truly,

for
J. R. McGinn
Director
Lands Administration Branch

Whitney Block, Room 1617
Queen's Park
Toronto, Ontario
M7A 1X1
Phone: 416-965-6918

OJ/mw

cc: Mr. E. A. Rose
Sudbury, Ontario

cc: Mining Recorder
Sudbury, Ontario

cc: Mr. N. F. Sylla
Montreal, Quebec

cc: Mr. Andre Noel
Fabreville, Laval
Quebec

cc: Deputy Regional Director
Sudbury, Ontario

Attn: Resident Geologist

DAVIS TWP.
Scale: 1" = 40 chains

