FOY-0010-A1

DD-10

Diamond Drilling

Township of FOY

Report NO 10

Work performed by: Falconbridge Nickel Mines Ltd.

Clann Nº	Hole No	Footage	Date	Note
S.37761	FY-XC-1	98.01	1948	
	ΓY-XC-2	85.01	1948	
	FY-XC-3	100.0'	1948	
	ΓY-XC-4	10.03	1948	
S.37762	FY-XC-5	65.01	1948	
	LA-XC-8	80.0	1948	
	FY-XC-7	60.01	1948	
		and the first of the state of t		

TOTAL 7 DH -68.0'

Notes:

All holes done in July, 1948

FALCONBRIDGE PICKED, MINES LIMITED Lot 3, Con. 3 1.7,1948 Locat on S-3776I Bearing South Hole No. Py-XC-I Elevation Dip 38° Township Foy P. Campbell From To Description Sample Nos. 3.5' Casing 3.5 22.0 Coarse grained granite 22.0' 25.5' Fine grained diorite dyke 25.51 98.0' Granite 98.0' Bottom of hole Diameter of core 47/64 Inch. Core dumped at collar after being logged. Core logged by A. P. Campbell, Falconbridge, Cnt.

A STATE OF THE PARTY OF THE PAR

ged by-	Flevation	S-3776I Bearing South Hole N	n Foy
A. P.	Campbell) OHID IL	· · · · · · · · · · · · · · · · · · ·
From	То	Description	Sa ple No
0 4.0' 20.0' 23.0'	4.0' 20.0' 23.0' 85.0'	Casing Granite Diorite dyke Granite throughout. Bottom of hole. Diameter of core 47/64 Inch. Core dumped at collar after being lo Core logged by A. P. Campbell, Falco	eged.

the painting of the first of the

ma ul.7.	1940 ocation	Lot 3, Con.3. S-3776I Bearing South Hole No. FY-XC-3.
Lend by	Campbell.	Dip 46° Township Foy
From	To	Pescription Sample Nos.
0 3.5' 25.5' 28.5' 45.0' 47.0'	3.5' 25.5' 26.5' 45.0' 47.0' 100.0'	Casing Granite Fine grained diorite dyke. Granite Diorite Coarse grained granite throughout. Bottom of hole Diameter of core 47/64 Inch. Core dumped at collar after being logged. Core logged by A. P. Campbell, Felconbridge, Ont
in columnia de la come de la columnia del columnia del columnia de la columnia del		All the second of the second o

PALCONAPIDGE MICKEL KINES LIMITED


Lot3, Con.3
Da-Tul.7, 1948 ocation S-3776I Bearing South Hele to. Fy-XC-4.

Logged by Elevation Dip Township For

A	cemboarr			1
From	7'0	Description	Sample Nos	•
0 3.0' 24.5' 28.0'	3.0' 24.5' 28.0' 80.0' 80.0'	Casing Granite Diorite dyke. Uniform granite throughout. Bottom of hole.		
	ì	Diameter of core 47/64 Inch. Core dumped at collar after logging. Core logged by A. P. Campbell, Falcon	abridge, (nt

FARMURATION WE KEL MINT LIMITED

Fil. Maidre, ont no



SCALE: 1 INCH to 330 FEET.

FALCONBRIDGE MICKEL MINES LIMITED

Lot 3, Con.3
ul.7,1948 position S-37762 Bearing South Hole No. Fy-XC-5.

Degreed by Elevation Dip 47° rewritip Foy
A. P. Campbell.

From To Description Sample Nos.

Casing

5.0'

65.0'

65.0'

5.01

Bottom of hole.

Diameter of core 25/32 Inch.


Core dumped at collar after being logged.

Core logged by A. P. Campbell.

Uniform, coarse grained granite throughout.

gged by—	Elevati Campbell.	on Dip Townsh	ip Foy
From	То	Description	Sa ple No
0 [•5†	I.5' 80.0' 80.0'	Casing. Uniform, massive, coarse grained gr Bottom of hole. Diameter of core 25/32 Inch. Core dumped after being logged. Core logged by A. P. Campbell, Falc	

A. P.	Campbell.	on Dip Fownship Foy
From	То	Description Sample Nos
04.0	4.0' 60.0' 60.0'	Casing. Massive granite throughout. Bottom of hole. Liameter of core 25/32 Inch. Core dumped after logging. Core logged by A. P. Campbell, Falconbridge,



SCALE-1/NCH = 330 feet.