




41115SE2007 2.19982 KELLY

010



WORK REPORT: *ADDENDUM*

TO PHASE I REPORT FILED OCTOBER 18TH, 1999

KELLY PROPERTY (Kukagami Lake Intrusion)

KELLY TOWNSHIP, SUDBURY MINING DISTRICT, ONTARIO

December 17th, 1999

Prepared For:

Pacific North West Capital Corp.
626 West Pender Street, Mezzanine Floor
Vancouver, British Columbia, Canada V6B 1V9

and

Goldwright Explorations Inc.
487 Bouchard Street
Sudbury, Ontario, Canada P3E 2K8




TABLE OF CONTENTS

| | Page |
|---|-------------|
| Table of Contents | 1 |
| Summary | 2 |
| Introduction | 3 |
| Location & Accessibility | 3 |
| Claim Status | 6 |
| Regional Geology | 6 |
| Property Geology | 7 |
| Topography & Vegetation | 7 |
| Property History | 8 |
| Current Work | 9 |
| Phase I | 9 |
| Geology and Mineralization | 9 |
| Lithogeochemical Sampling | 11 |
| Platinum Group and Base Metal Data | 14 |
| Newly Cleared Area | 14 |
| Conclusions | 16 |
| | |
| Certificate of Qualification | 17 |
| | |
| APPENDIX I – Geological sketch maps from Main Showing | |
| APPENDIX II – Assay Certificates | |
| | |
| <u>List of Figures</u> | |
| 1. Location of property in Ontario, Canada | 4 |
| 2. Kelly Twp. Claim Map | 5 |
| 3. Location of Exploration Grid | 10 |
| 4. Sketch Map of Newly Cleared Area | 15 |
| | |
| <u>List of Tables</u> | |
| 1. Sample descriptions | 12 |
| 2. Sample Assays | 13 |
| | |
| <u>Back Pocket</u> | |
| Geological Map (1:10,000) GEO-1 | |
| Exploration Grid (1:10,000) GEO-1C | |



SUMMARY

This report represents a summary of **additional work** completed as part of the **first phase** of exploration at the **Kelly Property**, located in Kelly Township, Sudbury Mining Division, north-central Ontario, Canada. The property is located about 50 km northeast of the City of Sudbury, in the northern half of Kelly Township (Figure 1). The current exploration program is in partial fulfilment of an option agreement between Goldwright Explorations Inc. (optioner) and the optionee Pacific North West Capital Corp. (PFN) and their joint-venture partner Anglo American Platinum Corporation Ltd. (AMPLATS).

This addendum addresses some of the additional work completed on the property, that was not included in the original Phase I Work Report of October 28th, 1999. Also included are the assay values and certificates for samples presented in the Phase I work report.

The Kelly Property has the potential to host economic accumulations of platinum (Pt), palladium (Pd) and gold (Au) metals in association with copper (Cu) - nickel (Ni) sulphides. Moreover, this property is proximal to several other highly prospective Pt-Pd-Cu-Ni properties that are currently being explored by PFN. At the Kelly Property, the platinum-group metals (PGM = Pt+Pd+Au) and Cu-Ni sulphide (chalcopyrite, pyrrhotite and pentlandite) occur primarily as disseminations and blebs within medium-grained, relatively homogenous hypersthene-bearing gabbroic rocks of Nipissing Diabase. The **main showing** of sulphide mineralization is exposed in a small (<3m x 3m) pit that has since been stripped and washed to expose an area of mineralization that is a minimum 15m x 15m. Several new showings, located within 10s to 100s of meters of the main showing were discovered during the current exploration program. Observations made during the recently completed prospecting and reconnaissance mapping program suggest that the known mineralization is confined to a massive, hypersthene-bearing gabbro unit that extends for >1000 m along the northern edge of the Kukagami Lake intrusion.

Work completed during the Phase I exploration program and reported on October 28th, 1999 included: (1) an 11 km winter grid on Kukagami Lake; (2) an 11 km ground magnetometer survey over the lake winter grid; (3) a 9 km exploration grid (land) connecting the main areas of known surface sulphide mineralization; (4) prospecting, general geological mapping and sampling over the grid area; (5) reconnaissance prospecting and sampling outside of the main grid area and along strike of known mineralization; (6) clearing, power washing, trenching and blasting in the area of the main showing (approximately 50 m x 30 m area); and, (7) detailed sampling of the cleared area at the main showing. A total of 42 samples were collected for assay (Pt-Pd-Au-Cu-Ni) through Accurassay Laboratories (Thunder Bay, Ontario). **For a complete summary, including full maps, please refer to WORK REPORT dated OCTOBER 28th, 1999.** Subsequent to the report of October 28th, 1999 1 day was spent clearing and cleaning an area proximal to JB99-03 to examine the bedrock.

INTRODUCTION

The Kelly Property, centred at 5170075mN and 530065mE (NTS 41I/NE), consists of 8 unpatented mining claim blocs that cover the northern part of the Kukagami Lake intrusion in Kelly Township, Sudbury Mining Division, Ontario (Figures 1 and 2). This property is one of several projects in the area that is currently being optioned to Pacific North West Capital Corp. by Goldwright Explorations Inc.

The Kelly Property lies within the Southern Geological Province of the Canadian Shield and is one of several properties in the area that has potential to host economic concentrations of platinum-group metals, copper and nickel that is spatially associated with Nipissing Diabase (gabbro) intrusive rocks. Sporadic exploration work from the early 1950's to present, including ongoing exploration work in the immediate area by Goldwright Explorations Inc. and Pacific North West Capital Corp., and regional geological mapping by the Ontario Geological Survey has identified sulphide mineralization in the area that is of potential economic interest.

Phase I of a 2 phase exploration program has now been completed – Phase 2 is planned for the year 2000. Work completed under Phase I included: (1) an 11 km winter grid on Kukagami Lake; (2) an 11 km ground magnetometer survey over the lake winter grid; (3) a 9 km exploration grid (land) connecting the main areas of known surface sulphide mineralization; (4) prospecting, general geological mapping and sampling over the grid area; (5) reconnaissance prospecting and sampling outside of the main grid area and along strike of known mineralization; (6) clearing, power washing, trenching and blasting in the area of the main showing (approximately 50 m x 30 m area); and, (7) detailed sampling of the cleared area at the main showing. A total of 42 samples were collected for assay (Pt-Pd-Au-Cu-Ni) through Accurassay Laboratories (Thunder Bay, Ontario).

LOCATION & ACCESSIBILITY

The Kelly Property (Kukagami Lake intrusion) is located immediately east of Kukagami Lake in Kelly Township, about 50 km northeast of Sudbury (Figures 1 and 2). The property is currently accessible via the Kukagami Road, north from Hwy. #17, then by boat from Sportsman's Lodge on the south-west shore of Kukagami Lake.




Figure 1. Distribution of Paleoproterozoic (ca. 2.2 Ga) Nipissing Gabbro (Diabase) intrusions in the Southern and Superior Provinces, Ontario, Canada. Also shown are the locations of the Janes and Kelly Cu-Ni-PGE properties (circles) that are associated with Nipissing gabbros in the Sudbury District. The mining facilities of Inco Ltd. and Falconbridge Ltd. are also noted around the Sudbury Igneous Complex (SIC). The KELLY PROPERTY is number 2, located about 50 km northeast of the City of Sudbury.




Figure 2. Location of the Kelly Claim Group in Kelly Township, Sudbury Mining Division, Ontario (dashed outline; claim map G-3033). Also shown are the approximate locations of known PGE-bearing sulphide showings (filled circles), the main showing (filled square) and samples (BW99-426, 427) collected during 1999 prospecting (open circles).

CLAIM STATUS

Goldwright Explorations Inc. currently holds 8 unpatented mining claim blocs in Kelly Township, about 50 km east of the City of Sudbury, Ontario (G-3033; Figure 2). The mining claims encompass 114 claim units, with the following distribution:

| <u>Claim No.</u> | <u>Due Date</u> | <u>Assessment</u> | <u>No. Claim Units</u> | <u>Area (ha)</u> |
|------------------|-----------------|-------------------|------------------------|------------------|
| S-1229730-31 | Dec. 19, 1999 | \$12,800 | 32 | 512 |
| S-1230126-27 | Oct. 28, 1999 | \$12,800 | 32 | 512 |
| S-1231002-03 | June 23, 2000 | \$11,200 | 28 | 448 |
| S-1231006 | June 23, 2000 | \$6400 | 16 | 256 |
| S-1229950 | June 23, 2000 | \$2400 | 6 | 96 |
| TOTALS: | | \$45,600 | 114 | 1824 |

*the *J. Whalen Prospect* or main showing is located on claim #1230127

These claims are currently under option to Pacific North West Capital Corp. (Vancouver) and their joint-venture partners Anglo American Platinum Corporation Ltd. (AMPLATS).

REGIONAL GEOLOGY

The **Huronian-Nipissing Magmatic Province (HNMP)** includes intrusive bodies such as the East Bull Lake, Agnew Lake and River Valley Intrusions (ca. 2.4 Ga) and younger intrusions (ca. 2.2 Ga) of Nipissing Diabase (Gabbro); both intrusive suites are spatially associated with and intrude Early Proterozoic sedimentary rocks of the Huronian Supergroup (ca. 2.45 Ga). Northwest-trending olivine gabbro dykes (ca. 1.2 Ga) of the Sudbury Swarm crosscut all of the older rock types. To date there are no known economic Ni-Cu-Pt-Pd-Au sulphide deposits associated with Nipissing Diabase. Nonetheless, numerous showings (>50 known) with anomalous PGM values (1-10 g/t PGM) are recorded throughout the HNMP.

Nipissing Diabase comprises about 25% of the outcrop area in the HNMP and consists of dominantly tholeiitic to calc-alkaline rocks. The majority of Nipissing Diabase occurs as near-horizontal sheets or undulating sills, consisting of basins and arches, and dykes that are generally less than 1000 m thick. In this form, disseminated to massive sulphide mineralization is concentrated within the basin or limb portions with pods of dominantly massive pyrrhotite occurring within the arches.

Lopolithic forms outcrop as irregular-shaped intrusions and may represent deeper feeder systems to the stratigraphically higher sill and cone-shaped intrusions. In this form disseminated to semi-massive sulphides are hosted by hypersthene gabbro within tens of meters of the footwall sedimentary rocks and within irregular regions at the footwall contact. This form is characterised by the gabbroic intrusion at PFN's Janes property.

Arcuate and open ring outcroppings of Nipissing Diabase and structural features of surrounding sedimentary rocks suggest inward-dipping, **cone-shaped intrusions** in which disseminated sulphides hosted by hypersthene gabbro are within a few hundred meters of the basal contact. This form is typified by the gabbroic intrusion at the Kelly property.

PROPERTY GEOLOGY

The Kelly Property overlies gabbroic rocks of Nipissing Diabase and sedimentary rocks of the Huronian Supergroup (Gowganda Formation). The property is located over the northern limb of a southward dipping cone sheet that extends to the east and west in an arcuate shape. The gabbro rocks unit dip southward at about 40 and a basal chilled gabbro occurs along the base of the north ridge where it is in sharp to sheared contact with sedimentary rocks of the Gowganda Formation.

Stratigraphic tops is toward the south as indicated by the presence of differentiated igneous rocks including gabbro-leucogabbro, vari-textured to pegmatitic gabbro and granophyric gabbro. In addition, a thick (>40 m), near-continuous massive unit of oxide-bearing gabbro occurs along the southern portion of the Kukagami Lake intrusion. Overlying (further south) the oxide-bearing gabbro are intermittent units of gabbro, leucogabbro and fine-grained (chilled) gabbro that form the uppermost hangingwall rocks of the intrusion. Sedimentary rocks occur intermittently along the north shore of Carafel Bay (map GEO-1 in back pocket) and represent the remains of the overlying roof rocks to the intrusion.

In general the original cone sheet and/or sill morphology is well-preserved. **Metamorphic grade** ranges from approximately middle greenschist (chlorite zone) to lower amphibolite facies (amphibole zone). Preliminary petrographic work has identified original igneous mineralogy and textures in all phases of the gabbroic rocks.

TOPOGRAPHY AND VEGETATION

Topography on the Kelly Property is characterised by generally east-west trending ridges of gabbroic rocks with a mixture of gradual slopes and meter- to 10's of meters high cliffs. The primary vegetation on the ridges is mixed forest consisting of spruce, oak, birch and poplar, with alders, cedars, and poplar dominating the intervening low and swampy ground. Overburden consists primarily of <0.5 m humus-rich soils on the ridges but with areas of thick (>2.0 m) silty sand, humus-rich soils, clay and poorly developed glacial till. Locally overburden may be >5 m thick.

Kukagami Lake is located to the north, south (Carafel Bay) and west of the property with numerous small (<500 m) ponds and lakes occurring throughout the property.

PROPERTY HISTORY

The earliest reported work on the Kukagami Lake property is from 1969 and 1970. As in the area of PFN's Janes Property (Janes Township), most of the work focused on base metal (Cu-Ni) exploration and included airborne geophysics (mag-EM), geological mapping, trenching and minor diamond drilling.

Gold Cliff Mines Ltd. - 1896

Exploration immediately north of the claim blocs uncovered visible gold in east-west trending quartz veins that occurred along contact between gabbroic rocks of the Nipissing Diabase and Gowganda Formation sedimentary rocks. More than 610 m of stripping and trenching was completed and a 55 m adit intersected auriferous quartz veins.

Kelly-K-Mines Ltd. - 1966-67

Located on the east side of a large peninsula toward south end of Kukagami Lake and southwest of the Kelly property claim blocs. Sulphide-bearing quartz-carbonate veins contained sub-economic concentrations of Au, Ag and Pb. The mineralized quartz veins were associated with the contact between gabbroic rocks of the Nipissing Diabase and Gowganda Formation sedimentary rocks. Diamond drilling returned an average of 0.10 oz/t Au, 1.3 oz/t Ag, 8.78% Pb over a 0.3-0.45m core length.

Kennco Explorations (Canada) Ltd. - 1969-70

Kennco Explorations completed airborne magnetometer-EM with follow-up ground work that included geological mapping, trenching and diamond drilling. At their **East Trench** (main showing in Figure 2) diamond drilling returned assays of **0.48% Cu and 0.24% Ni over 7.5m**, including **0.59% Cu and 0.30% Ni over 1.8m**.

Nickeldale Resources Inc. - 1986

Nickeldale's exploration work included prospecting, humus geochemistry and ground geophysical surveys (magnetometer and VLF-EM) over the area that included the **East Trench** (main showing) (Figure 2). Grab samples returned anomalous **Ni (0.02%), Cu (0.1%), Pd (0.22 g/t), Pt (0.08 g/t) and Au (0.08 g/t)** values in the gabbroic rocks that contained 1-3% total visible sulphides. Eleven (11) multi-element anomalies with elevated Ni-Cu-Pd-Pt-Au were outlined from 733 humus samples. The ground and airborne mag-EM surveys failed to delineate any significant targets and no follow-up diamond drilling was reported.

Ontario Geological Survey (P.C. Lightfoot) - 1991

The Kelly property was part of a regional study undertaken by the OGS. During the study several grab samples were collected that returned values of up to 4.16 g/t Pd, 1.10 g/t Pt, 0.6 g/t Au (**5.86 g/t combined Pt+Pd+Au**) in the **East Trench** (main showing) and up to 1.84 g/t Pd, 0.22 g/t Pt, 0.09 g/t Au (**2.15 g/t combined Pt+Pd+Au**) in the **Northeast Trench** (furthest showing to the west in Figure 2).

Wright Prospecting Syndicate - 1995

Exploration work included Horizontal Loop-EM, Total Field-magnetometer and Maxiprobe-EM surveys over the north-central part of Kukagami Lake. Although the mag-survey outlined the local geology, the HL-EM and Maxiprobe-EM surveys outlined two (2) moderate conductors that are coincident with the presumed contact between an olivine diabase dyke and gabbro. Several small conductors were also noted, north and southwest of the two stronger conductors.

CURRENT WORK

PHASE I

See Work Report file October 28th, 1999 for details on the Phase I exploration program.

In addition to the work reported on October 28th, 1999, 1 day was spent removing overburden and cleaning the area around sample JB-03, located at grid 7+75N/10+00E (Figure 3). An approximate area of 5m x 3m was cleared and the exposed bedrock examined (*see section below*). No sampling was completed at the time – this will be completed during the 2000 exploration program. A sketch of the cleared area is shown in Figure 4. For review purposes, geology and mineralization as well as previous lithogeochemical sampling will be discussed.

GEOLOGY AND MINERALIZATION

The dominant rock type in the area of the exploration grid is medium-grained gabbro containing 2-10% hypersthene phenocrysts. This rock type is commonly referred to as a hypersthene-bearing gabbro and is the most common host to PGM sulphide mineralization in Nipissing Diabase intrusives. Fine-grained to chilled gabbro, proximal to scattered outcroppings of quartzite (Huronian sediments), marks the northern gabbro-sediment contact along the northern part of the grid (Figure 3). The northern contact represents the footwall.

In general, melanocratic gabbroic rocks (mafic:felsic mineral ratio of 55:45 to 60:40) are concentrated within about 100m of the northern sedimentary contact whereas differentiated leucocratic rocks (mafic:felsic mineral ratio of 50:50 to 40:60) and oxide-bearing gabbro (1-15% total




Figure 3. Exploration grid covering main Cu-Ni-PGE showing (triangle) and Cu-Ni sulphide showings (circles) located on the northern limb of the Kukagami Lake intrusion, Kelly Property (Kelly Township). Previously recorded Cu-Ni showings (likely from drill holes) are shown as squares. The larger of the two circles marks the area recently examined in detail through overburden removal and clearing. The grid covers parts of unpatented mining claims 1230126 and 1230127.

oxide) occur toward the southern contact (Carafel Bay). This suggests fractionation of the magma toward the south and therefore stratigraphic tops toward the south. This being the case, the northern gabbro-sediment contact would represent the footwall and the south, the hangingwall.

Prospecting over the main exploration grid confirmed the presence of magmatic sulphide mineralization. To date, the main zone of sulphide mineralization appears to be confined to about 50 to 100 m south of the northern contact and is primarily hosted by melanocratic hypersthene-bearing gabbro. Magmatic sulphide mineralization consists of varying proportions of chalcopyrite, pyrrhotite and pentlandite occurring primarily as disseminated grains and bleb sulphide. Total sulphide content ranges from <1% to about 12%. Subordinate sulphide-bearing rocks include coarse- to medium-grained quartz-gabbro, medium-grained gabbro and fine- to medium-grained quartz-gabbro. The observed textures and sulphide hosting gabbroic rocks are similar to those observed at PFN's Janes property from which highly anomalous PGE values are reported.

At the main showing (J. Whalen prospect), sulphide mineralization is exposed in a small (<3m x 3m) pit (maps GEO-1A and 1B in Appendix I) and several new showings are located within 10s to 100s of meters of the main showing (Figure 3; maps GEO-1 and GEO-1C in back pocket).

Observations made during the recently completed prospecting and reconnaissance mapping program confirm that the known mineralization is confined to a massive, hypersthene-bearing gabbro unit that extends for >1000 m along the northern edge of the Kukagami Lake intrusion (Figure 2; map GEO-1 in back pocket). This massive gabbro unit dips southward at about 40° with the mineralized regions occurring between 50 and 100 m above the basal contact. Basal chilled gabbro occurs along the base of the north ridge along with sedimentary rocks of the Gowganda Formation. Stratigraphic tops is toward the south as indicated by the presence of differentiated igneous rocks including gabbro-leucogabbro, vari-textured to pegmatitic gabbro and granophyric gabbro. In addition, a thick (>40 m), near-continuous massive unit of oxide-bearing gabbro occurs along the southern portion of the Kukagami Lake intrusion. Overlying (further south) the oxide-bearing gabbro are intermittent units of gabbro, leucogabbro and fine-grained (chilled) gabbro that form the uppermost hangingwall rocks of the intrusion. Sedimentary rocks occur intermittently along the north shore of Carafel Bay (map GEO-1 in back pocket) and represent the remains of the overlying roof rocks to the intrusion.

LITHOGEOCHEMICAL SAMPLING

A total of 42 samples were collected for geochemical analysis and assay through Accurassay Laboratories (Thunder Bay, Ontario). Descriptions of these samples are provided in Table 1 and locations are provided on Figure 2 and maps GEO-1 and GEO-1B. Analytical results are listed in Table 2 and the assay certificates are provided in Appendix II.

Table 1. Sample descriptions for gabbroic rocks collected on Kelly Property.

| Sample | Location | Description | %VS | %M | %F |
|----------|--------------|----------------------|-----|----|----|
| BW99-398 | main showing | hypersthene gabbro | 4 | 60 | 40 |
| BW99-399 | main showing | hypersthene gabbro | 3 | 60 | 40 |
| BW99-400 | main showing | hypersthene gabbro | 5 | 60 | 40 |
| BW99-401 | main showing | hypersthene gabbro | 1 | 60 | 40 |
| BW99-402 | main showing | hypersthene gabbro | 3 | 60 | 40 |
| BW99-403 | main showing | melagabbro | 2 | 80 | 20 |
| BW99-404 | main showing | gabbro | 1 | 50 | 50 |
| BW99-405 | main showing | gabbro | 1 | 50 | 50 |
| BW99-406 | main showing | hypersthene gabbro | 2 | 60 | 40 |
| BW99-407 | main showing | gabbro | 1 | 50 | 50 |
| BW99-408 | main showing | hypersthene gabbro | 2 | 60 | 40 |
| BW99-409 | main showing | melagabbro | 5 | 80 | 20 |
| BW99-410 | main showing | melagabbro | 2 | 80 | 20 |
| BW99-411 | main showing | hypersthene gabbro | 2 | 60 | 40 |
| BW99-412 | main showing | hypersthene gabbro | 5 | 60 | 40 |
| BW99-413 | main showing | melagabbro | 10 | 80 | 20 |
| BW99-414 | main showing | melagabbro | 10 | 80 | 20 |
| BW99-415 | main showing | melagabbro | 10 | 80 | 20 |
| BW99-416 | main showing | melagabbro | 10 | 80 | 20 |
| BW99-417 | main showing | hypersthene gabbro | 1 | 60 | 40 |
| BW99-418 | main showing | gabbro | 1 | 50 | 50 |
| BW99-419 | main showing | melagabbro | 10 | 80 | 20 |
| BW99-420 | main showing | hypersthene gabbro | 5 | 60 | 40 |
| BW99-421 | main showing | gabbro | 1 | 50 | 50 |
| BW99-422 | main showing | hypersthene gabbro | 2 | 60 | 40 |
| BW99-423 | main showing | gabbro | 2 | 50 | 50 |
| BW99-424 | main showing | hypersthene gabbro | 5 | 60 | 40 |
| BW99-425 | main showing | hypersthene gabbro | 5 | 60 | 40 |
| BW99-426 | narrows area | hypersthene gabbro | 2 | 60 | 40 |
| BW99-427 | narrows area | hypersthene gabbro | 2 | 60 | 40 |
| JB99-01 | grid | oxide-bearing gabbro | 1 | 55 | 45 |
| JB99-02 | grid | vari-textured gabbro | 2 | 45 | 55 |
| JB99-03 | grid | hypersthene gabbro | 3 | 60 | 40 |
| JB99-04 | grid | hypersthene gabbro | 2 | 55 | 45 |
| JB99-05 | grid | hypersthene gabbro | 3 | 65 | 35 |
| JB99-06 | grid | hypersthene gabbro | 5 | 65 | 35 |
| JB99-07 | grid | hypersthene gabbro | 3 | 65 | 35 |
| JB99-08 | main showing | hypersthene gabbro | 10 | 65 | 35 |
| JB99-09 | main showing | hypersthene gabbro | 5 | 65 | 35 |
| 44507 | main showing | hypersthene gabbro | 3 | 65 | 35 |
| 44508 | main showing | hypersthene gabbro | 3 | 65 | 35 |
| 44509 | main showing | hypersthene gabbro | 2 | 65 | 35 |

VS = visible sulphide; M = mafic minerals; F = felsic minerals

Table 2. Assay results from the Kelly Property, Kelly Township.

| Sample | Location | Cu | Ni | Pd | Au | Pt | PGM | Pd:Pt | Cu:Ni |
|----------|--------------|------|------|------|-----|-----|------|-------|-------|
| BW99-398 | main showing | 7554 | 3314 | 2096 | 228 | 372 | 2696 | 5.6 | 2.3 |
| BW99-399 | main showing | 4139 | 1612 | 1472 | 154 | 206 | 1832 | 7.1 | 2.6 |
| BW99-400 | main showing | 6446 | 2613 | 3026 | 332 | 541 | 3899 | 5.6 | 2.5 |
| BW99-401 | main showing | 89 | 32 | 21 | 0 | 0 | 21 | 0 | 2.8 |
| BW99-402 | main showing | 3235 | 1118 | 1825 | 132 | 275 | 2232 | 6.6 | 2.9 |
| BW99-403 | main showing | 2502 | 881 | 835 | 57 | 125 | 1017 | 6.7 | 2.8 |
| BW99-404 | main showing | 30 | 19 | 28 | 0 | 0 | 28 | 0 | 1.6 |
| BW99-405 | main showing | 91 | 31 | 21 | 0 | 0 | 21 | 0 | 2.9 |
| BW99-406 | main showing | 101 | 41 | 19 | 0 | 0 | 19 | 0 | 2.5 |
| BW99-407 | main showing | 104 | 38 | 14 | 0 | 0 | 14 | 0 | 2.7 |
| BW99-408 | main showing | 474 | 281 | 421 | 20 | 62 | 503 | 6.8 | 1.7 |
| BW99-409 | main showing | 3124 | 1325 | 1366 | 91 | 192 | 1649 | 7.1 | 2.4 |
| BW99-410 | main showing | 277 | 112 | 124 | 10 | 27 | 161 | 4.6 | 2.5 |
| BW99-411 | main showing | 519 | 181 | 200 | 17 | 33 | 250 | 6.1 | 2.9 |
| BW99-412 | main showing | 4676 | 1936 | 1872 | 165 | 329 | 2366 | 5.7 | 2.4 |
| BW99-413 | main showing | 4811 | 2301 | 1843 | 146 | 322 | 2311 | 5.7 | 2.1 |
| BW99-414 | main showing | 5234 | 2187 | 2313 | 181 | 395 | 2889 | 5.9 | 2.4 |
| BW99-415 | main showing | 1961 | 845 | 772 | 88 | 112 | 972 | 6.9 | 2.3 |
| BW99-416 | main showing | 7200 | 2887 | 2094 | 155 | 316 | 2565 | 6.6 | 2.5 |
| BW99-417 | main showing | 0 | 3 | 19 | 8 | 0 | 27 | 0 | 0 |
| BW99-418 | main showing | 72 | 34 | 20 | 0 | 0 | 20 | 0 | 2.1 |
| BW99-419 | main showing | 5162 | 2237 | 1322 | 107 | 209 | 1638 | 6.3 | 2.3 |
| BW99-420 | main showing | 1346 | 638 | 545 | 53 | 87 | 685 | 6.3 | 2.1 |
| BW99-421 | main showing | 123 | 61 | 28 | 0 | 0 | 28 | 0 | 2.0 |
| BW99-422 | main showing | 1601 | 660 | 488 | 39 | 82 | 609 | 6.0 | 2.4 |
| BW99-423 | main showing | 132 | 58 | 42 | 0 | 0 | 42 | 0 | 2.3 |
| BW99-424 | main showing | 5744 | 2352 | 1224 | 141 | 259 | 1624 | 4.7 | 2.4 |
| BW99-425 | main showing | 3823 | 1916 | 989 | 68 | 157 | 1214 | 6.3 | 2.0 |
| BW99-426 | narrows area | 2687 | 1127 | 421 | 137 | 137 | 695 | 3.1 | 2.4 |
| BW99-427 | narrows area | 594 | 207 | 42 | 19 | 29 | 90 | 1.4 | 2.9 |
| JB99-01 | grid | 266 | 38 | 0 | 0 | 0 | 0 | 0 | 7.0 |
| JB99-02 | grid | 79 | 31 | 0 | 0 | 0 | 0 | 0 | 2.5 |
| JB99-03 | grid | 1931 | 461 | 68 | 88 | 40 | 196 | 1.7 | 4.2 |
| JB99-04 | grid | 2525 | 846 | 1158 | 68 | 124 | 1350 | 9.3 | 3.0 |
| JB99-05 | grid | 3857 | 1846 | 3119 | 241 | 447 | 3807 | 7.0 | 2.1 |
| JB99-06 | grid | 2038 | 691 | 1458 | 150 | 267 | 1875 | 5.5 | 2.9 |
| JB99-07 | grid | 195 | 105 | 54 | 13 | 24 | 91 | 2.3 | 1.9 |
| JB99-08 | main showing | 5613 | 2326 | 1281 | 100 | 159 | 1540 | 8.1 | 2.4 |
| JB99-09 | main showing | 4951 | 2055 | 1342 | 103 | 171 | 1616 | 7.8 | 2.4 |
| 44507 | main showing | 7147 | 2663 | 3758 | 272 | 472 | 4502 | 8.0 | 2.7 |
| 44508 | main showing | 8152 | 4557 | 4373 | 272 | 457 | 5102 | 9.6 | 1.8 |
| 44509 | main showing | 5315 | 2566 | 2990 | 197 | 381 | 3568 | 7.8 | 2.1 |

PGM = Pt+Pd+Au; Cu and Ni in ppm; Pd-Pt-Au in ppb; "0" values indicated below detection limits

Platinum Group and Base Metal Data

Results from the 42 samples collected are given in Table 2 and descriptions of these samples are provided in Table 1. A total of 33 of the 42 were collected from the area of the main showing, 2 from regional prospecting off the main grid and 7 were collected during prospecting of the main grid.

The 2 highest recorded values are **5102 ppb (5.1 g/t) total PGM inclusive of 4373 ppb Pd, 457 ppb Pt and 272 ppb Au, and 0.82% Cu and 0.46% Ni and 4502 ppb (4.5 g/t) total PGM inclusive of 3758 ppb Pd, 472 ppb Pt and 272 ppb Au, and 0.72% Cu and 0.27% Ni.** It is important to note that these PGM values are very anomalous and are *>100 x background PGM* for Nipissing Diabase (background estimates: 17 ppb Pt, 33 ppb Pd, 5 ppb Au). The Cu-Ni values are also anomalous at *>44 x background for Cu* and *>55 x background for Ni* (background estimates: 163 ppm Cu, 89 ppm Ni).

Average values from all 42 samples collected are 1074 ppb Pd, 162 ppb Pt, 92 ppb Au, 0.28% Cu, and 0.12% Ni. Average Pd:Pt and Cu:Ni ratios from all 42 samples collected are 4.5:1 (Pd:Pt) and 2.5:1 (Cu:Ni).

CLEARED AREA AT 7+75N/10+00E

An area approximately 5m x 3m was first cleared of overburden using explosives then cleared and cleaned by hand to expose the bedrock (Figure 4). The rock is dominantly massive, medium-grained, hypersthene-bearing gabbro containing approximately 1-3% disseminated and subordinate bleb sulphide (chalcopyrite, pyrrhotite, pentlandite). Mineralization was exposed over about 50% of the area and continues under cover in all directions. Several boulders of mineralized gabbro were also noted along strike of the cleared area.




Figure 4. Sketch map showing the area cleared at about grid 7+75N and 10+00E.

CONCLUSIONS

Observations made during the recently completed prospecting and reconnaissance mapping program suggest that the Kelly property is an excellent target for stratabound PGM-type deposit within Nipissing Diabase. As with other highly prospective Nipissing Diabase PGM targets, the sulphide mineralization at the Kelly property occurs about 50 to 100 m above the basal contact of the intrusion and is hosted by a hypersthene-bearing gabbro unit.

Assay values from grab samples taken during the recently completed Phase I are as high as **5.1g/t Pt+Pd+Au, 0.82%Cu and 0.46% Ni**; significant enough to warrant further exploration on the property.

A recently cleared area at about 7+75N/10+00E exposed new mineralization in what appears to be the same hypersthene-bearing rock unit that hosts the main showing mineralization. This area will be further investigated in the year 2000 exploration program.

CERTIFICATE OF QUALIFICATION

I, Scott Jobin-Bevans of 225 Ferndale Avenue, Sudbury, Ontario, Canada, do hereby certify that:

1. I am a consulting geologist with the mineral exploration company JB Exploration & Development of Sudbury, Ontario.
2. I am a graduate of the University of Manitoba, Winnipeg, Manitoba with a B.Sc. (Hons.) Geology - 1995, and M.Sc. Geology - 1997.
3. I am a member of the Society of Economic Geologists and the Canadian Institute of Mining, Metallurgy and Petroleum.
4. I have been an exploration geologist and prospector for ten years.
5. I am a member of the Association of Geoscientists of Ontario.
6. I have an active prospector's license for the province of Ontario (# H14027).
7. I have not received any direct or indirect interest in Pacific North West Capital Corp. but I am a share holder in the private company Goldwright Explorations Inc. (Sudbury).
8. This report is intended to be an overview of the mineral potential of the property or properties with recommendations and conclusions that are based solely on the available data.



Scott Jobin-Bevans (B.Sc., M.Sc. Geology)

December 1999



Association of Geoscientists of Ontario, Member

APPENDIX I


Geological Sketch Maps – Main Showing Clearing

GEO-1A: general cleared area around main showing (1:500 scale)


GEO-1B: detailed sample locations (1:100 scale)



| | |
|---|---|
| Goldwright Explorations Inc. Pacific North West Capital Corp. Anglo American Platinum Corporation Ltd. | |
| Kelly Property | |
| Sketch Map - Main Showing Clearing | |
| Drafted By: S. Jobin-Bevans | Mining District: Sudbury |
| Date: October 25, 1999 | Township: Kelly |
| Scale: 1:500 | NTS: 411/NE |
| Revision No.: 1 | Claim(s): S-1229730-31, S-1230126-27, S-1230131, S-1231002-03, S123-1006, S-1229950 |
| Centre of Property (UTM): 5170075mN 530065mE | |
| | Map No.: GEO-1A |



magnetic declination = 10°W



1999 samples


44507 to 44509

1999 samples

○ = sample location (BW series)

⊗ = sample location (TB series)

● = BW in rubble



| | |
|---|---|
| Goldwright Explorations Inc. Pacific North West Capital Corp. Anglo American Platinum Corporation Ltd. | |
| Kelly Property | |
| Sample Location Sketch Map - Main Showing Clearing | |
| Drafted By: S. Jobin-Bevans | Mining District: Sudbury |
| Date: October 25, 1999 | Township: Kelly |
| Scale: 1:100 | NTS: 41/NE |
| Revision No.: 1 | Claim(s): S-1229730-31, S-1230126-27, S-1230131, S-1231002-03, S123-1006, S-1229950 |
| Centre of Property (UTM): 5170075mN 530065mE | Map No.: GEO-1B |

APPENDIX II

Assay Certificates

Accurassay Laboratories, Thunder Bay, Ontario

**Pt-Pd-Au by fire assay with NA finish
Cu-Ni by ICAP**



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

- KELLY GRABS -

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

Goldwright Explorations
Att'n: B. Wright
487 Bouchard St.
Sudbury, Ontario
P3E 2K8
Fax (705) 967-0598

Sep 27, 1999

Job# 9940975

| Accurassay | SAMPLE # Customer | | Palladium ppb | Gold ppb | Platinum ppb |
|------------|----------------------|----------|------------------|-------------|-----------------|
| 1 | 4005 | Bw99-398 | 2098 | 228 | 372 |
| 2 | 4006 | -399 | 1472 | 154 | 208 |
| 3 | 4007 | -400 | 3028 | 332 | 641 |
| 4 | Check | 4007 | 2843 | 380 | 580 |

Certified By



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

Pacific North West Capital Corporation
c/o DTE Exploration & Development
225 Ferndale Avenue
Sudbury, Ontario
P3B 3C2
Fax (705) 521-0653

Nov 1, 1999

Job# 9941100
Pro: Kelly

| SAMPLE # | | Palladium | Gold | Platinum |
|------------|----------|-----------|------|----------|
| Accurassay | Customer | ppb | ppb | ppb |
| 1 | 53401 | 21 | <5 | <15 |
| 2 | 53402 | 1825 | 132 | 275 |
| 3 | 53403 | 835 | 57 | 125 |
| 4 | 53404 | 28 | <5 | <15 |
| 5 | 53405 | 21 | <5 | <15 |
| 6 | 53406 | 19 | <5 | <15 |
| 7 | 53407 | 14 | <5 | <15 |
| 8 | 53408 | 421 | 20 | 62 |
| 9 | 53409 | 1366 | 91 | 192 |
| 10 | 53410 | 124 | 9 | 24 |
| 11 Check | 53410 | 126 | 10 | 27 |
| 12 | 53411 | 200 | 17 | 33 |
| 13 | 53412 | 1872 | 165 | 329 |
| 14 | 53413 | 1843 | 146 | 322 |
| 15 | 53414 | 2313 | 181 | 395 |
| 16 | 53415 | 772 | 88 | 112 |
| 17 | 53416 | 2094 | 155 | 316 |
| 18 | 53417 | 19 | 8 | <15 |
| 19 | 53418 | 20 | <5 | <15 |
| 20 | 53419 | 1322 | 102 | 219 |
| 21 Check | 53419 | 1223 | 107 | 209 |
| 22 | 53420 | 545 | 53 | 87 |
| 23 | 53421 | 28 | <5 | <15 |
| 24 | 53422 | 488 | 39 | 82 |
| 25 | 53423 | 42 | <5 | <15 |
| 26 | 53424 | 1224 | 141 | 259 |
| 27 | 53425 | 989 | 68 | 157 |
| 28 | 53426 | 421 | 137 | 137 |
| 29 | 53427 | 42 | 19 | 29 |

Certified By:

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

Pacific North West Capital Corporation
 c/o DTE Exploration & Development
 225 Ferndale Avenue
 Sudbury, Ontario
 P3B 3C2
 Fax (705) 521-0653

Nov 15, 1999

Job #8941100

| SAMPLE # | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | La ppm | Mg % |
|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|-----------|---------|
| 53401 | <3 | 3.34 | <2 | 13 | 48 | 0.3 | <3 | 2.15 | <.5 | 8 | 68 | 89 | 1.49 | 0.21 | <1 | 0.45 |
| 53402 | <3 | 4.31 | <2 | 10 | 45 | 0.3 | <3 | 2.78 | <.5 | 23 | 79 | 3235 | 2.05 | 0.15 | <1 | 0.36 |
| 53403 | 0.6 | 3.22 | <2 | 13 | 31 | 0.3 | <3 | 2.05 | <.5 | 30 | 130 | 2502 | 2.17 | 0.12 | <1 | 0.66 |
| 53404 | <3 | 4.08 | <2 | 11 | 50 | 0.3 | <3 | 2.55 | <.5 | 8 | 95 | 30 | 1.79 | 0.21 | <1 | 0.58 |
| 53405 | <3 | 3.82 | <2 | 12 | 47 | 0.3 | <3 | 2.50 | <.5 | 7 | 60 | 91 | 1.52 | 0.18 | <1 | 0.33 |
| 53406 | <3 | 3.85 | <2 | 14 | 49 | 0.3 | <3 | 2.52 | <.5 | 10 | 87 | 101 | 1.82 | 0.22 | <1 | 0.51 |
| 53407 | <3 | 4.27 | <2 | 12 | 51 | 0.3 | <3 | 2.72 | <.5 | 9 | 86 | 104 | 1.82 | 0.22 | <1 | 0.47 |
| 53408 | <3 | 3.14 | <2 | 12 | 35 | 0.3 | 5 | 1.99 | <.5 | 16 | 149 | 474 | 1.49 | 0.16 | <1 | 0.81 |
| 53409 | 0.5 | 3.75 | <2 | 12 | 39 | 0.3 | <3 | 2.48 | <.5 | 36 | 82 | 3124 | 2.80 | 0.14 | <1 | 0.47 |
| 53410 | <3 | 3.95 | <2 | 11 | 37 | 0.3 | <3 | 2.63 | <.5 | 8 | 124 | 277 | 1.24 | 0.17 | <1 | 0.53 |
| 53411 | <3 | 3.24 | <2 | 13 | 43 | 0.3 | <3 | 1.91 | 0.5 | 12 | 113 | 519 | 1.86 | 0.17 | <1 | 0.97 |
| 53412 | 0.4 | 3.18 | <2 | 10 | 31 | 0.3 | <3 | 1.94 | <.5 | 49 | 155 | 4676 | 2.50 | 0.10 | <1 | 0.66 |
| 53413 | 0.4 | 4.11 | <2 | 10 | 42 | 0.3 | <3 | 2.62 | 0.6 | 55 | 113 | 4811 | 2.91 | 0.16 | <1 | 0.55 |
| 53414 | 0.9 | 4.29 | <2 | 9 | 46 | 0.3 | <3 | 2.74 | <.5 | 47 | 90 | 5234 | 3.08 | 0.19 | 2 | 0.51 |
| 53415 | <3 | 4.21 | <2 | 10 | 34 | 0.3 | <3 | 2.76 | 0.6 | 20 | 130 | 1991 | 1.44 | 0.13 | <1 | 0.46 |
| | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti % | V ppm | W ppm | Zn ppm | |
| 53401 | 173 | 1 | 0.34 | 32 | 536 | 9 | <2 | <5 | <.01 | <5 | 51 | 0.06 | 52 | <2 | 22 | |
| 53402 | 123 | <1 | 0.43 | 1118 | 591 | 37 | <2 | <5 | 0.01 | <5 | 66 | 0.06 | 71 | <2 | 20 | |
| 53403 | 208 | <1 | 0.29 | 881 | 435 | 23 | <2 | <5 | 0.01 | <5 | 51 | 0.06 | 50 | <2 | 43 | |
| 53404 | 205 | <1 | 0.40 | 19 | 734 | 7 | <2 | <5 | 0.01 | <5 | 62 | 0.07 | 72 | <2 | 21 | |
| 53405 | 138 | <1 | 0.39 | 31 | 674 | 13 | <2 | <5 | 0.01 | <5 | 62 | 0.07 | 74 | <2 | 20 | |
| 53406 | 192 | <1 | 0.38 | 41 | 671 | 10 | <2 | <5 | 0.01 | <5 | 63 | 0.07 | 74 | <2 | 23 | |
| 53407 | 172 | <1 | 0.43 | 38 | 638 | 9 | <2 | <5 | 0.01 | <5 | 66 | 0.08 | 85 | <2 | 23 | |
| 53408 | 226 | <1 | 0.31 | 281 | 504 | 14 | <2 | <5 | 0.01 | <5 | 53 | 0.08 | 34 | <2 | 36 | |
| 53409 | 173 | <1 | 0.38 | 1325 | 556 | 6 | <2 | <5 | <.01 | <5 | 56 | 0.05 | 70 | <2 | 28 | |
| 53410 | 139 | <1 | 0.40 | 112 | 702 | 18 | <2 | <5 | 0.01 | <5 | 62 | 0.05 | 57 | <2 | 21 | |
| 53411 | 251 | <1 | 0.27 | 181 | 544 | 8 | 6 | <5 | 0.01 | <5 | 50 | 0.07 | 56 | <2 | 28 | |
| 53412 | 171 | <1 | 0.28 | 1936 | 556 | 13 | 5 | <5 | 0.01 | <5 | 46 | 0.05 | 34 | <2 | 39 | |
| 53413 | 179 | <1 | 0.38 | 2301 | 580 | 9 | <2 | <5 | 0.01 | <5 | 60 | 0.05 | 57 | <2 | 34 | |
| 53414 | 179 | <1 | 0.41 | 2187 | 788 | <2 | <2 | <5 | 0.01 | <5 | 63 | 0.07 | 80 | <2 | 31 | |
| 53415 | 111 | <1 | 0.41 | 845 | 657 | 7 | <2 | <5 | 0.01 | <5 | 63 | 0.04 | 28 | <2 | 16 | |

Handwritten signature/initials

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Pacific North West Capital Corporation
c/o DTE Exploration & Development
225 Ferndale Avenue
Sudbury, Ontario
P3B 3C2
Fax (705) 521-0653

Nov 15, 1999

Job #9941100

| SAMPLE # | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | La ppm | Mg % |
|----------|-----------|---------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|-----------|---------|
| 53416 | 0.9 | 4.55 | <2 | 13 | 38 | 0.3 | <3 | 3.02 | <.5 | 72 | 194 | 7200 | 3.31 | 0.17 | <1 | 0.64 |
| 53417 | <.3 | 4.41 | <2 | 10 | 46 | 0.3 | <3 | 2.89 | <.5 | 8 | 94 | <1 | 1.41 | 0.18 | <1 | 0.48 |
| 53418 | <.3 | 4.44 | <2 | 9 | 32 | 0.3 | <3 | 3.05 | <.5 | 8 | 93 | 72 | 1.18 | 0.13 | <1 | 0.38 |
| 53419 | 1.1 | 3.74 | <2 | 12 | 26 | 0.3 | <3 | 2.52 | 0.5 | 57 | 177 | 5182 | 2.79 | 0.12 | <1 | 0.71 |
| 53420 | 0.6 | 2.79 | <2 | 13 | 32 | 0.3 | <3 | 1.65 | <.5 | 29 | 231 | 1348 | 1.91 | 0.08 | <1 | 1.05 |
| 53421 | <.3 | 3.45 | <2 | 12 | 38 | 0.3 | <3 | 2.25 | <.5 | 6 | 128 | 123 | 1.11 | 0.18 | <1 | 0.49 |
| 53422 | <.3 | 3.96 | <2 | 9 | 35 | 0.3 | <3 | 2.70 | <.5 | 17 | 121 | 1601 | 1.42 | 0.13 | <1 | 0.40 |
| 53423 | <.3 | 4.89 | <2 | 9 | 39 | 0.3 | <3 | 3.18 | <.5 | 7 | 95 | 132 | 1.13 | 0.16 | <1 | 0.39 |
| 53424 | 0.5 | 4.17 | <2 | 12 | 38 | 0.3 | <3 | 2.80 | <.5 | 50 | 148 | 5744 | 2.87 | 0.15 | <1 | 0.42 |
| 53425 | 0.9 | 4.50 | <2 | 10 | 47 | 0.3 | <3 | 2.92 | <.5 | 48 | 169 | 3823 | 2.76 | 0.19 | <1 | 0.72 |
| 53426 | 0.4 | 2.00 | 83 | 9 | 23 | 0.2 | <3 | 0.88 | <.5 | 70 | 190 | 2687 | 2.94 | 0.11 | <1 | 1.29 |
| 53427 | <.3 | 1.52 | 15 | 10 | 14 | 0.2 | <3 | 0.66 | <.5 | 18 | 177 | 594 | 2.04 | 0.06 | <1 | 1.25 |

| | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti % | V ppm | W ppm | Zn ppm |
|-------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|---------|----------|----------|-----------|
| 53416 | 217 | <1 | 0.31 | 2887 | 512 | 10 | 3 | <5 | 0.02 | <5 | 71 | 0.05 | 53 | <2 | 32 |
| 53417 | 140 | <1 | 0.44 | 3 | 538 | 2 | <2 | <5 | 0.01 | <5 | 67 | 0.07 | 70 | <2 | 16 |
| 53418 | 124 | <1 | 0.44 | 34 | 510 | 4 | 4 | <5 | 0.01 | <5 | 66 | 0.06 | 68 | <2 | 11 |
| 53419 | 215 | <1 | 0.26 | 2237 | 515 | 15 | <2 | <5 | 0.01 | <5 | 60 | 0.05 | 40 | <2 | 39 |
| 53420 | 226 | <1 | 0.23 | 638 | 474 | 10 | <2 | <5 | 0.01 | <5 | 42 | 0.07 | 33 | <2 | 31 |
| 53421 | 137 | <1 | 0.34 | 61 | 424 | 2 | <2 | <5 | 0.01 | <5 | 56 | 0.05 | 41 | <2 | 13 |
| 53422 | 114 | <1 | 0.39 | 660 | 378 | 2 | <2 | <5 | 0.01 | <5 | 60 | 0.04 | 42 | <2 | 14 |
| 53423 | 118 | <1 | 0.47 | 58 | 479 | <2 | <2 | <5 | 0.01 | <5 | 73 | 0.06 | 55 | <2 | 14 |
| 53424 | 147 | <1 | 0.42 | 2352 | 549 | 9 | <2 | <5 | 0.01 | <5 | 69 | 0.05 | 57 | <2 | 37 |
| 53425 | 209 | <1 | 0.42 | 1916 | 555 | 8 | 3 | <5 | 0.01 | <5 | 67 | 0.06 | 49 | <2 | 45 |
| 53426 | 282 | <1 | 0.10 | 1127 | 537 | 6 | <2 | <5 | 0.02 | <5 | 24 | 0.06 | 45 | <2 | 48 |
| 53427 | 278 | <1 | 0.05 | 207 | 479 | 3 | <2 | <5 | 0.01 | <5 | 20 | 0.09 | 40 | <2 | 27 |

Certified By: 



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820


Page 1

Pacific North West Capital Corporation
c/o DTE Exploration & Development
225 Ferndale Avenue
Sudbury, Ontario
P3B 3C2
Fax (705) 521-0653

Oct 20, 1999

Job# 9941055

| Accurassay | SAMPLE # Customer | Palladium ppb | Gold ppb | Platinum ppb |
|------------|----------------------|------------------|-------------|-----------------|
| 1 | SL99-JB-1 | <10 | <5 | <15 |
| 2 | SL99-JB-2 | <10 | <5 | <15 |
| 3 | SL99-JB-3 | 68 | 88 | 40 |
| 4 | SL99-JB-4 | 1158 | 68 | 124 |
| 5 | SL99-JB-5 | 3119 | 241 | 447 |
| 6 | SL99-JB-6 | 1458 | 150 | 267 |
| 7 | SL99-JB-7 | 54 | 13 | 24 |
| 8 | SL99-JB-8 | 1281 | 100 | 159 |
| 9 | SL99-JB-9 | 1311 | 100 | 177 |
| 10 | Check SL99-JB-9 | 1342 | 103 | 171 |

Certified By: 

Plasma Form West Capital Corporation
 c/o DTE Exploration & Development
 225 Ferndale Ave.
 Sudbury, Ontario
 P3B 3C2
 Fax (705) 521-0653

Nov 11, 1999

Job #9941055


1070 LITHIUM DRIVE, UNIT 2
 HUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

| SAMPLE # | Ag ppm | Al % | As ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | K % | La ppm | Mg % |
|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------|-----------|---------|
| SL99-JB-1 | <3 | 2.09 | <2 | 15 | 19 | 0.2 | <3 | 1.15 | 0.5 | 18 | 54 | 266 | 2.26 | 0.07 | 2 | 1.10 |
| SL99-JB-2 | <3 | 1.59 | 15 | 17 | 12 | 0.1 | <3 | 0.77 | 0.9 | 15 | 46 | 79 | 2.01 | 0.06 | <1 | 1.22 |
| SL99-JB-3 | <3 | 2.22 | 17 | 15 | 22 | 0.2 | <3 | 1.41 | 1.2 | 35 | 72 | 1931 | 2.85 | 0.09 | 3 | 0.97 |
| SL99-JB-4 | <3 | 1.94 | 6 | 16 | 27 | 0.2 | <3 | 1.25 | 0.9 | 38 | 139 | 2525 | 2.66 | 0.11 | 3 | 1.09 |
| SL99-JB-5 | 0.6 | 3.13 | 7 | 16 | 33 | 0.3 | <3 | 2.48 | 1.2 | 47 | 100 | 3857 | 2.71 | 0.16 | 4 | 0.47 |
| SL99-JB-6 | <3 | 3.32 | 4 | 17 | 39 | 0.2 | <3 | 2.44 | 1.1 | 23 | 93 | 2038 | 2.20 | 0.15 | 3 | 0.51 |
| SL99-JB-7 | <3 | 2.62 | 21 | 19 | 23 | 0.2 | <3 | 1.71 | 1.2 | 22 | 122 | 195 | 2.09 | 0.13 | <1 | 0.98 |
| SL99-JB-8 | <3 | 4.40 | <2 | 14 | 46 | 0.3 | <3 | 3.13 | <.5 | 68 | 155 | 5613 | 3.04 | 0.19 | 2 | 0.55 |
| SL99-JB-9 | <3 | 3.94 | <2 | 14 | 39 | 0.3 | <3 | 2.83 | 0.9 | 73 | 139 | 4951 | 2.93 | 0.15 | 4 | 0.47 |

| Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | Sb ppm | Se ppm | Si % | Sn ppm | Sr ppm | Ti % | V ppm | W ppm | Zn ppm |
|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|---------|----------|----------|-----------|
| 379 | 2 | 0.17 | 38 | 393 | 12 | 5 | <5 | 0.03 | <5 | 31 | 0.09 | 37 | <2 | 99 |
| 298 | 1 | 0.07 | 31 | 266 | 7 | 9 | <5 | 0.02 | <5 | 22 | 0.08 | 44 | <2 | 19 |
| 346 | <1 | 0.22 | 461 | 597 | 9 | 9 | <5 | 0.03 | <5 | 33 | 0.12 | 62 | <2 | 61 |
| 399 | 8 | 0.14 | 846 | 363 | 26 | 3 | <5 | 0.02 | <5 | 29 | 0.11 | 49 | <2 | 80 |
| 183 | 3 | 0.39 | 1846 | 517 | 11 | 6 | <5 | 0.01 | <5 | 49 | 0.06 | 63 | <2 | 37 |
| 221 | <1 | 0.40 | 691 | 339 | 5 | 3 | <5 | 0.01 | <5 | 50 | 0.07 | 66 | <2 | 23 |
| 262 | <1 | 0.24 | 105 | 363 | 11 | 8 | <5 | 0.01 | <5 | 43 | 0.10 | 49 | <2 | 26 |
| 172 | 1 | 0.57 | 2326 | 399 | 4 | 6 | <5 | 0.03 | <5 | 66 | 0.06 | 55 | <2 | 26 |
| 163 | 1 | 0.44 | 2055 | 523 | 4 | 9 | <5 | 0.03 | <5 | 62 | 0.05 | 59 | <2 | 29 |

ACCURASSAY LABORATORIES
 A DIVISION OF ASSAY LABORATORY SERVICES INC.

Certified By:



ACCURASSAY LABORATORIES
 A DIVISION OF ASSAY LABORATORY SERVICES INC.

Goldnight Explorations
 c/o Chuck Lily
 457 Bouchard St.
 Sudbury, Ontario
 P3E 2P8
 Fax (705) 523-2851
 Fax (705) 867-0500

1070 LITHIUM DRIVE, UNIT 2
 Pigeon Thunder Bay, Ontario P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6520

Nov 17, 1988

Job# 8840875

| SAMPLE # | | Palladium | Gold | Platinum | |
|------------|----------|-----------|------|----------|---------------------|
| Accurassay | Customer | ppb | ppb | ppb | |
| 1 | 44501 | | | | |
| 2 | 44502 | 12 | 48 | <15 | } Jones Sauth |
| 3 | 44503 | <10 | 48 | <15 | |
| 4 | 44504 | <10 | 48 | <15 | |
| 5 | 44505 | <10 | 48 | <15 | |
| 6 | 44506 | <10 | 48 | <15 | |
| 7 | 44507 | <10 | 48 | <15 | |
| 8 | 44508 | 3758 | 272 | 472 | } Kelly - J. Whalen |
| 9 | 44509 | 4373 | 272 | 467 | |
| 10 Check | 44506 | 2840 | 182 | 346 | |
| | | 2800 | 187 | 381 | |

Certified By: *[Signature]*



ACCRASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-4448
FAX (807) 623-6820

Kelly

JAMES
Smith
Kelly

| SAMPLE # | Ag | Al | As | B | Ba | Bi | B | Ca | Cl | Co | Cr | Cu | Fe | K | Mn | Ni | P | Pb | S | Se | Si | Ti | V | Zn |
|----------|------|-----|----|---|----|----|---|----|----|----|----|----|----|---|----|----|---|----|---|----|----|----|---|----|
| 44501 | 1.58 | 50 | | | | | | | | | | | | | | | | | | | | | | |
| 44502 | 1.24 | 523 | | | | | | | | | | | | | | | | | | | | | | |
| 44503 | 1.70 | 480 | | | | | | | | | | | | | | | | | | | | | | |
| 44504 | 1.28 | 484 | | | | | | | | | | | | | | | | | | | | | | |
| 44505 | 1.24 | 480 | | | | | | | | | | | | | | | | | | | | | | |
| 44506 | 2.47 | 546 | | | | | | | | | | | | | | | | | | | | | | |
| 44507 | 0.46 | 136 | | | | | | | | | | | | | | | | | | | | | | |
| 44508 | 0.80 | 218 | | | | | | | | | | | | | | | | | | | | | | |
| 44509 | 0.88 | 180 | | | | | | | | | | | | | | | | | | | | | | |

| SAMPLE # | Ag | Al | As | B | Ba | Bi | B | Ca | Cl | Co | Cr | Cu | Fe | K | Mn | Ni | P | Pb | S | Se | Si | Ti | V | Zn |
|----------|-----|------|----|----|----|-----|---|------|-----|----|-----|------|------|------|----|----|---|----|---|----|----|----|---|----|
| 44501 | 0.8 | 1.75 | 11 | 11 | 28 | 0.3 | Δ | 0.78 | 1.1 | 20 | 55 | 128 | 2.75 | 0.08 | | | | | | | | | | |
| 44502 | 1.8 | 1.85 | 19 | 15 | 21 | 0.4 | Δ | 0.88 | 0.8 | 24 | 41 | 47 | 3.78 | 0.02 | | | | | | | | | | |
| 44503 | 1.5 | 1.70 | 15 | 8 | 35 | 0.3 | Δ | 0.75 | 0.6 | 15 | 96 | 81 | 2.82 | 0.05 | | | | | | | | | | |
| 44504 | 1.8 | 1.85 | 12 | 8 | 25 | 0.3 | Δ | 0.82 | 0.6 | 17 | 38 | 135 | 2.88 | 0.04 | | | | | | | | | | |
| 44505 | 1.3 | 2.11 | 12 | 18 | 28 | 0.3 | Δ | 0.90 | 0.6 | 17 | 55 | 102 | 2.82 | 0.07 | | | | | | | | | | |
| 44506 | 0.7 | 2.48 | 21 | 15 | 23 | 0.8 | Δ | 0.70 | 1.2 | 25 | 84 | 228 | 3.88 | 0.05 | | | | | | | | | | |
| 44507 | 2.8 | 4.82 | 17 | 54 | 54 | 0.4 | Δ | 2.85 | 0.8 | 85 | 114 | 7147 | 3.17 | 0.14 | | | | | | | | | | |
| 44508 | 2.8 | 3.75 | 20 | 57 | 57 | 0.4 | Δ | 2.85 | 0.8 | 85 | 118 | 8182 | 4.08 | 0.18 | | | | | | | | | | |
| 44509 | 1.5 | 3.88 | 18 | 81 | 81 | 0.4 | Δ | 2.87 | 0.6 | 88 | 88 | 8918 | 3.14 | 0.18 | | | | | | | | | | |

Client: Check Lily
487 Beaufort St.
Sudbury, Ontario
P2E 2E8

JAMES SOUTH AREA "A" - GRD
KELLY - MAIN SHOWING.
Dec 11, 1988
Job 08840878

Controlled By:

BACK POCKET

GEO-1: geological map of exploration grid/area (1:10000 scale)

GEO-1C: showings and exploration grid (1:10000 scale)



41115SE2007 2.19982 KELLY 900

of subsection 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, assessment work and correspond with the mining land holder. Questions about this Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury.

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.
- Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

| | |
|---|---|
| Name <i>Gold WRIGHT Explorations Inc.</i> | Client Number <i>30 3574</i> |
| Address <i>General Delivery Hagar Ont.</i> | Telephone Number <i>705-967-0216</i> |
| | Fax Number <i>705-967-0598</i> |
| Name | Client Number |
| Address | Telephone Number |
| | Fax Number |

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

| | | |
|--|--|---|
| Geotechnical: prospecting, surveys, assays and work under section 18 (regs) <input checked="" type="checkbox"/> | Physical: drilling stripping, trenching and associated assays <input type="checkbox"/> | Rehabilitation <input type="checkbox"/> |
| Work Type <i>Blasting Overburden Removal.</i> | Office Use | |
| | Commodity | |
| | Total \$ Value of Work Claimed | <i>929</i> |
| Dates Work Performed From Day <i>1</i> Month <i>11</i> Year <i>99</i> To Day <i>2</i> Month <i>11</i> Year <i>99</i> | NTS Reference | |
| Global Positioning System Data (if available) | Township/Area <i>Kelly</i> | Mining Division <i>Sudbury</i> |
| | M or G-Plan Number <i>G-3033</i> | Resident Geologist District <i>Sudbury</i> |

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required;
- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

| | |
|---|---|
| Name <i>BRIAN James WRIGHT</i> | Telephone Number <i>705-967-0216</i> |
| Address <i>General Delivery Hagar Ont.</i> | Fax Number <i>705-967-0598</i> |
| Name <i>Scott Robin - Bevans</i> | Telephone Number <i>705-524-8060</i> |
| Address <i>225 Ferndale Ave Sudbury</i> | Fax Number |
| Name | Telephone Number |
| Address | Fax Number |



Note: If you have not indicated how your information is to be deleted, please contact the Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, followed by extension number 2 if necessary.

4. Certification by Recorded Holder or Agent

I, *BRIAN James WRIGHT* (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

| | |
|--|---|
| Signature of Recorded Holder or Agent <i>Brian Wright</i> | Date <i>Dec 20/99</i> |
| Agent's Address <i>General Delivery Hagar Ont</i> | Telephone Number <i>705-967-0216</i> |
| | Fax Number <i>705-967-0598</i> |

Deemed March 19/2000
573



land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W19970.003.30

| Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map | Number of Claim Units. For other mining land, list hectares. | Value of work performed on this claim or other mining land | Value of work applied to this claim. | Value of work assigned to other mining claims. | Bank. Value of work to be distributed at a future date |
|--|--|--|--------------------------------------|--|--|
| eg TB 7827 | 16 ha | \$26,825 | N/A | \$24,000 | \$2,825 |
| eg 1234567 | 12 | 0 | \$24,000 | 0 | 0 |
| eg 1234568 | 2 | \$ 8,892 | \$ 4,000 | 0 | \$4,892 |
| 1 1230127 | 16 | 929 | 0 | 929 | |
| 2 1239731 | 14 | | 929 | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |
| 11 | | | | | |
| 12 | | | | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| Column Totals | | 929 | 929 | 929 | |

I, BRIAN James WRIGHT (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: Brian Wright Date: Dec 20/99

6. Instruction for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

or part of the assessment work credit.

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

| | | |
|----------------|---|--------------------------------|
| Received Stamp | Deemed Approved Date | Date Notification Sent |
| | Date Approved | Total Value of Credit Approved |
| | Approved for Recording by Mining Recorder (Signature) | |

0241 103/97

573

RECEIVED
DEC 20 1999
GEOSCIENCE ASSESSMENT
OFFICE

Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

| Work Type | Units of work Depending on the type of work, list the number of hours/day worked, metres of drilling, kilometres of grid line, number of samples, etc. | Cost Per Unit of work | Total Cost | |
|---|---|-----------------------|------------|--------|
| Drilling & Blasting & Clearing | 1 day 2 men | 375/day | 375.00 | |
| Consulting Geologist | 1 1/2 days | 250/day | 375.00 | |
| Associated Costs (e.g. supplies, mobilization and demobilization). | | | | |
| | Boat Rental | 1 day | 40/day | 40.00 |
| Transportation Costs | | | | |
| | 130 km at | 0.30/km | | 39.00 |
| Food and Lodging Costs | | | | |
| | 2 men at | 50/day | | 100.00 |
| Total Value of Assessment Work | | | 929 | |

Calculations of Filing Discounts:

- Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
- If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.

Note:


- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:


I, Brian James Wright (please print full name) do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as President I am authorized to make this certification.
(recorded holder, agent, or state company position with signing authority)

0212 (03/97)



| | |
|----------------------------------|--------------------------|
| Signature <u>Brian Wright</u> | Date <u>Dec 20/99</u> |
|----------------------------------|--------------------------|



Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9845

Fax: (877) 670-1555

March 22, 2000

Brian Wright
GOLDWRIGHT EXPLORATIONS INC
GENERAL DELIVERY
HAGAR, ONTARIO
P0M-1X0

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Dear Sir or Madam:

Submission Number: 2.19982

Status

Subject: Transaction Number(s): W9970.00330 Deemed Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact LUCILLE JEROME by e-mail at lucille.jerome@ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.19982

Date Correspondence Sent: March 22, 2000

Assessor: LUCILLE JEROME


| Transaction Number | First Claim Number | Township(s) / Area(s) | Status | Approval Date |
|---------------------------|---------------------------|------------------------------|-----------------|----------------------|
| W9970.00330 | 1230127 | KELLY | Deemed Approval | March 19, 2000 |

Section:
10 Physical PTRNCH

Correspondence to:
Resident Geologist
Sudbury, ON

Recorded Holder(s) and/or Agent(s):
Brian Wright
GOLDWRIGHT EXPLORATIONS INC
HAGAR, ONTARIO

Assessment Files Library
Sudbury, ON




| LEGEND | |
|--------|--|
| 3 | olivine-magnetite gabbro (Sudbury Swarm) |
| 2 | Nipissing Diabase: 2a - gabbro 2b - hypersthene-bearing 2c - magnetite/oxide-bearing 2d - granophyric/vari-textured |
| 1 | Sedimentary Rocks: Gowganda Formation |
| | Outcrop |
| | Sample Location |
| | Claim Boundary |
| | Claim Post - corner (CP) or line (LP) |
| | Foliation: strike and dip shown |
| | Geological Contact - observed |
| | Geological Contact - assumed |

magnetic declination = 10' W

| | |
|--|---|
| Goldwright Explorations Inc. Pacific North West Capital Corp. Anglo American Platinum Corporation Ltd. | |
| Kelly Property | |
| Geological Survey | |
| Drafted By: S. Jobin-Bevans | Mining District: Sudbury |
| Date: October 25, 1999 | Township: Kelly |
| Scale: 1:10,000 | NTS: 411/NE |
| Revision No.: 1 | Claim(s): S-1229730-31, S-1230126-27, S-1230131, S-1231002-03, S123-1006, S-1229950 |
| Centre of Property (UTM): 5170075mN 530085mE | |
| Map No.: GEO-1 | |



41115SE2007 2.19982 KELLY



N
 magnetic declination = 10° W

- △ main Cu-Ni-PGE showing
- Cu-Ni showing - old drilling
- new Cu-Ni showing

| | |
|--|---|
| Goldwright Explorations Inc. Pacific North West Capital Corp. Anglo American Platinum Corporation Ltd. | |
| Kelly Property | |
| Geological Survey | |
| Drafted By: S. Jobin-Bevans | Mining District: Sudbury |
| Date: October 25, 1999 | Township: Kelly |
| Scale: 1:10,000 | NTS: 41I/NE |
| Revision No.: 1 | Claim(s): S-1229730-31, S-1230126-27, S-1230131, S-1231002-03, S123-1006, S-1229950 |
| Centre of Property (UTM): 5170075mN 530065mE | |
| Map No.: GEO-1C | |

