


OM 85-8-I-206

63.4963
J. BRADY
1227 Holland Rd.
Sudbury, ONT
P3A 3R1
DEC 12/86



41155W0024 63.4963 PARKIN

010

O.M.E.P ADMINISTRATOR:


OUR program for 1986 consisted chiefly of stripping and trenching favourable areas for base and precious metals. As shown on maps and assay sheets the results were somewhat discouraging except for the area shown on map No. 4 in Norman Twp. Sphalerite mineralization was encountered in many of the trenches shown on map No. 4 and a few major companies have expressed some interest. Often the results of my prospecting work is late in coming. For example as a result of my work in 1985 in this area (with the help of O.M.E.P) the results were 3 different options to two companies. Falconbridge Nickel drilled about 5000' this past year on two options in Parkin Twp. Raretech Metals drilled about 1500' on another option in Parkin Twp.

Thank you for your assistance

John Brady

MAP No. 2

← 200' →



No.	STRIPPED	TRENCHED	ASSAY sheet No.
①	50'x25'x4'	30'x5'x4'	9343-001-003 Au
	Quartz/diorite - 2-3% sulfides		
②	50'x12'x3'	50'x6'x4'	9343-Au-TR-Co-035%
	Quartz Diorite - 2-3% sulfides		
③	15'x5'x3'	10'x4'x2'	
	Quartz diorite - 1% sulfides		
④	40'x5'x2'	50'x4'x4'	9343-0012 Au
	Quartzite - 3-4% sulfides		
⑤	15'x6'x4'		
	Quartzite		
⑥		20'x5'x4'	9343-Au-Ni
	Volcanics - 3-4% sulfides		
⑦		15'x4'x3'	
	Volcanics - Qtz stringers		
⑧		12'x4'x3'	
	Volcanics		
⑨		25'x4'x3'	Volcanics - Au-TR
⑩		12'x4'x3'	
	Volcanics - 1% sulfides		

N

SCALE: 1" = 440'

MAP No. 2 - J BRADY - OMEP 1986
NORMAN TWP

- Trenching
- Manual stripping



Ministry of
Northern Development
and Mines

Temiskaming
Testing
Laboratories

P.O. Box 799
Presley St.
Cobalt, Ontario
P0J 1C0
(705) 679-8313

Report Number

CB 9343

Laboratory Report

Date Sept. 29/86.

Issued To: Mr. John Brady, 1227 Holland Rd., Sudbury, Ont. P3A 3R1

Sample Number	Gold Oz. Per Ton	Silver Oz. Per Ton	Co%
#47056 D	0.016	} TRENCH ① MAP NO. 2	
47057 D	0.030		
47058 D	0.018		
47059 D	Trace	NIL	0.035 } TRENCH ② MAP NO. 2
47060 D			
47061 D	Trace		TRENCH ③ MAP NO. 2
47062 D	NIL		TRENCH ④ MAP NO. 2
47063 D	0.012	} TRENCH ④ MAP NO. 2	
47064 D	Trace		

Fees Received **Charged 10 coupons card #0858**

D. R. Luskie
Manager *m.*

Except by special permission, reproduction of these results must include any qualifying remarks made by this ministry with reference to any sample.



Ministry of
Northern Development
and Mines

Temiskaming
Testing
Laboratories

P.O. Box 799
Presley St.
Cobalt, Ontario
P0J 1C0
(705) 679-8313

Report Number

CB 9334

Laboratory Report

Date Sept. 18, 1986.

Issued To: Mr. John Brady, 1227 Holland Rd., Sudbury, Ont. P3A 3R1

Sample Number	Gold Oz. Per Ton	Silver Oz. Per Ton	
#47049	0.005	0.21	TRENCH (2) MAP No. 3
47051	0.008	Trace	TRENCH (H) MAP NO. 3
47052	N11		


Fees Received **Charged 5 coupons card #0825 & 0858**

D. L. Karakie
Manager

m.

Except by special permission, reproduction of these results must include any
qualifying remarks made by this ministry with reference to any sample.

NORTH



NO.	STRIPPED	TRENCHED	ASSAY SHEET
1	8'x8'x2'	6'x6'x4'	-SEE ANALYSIS
2	10'x6'x2'	8'x5'x4'	ASSAY SHEET NO. 4
3	8'x5'x2'	6'x5'x4'	up to >10000 PPM ZN
4	8'x7'x2'	6'x5'x4'	
5	8'x7'x2'	6'x6'x3'	
6	6'x6'x2'	5'x5'x3'	
7	6'x6'x3'	4'x5'x3'	
8	6'x6'x2'	4'x5'x3'	
9	15'x5'x2'	14'x4'x3'	
10	5'x4'x2'	4'x3'x3'	
11	15'x6'x2'	8'x3'x3'	9195-0003-001 AU
12	12'x5'x2'	8'x4'x4'	
13	8'x5'x2'	6'x4'x3'	
14	4'x3'x3'		

* ALL TRENCHES ARE IN GREENSTONE, VOLCANICS WITH INCLUSIONS OF QUARTZITE AND GRANITIC FRAGMENTS WITH SPHALERITE STRINGERS, PY, CHALCOPYRITE

MAP, NO. 4

J. BRADY, NORMAN Twp 1986
OMEP

Laboratory Report

Date August 19/86

Issued To: FJohn Brady, 1227 Holland Rd., Sudbury, Ont. P3A83R1

Sample Number	Gold Oz. Per Ton	Gold Value Per Ton	Silver Oz. Per Ton	
47026	0.010	3 TRENCH (11) MAP NO. 4		
47037	0.003			

Fees Received **Charged 2 coupons card #0825**

D. L. Rossie
Manager *m*



Ministry of
Northern Development
and Mines

Temiskaming
Testing
Laboratories

P.O. Box 799
Presley St.
Cobalt, Ontario
P0J 1C0
(705) 679-8313

Report Number

CB 9322

Laboratory Report

Date Sept. 12/86

Issued To: Mr. John Brady, 1227 Holland Rd., Sudbury, Ont. P3A 3R1


Sample Number	Gold Oz. Per Ton	Silver Oz. Per Ton	Zn%
47043	0.033		} TRENCH (A) MAP NO. 1
47045	0.016		
47046	0.014		TRENCH (C) MAP NO. 1
47047	TRACE		} 0.015 } TRENCH (B) MAP NO. 1
47048	TRACE	N11	

Fees Received Charged 7 coupons card \$0825

D.L. Lush

Manager

Except by special permission, reproduction of these results must include any
qualifying remarks made by this ministry with reference to any sample.



Chemex Labs Ltd.

-Analytical Chemists

-Geochemists

-Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597


CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.

200 - 174 LARCH ST.
SUDBURY, ONT.
P3E 1R6

CERT. # : ASG12914-001-7
INVOICE # : I3G12914
DATE : 5-JUN-86
P.O. # : NONE
BRADY NORMAN

ATTN: R. K. GERMUMDSON



Chemex

-Analytical Chemists

CERT

TO : KERR ADDISON MINES LTD.

200 - 174 LARCH ST.
SUDBURY, ONT.
P3E 1R6

Sample description	Au ppb FA+AA	Mo ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)	P ppm (ICP)	Pb ppm (ICP)	Bi ppm (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Ni ppm (ICP)	Ba ppm (ICP)	Fe % (ICP)	Mn ppm (ICP)	Cr ppm (ICP)	Ag % (ICP)	V ppm (ICP)	Al % (ICP)	Be ppm (ICP)	Ca % (ICP)	Cu ppm (ICP)	Ag ppm AAS	Ti % (ICP)	Sr ppm (ICP)	Na % (ICP)
D 2080	65	1	<10	360	575	12	<2	1.5	93	99	205	7.08	905	255	1.47	122	3.47	<0.5	4.41	1510	1.8	0.435	60	0.47
D 2081	100	<1	<10	330	220	40	<2	1.0	30	50	245	3.58	600	245	3.90	42	1.97	<0.5	4.13	3060	2.4	0.131	55	0.13
D 2082	75	3	<10	101	1040	78	<2	1.5	107	230	915	7.32	660	300	3.71	117	8.51	<0.5	0.66	1320	1.4	0.588	33	1.85
D 2083	30	2	135	>10000	345	320	4	50.5	96	44	80	5.39	630	405	1.45	87	3.53	<0.5	0.87	1180	2.8	0.252	18	0.89
D 2084	225	3	400	>10000	405	56	6	181.0	60	26	60	3.94	420	195	0.84	68	2.45	<0.5	0.97	2270	2.8	0.251	17	0.83
D 2085	15	<1	<10	470	330	29	<2	5.0	113	56	370	14.90	795	165	1.65	74	5.35	<0.5	2.17	1810	1.0	0.255	113	1.40
D 2086	40	<1	130	>10000	360	76	3	70.5	127	31	50	3.29	410	220	0.79	36	1.57	<0.5	0.91	285	0.4	0.124	38	0.05
D 2087	90	1	135	>10000	220	49	4	70.5	120	46	60	4.03	415	290	0.90	35	2.39	<0.5	0.53	1590	1.6	0.121	16	0.43
D 2088	50	2	40	2540	280	8	5	22.5	150	88	35	6.45	500	575	1.20	53	2.22	<0.5	0.36	885	0.8	0.143	10	0.16
D 2089	5	4	<10	455	370	8	<2	2.0	27	80	210	5.68	355	230	0.32	16	6.39	0.5	3.18	44	<0.2	0.158	260	2.36

ASSAY sheet NO. 4
SEE MAP NO. 4

Sample description	K % (ICP)	Trench
D 2080	0.94	-- 10 --
D 2081	0.36	-- 9 --
D 2082	2.83	-- 8 --
D 2083	0.25	-- 12 --
D 2084	0.14	-- 13 --
D 2085	2.13	-- 7 --
D 2086	0.10	-- 3 --
D 2087	0.16	-- 3 --
D 2088	0.09	-- 2 --
D 2089	1.38	-- --

→ Road exposure
1/2 mile from
trenches

ASSAY sheet NO. 4 - see MAP NO. 4