



4115SW0123 0018C1 PARKIN

010

PARKIN TOWNSHIP REPORT #28

This file contains work performed by Jonsmith Gold Mines Ltd. on claim:

S. 39838

Holes #9 119'

#10 155'

#11 165'

#12 145'

#13 216'

                            
TOTAL: 4 DH 800'

W. P. CORKING  
GEOLOGIST

Copy of Log of Diamond drilling core for drilling done on property of  
JONSMITH GOLD MINES LTD. - Parkin Twp.

---

Hole No. 9	Dip - 45°	Direction S-5°E
0.0- 9.0	Overburden	
9.0- 83.0	Limestone	
83.0- 84.5	Breccia	
84.5-101.3	Breccia	
101.3-119.0	Quartzite	
119.0	END OF HOLE.	

---

Hole No. 10	Dip - 45°	Direction S3°E
0.0- 8.0	Casing	
8.0- 71.6	Limestone	
71.6-120.5	Breccia	
120.5-137.0	Quartzite	
137.0-155.0	Quartzite	
155.0	END OF HOLE.	

---

Hole No. 11	Dip- 45°	Direction - S6°E
0.0- 5.0	Overburden	
5.0- 7.0	Overburden	
7.0- 86.5	Limestone	
86.5-105.0	Breccia	
105.0-145.0	Limestone	
145.0-165.0	Quartzite	
165.0	END OF HOLE.	

---

Hole No. 12	Dip - 45°	Direction : S 7°E
0.0- 9.0	Overburden & Casing	
9.0- 92.3	Limestone	
92.3-100.3	Breccia	
100.3-110.0	Limestone	
110.0-119.0	Breccia	
119.0-132.0	Breccia & conglomerate	
132.0-145.0	Sil. breccia or conglomerate	
145.0	END OF HOLE.	

---

**DUPLICATE COPY  
POOR QUALITY ORIGINAL  
TO FOLLOW**

Hole No. 13	Dip - 45°	Direction N 5° E
0.0- 10.0	Casing	
10.0-183.5	Limestone	
183.5-216.0	Diorite	
216.0	END OF HOLE.	

W. P. CORKING  
GEOLOGIST

Copy of Log of Diamond Drill Core for  
Drilling done on Property of Jonesmith Gold Mines  
Ltd. - Fortin Twp. - by

HOLE No. 9

DIP - 45°

DIRECTION - S 5° E

0 - 9' - Overburden.  
9.0 - 83.0 - Limestone  
83.0 - 84.5 - Breccia  
84.5 - 101.3 - Breccia  
101.3 - 114.0 - Quartzite  
119.0 - End of Hole.

HOLE No. 10

DIP - 45°

DIRECTION - S 3° E

0 - 8.0' - casing  
8.0 - 71.6' - Limestone  
71.6 - 120.5' - Breccia  
120.5 - 137.0 - Quartzite  
137.0 - 155.0 - Quartzite  
155.0 - End of Hole.

HOLE No. 11

DIP - 45°

DIRECTION - S 6° E

0 - 5.0 - Overburden  
5.0 - 7.0 - Overburden  
7.0 - 86.5 - Limestone  
86.5 - 105.0 - Breccia  
105.0 - 145.0 - Limestone  
145.0 - 165.0 - Quartzite  
165.0 - End.

W. P. CORKING  
GEOLOGIST

Copy of Log of Diamond Drill Core for  
Drilling done on property of Jonesmith Gold Mines  
Ltd - Carbon Trap - by

HOLE # 12      DIP 45°      DIRECTION - S 7° E

0' - 9.0' - overburden & casing  
9.0' - 92.3 - Limestone  
92.3 - 100.3 - Breccia  
100.3 - 110.0 - Limestone  
110.0 - 119.0 - Breccia  
119.0 - 132.0 - Breccia or conglomerate.  
132.0' - 145.0 - Dil. Breccia or conglomerate.  
145.0' - End.

HOLE # 13      DIP 45°      DIRECTION - N 5° E

0' - 10' - casing  
10 - 183.5 - Limestone  
183.5 - 216.0 - Quartzite  
216.0 - End of Hole.

SKETCH  
of  
JONSMITH CLAIMS  
SHOWING LOCATION OF DIAMOND DRILLING

PARKIN TWP

