



41116NE0049 13 PHYLLIS

Diamond Drilling

010

Township of PHYLLIS

Report No 13

Work performed by: Temagami Mining Company

Claim No	Hole No	Footage	Date	Note
T 32258	110	378.0'	Feb/53	..
	113	291.0'	Feb/53	
T 32248	151	127.0'	June/53	
	152	180.0'	June/53	
	153	48.0'	June/53	
	154	87.0'	June/53	
	155	84.0'	June/53	
	156	79.0'	June/53	
	161	122.0'	June/53	
	162	148.0'	June/53	

Notes:

PHYLLIS TWP
DIAMOND DRILL RECORD, HOLE NO. 110

PROPERTY OFFSHORE MINES LIMITED

CLAIM NO. 32258

SHEET NUMBER _____

SECTION FROM 0 TO 378

STARTED Jul. 1953

LATITUDE _____

DATUM _____

COMPLETED _____

DEPARTURE _____

BEARING N 48° 50' W

ULTIMATE DEPTH 378

ELEVATION _____

DIP 45

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 33	<u>Casing</u>								
33 - 209	<u>Diorite</u>								
	199 - 209 Disseminated pyrite and chalcopyrite								
209 - 378	<u>Rhyolite</u>								

NORTHERN MINER FORM 505
 DRILLED BY LONGYEAR DIAMOND DRILLING CO.

SIGNED JH [Signature]

(212)

DIAMOND DRILL RECORD, HOLE NO. 115

PROPERTY OFFSHORE MINES LIMITED

CLAIM NO. 32258

SHEET NUMBER _____

SECTION FROM 10 TO 291

STARTED _____

LATITUDE _____

DATUM _____

COMPLETED Feb. 1953

DEPARTURE _____

BEARING N 19° 50' W

ULTIMATE DEPTH 291

ELEVATION _____

DIP 45

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 @ 37	Casing								
37 - 195	<u>Diorite</u>								
	185 - 195 disseminated pyrite mineralization								
195 - 202	<u>Chlorite rock</u>								
	mineralized with pyrite and chalcopyrite								
202 - 291	<u>Rhyolite</u>								
	202 - 205 disseminated pyrite and chalcopyrite								

NORTHERN MINER FORM 505

DRILLED BY LONGYEAR DIAMOND DRILLING CO.

SIGNED [Signature]

22R

DIAMOND DRILL RECORD, HOLE NO. 116

PROPERTY OFFSHORE MINES LIMITED CLAIM NO. 32258

SHEET NUMBER _____ SECTION FROM 0 TO 393 STARTED _____
 LATITUDE _____ DATUM _____ COMPLETED Feb. 1953
 DEPARTURE _____ BEARING N19° 50' W ULTIMATE DEPTH 393
 ELEVATION _____ DIP 71 PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 26	Casing								
26 - 55	<u>Diorite</u>								
55 - 77	<u>Andesite dike</u>								
77 - 90	<u>Diorite</u>								
90 - 128	<u>Andesite dike</u>								
128 - 325	<u>Diorite</u>								
	300 - 325 Disseminated pyrite and chalcopyrite								
325 - 393	<u>Rhyolite</u>								
	325 - 355 Disseminated pyrite and chalcopyrite								

NORTHERN MINER FORM 505

DRILLED BY LONGYEAR DIAMOND DRILLING CO.

SIGNED *[Signature]*

238

DIAMOND DRILL RECORD, HOLE NO. 151

BRIGGS
PHYSICAL
 SHEET NUMBER 132248

PROPERTY OFFSHORE MINES LIMITED

SECTION FROM 0 TO 127'

STARTED June 12/53

LATITUDE _____

DATUM _____

COMPLETED June 14/53

DEPARTURE _____

BEARING N 11° W

ULTIMATE DEPTH 127'

ELEVATION _____

DIP 47°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD			
						AT.....	AT.....	AT.....	AT.....
0 - 6	Casing								
6 - 75'	Rhyolite								
	Massive, green, fine-textured.								
	2' at 75' has mottled appearance characteristic								
	of diorite (with "Bleby" carbonate)								
75' - 127'	Agglomerate								
	Much pale yellow "blebby" carbonate from 90' down.								

NORTHERN MINER FORM 505

DRILLED BY H. Niemetz

SIGNED *[Signature]*

DIAMOND DRILL RECORD, HOLE NO. 152

PROPERTY OFFSHORE MINES LIMITED

SHEET NUMBER 1
 LATITUDE _____
 DEPARTURE _____
 ELEVATION _____

732248

SECTION FROM 0 TO 180'
 DATUM _____
 BEARING N 21' W
 DIP 45°

STARTED June 17/53
 COMPLETED June 15/53
 ULTIMATE DEPTH 180'
 PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 5	Casing								
5' - 120'	<u>Rhyolite</u> Massive, green, chloritic								
120 - 149	<u>Diorite</u> Mottled, coarse-grained, much "lubby" carbonate- may be altered rhyolite - upper contact gradational.								
149 - 180	<u>Agglomerate</u> Much fractured.								

NORTHERN MINER FORM 505

DRILLED BY H. Niemetz

SIGNED

DIAMOND DRILL RECORD, HOLE NO. 153

PROPERTY OFFSHORE MINES LIMITED 732248

SHEET NUMBER 1

SECTION FROM 0 TO 48'

STARTED June 15/53

LATITUDE _____

DATUM _____

COMPLETED June 16/53

DEPARTURE _____

BEARING N 2° E

ULTIMATE DEPTH 48'

ELEVATION _____

DIP 38°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD			
						AT.....	AT.....	AT.....	AT.....
0 - 7	Diorite (?)								
7 - 16	Fine-textured chloritic								
16 - 21	Massive pyrite in chlorite	ON 1	16'	21'	5'				
21 - 28.5	Chlorite rock	ON 20	21	28.5'	7.5'				
28.5 - 42	Heavy pyrite in chlorite	ON 2	28.5	33.5	5'				
42 - 48'	Diorite	ON 3	33.5	37.5	4'				
		ON 4	37.5	41.5	4'				

NORTHERN MINER FORM 505

DRILLED BY H. Niemetz

SIGNED [Signature]

DIAMOND DRILL RECORD, HOLE NO. 154

PROPERTY OFFSHORE MINES LIMITED

732248

SHEET NUMBER 1

SECTION FROM 0 TO 87'

STARTED June 16/53

LATITUDE _____

DATUM _____

COMPLETED June 18/53

DEPARTURE _____

BEARING N 5° E

ULTIMATE DEPTH 87'

ELEVATION _____

DIP 45°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT	AT	AT	AT
0 - 6	Casing								
6 - 28'	<u>Rhyolite</u> Green, massive								
28' - 48'	<u>Chlorite rock</u> Sulphide impregnations								
	28' - 42'	ON 8A	28.6	35.6	7.0				
48' - 75'	<u>Diorite</u> Contact very uncertain	ON 9	35.6	42.2	6.6				
75' - 87'	<u>Agglomerate</u>								

DRILLED BY H. Niemetz

SIGNED

DIAMOND DRILL RECORD, HOLE NO. 155

PROPERTY OFFSHORE MINES LIMITED

77228

SHEET NUMBER 1
 LATITUDE _____
 DEPARTURE _____
 ELEVATION _____

SECTION FROM 0 TO 84'
 DATUM _____
 BEARING N 11° E
 DIP 41°

STARTED June 18/53
 COMPLETED June 20/53
 ULTIMATE DEPTH 84'
 PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 11	Casing								
11 - 51	Rhyolite (?) Massive, green - becoming increasingly chloritic	ON 5	51	55	4'				
51 - 66	Sulphide impregnations in chloritic rock	ON 6	55	60	5'				
		ON 7	60	66	6'				
66 - 84	Diorite								

NORTHERN MINER FORM 505

DRILLED BY H. Niemetz

SIGNED *[Signature]*

DIAMOND DRILL RECORD, HOLE NO. 156

PROPERTY OFFSHORE MINES LIMITED T32248

SHEET NUMBER 1 SECTION FROM 0 TO 79' STARTED June 20/53
 LATITUDE _____ DATUM _____ COMPLETED June 22/53
 DEPARTURE _____ BEARING N 14° E ULTIMATE DEPTH 79'
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES							
						GOLD		Cu	Ni	Co			
						AT	AT	AT	AT				
0 - 5	Casing												
5 - 29	<u>Rhyolite</u> Green, massive												
29 - 45.7	<u>Agglomerate</u> Light coloured, siliceous												
	43 - 45.7 - sulphide impregnations - much oxidized	ON 10	43.8	45.7	2.4'								
45.7 - 49	Lost core												
49 - 79'	<u>Diorite</u> 50 - 54' - 20 - 30% sulphides												

NORTHERN MINER FORM 505

DRILLED BY H. Niemetz

SIGNED

DIAMOND DRILL RECORD, HOLE NO. 157

PROPERTY OFFSHORE MINES LIMITED

732248

SHEET NUMBER 1

SECTION FROM 0 TO 54'

STARTED June 23/53

LATITUDE _____

DATUM _____

COMPLETED June 25/53

DEPARTURE _____

BEARING N 25° E

ULTIMATE DEPTH 54'

ELEVATION _____

DIP 44°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 4	Casing								
4 - 24.5	<u>Rhyolite (?)</u> Green, massive, chloritic								
24.5 - 27.5	<u>Grey feldspar porphyry</u>								
27.5 - 37	Heavy sulphide impregnations in chloritic rock	ON 8	30.1	36.6	6.5'				
37 - 54	<u>Diorite (?)</u> Fine-textured.								

DRILLED BY H. Niemetz

SIGNED [Signature]

DIAMOND DRILL RECORD, HOLE NO. 151

PROPERTY OFFSHORE MINES LIMITED

732048

SHEET NUMBER 1

SECTION FROM 0 TO 122'

STARTED July 10/53

LATITUDE _____

DATUM _____

COMPLETED July 12/53

DEPARTURE _____

BEARING N 36° E

ULTIMATE DEPTH 122'

ELEVATION _____

DIP 45°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD AT.....	AT.....	AT.....	AT.....
0 - 122	<u>Rhyolite</u>								
	Very siliceous - fragmental in part								
	84' - 94' - 20% sulphides - pyrite with minor chalcopyrite.								

DRILLED BY H. Niemetz

SIGNED [Signature]

DIAMOND DRILL RECORD, HOLE NO. 162

PROPERTY OFFSHORE MINES LIMITED

732240

SHEET NUMBER 1

SECTION FROM 0 TO 148'

STARTED July 12/53

LATITUDE _____

DATUM _____

COMPLETED July 14/53

DEPARTURE _____

BEARING N 35° E

ULTIMATE DEPTH 148'

ELEVATION _____

DIP 45°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	VALUES			
						GOLD			
						AT.....	AT.....	AT.....	AT.....
0 - 100	<u>Rhyolite</u> Siliceous, much fragmental material - fragments chlorite, 2-5 cm.								
100 - 122	<u>Diorite (?)</u> Fine-textured, much leucoxene - sulphides absent								
122 - 148	<u>Rhyolite</u> Mostly agglomerate								

DRILLED BY H. Niemeys

SIGNED [Signature]

52,500 E


53,000 E

53,500 E

54,000 E

54,500 E

D.D.H # 99



T- 31685

TEMAGAMI MINING CO

D.D. HOLE LOCATIONS

HOLE No.	Co-ordinates	CLAIM No.
151	50,994 N - 53,740 E	T- 32248
152	50,994 N - 53,740 E	"
153	51,023 N - 53,713 E	"
154	51,000 N - 53,674 E	"
155	50,961 N - 53,640 E	"
156	50,920 N - 53,554 E	"
157	50,865 N - 53,461 E	"
161	50,234 N - 54,078 E	"
162	50,249 N - 54,000 E	"
99	51,185 N - 53,334 E	T- 31685
110	50,860 N - 52,974 E	T- 32258
113	50,805 N - 52,780 E	"
116	50,805 N - 52,780 E	"

Post 2 - 32258 }
Post 3 - 32248 }

BRIGGS TWP
SCALE 1" = 100'

51,500 N

51,000 N

50,500 N

50,000 N

D.D.H # 116



D.D.H # 110



SULPHIDE ISLAND

D.D.H # 157

D.D.H # 156

D.D.H # 155

D.D.H # 154

D.D.H # 153

D.D.H # 152

SHORE

T- 32248

T- 32258

D.D.H # 162

D.D.H # 161

Post 2 Post 3



41116NE0049 13 PHYLIS

200