




41116NW2014 2.20807 SCHOLES

010

**2.20807**

**ASSESSMENT REPORT ON  
EAGLE ROCK LAKE PRELIMINARY DRILLING PROGRAM  
EAGLE ROCK LAKE CLAIMS  
AFTON & SCHOLES TWPS.  
G-2900 and G-2834**



Prepared For:

**TEMEX RESOURCES LTD.**  
4307 Kerry Road, Unit 100  
Burlington, Ontario  
L7L 1V8

Distribution:

December, 2000

2 Copies – Ministry of Northern Development & Mines  
3 Copies - Temex Resources Ltd.

## TABLE OF CONTENTS

1.0	INTRODUCTION .....	3
2.0	CLAIM GROUP .....	3
3.0	LOCATION AND ACCESS .....	4
4.0	GEOLOGY .....	4
4.1	Regional Geology .....	4
4.2	Local Geology .....	5
5.0	DRILLING RESULTS .....	6
5.1	Summary of Drilling Completed .....	6
5.2	Summary of Drilled Lithology and Mineralogy .....	6
5.2.1	<i>Diamond Drill Hole (DDH) ERL001</i> .....	6
5.2.2	<i>DDH ERL002</i> .....	7
5.2.3	<i>DDH ERL003</i> .....	7
5.2.4	<i>DDH ERL004</i> .....	8
5.2.5	<i>DDH ERL005</i> .....	8
5.2.6	<i>DDH ERL006</i> .....	8
6.0	CONCLUSIONS .....	9
7.0	RECOMMENDATIONS .....	10
8.0	STATEMENT OF QUALIFICATIONS .....	11

## LIST OF FIGURES



41116NW2014 2.20807 SCHOLES

010C

- Figure 1: Eagle Rock Lake Claims
- Figure 2: South Grid Geology (Including Drill Hole Locations)
- Figure 3: Drill Hole ERL001 Section
- Figure 4: Drill Holes ERL002 and ERL003 Section
- Figure 5: Drill Hole 4 Section
- Figure 6: Drill Hole 5 Section
- Figure 7: Drill Hole 6 Section

## LIST OF APPENDICIES

- Appendix A: Diamond Drill Hole Logs
- Appendix B: Certificates of Analyses

## 1.0 INTRODUCTION

From September 15 to October 19, 2000 a drilling program was completed on behalf of Temex Resources Ltd. (Temex) by staff of Interbon Mineral Exploration & Services (Interbon) on the Eagle Rock Lake Claims (Figure 1) held by Temex, of 4307 Kerry Road, Burlington, Ontario, L7L 1V8 (MNDM Client No. 303055). Mr. Rick Bonner of Interbon executed the work.

A total of six NQ drill holes (ERL001 – ERL006) were cored for a total of 613 m (Figure 2). The objective of the drilling was to test MAX-MIN II and magnetometer ground geophysical anomalies and the down dip extensions of exposed massive and semi-massive sulphide horizons located on the claim group. All drilling was completed by NDS Drilling (2969262 Canada Inc. T/A) of Timmins, Ontario.

Sixty-eight split core samples were submitted for base and precious metals assay. All samples were submitted to ALS Chemex of Mississauga, Ontario for analysis. Temex is storing core materials, not submitted for analyses. Pulp and reject materials from samples submitted for analyses are being held at the laboratory.

## 2.0 CLAIM GROUP

The property consists of a contiguous group of twenty-four (24) claims in Afton and Scholes Townships, Ontario. The total area of the property is 144 claim units or about 2,304 hectares. The claims are numbered as follows:

1211626 (8)	1217952 (8)
1211627 (4)	1219179 (1)
1211628 (2)	1219186 (1)
1211629 (4)	1219192 (1)
1211630 (2)	1228678 (10)
1211631 (2)	1236549 (8)
1211632 (4)	1236569 (16)
1211633 (4)	1236571 (16)
1211634 (6)	1236572 (15)
1211688 (3)	1236577 (9)
1217947 (2)	1235959 (12)
1217948 (1)	1214748 (1)

All drilling work was completed on claim No. 1211626.

### 3.0 LOCATION AND ACCESS

The property is located approximately 70 km northeast of Sudbury. Access to the property is gained using a network of forest roads branching off of Provincial Highway 805. The drilling locations were reached via pre-existing forestry roads and/or trails.

### 4.0 GEOLOGY

The following sections provide a brief description of regional and local lithology present within the drilling area.

#### 4.1 Regional Geology

The following description of the regional geology was obtained from a Report on Prospecting Activities prepared for Temex Resources Ltd. by Interbon. The Report is entitled:

- *Report of Prospecting Activities, Eagle Rock Lake Property – North Claim Block, District of Sudbury, Interbon Mineral Exploration & Services, September 20, 2000, Rick G. Bonner (Author)*

*“ The Eagle Rock Lake Property lies approximately twenty kilometers from the western end of the Temagami Greenstone Belt. A “window” through the Nipissing and Gowganda rocks exposes a sequence of mafic to rhyolitic volcanics, pyroclastics and sediments tentatively correlated here with the 2.74 Ma Chambers-Briggs Assemblage (Jackson and Fyon 1991) exposed in the Temagami Greenstone Belt lying to the east. The area is approximately 24 km<sup>2</sup> and lies within the Cobalt Embayment Province, a crustal section characterized by its overlying conformable Paleoproterozoic sediments, and the Huronian Supergroup.*

*This small belt (at Eagle Rock) comprises a steep to moderately dipping sub-aqueous volcano-sedimentary pile trending northeast-southwest. An extension linking it with the Temagami Belt is difficult to document due to the overlying thick and widespread magnetic late Precambrian Nipissing Diabase sill. The presence of characteristic ferruginous horizons not featured in overlying Temagami Assemblages, is used here to partly justify a correlation with the Chambers-Briggs Assemblage.*

*Meyn indicates faulting on his regional geological maps that accompany Ontario Geological Report 170. Several trends are apparent including northwest-southeast, north-south and northeast-southwest. Offsets observed in the metasediments and Nipissing Diabase confirm these trends.*

*Mentioned above, the early Precambrian sequences are unconformably overlain by middle Precambrian sediments of the Huronian Supergroup and the latter Nipissing Diabase sills. Late Precambrian mafic intrusives that are underlying these events occur in the neighbouring townships (Meyn, 1977) but are not observed on the Eagle Rock Lake property."*

## **4.2 Local Geology**

Previous geologic mapping was completed on the Eagle Rock South Grid by Interbon. The results of that mapping are described in detail in a report entitled:

- *Report of Geological Mapping Activities, Eagle Rock Lake property – South Grid, district of Sudbury, Ontario, Canada, Interbon Mineral Exploration & Services, August 23, 1999, Rick G. Bonner (Author)*

Figure 2 shows the results of that previous mapping. The drill holes completed during this work program are also shown on that figure.

Results of that mapping indicated that the South Grid was underlain by a north-northwest/south-southeast trending sequence of Early Precambrian volcanics west of the southern and central parts of Eagle Rock Lake. On the north portion of the grid Nipissing Diabase gabbroic rocks unconformably overlie these volcanics.

On the western portion of the South Grid massive mafic volcanic flows (primarily basalts) predominate. Andesitic flows are present in the central part of the grid with some tuffaceous rocks present near the Eagle Rock shoreline. Within the andesitic rock sequence a series of andesite-dacite, rhyolite and rhyolite tuffs are present in outcrop. Subcropping mineralized rhyolite breccia has also been identified similar to an extensive area of rhyolite breccia subcrops and outcrop located about 2.5 km north at Green Rod Lake. These felsic volcanic rocks have been found to host a series of steeply dipping, conformable, semi massive to massive, zoned sulphide horizons primarily observed to contain pyrrhotite with minor chalcopyrite. The thickest section of massive sulphide mineralization was observed to be about 25 to 30 m thick. The felsic volcanics in close proximity to the massive sulphide mineralization show signs of intensive silicification, carbonitization and sericitization. Most of the silicification observed has been found in outcrop west of the massive sulphide horizons, suggesting that the top to the volcanic sequence may be eastward. Intensive carbonate alteration has also been found within rocks both above and below the massive sulphide sequence.

## 5.0 DRILLING RESULTS

The following report sections summarize the drilling undertaken and present descriptions of the lithology and mineralization encountered. In addition, a summary of anomalous assay data is provided. Diamond Drilling Logs are presented in Appendix A, while Certificates of Analyses are presented in Appendix B. Drill hole cross sections are shown on Figures 3 through 7.

### 5.1 Summary of Drilling Completed

As indicated previously six NQ diamond drill holes were cored on the Eagle Rock Lake - South Grid. The coordinates and directional information for each drill hole are summarized below.

**Summary of Drill Holes**

Hole	Depth (m)	Azimuth	Dip	Easting	Northing	Line	Station
ERL001	100	80	-45	556114	5196413	7+52 W	2+25 N
ERL002	118	260	-60	556185	5196482	7+75 W	3+52 N
ERL003	73	260	-47	556185	5196482	7+75 W	3+52 N
ERL004	101	235	-45	555930	5196405	9+00 W	1+33 N
ERL005	122	55	-45	556416	5195892	2+00 W	0+75 N
ERL006	101	55	-45	556032	5196280	7+50 W	1+00 N
	615						

### 5.2 Summary of Drilled Lithology and Mineralogy

#### 5.2.1 Diamond Drill Hole (DDH) ERL001

DDH ERL001 was drilled in order to test the subsurface potential of a horizontal loop electromagnetic conductor located at line 7+50 W, 2+50 N. The target was intersected down-hole from 78.1m to 95.5 m and was noted to be semi-massive to massive pyrite containing up to 5 % chalcopyrite, with dacitic tuff and cherty interbeds. The target is interpreted to be a intensely carbonitized, fine grained dacitic pyroclastic unit containing a massive sulphide horizon.

A volcanic pseudo-breccia comprised of intense calcite-chlorite-pyrite alteration was observed from 4.0 m to 78.1 m downhole. This pseudo-breccia is considered to be indicative of an 'alteration pipe' to a volcanogenic massive sulphide system.

Further down hole, dacite was encountered from 95.5 m to 98.5 m, with silica-sulphide facies iron-formation present from 98.5 m to 100.0 m.

No ore grade base metal and/or precious metal intersections were encountered in the drilling of this borehole. Silver analyses did range up to 3.4 g/tonne and gold, copper, arsenic, lead, sulphur, and antimony concentrations were elevated. The maximum copper concentration was detected at 649 ppm.

### **5.2.2 DDH ERL002**

DDH ERL002 was drilled in order to test the down-dip extension of Trench No. 1 located at 7+88 W, 3+24 N. Anomalous copper, at 0.44 % and up to 10 % chalcopyrite had been previously detected within that trench. The target was intersected down-hole between 28.8 m to 59.8 m and is interpreted to be interbedded dacite and rhyolite tuff beds overlain by (tops to the east) a massive sulphide facies iron-formation with up to 30 % pyrrhotite, 5 % chalcopyrite and 2 % pyrite. The dacite and rhyolite tuff interbeds contain cherty, laminated interbeds and trace to minor pyrite and chalcopyrite. A thin, 5 cm section of massive pyrrhotite with 2 % chalcopyrite was present at 59.8 m. Minor chlorite alteration was observed within the tuffaceous beds with some late stage carbonate veining.

Footwall amygduloidal pillow basalts were encountered in the drill hole from 59.8 m to 99.5 m. Weak to moderate silicification was observed within the basaltic rocks. Intensely chloritized, hanging wall andesite breccia was observed from 4.0 m to 28.8 m below ground surface. Trace pyrite, pyrrhotite and chalcopyrite were observed within fractures.

No ore grade base and/or precious metal intersections were encountered. Elevated carbonate concentrations were detected from 28.8 m to 55.9 m suggesting that an unrecognized carbonate alteration was present within the core. Anomalous copper concentrations, up to 867 ppm were detected in the iron-formation and dacitic tuff units.

### **5.2.3 DDH ERL003**

DDH ERL003 was drilled about 20 m down dip from DDH ERL002 to further test the vertical continuity of potential sulphide mineralization from Trench No. 1. The same lithologic units were encountered as in DDH ERL002.

Again no ore grade intersections were encountered in the drill hole analyses. Anomalous copper concentrations, up to 2,960 ppm were detected from 35.7 m to 37.2 m in massive sulphide section from 33.2 to 39.0 m. This massive sulphide section contained chert with up to 95 % pyrrhotite with minor to 1 % chalcopyrite, mostly along fractures. The entire massive sulphide section assayed an average of 2,010 ppm copper over 5.8 m. Silver up to 2 grams/tonne was also present in the intersection. Calcium depletion was noted.

#### **5.2.4 DDH ERL004**

DDH ERL004 was drilled to test the potential down dip potential of a weak HLEM conductor where previous at surface grab sample results had detected up to 2.36 % copper and 4.04 % zinc. An obvious conductor source was not evident in the drill core.

The drill hole is interpreted to have encountered a thick sequence of highly altered footwall mafic volcanics. Highly silicified and chloritized basalt was present with epidote increasing downhole. Local carbonate alteration was also present.

Up to 866 ppm copper was detected in an isolated, thin, cross-cutting quartz pyrite vein with chalcopyrite at 59.0 m. No ore grade intersections were detected.

#### **5.2.5 DDH ERL005**

DDH ERL005 was drilled to test a coincident massive sulphide horizon, observed at surface and a strong HLEM conductor (Anomaly K) located at line 2 +00W, 1+30 N. The conductor was encountered during the drilling of this hole and is interpreted to be a semi-massive sulphide within a chloritic basalt unit.

The entire length of drill core within this borehole comprised basalt. Downhole, progressing upwards in the lithologic section alteration of the basalt was noted to grade from moderate silicification, through moderate chloritization to intense carbonate alteration. Within the intensely carbonate altered basalt up to 90 % carbonate was observed. These carbonate rich rocks were observed over 25.8 m in thickness from 69.2 m to 95.0 m below grade. Although not directly correlatable these carbonate rich rocks may be comparable to Archean carbonates Temex staff have observed west of Eagle Rock Lake about 1.5 km southwest of the drilling area

No ore grade intersections were encountered in the drilling. Anomalous copper, up to 1,100 ppm was detected in the semi-massive conductor horizon with 1.2 grams/tonne of silver. Anomalous zinc (482 ppm) was detected in a thin (30 cm) massive pyrite zone near the top of the drill hole.

#### **5.2.6 DDH ERL006**

DDH ERL006 was drilled to test two sub-parallel (Anomalies F and E) HLEM conductors locate at Line 7+50 W, 1+25 N. Both of the conductors were encountered in the drill hole. Anomaly F was encountered from 32.0 m to 39.0 below grade and was noted to comprise banded pyrite and pyrrhotite with minor chalcopyrite within silicified andesite at or near to the contact with a hanging wall basalt unit. It is possible that the mineralization is contact related and may not in fact represent a phase of the andesite host. Anomaly E was determined to comprise intermittent bands of semi-massive pyrrhotite with minor chalcopyrite present within a chlorite and carbonate altered basalt.



Copper up to 2,040 ppm was detected within the chlorite and carbonate altered basalt where semi-massive sulphide was observed. No ore grade intersections were encountered.

## **6.0 CONCLUSIONS**

Previous surface mapping and prospecting and the current drill hole data indicate that the Eagle Rock South Grid is underlain by a series of volcanic rocks exhibiting intense and wide spread alteration. The alteration appears continuous over a lateral package of rocks for a thickness of about 700 m and includes silicification, chloritization, sericitization and carbonization. Inferred footwall rocks show intense silica-chlorite and sericite alteration with the carbonate-rich rocks more prevalent within the massive sulphide-rich sections. Sericite rich rocks have also been observed in the inferred hanging wall rocks suggesting that an enveloping alteration scheme to a VMS occurrence is present.

The discovery of an "alteration pipe" with intense black chlorite and carbonate alteration with pyrite mineralization is considered significant and suggests that the drilling may have been completed near to a source area. Subcrops of mineralized rhyolite breccia in the drilling area may also be indicative of a capping sequence of a volcanogenic massive sulphide system.

The presence of clearly sedimentary derived iron-formation rocks within the volcanic sequence suggests sedimentary exhalative mineralization is also present and are probably indicative of relatively short periods of volcanic hiatus.

## 7.0 RECOMMENDATIONS

The confirmation that a volcanogenic massive sulphide sequence is present in the Eagle Rock Lake area is considered significant. Further work is warranted upon this claim group. That work should consist of:

- airborne magnetometer and electromagnetic surveying;
- additional alteration mapping for both geological and geochemical indicators;
- petrographic study of selected drill core samples in support of the analytical and geologic logging to aid in characterizing the significance of the alteration noted to date;
- extension of the Eagle Rock South Grid northward over the cover Nipissing Diabase, followed by multiple cable and frequency Max-Min II EM and magnetometer surveying the followed by ground geophysical surveying to delineate favourable targets; and
- Max-Min II EM and magnetometer surveying of other favourable geophysical anomalies detected by airborne targets.

Respectfully Submitted,

**TEMEX RESOURCES LTD.**




Dan P. Bunner, M.Sc., C.E.T.  
Geologist

## 8.0 STATEMENT OF QUALIFICATIONS

I Dan P. Bunner of Oakville, Ontario hereby certify that:

1. I hold a Master of Science Degree in Geology from Carleton University, Ottawa, Ontario, obtained in February 1989.
2. I have been practicing my profession since 1979 in Newfoundland, Nova Scotia, Quebec, Ontario, Manitoba and the Northwest Territories.
3. I am currently employed as a Geologist/Project Manager for Golder Associates Ltd. and am also currently Senior Geologist of Exploration for Temex Resources Ltd. and as of the date of preparing this report held shares in the company.
4. I am a Registered Professional Geoscientist (P. Geo.) in the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
5. I am a Certified Engineering Technologist (C.E.T.) in the Ontario Association of Certified Engineering Technicians and Technologists.
6. I have based conclusions and recommendations contained in this report on knowledge of the area, my previous experience and on the results of the drilling conducted on the property during 2000.
- 7) I currently reside at 501 Orchard Drive, Oakville, Ontario, L6K 1N9.


Dated this 27 th day of November 2000  
in Mississauga, Ontario



---

Dan P. Bunner

# CLAIM LOCATION MAP AFTON AND SCHOLES TOWNSHIPS EAGLE ROCK LAKE CLAIMS



**TEMEX RESOURCES LTD.**  
 SUITE 100, 4307 YEPPA DRIVE  
 BURLINGTON, ONTARIO  
 L7L 1V8  
 PHONE: (905)-631-9955  
 FAX: (905)-631-8213

RIVER VALLEY AREA, ONTARIO



**APPENDIX A**  
**DRILL HOLE LOGS**

Depth (m)	ALTERATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	ALTERATION SULFIDES	Recovery (%)	Interval:	Tag Number:
			ERL001	-45°	556115	NQ	HLEM CONDUCTOR LOCATED AT 2+50N EXTENDING OFF SECTION 7+50W. TARGET INTERSECTED AT 78.1-95.5m → MASSIVE PYRRHOTITE ± CPY EXHALITE				
			Property:	Total Depth:	Elevation:	Contractor:					
			EAGLE ROCK	100 m	320 m	NDS DRILLING					
				Casing Length:	Claim:						
				4 m	1211626						
			<u>Observations</u>	START DRILLING: SEPT. 26, 2000			<u>Descriptions</u>				
			4m CASING REMAINS	0.0 - 4.0 m	OVERBURDEN	- RUBBLE INCLUDES OCHRE, CHLORITE (BASALT) AND GRANITE PEBBLES					
4			RUBBLE								
			OGHRE COBBLE						40		
8				4.0 - 78.1m	PSEUDO-BRECCIA VOLCANIC ROCK	LIGHT GREY-GREEN TO WHITE, CHLORITE-PYRITE-CARBONATE-SILICA ALTERED VOLCANIC (?) ROCK, ZONES OF INTENSE PERVASIVE CARBONATE ALTERATION ALTERNATING WITH INTENSE PERVASIVE SILICIFICATION, BOTH OVER PRINTED WITH CHLORITE-PYRITE NETWORK RESULTING IN A "PSEUDO-BRECCIA", C-P NETWORK IS SUBDUED IN SILICA AND INTENSE CARBONATE ZONES, C-P ALTERATION UP TO 40% OF CORE, C-P ALT RESULTS IN A FABRIC AT LOW CORE AXIS ANGLES, C-P ALT APPEARS TO "DIGEST" VOLCANIC ROCK EVIDENCED BY DIFFUSE-RAGGED CONTACTS					
			GRADATIONAL CONTACT						100		
12			CRACK AND SEAL VEINLET						100		
			FABRIC AT 30° TO CA								
16			Po, Py						100	14.7	
										16.0	261001
20									100		
24			FABRIC AT 25° TO CA								
			Po, Py						100		
28									100		
			Sphalerite?						100		

Temex Resources Corporation

Depth (m)	SILICIFICATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	CHLORITE	PYRITE (%)	Recovery (%)	Interval:	Tag Number:
			ERL001	-45°	556115	NQ	SEE PAGE 1					
			Property:	Azimuth:	UTM N:	Contractor:						
			EAGLE ROCK	080°	5196391	NDS DRILLING						
				Total Depth:	Elevation:							
				100m	320m							
				Casing Length:	Claim:							
				4m	1211626							
			<u>Observations</u>			<u>Descriptions</u>						
			- SHARP SILICIFICATION CONTACT AT FRACTURE	4.0-78.1m		PSEUDO-BRECCIA VOLCANIC ROCK		TR	100			
34						CONT...						
			- SHARP SILICIFICATION CONTACT AT FRACTURE					1	100	36.1		
38										37.6	761082	
			- QTE VEINLETS AT 45° TO CA					2	100	39.0	761083	
										40.5	761084	
42			- 41.0m HAND SAMPLE			CHLORITE - PYRITE NETWORK AT 30° TO CA, LATE QTE		2	100	42.2	761085	
			- CHL-PY FABRIC AT 30° TO CA			VEINLETS AT 45° TO CA PLUS 40° ROTATION						
								TR	100			
46												
								TR	100	47.5		
										49.0	761086	
50			← ACID TEST = -42.5°									
			- VUGGY WITH QUARTZ CRYSTAL LININGS ± PYRITE					TR	100			
54												
			← CH QTE CRYSTAL IN VUG					TR	100			
58												
			- C-P FABRIC AT 30° TO CA					1	100	55.7		
										57.2	761087	
			- TRACE CPY					1	100			

Temex Resources Corporation

Depth (m)	CARBONATE	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	CHLORITE	PYRITE (%)	Recovery (%)	Interval:	Tag Number:
			ERL001	-45°	556115	NQ	SEE PAGE 1					
			Property:	Azimuth:	UTM N:	Contractor:						
			EAGLE ROCK	080°	5196391	NDS DRILLING						
				Total Depth: 100m	Elevation: 320m							
				Casing Length: 4m	Claim: 1211626							
			Observations	Descriptions								
			CHL FABRIC AT 30° TO CA	4.0 - 78.1m	PSEUDO-BRECCIA VOLCANIC ROCK							
					CONT...							
64			65.2m SHARP CARBONATE CONTACT									
					CHL-PY ALTERATION IS LESS IMPOSING IN CARBONATE ZONE							
68			10cm WITH 5% WHITE SPOTS									
			FABRIC AT 20° TO CA		AT 70M OBSERVED 10CM INTERVAL WITH SILICEOUS WHITE							
					SPOTS - AFTER PLAGIOCLASE? - INTERVAL IS INDEPENDENT							
72					OF ALTERATION FABRIC							
			78.1m SHARP, UNDULATING CONTACT									
			HAND SAMPLE	78.1 - 87.5m	SEMI-MASSIVE PYRITE-CHERT EXHALITE							
76					LIGHT GREY TO BLUISH, MASSIVE, VERY THINLY BEDDED							
			SHARP CONTACT									
			SHARP CONTACT		WITH DACITIC AND CHERTY BEDS, MASSIVE TO SEMI-							
80					MASSIVE PYRITE AS BLENDS, DISSEMINATIONS, FRACTURE							
					FILLINGS, AND LAMINATIONS, CHALCO PYRITE UP TO							
84					5% OF SULFIDE NOTED AT 78.5m							
			SHARP CONTACT									
88												
										78.1		
										78.6		761089
										79.7		
										80.0		761090
										81.5		761091
										83.0		761092
										84.4		761093
										85.9		761094
										87.5		761095
										88.6		761096
										89.7		761097



Temex Resources Corporation

Depth (m)	CARBONATE SILICIFICATION Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	CHLORITE PYRITE (%)	Recovery	Interval:	Tag Number:
		ERL001	-45°	556115	NQ	SEE PAGE 1				
		Property:	Azimuth:	UTM N:	Contractor:	SPLIT CORE STORED AT TEMEX FIELD OFFICE, TEMAGAMI, ONT.				
		EAGLE ROCK	080°	5196391	NDS DRILLING					
			Total Depth:	Elevation:						
			100m	320m						
			Casing Length:	Claim:						
			4m	1211626						
		<u>Observations</u>	<u>Descriptions</u>							
			87.5 - 95.5 m MASSIVE PYRITE EXHALITE							
94			LIGHT YELLOW PYRITE, MASSIVE; ELONGATE BLEBS SUGGEST							
		SHARP CONTACT	LAMINATIONS TO DISTURBED BEDS, >90 PYRITE, <10% CHERY							
			BLEBS, MINOR QZ-PY VEINLETS							
98		SHARP CONTACT								
		Pb	95.5 - 98.5 m DACITE							
		END OF HOLE	LIGHT GREY TO GREENISH, APHANITIC TO VERY FINE GRAINED							
		ACID TEST = -42.5°	MASSIVE, QUARTZ, PLAGIOCLASE, PYRITIC - <2% BLEBS							
102			UP TO 0.5 CM							
			98.5 - 100.0 m CHERY IRONSTONE							
			GREY TO PINK TO GREEN, CHLORITIC - SERICITIC - SILICEOUS							
			FERROUS CHERY, VERY THINLY BEDDED, VERY FINE GRAINED							
			TO APHANITIC, PYRITE IN MASSIVE BEDS TO FINE NETS							
			SALMON PINK PATCHY ALTERATION - HEMATITE - SILICA (?)							
			100.0 m END OF HOLE FINISH DRILLING: SEPT. 27, 2000							
			4 m CASING REMAINS, CASING IS CAPPED							

*Rick Bonner*  
for RICK BONNER  
Nov. 28, 2000

COLLAR: LINE 7+75W 3+52N TEMEX RESOURCES CORPORATION - LOGGING FORM RICK BONNER - Geologist PAGE 1 OF 4

Depth (m)	ALTERATION	Geology Log	DDH:	Dip:	UTM E:	Core Size:	Target:	Sulphides	Recovery (%)	Interval	Tag Number
			ERL002	-60°	556185	NQ					
			Property:	Total Depth:	Elevation:	Contractor:					
			EAGLE ROCK	118m	326m	NDS DRILLING					
			Casing Length:	Claim:			LINE 7+75W, STATION 3+52N				
			<b>Observations</b>		<b>Descriptions</b>						
			START DRILLING: SEPT. 27, 2000								
4	CHLORITE		4m CAPROD CASING REMAINS		0.0-4.0 OVERBURDEN						
					NO RECOVERY						
8			RUBBLE		4.0-28.8m CHLORITIC ANDESITE			-	40		
			RUBBLE		INTENSE PERVASIVE CHLORITE ALTERATION THROUGHOUT INTERVAL,			TR Py	70		
12			GRADED UP		FROM 4.0-19.0 (GRADATIONAL LOWER CONTACT) UNIT IS NORMAL			MINOR Py	100		
					GRADED MATRIX-SUPPORTED ANDESITE MONOMICT BRECCIA WITH			TR Py	100		
16					LITHICS UP TO PEBBLE SIZE, FROM 19.0 TO 28.8 THE UNIT IS			TR Py	100		
					MASSIVE VERY FINE-GRAINED APHYRIC ANDESITE, MINOR DISS.			TR Py	100		
20			GRADATIONAL		Euhedral PYRITE TO 3mm COMMON, TRACE CHALCOPYRITE -			TR Py	100		
					PYRRHOTITE IN FRACTURES, PYRITE ALSO ON FRACTURES			MINOR Py TR CPY TR PO	100		
24					UNIT IS INTERPRETED TO BE AN ANDESITE WITH A			MINOR Py	100		
					FLOW TOP BRECCIA - 'UP' IS UP HOLE			MINOR Py	100		
28			FRACTURE AT 40° TO CA		28.8-29.6m CHLORITE-PYRRHOTITE IRONSTONE			MINOR Py TR CPY TR PO	100		
			SHARP-BROKEN SHARP		LIGHT GREY GREEN TO BROWN, MASSIVE PO AT BASE, CPY COMMON			30% PO 5% CPY	100	28.8	361142
					WITH FRACTURES AND AT TOP OF UNIT				29.6	29.6	361143

LOGGED OCT. 15, 2000

# Temex Resources Corporation

Depth (m)	CARBONATE CHLORITE	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery	Interval:	Tag Number:
			ERL002	-60	556185	NQ					
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	260°	5796482	NDS DRILLING					
				Total Depth:	Elevation:						
				118m	326m						
				Casing Length:	Claim:						
				4m	1211626						
Observations			Descriptions								
				29.6-36.3m	DACITE TUFF					31.0	761197
		LAMINATIONS AT 10° TO CA			LIGHT GREY-GREEN, LAMINATED TO VERY THINLY BEDDED, FINE-		TR-2% Py Tr Cpy	100			
34					GRAINED, SILICEOUS-CARBONATE VEIN AT LOWER CONTACT WITH		MINOR Py	100			
		SHARP CONTACT AT 50° TO CA WITH CARBONATE VEIN			CHOSTED TUFF XENOLITHS SUGGESTING ALTERATION, MINOR						
		SHARP			CHLORITE, UP TO 3% DISSEMINATED AND WHISPY PYRRHOTITE		-	100			
38					LAMINATION ANGLES TO CA SUGGEST MINOR FOLDING						
							TR Py	100			
				36.3-38.4	ANDESITE FLOW						
		FOLIATION AT 60° TO CA			DARK GREY-GREEN, MASSIVE, APHANITIC TO MODERATELY PORPHYRITIC		TR Py	100			
		RANDOMLY ORIENTED ACICULAR BLUE-GREEN CHLORITE NEEDLES			WITH FINE PLAGIOCLASE, NO SULFIDE, WEAK FRACTURE RELATED						
					CARBONATE		TR Py	100			
									98.5		
42											
		ACID DIPTEST = -55°					2% Py Po	100		50.0	761145
				38.4-55.9	DACITE TUFF					31.5	761146
		CHERTY LAMINATIONS AT 60° TO CA			AS IN 29.6-36.3m, SOME LAPILL BEDS - FLATTENED, CHLORITE		MINOR Py	100		53.0	761197
					ALTERATION VARIES WITH SILICA CONTENT, INCREASED SULFIDE BELOW					59.5	761198
46					43m, FEW CHERTY LAMINATIONS - BEDS					52.9	761199
		SHARP					Po	100		57.1	761150
		57.9m SEMI-MASSIVE Po								58.4	761201
										58.8	761202
58					NEXT UNIT - NEXT PAGE		Po Cpy	100			
		57.8 SHARP - MASSIVE									

Po, Cpy-2% - 5cm

NGW  
← TAG

Temex Resources Corporation

Depth (m)	SILICIFICATION CHLORITE	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:		Recovery	Interval:	Tag Number:
			ERLOOZ	-60°	556185	NQ					
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	260°	5796982	NDS DRILLING					
			Total Depth:	Casing Length:	Elevation:	Claim:					
			118m	4m	326m	1211626					
		<u>Observations</u>	<u>Descriptions</u>								
		CHLORITIC FRACTURES RUBBLY	55.9 - 59.8	<u>RHYOLITE TUFF</u>							
64		GRADUAL FADING OF SILICA ALT.		MULTIPLE COLOURS, APHANITIC-CHERTY TO FINE ASH, LAMINATED TO VERY THINLY BEDDED, RARE GRADED BEDS (TOPS UP HOLE), MICRO FAULTS WITH 5mm DISPLACEMENTS COMMON, MANY CM DACITE ASH BEDS, DACITIC ASH HAS MODERATE PERVASIVE CARBONATE REACTION, RHYOLITIC MATERIAL WITHOUT REACTION							
68		CPY		Tr Po 100							
72		SALVAGE	59.8 - 99.5m	<u>AMYGDALOIDAL PILLOW BASALT</u>							
76		CPY		DARK GREEN, FLOW-FOLIATED WITH SEVERAL OBSERVATIONS OF PILLOW SALVAGE, CHLORITIC, FINE PLAGIOCLASE PHENOCRYSTS UP TO 2mm, RARE PYRITE & PYRRHOTITE IN SALVAGE SPACES WEAK TO MODERATE PATCHY SILICIFICATION, RARE CARBONATE ON FRACTURES, SOME NARROW BRECCIATED INTERVALS SOME PATCHY SALMON PINK INTERVALS							
80		CPY ON FRACTURE		Tr Po 100							
84				Tr Po 100							
88		SHARP		Tr Po 100							
		- ANDESITE FLOW AS IN 36.3-38.4		Tr Po 100							

Temex Resources Corporation

Depth (m)	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	Recovery	Interval:	Tag Number:
		ERL002	-60°		NQ				
		Property:	Azimuth:	UTM N:	Contractor:	Split Core stored at Temex Field Office in Temagami, Ontario			
		EAGLE ROCK	260°		NDS DRILLING				
			Total Depth:	Elevation:					
			118m						
			Casing Length:	Claim:					
			4m						
		<u>Observations</u>	<u>Descriptions</u>						
94	SHARP CONTACT WITH PYRITE + QUARTZ	59.8 - 99.5m <u>AMYGDULOIDAL PILLOW BASALT</u>							
		CONT...							
98	QUARTZ VEIN	99.5 - 118.0 <u>BASALT</u>							
	QUARTZ VEIN	AS ABOVE BUT NO AMYGDULES; WEAK TO MODERATE PERVASIVE CARBONATE							
	SHARP	INTERMITTENT IN SEQUENCE, FLOW FOLIATED, TRAILS SULFIDE							
102	BRECCIATED								
106	CARBONATE TEXTURES								
110	CARBONATE VEIN								
114	CARBONATE VEIN								
	CARBONATE VEIN								
	CARBONATE VEIN								
118	ACID DIP TEST = -54°	END OF HOLE							
		FINISH DRILLING: SEPT. 28, 2000							
		<p style="text-align: right;"> <i>Dan. Br</i>                      Sr. RICK BONNER                      Nov. 28, 2000                 </p>							

Depth (m)	ALTERATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery (%)	Interval: (m)	Tag Number:
			ERL003	-45°	556185	NQ	HLEM TARGETS BELOW TRENCH AREA				
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	260°	5196482	NDS DRILLING					
			Total Depth:	Casing Length:	Elevation:	Claim:					
			71.0m	7.0m	326m	1211626					
			<u>Observations</u>		<u>Descriptions</u>						
			START DRILLING: SEPT. 28, 2000		0.0 - 7.0 m <u>OVERBURDEN</u>						
4			CASING REMOVED		NO RECOVERY						
8	CARBONATE		BRECCIATED, MATRIX SUPPORTED		3.0 - 25.8 m <u>CHLORITIC ANDESITE</u>				100		
			15.8 m FLOW CONTACT SHARP, IRREGULAR		DARK GREEN TO DARK BLUE GREEN, APHANTIC TO FINE GRAINED,				100		
			17.3 m FLOW CONTACT SHARP, IRREGULAR		BRECCIATED BOWLS WITH CHLORITIC MATRIX, SUBANGULAR FRAGMENTS				100		
					INDIVIDUAL FLOWS IDENTIFIED FROM SHARP CONTACTS, UNIT				100		
					BECOME MASSIVE TO LOWER CONTACT, MINOR PYRROTITE AND				100		
					TRACE CHALCOPYRITE IN BRECCIA MATRIX				100	15.4	
					25.8 - 26.7 m <u>MASSIVE SULFIDE</u>				100	16.9	X URA
					BRONZE, MASSIVE PYRROTITE, MINOR CHLORITE, MINOR PYRITE				100	20.0	
					AS BIRBS				100	21.2	76/212 URA
					26.7 - 31.7 m <u>CARBONATE ALTERED DACITE TUFF</u>				100		
			SHARP		LIGHT GREY, COMPLETE ALTERATION TO CARBONATE, LITHOLOGY				100	25.8	
			SHARP		BASED ON RELIC LAMINATIONS, UNIT IS "MARBLE LIKE", MINOR				100		
					CHLORITE, NO SULFIDE				100		

Temex Resources Corporation

Depth (m)	CARBONATE Geology	DDH:	Dip:	UTME:	Core Size:	Target:	Recovery	Interval:	Tag Number:
		ERL003	Azimuth:	UTM N:	Contractor:				
		Property:	Total Depth:	Elevation:					
		EAGLE ROCK	Casing Length:	Claim:					
		<u>Observations</u>		<u>Descriptions</u>					
		SHARP CARBONATE VEIN		31.7 - 33.2 m <u>ANDESITE FLOW</u>		Tr Py	100		
		SHARP				>50% Po	100	33.2	
34		2% Cpy - 76/214		GREY GREEN, MASSIVE, VERY FINE GRAINED, CHLORITIC, MINOR DISSEMINATED PYRITE, Py ALSO ON FRACTURES		1% Cpy	100	34.2	76/214
		NETS OF Cpy				>95% Po Minor Cpy	100	35.7	76/215
38		SHARP-39.0m		33.2 - 39.0 <u>MASSIVE SULFIDE</u>			100	37.0	76/216
		LAMINATIONS AT 95° TO CA		AS IN 26.8 - 26.7m, FEW CONVOLUTE CHERTY BANDS WITH ORTHOGONAL FRACTURES FILLED BY CHALCOPYRITE, 1% Cpy IN CORE,		30% Po Minor Cpy	100		
42		SHARP				-	100		
		MASSIVE Po BAND		MATERIAL AT GEOLOGIC AND DDH BASE					
46		5% DISS. Po				1% Po	100		
		5% Po BANDS		39.0 - 42.7 m <u>CARBONATE ALTERED DACITE TUFF</u>					
50		SHARP CONTACT AT 45° TO CA		AS IN 26.7 - 31.7m					
		UP TO 2% DISS. Py BLEBS		42.7 - 51.2 m <u>ANDESITE FLOW</u>		2% Py	100	51.2	
54		SHARP						51.9	76/218
		Cpy, CHERTY BANDS		AS IN 31.7 - 33.2m, NO PYRITE, ONLY Po, FINE Euhedral PLAGIOCLASE PHENOCRYSTS UP TO 1mm		2% Po Tr Cpy	100	54.9	
58		QTY VEIN		51.2 - 53.9 m <u>PYRITIC CARBONATE ALTERED DACITE TUFF</u>		Tr Po	100	56.0	76/219
				AS IN 39.0 - 42.7, UP TO 2% DISS. PYRITE BLEBS AND STREAKS					

NEXT UNIT, NEXT PAGE

Temex Resources Corporation

Depth (m)	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	Recovery	Interval:	Tag Number:
		ERL003	Azimuth:	UTM N:	Contractor:				
		Property:	Total Depth:	Elevation:		SPLIT CORE STORED AT TEMEX FIELD OFFICE IN TEMAGAMI, ONTARIO			
		EAGLE ROCK	Casing Length:	Claim:					
		<u>Observations</u>		<u>Descriptions</u>					
				539-71.0m	BASALT, AMYGDULOIDAL BASALT		MINOR Pb 100		
64			GRADING TO AMYGDULOIDAL ↓		DARK GREEN, CHLORITIC, WEAK CARBONATE, LOWER HALF IS AMYGDULE RICH, FEW CHERTY LIGHT ORANGE BROWN TUFF BANDS, CARBONATE IN FRACTURES - SOME PARTS SIMILAR TO HYDRAULIC BIRACCIATION, ONE LARGE "BULL" QUARTZ VEIN, CHALCOPYRITE-PYRRHOTITE RICH ZONES (SAMPLED), MINOR PYRITE-PYRRHOTITE WITH AMYGDULE		MINOR Pb 100	64.2 64.7	761220 WRA
68							MINOR Pb Py 100		
							TR Pb Py 100		
72			END OF HOLE		FLOW				
					FINISH DRILLING: SEPT. 29, 2000				
					<i>Paul B</i> for RICK BANNER NOV. 28, 2000				



COLLAR LINE 9400W, 1433N

Temex Resources Corporation

Geologist - RICK BONNER

PAGE 1 OF 4

Depth (m)	ALTERATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	Recovery	Interval:	Tag Number:
			ERL004	-45°	S55930	NQ	GEOLOGICAL TARGET TESTING AREA BETWEEN HIGH ZN AND HIGH CU GRABS.			
			Property:	Total Depth:	Elevation:	Contractor:				
			EAGLE ROCK	101m	341	NDS DRILLING				
				Casing Length:	Claim:		SECTION 9400W, STN 1433N			
			<u>Observations</u>	START DATE: SEPT. 29, 2000		<u>Descriptions</u>				
				0.0 - 4.0 m <u>OVERBURDEN</u>						
4			9.0m CASING REMAINS CASING IS CAPPED	NO RECOVERY						
				4.0 - 101.0m <u>BASALT</u>				70		
8			BROKEN WEATHERED CORR RUBBLE	DARK GREEN GREY TO DARK BLUE GREEN, VARIOUSLY SILICIFIED - CHLORITIZED - EPIDOTIZED CORE, ALTERATIONS ARE MODERATE				90		
				TO WEAK THROUGHOUT THE DRILL HOLE, ALTERATIONS ARE PERVASIVE TO PATCHY, BASALT IS COARSE GRAINED TO PORPHYRITIC, PLAGIOCLASE PHYRIC TO 2MM - SUBHEDRAL TO EUBHEDRAL, LITHOFACIES IS MASSIVE TO WEAKLY FLOW FOLIATED, TWO SHARP FLOW CONTACTS ARE OBSERVED, SPARSE PYRITE - CHALCOPYRITE SULFIDES ARE ALSO OBSERVED				100		
12			RED ORANGE SILICIFICATION					100		
16								100		
20			QUARTZ VEINLET AT 30° TO CA					100		
								100	22.2	
24			HAND SAMPLE	ALTERATION: SILICIFICATION ± CHLORITE IS MODERATE TO INTENSE FROM COLLAR TO APPROXIMATELY 50m, PORPHYRITIC BASALT IS THEN FINER GRAINED AND MORE CHLORITIC, AT APPROXIMATELY 70m A BAND OF PERVASIVE CARBONATE SEGREGATES THE UPPER SILICA FROM LOWER CHLORITE - EPIDOTE				100	23.6	261116
28								100		

LOGGED OCT. 11, 2000

URA

Temex Resources Corporation

Depth (m)	SILICIFICATION	Geology	DDH: ERLO04	Dip: -45°	UTM E: 555930	Core Size: NQ	Target: SEE PAGE 1	Recovery	Interval:	Tag Number:
			Property: EAGLE ROCK	Total Depth: 101m	UTM N: 5196405	Contractor: NDS DRILLING	SECTION 9+00W, STN 1+33N			
			Casing Length: 4m	Elevation: 341m	Claim: 1211626					


Depth (m)	SILICIFICATION	Geology	Observations	Descriptions	Recovery	Interval:	Tag Number:
34				4.0 - 101.0m BASALT	100		
38			MINOR RED ORANGE FRACTURE SILICIFICATION		100		
42			QUARTZ VEIN AT 50° TO CA		100		
46				BECOMES DARKER BLUE-GREEN	100		
50			HAND SAMPLE		100	49.0	
54			SHARP FLOW CONTACT AT 50° TO CA		100	50.0	76117 WRA
58			ACID TEST = 40°		100		
					100		
					100		
					100		
					100	57.5	
					100	59.0	76118
			59.0 QUARTZ-PYRITE - CPY VEIN AT 50° TO CA				

Temex Resources Corporation

Depth (m)	CARBONATE SILICIFICATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	Recovery	Interval:	Tag Number:
			ERL004	-45°	555930	NQ	SEE PAGE 1			
			Property:	Azimuth:	UTM N:	Contractor:				
			EAGLE ROCK	235°	5196405	NIS DRILLING				
				Total Depth:	Elevation:					
				101m	341m					
				Casing Length:	Claim:					
				4m	1211626					
							SECTION 9+00W 57N 1+33N			
			<u>Observations</u>		<u>Descriptions</u>					
					4.0 - 101.0 BASALT					
4								100		
68			CARBONATE IN FRACTURES					100		
72			MODERATE PERVASIVE CARBONATE QUARTZ VEINLET WITH PYRITE AT 40° TO CA					100		
76								100		
80			SHARP FLOW CONTACT AT 40° TO CA					100		
84			QUARTZ VEIN - OPEN SPACES AT 40° TO CA					100		
88			87.5 QUARTZ VEIN AT 30° TO CA - OPEN SPACES					100		

THIS COLUMN CHANGES FROM REPRESENTING CARBONATE ALTERATION TO REPRESENT EPIDOTE ALTERATION AT 79.0M.  
 " " " " " " SILICIFICATION " " " " " " CHLORITE " " AT 72.0M

Temex Resources Corporation

Depth (m)	EPIDOTE CHLORITE	Geology	DDH: ERL004	Dip: -45°	UTM E: 555930	Core Size: NQ	Target: SEE PAGE 1	Recovery	Interval:	Tag Number:	
			Property: EAGLE ROCK	Total Depth: 101m Casing Length: 4m	UTM N: 5196405 Elevation: 341m Claim: 1211626	Contractor: NDS DRILLING	SPLIT CORE STORED AT TEYAGAMI FIELD OFFICE OF TEMEX  SECTION 9+00W, STN 1+33N				
			<b>Observations</b>				<b>Descriptions</b>				
		FRACTURED	4.0 - 101.0 <u>BASALT</u>						100		
94									100		
98		CARBONATE FILLED FRACTURES AT 50° TO CA							100	95.4	76119 URA
		HAND SAMPLE	EPIDOTE INCREASING						100		
102		END OF HOLE ACID TEST = 4:5									
			END OF HOLE 101M								
			FINISH DRILLING: OCT. 2, 2000 (DRILL BREAKDOWN)								
			 for RICK BONNER NOV. 28, 2000								

COLLAR: LINE 2+00W, 0+75N

Temex Resources Corporation Geologist - RICK BUNNER

PAGE 1 OF 5

Depth (m)	ALTERATION	Geology	DDH:	Dip:	UTME:	Core Size:	Target:	SULFIDES	Recovery (%)	Interval (m)	Tag Number:
			ERLOOS	-45°	556416	NQ	HLM ANOMALY "K" LOCATED AT 1+30N ON SECTION 2+00W. TARGET IS NOT EXPLAINED.				
			Property:	Total Depth:	Elevation:	Contractor:					
			EAGLE ROCK	122m	325m	NDS DRILLING					
				Casing Length:	Claim:		LINE 2+00W, STATION 0+75N				
			Observations	START DRILLING: OCT. 2, 2000		Descriptions					
			CASING REMOVED	0.0 - 4.0m OVERBURDEN							
				NO RECOVERY							
4	SILICIFICATION	CARBONATE	MASSIVE PYRITE					10% Py	80	4.7	31203
			RUBBLE	4.0 - 38.9	BASALT					6.0	
8			RUBBLE, PAVBLE FROM CAVING						90		
12			AMYGDULE RICH						100		
16									100		
20									100		
			SILICA RICH PATCHES								
24			CARBONATE RICH PATCHES						100		
28			CARBONATE AT CONTACT SHARP CONTACT AT 30° TO CA (FLOW?)						100		
									100		

LOGGED OCT. 16, 2000

Temex Resources Corporation

Depth (m)	SILICIFICATION CARBONATE Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery (%)	Interval (m)	Tag Number:
		ERLOOS	-45°	556416	NQ					
		Property:	Azimuth:	UTM N:	Contractor:					
		EAGLE ROCK	055°	5195892	NDS DRILLING	LINE 2+00W, STATION 0+75N				
		Total Depth: 122m	Casing Length: 4m	Elevation: 325m						
				Claim: 1211626						
		<u>Observations</u>	<u>Descriptions</u>							
			4.0-38.9	BASALT						
				CONTAINS						
34										
38										
		QTZ-CARB VEIN AT CONTACT IS 50° TO CA	38.9-50.1m	SILICEOUS BASALT						
				LIGHT PINKISH BROWN, VERY FINE GRAINED, PLAGIOCLASE PHYRIC WITHIN AN APHANITIC GROUNDMASS, APPEARS TO BE THE PREVIOUS BASALT UNIT WITH PERVASIVE MODERATE SILICA AND SERICITE ALTERATION, FRACTURES AND PARTINGS ARE CHLORITIC, TRACE DISSEMINATED PYRITE AS BLEBS, BECOMING PSEUDO-BRECCIATED WITH DEPTH						
42										
46										
		ACID TEST = -40°								
50		GRADATIONAL								
			50.1-69.2m	CHLORITE-SULFIDE PSEUDO-BRECCIATED BASALT						
				DARK GREEN TO GREY GREEN, UNALTER. BASALT PORTIONS ARE AS IN 4.0-38.9, PSEUDO-CLASTS HAVE AN ALIGNED FABRIC MATRIX GRADIES FROM CHLORITIC ONLY TO CHLORITE-SULFIDE. BELOW 54.0m, PYRROTITE COMMON, PYRITE-CHALCOPYRITE LESS SO						
54		GOOD EXAMPLE OF CLAST DIGESTION - 55.6								
58		CPY 30° TO CA - SULFIDIZATION!								

SILICIFICATION  
CHLORITE

WRA

THIS ALTERATION COLUMN CHANGES FROM SILICIFICATION TO CHLORITE BELOW 50.1

Temex Resources Corporation

Depth (m)	CHLORITE CARBONATE Geology	DDH:	Dip: -45°	UTM E: 556416	Core Size: NQ	Target:	SULFIDES	Recovery (%)	Interval (m)	Tag Number:
		ERLOOS	Azimuth: 055°	UTM N: 5195892	Contractor:					
		Property:	Total Depth: 122m	Elevation: 325m	NDS DRILLING					
		EAGLE ROCK	Casing Length: 4m	Claim: 1211626		LINE 2100W, STATION 0+75N				
		<u>Observations</u>	<u>Descriptions</u>							
			50.1 - 69.2m CHLORITE-SULFIDE PSEUDO-BRECCIATED BASALT							
			CONT...							
64										
68										
		SHARP IRREGULAR CONTACT	69.2 - 95.0m CARBONATE ALTERED BASALT							
		CHLORITE FLAKES 'ACICULAR-LIKE'	GREY WHITE, CARBONATE REACHES >90%, SOME RELIC BANDING							
72			SUGGESTED BY CONCENTRATIONS OF CHLORITE FLAKES, SEVERAL							
			ZONES OF PSEUDO-BRECCIA (PHOTOGRAPHED) WITH +5cm DARK							
76			GREEN CHLORITIC BASALT FRAGMENTS SUPPORTED BY CARBONATE,							
			CONCENTRIC LAYERING DUE INCOMPLETE ALTERATION, UNIT							
80			OFTEN LOOKS LIKE MARBLE, TRACE SULFIDE							
		Photo's								
84			NOTE: THIS UNIT MAY BE COMPARABLE TO REGIONALLY							
			OBSERVED 'ARCHEAN CARBONATES'?							
88										


Temex Resources Corporation

PAGE 4 OF 5

Depth (m)	CHLORITE CARBONATE	Geology	DDH:	Dip:	UTME:	Core Size:	Target:	SULFIDES	Recovery (%)	Interval: (m)	Tag Number:
			ERL005	-45°	556416	NQ					
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	055°	595892	NDS DRILLING	SPLIT CORE STORED AT TEMEX FIELD OFFICE IN TEMAGAMI, ONTARIO				
				Total Depth:	Elevation:						
				122m	325m						
				Casing Length:	Claim:		LINE 2+00W, STATION 0+75N				
				4m	1211626						
		<u>Observations</u>				<u>Descriptions</u>					
						69.2-95.0m CARBONATE ALTERED BASALT		-	100		
						CONT ...		-	100		
94		GRADATIONAL									
						95.0-122.0m CHLORITIC BASALT		Tr Po	100		
98		QTS VEIN				GRASS GREEN FLOW-FOLIATED, APHANTIC TO VERY FINE GRAINED, FEW		Tr Po	100		
						ZONES WITH PLAGIOCLASE PHENOCRYSTS UP TO 0.5MM, TRACE PYRITE		Tr Po	100		
102		101.0 FOLIATION AT 40° TO CA				ONE ZONE OF SEMI-MASSIVE PYRRHOTITE - TR CHALCOPYRITE, MINOR		Tr Po	100		
						CARBONATE, 4M ABOVE SULFIDE CHLORITE IS A DARKER-FLATTER		Tr Po	100		
						GREEN		Tr Po	100		
106								Tr Po Tr Cpy	100		
110		110.0 FOLIATION AT 50° TO CA						10% Po Tr Cpy	100	112.0	
		SEMI-MASSIVE PYRRHOTITE								113.3	74211
114								Tr Po Tr Cpy	100		
118								-	100		
								Tr Po			



Temex Resources Corporation

Depth (m)	ALTERATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery (%)	Interval: (m)	Tag Number:			
			ERLOOS	-45°	556916	NQ								
			Property:	Azimuth:	UTM N:	Contractor:								
			EAGLE ROCK	055°	5195892	NDS DRILLING								
			Total Depth: 122m	Casing Length: 4m	Elevation: 326m	Claim: 1211626								
			Observations	Descriptions										
				END OF HOLE 122.0M							1	100		
124				ACID TEST @ -90°										
				END DRILLING: OCT. 3, 2000										
128				 For RICK BONNER Nov. 28, 2000										

COLLAR: 7+50W, 1+00N

Temex Resources Corporation

Geologist - Rick Bowyer

PAGE 1 OF 4

Depth (m)	CARBONATE SILICIFICATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	Sulfides	Recovery	Interval:	Tag Number:
			ERL006	-45°	556032	NQ					
			Property:	Azimuth:	Elevation:						
			EAGLE ROCK	055°	326.1m						
				Total Depth:	Claim:						
				101m	1211626						
			Casing Length:								
			4m								
			Observations	START DRILLING: OCT. 3, 2000		Descriptions					
				0.0 - 1.0 m OVERBURDEN							
4			↑ 4m CASING REMAINS	1.0 - 41.0 m SILICIFIED ANDESITE		GREY TO GREENISH, VERY FINE GRAINED, MASSIVE TO FLOW			100		
8						FOLIATED, PERVASIVELY SILICIFIED FROM MODERATE TO			100		
						INTENSE, NEAR TOTAL REPLACEMENT IN ZONES RESULTING			100		
12			FRACTURES AT 60° TO CA			IN WHITE PATCHY LITHOFACIES OBSERVATION, FEW CM			100		
						QUARTZ VEINS, FRACTURED ZONES WITH CARBONATE COATINGS			100		
16						AND FILLINGS, FEW NEAR SURFACE FRACTURES WITH			100		
						LIMONITE COATINGS, OCCASIONAL PINKISH SILICA ALT			100		
20						WITH SULFIDE, FROM ≈ 35m TO 38m PYRRHOTITE ± CHALCOPYRITE			100		
						AS BANDS, FRACTURE FILLINGS (CPY), BLEBS AND DISSEMINATIONS			100		
						SULFIDE CONTENT REACHES UP TO 10%.			100		
24						SILICIFICATION APPEARS TO BE FOCUSED IN THIS UNIT ONLY			100		
28			26.5 PYRRHOTITE					Minor Po	100		

LOGGED OCT. 9, 2000

# Temex Resources Corporation

Depth (m)	SILICIFICATION	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery	Interval:	Tag Number:
			ERL006	-45°	556032	NQ					
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	055°	5196280	NDS DRILLING					
				Total Depth:	Elevation:						
				101m	326.1m						
				Casing Length:	Claim:						
				4m	1211626						
		<u>Observations</u>	<u>Descriptions</u>								
			1.0 - 41.0m <u>SILICIFIED ANDESITE</u>								
			CONT...								
34		32.6m HAND SAMPLE						1% Py	100	32.0	
		34.7 CHALCOPYRITE						Tr Cpy	100	33.5	761102
		35.7 CHALCOPYRITE								35.0	761103
		36.5 CHALCOPYRITE						2% Py			
		37.1 CHALCOPYRITE						1% Py	100	36.5	761104
38		38.0 CHALCOPYRITE						Tr Cpy		38.0	761105
		38.6 CHALCOPYRITE									
		QTE VEINB						Minor Po	100	37.5	761106
		SCHISTOSITY AT 50° TO CA						Tr Cpy			
		CONTACT ARBITRARY									
42			41.0 - 101.0m <u>BASALT</u>								
			DARK GREEN TO GREYISH GREEN, PLAGIOCLASE-PHYRIC PHENOCRYSTS								
46			UP TO 15%, <1mm IN VERY FINE GRAINED CHLORITIC GROUNDMASS								
		QTE VEINLET	PATCHY SILICIFICATION, MASSIVE TO FLOW FOLIATED, ZONES								
		ACID TEST = -42.5°	WITH SEMI-MASSIVE PYRRHOTITE WITH CHALCOPYRITE AS BLEBS,								
50		HEMATITE ALTERATION IN FRACTURES	MASSES, NETWORKS, FRACTURE FILLINGS AND BANDS, CARBONATE								
		52.1 BLUE-GREEN CHLORITE LATHS ALTERED	ALTERATION INCREASES BELOW SULFIDE ZONES								
54									100	52.0	
										54.5	761107
			WRA SAMPLE IS LEAST SILICIFIED ZONE								
58									100		
		MINOR HEMATITE IN FRACTURES									

WRA

# Temex Resources Corporation

PAGE 3 OF 4

Depth (m)	CARBONATE	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery	Interval:	Tag Number:
			ERL 006	-45°	556032	NQ					
			Property:	Azimuth:	UTM N:	Contractor:					
			EAGLE ROCK	055°	5196280	NDS DRILLING					
			Casing Length: 4m	Total Depth: 101m	Elevation: 326.1m	Claim: 1211626					
			<b>Observations</b>		<b>Descriptions</b>						
			HEMATITE ON FRACTURES		41.0 - 101.0 m BASALT			-	100		
44			- FRACTURED WITH CHALCOPRITE		CONT...			TR Py	100		
68								-	100		
72			BANDING AT 35° TO CA					-	100		
			72.8 CHALCOPYRITE					Minor Po	100		
								TR CPY		74.6	
76			76.7 CHALCOPYRITE		76.0 - 79.1 SEMI-MASSIVE PYRRHOTITE ± CHALCOPYRITE			10% Po	100	76.0	76108
								TR CPY			76109
			78.8 CHALCOPYRITE					30% Po	100	77.7	76110
80								Minor CPY		79.3	76111
			BLUE-GREEN CHLORITE LATHES - HAND SAMPLE ALTRAND					2% Po	100	80.8	76111
								TR CPY		83.0	
84					WRA IN LEAST SILICIFIED, LOWEST SULFIDE ZONE			-	100	84.5	76112
88			Po vein					TR Po	100		

WRA

**Temex Resources Corporation**

Depth (m)	CARBONATE	Geology	DDH:	Dip:	UTM E:	Core Size:	Target:	SULFIDES	Recovery	Interval:	Tag Number:	
			ER006	-45°	556 032	NQ	SEE PAGE 1					
			Property:	Azimuth:	UTM N:	Contractor:						
			EAGLE ROCK	055°	519 6280	NDS DRILLING						
				Total Depth:	Elevation:	SPLIT CORE STORED AT TEMEX FIELD OFFICE IN TEMAGAMI, ONT.						
				101 m	326.1 m							
				Casing Length:	Claim:							
				4 m	1211626							
		<u>Observations</u>	<u>Descriptions</u>									
			41.0 - 101.0 m <u>BASALT</u>						1% Po	100	92.0	761113
			CONT...									
94		93.5 CHALCOPYRITE							2% Po MINOR CPB	100	93.5	761114
		94.8 CHALCOPYRITE									95.0	761115
		BANDING AT 40° TO CA	90.0 - 96.0 INTERMITTENT BANDS OF SEMI-MASSIVE PYRROTHITE ± CHALCOPYRITE									
									MINOR Po	100		
98												
									MINOR Po	100		
		101.0m END OF HOLE										
102		ACID TEST = -42.5°	9.0m CASING REMAINS, CASING IS CAPPED									
			END OF HOLE : 101 M									
			END OF DRILLING : OCT. 4, 2000									
			<p><i>Dem P. Banner</i> for RICK BANNER Nov. 28, 2000</p>									

**APPENDIX B**  
**CERTIFICATES OF ANALYSIS**



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

A0031321

Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

**CERTIFICATE**

**A0031321**

(PHU) - TEMEX RESOURCES LTD.

Project: EAGLE ROCK  
 P.O. #:

Samples submitted to our lab in Mississauga, ON.  
 This report was printed on 23-OCT-2000.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
299	3	Pulp, prepped on other workorder

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
902	3	Al2O3 %: XRF	XRF	0.01	100.00
906	3	CaO %: XRF	XRF	0.01	100.00
2590	3	Cr2O3 %: XRF	XRF	0.01	100.00
903	3	Fe2O3 %: XRF	XRF	0.01	100.00
908	3	K2O %: XRF	XRF	0.01	100.00
905	3	MgO %: XRF	XRF	0.01	100.00
1989	3	MnO %: XRF	XRF	0.01	100.00
907	3	Na2O %: XRF	XRF	0.01	100.00
909	3	P2O5 %: XRF	XRF	0.01	100.00
901	3	SiO2 %: XRF	XRF	0.01	100.00
904	3	TiO2 %: XRF	XRF	0.01	100.00
910	3	LOI %: XRF	XRF	0.01	100.00
2540	3	Total %	CALCULATION	0.01	105.00



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number :1  
 Total Pages :1  
 Certificate Date: 23-OCT-2000  
 Invoice No. : I0031321  
 P.O. Number :  
 Account : PHU

## CERTIFICATE OF ANALYSIS A0031321

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
M 761102	299 --	17.01	8.13	0.01	7.04	1.39	3.69	0.12	3.92	0.11	54.51	1.20	1.72	98.85
M 761107	299 --	16.00	6.81	0.01	9.23	0.38	3.11	0.13	5.32	0.14	54.83	1.60	1.48	99.04
M 761112	299 --	7.73	33.21	< 0.01	4.22	0.27	1.54	0.24	2.66	0.08	24.23	0.18	24.42	98.78

CERTIFICATION: \_\_\_\_\_





# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project: EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number : 1  
 Total Pages : 1  
 Certificate Date: 23-OCT-2000  
 Invoice No. : I0031321  
 P.O. Number :  
 Account : PHU

<b>CERTIFICATE OF ANALYSIS</b>	<b>A0031321</b>
--------------------------------	-----------------

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
M 761102	299 --	17.01	8.13	0.01	7.04	1.39	3.69	0.12	3.92	0.11	54.51	1.20	1.72	98.85
M 761107	299 --	16.00	6.81	0.01	9.23	0.38	3.11	0.13	5.32	0.14	54.83	1.60	1.48	99.04
M 761112	299 --	7.73	33.21	< 0.01	4.22	0.27	1.54	0.24	2.66	0.08	24.23	0.18	24.42	98.78

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

A0031319

Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

**CERTIFICATE**

**A0031319**

(PHU) - TEMEX RESOURCES LTD.

Project: EAGLE ROCK  
 P.O. #:

Samples submitted to our lab in Mississauga, ON.  
 This report was printed on 20-OCT-2000.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	35	Geochem ring to approx 150 mesh
226	35	0-3 Kg crush and split
3204	35	Save 1 Kg reject for 90 days
229	35	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
449	35	Weight g	BALANCE	1	10000
983	35	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	35	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	35	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	35	As ppm: 32 element, soil & rock	ICP-AES	2	10000
557	35	B ppm: 32 element, rock & soil	ICP-AES	10	10000
2121	35	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	35	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	35	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	35	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	35	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	35	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	35	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	35	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	35	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	35	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	35	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	35	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	35	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	35	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	35	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	35	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	35	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	35	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	35	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	35	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
551	35	S %: 32 element, rock & soil	ICP-AES	0.01	5.00
2141	35	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	35	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	35	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	35	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	35	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	35	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	35	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	35	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	35	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 20-OCT-2000  
 Invoice No. :10031319  
 P.O. Number :  
 Account :PHU

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031319

SAMPLE	PREP CODE		Weight	Au ppb	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La
			grams	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
M 761081	205	226	3328	< 5	< 0.2	0.90	< 2	< 10	< 10	< 0.5	< 2	13.80	< 0.5	9	8	15	3.86	< 10	< 1	0.12	< 10
M 761082	205	226	3605	< 5	< 0.2	1.35	< 2	< 10	30	< 0.5	< 2	11.30	0.5	9	20	4	6.61	< 10	< 1	0.31	< 10
M 761083	205	226	3523	< 5	< 0.2	0.13	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	2	< 1	1	2.10	< 10	< 1	0.01	< 10
M 761084	205	226	3396	< 5	< 0.2	0.08	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	1	< 1	< 1	1.33	< 10	< 1	0.01	< 10
M 761085	205	226	4316	< 5	< 0.2	0.71	< 2	< 10	10	< 0.5	< 2	13.30	0.5	7	11	2	4.92	< 10	< 1	0.17	< 10
M 761086	205	226	3704	< 5	< 0.2	0.09	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	2	< 1	< 1	1.93	< 10	< 1	0.03	< 10
M 761087	205	226	3508	< 5	< 0.2	0.98	< 2	< 10	20	< 0.5	< 2	13.15	< 0.5	7	12	3	4.38	< 10	< 1	0.17	< 10
M 761088	205	226	3739	< 5	< 0.2	0.97	< 2	< 10	50	< 0.5	< 2	14.00	< 0.5	6	10	17	3.74	< 10	< 1	0.47	< 10
M 761089	205	226	1494	< 5	0.8	1.02	20	< 10	20	0.5	< 2	1.34	1.0	38	41	649	>15.00	10	< 1	0.10	< 10
M 761090	205	226	3092	35	2.8	0.52	162	< 10	10	1.0	< 2	0.39	2.5	125	25	211	>15.00	10	< 1	0.09	< 10
M 761091	205	226	3859	< 5	0.4	0.49	22	< 10	10	< 0.5	< 2	12.10	< 0.5	26	11	91	9.10	< 10	< 1	0.12	< 10
M 761092	205	226	3609	< 5	0.6	0.33	40	< 10	< 10	0.5	< 2	10.60	0.5	31	10	81	13.35	< 10	< 1	0.04	< 10
M 761093	205	226	4272	< 5	0.4	0.32	28	< 10	< 10	0.5	< 2	9.24	3.0	37	6	130	13.60	< 10	< 1	0.03	< 10
M 761094	205	226	3788	< 5	< 0.2	0.40	< 2	< 10	< 10	< 0.5	< 2	12.65	3.0	22	9	144	9.38	< 10	< 1	0.03	< 10
M 761095	205	226	4661	< 5	0.2	0.37	12	< 10	10	< 0.5	< 2	7.35	0.5	18	8	147	9.97	< 10	< 1	0.09	< 10
M 761096	205	226	3632	35	2.8	0.26	120	< 10	10	0.5	< 2	0.63	< 0.5	52	13	114	>15.00	10	< 1	0.07	< 10
M 761097	205	226	4185	25	2.8	0.27	114	< 10	10	0.5	< 2	0.37	< 0.5	49	12	93	>15.00	10	< 1	0.13	< 10
M 761098	205	226	4625	35	3.4	0.24	130	< 10	10	0.5	< 2	0.42	1.0	64	17	107	>15.00	10	< 1	0.08	< 10
M 761099	205	226	5761	60	3.0	0.23	142	< 10	10	0.5	< 2	0.14	< 0.5	74	17	121	>15.00	10	< 1	0.08	< 10
M 761100	205	226	4302	45	2.2	0.48	152	< 10	10	0.5	< 2	0.24	1.5	105	17	132	>15.00	10	< 1	0.16	< 10
M 761101	205	226	4299	35	2.0	0.56	116	< 10	10	1.0	< 2	0.69	3.0	126	19	415	>15.00	10	< 1	0.09	< 10
M 761102	205	226	3090	< 5	< 0.2	1.27	30	< 10	30	< 0.5	< 2	0.88	< 0.5	21	133	8	1.77	< 10	< 1	0.08	< 10
M 761103	205	226	4328	45	0.4	3.02	36	< 10	< 10	< 0.5	< 2	0.80	0.5	62	196	851	5.68	< 10	< 1	0.03	< 10
M 761104	205	226	4202	5	0.4	1.27	< 2	< 10	10	< 0.5	< 2	0.53	< 0.5	81	52	764	6.42	< 10	< 1	0.07	< 10
M 761105	205	226	4190	< 5	0.2	1.36	< 2	< 10	10	< 0.5	< 2	0.50	< 0.5	75	57	1055	6.81	< 10	< 1	0.06	< 10
M 761106	205	226	3490	< 5	< 0.2	3.07	< 2	< 10	60	< 0.5	< 2	1.10	< 0.5	31	136	120	5.85	< 10	< 1	0.56	< 10
M 761107	205	226	4024	< 5	< 0.2	1.75	< 2	< 10	20	< 0.5	< 2	0.80	< 0.5	10	100	7	3.34	< 10	< 1	0.14	< 10
M 761108	205	226	4269	40	< 0.2	0.72	< 2	< 10	< 10	< 0.5	< 2	3.45	< 0.5	23	17	403	2.96	< 10	< 1	< 0.01	< 10
M 761109	205	226	5746	30	0.8	0.35	< 2	< 10	< 10	0.5	< 2	1.46	2.5	232	9	1865	>15.00	< 10	< 1	< 0.01	< 10
M 761110	205	226	5181	15	0.4	0.48	< 2	< 10	< 10	0.5	< 2	2.31	1.5	173	12	2040	11.95	< 10	< 1	< 0.01	< 10
M 761111	205	226	4061	< 5	< 0.2	0.49	2	< 10	< 10	< 0.5	< 2	4.02	< 0.5	9	12	24	1.19	< 10	< 1	0.01	< 10
M 761112	205	226	3780	< 5	< 0.2	0.75	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	6	18	28	1.60	< 10	< 1	< 0.01	< 10
M 761113	205	226	5029	< 5	< 0.2	0.18	4	< 10	< 10	< 0.5	< 2	9.70	< 0.5	71	6	419	4.62	< 10	< 1	< 0.01	< 10
M 761114	205	226	4307	< 5	< 0.2	0.38	16	< 10	< 10	< 0.5	< 2	3.84	< 0.5	101	18	478	6.22	< 10	< 1	0.01	< 10
M 761115	205	226	4405	< 5	0.2	0.71	24	< 10	< 10	< 0.5	< 2	2.38	< 0.5	103	23	718	6.80	< 10	< 1	0.03	< 10

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 20-OCT-2000  
 Invoice No. : I0031319  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments : ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031319

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
	M 761081	205	226	9.33	1840	3	0.02	18	90	< 2	2.34	2	3	34	0.01	70	< 10	14	< 10
M 761082	205	226	8.05	1205	6	0.02	13	120	< 2	>5.00	< 2	4	36	0.04	50	< 10	29	< 10	16
M 761083	205	226	9.41	1855	1	0.01	2	30	< 2	2.01	< 2	< 1	34	< 0.01	80	< 10	4	< 10	< 2
M 761084	205	226	9.81	1805	< 1	0.01	1	10	< 2	0.78	< 2	< 1	27	< 0.01	80	< 10	3	< 10	< 2
M 761085	205	226	8.56	1795	5	0.01	10	70	< 2	4.56	< 2	2	31	0.02	60	< 10	20	< 10	14
M 761086	205	226	9.24	2390	1	0.01	2	10	< 2	1.28	< 2	< 1	15	< 0.01	80	< 10	3	< 10	< 2
M 761087	205	226	8.97	1500	4	0.02	10	80	2	3.18	< 2	3	41	0.01	60	< 10	25	< 10	6
M 761088	205	226	9.14	2980	2	0.02	9	70	< 2	2.20	< 2	3	45	0.03	60	< 10	21	< 10	78
M 761089	205	226	0.36	265	16	0.04	77	510	14	>5.00	2	4	8	0.05	< 10	< 10	25	< 10	132
M 761090	205	226	0.21	125	27	0.01	72	250	118	>5.00	12	1	< 1	< 0.01	< 10	< 10	4	< 10	22
M 761091	205	226	0.19	1700	11	0.01	28	360	12	>5.00	10	2	24	0.01	50	< 10	10	< 10	< 2
M 761092	205	226	0.25	1680	16	0.01	37	280	22	>5.00	8	3	21	0.01	40	< 10	10	< 10	6
M 761093	205	226	0.41	1720	15	0.01	47	230	18	>5.00	< 2	3	21	0.03	20	< 10	13	< 10	6
M 761094	205	226	0.44	2500	8	0.01	42	230	2	>5.00	2	3	33	0.05	50	< 10	21	< 10	6
M 761095	205	226	0.45	1695	10	0.01	30	330	10	>5.00	6	2	21	0.04	20	< 10	10	< 10	< 2
M 761096	205	226	0.10	120	25	0.01	36	250	120	>5.00	10	1	< 1	0.01	< 10	< 10	3	< 10	12
M 761097	205	226	0.09	75	24	0.01	38	280	112	>5.00	4	1	< 1	0.01	< 10	< 10	1	< 10	10
M 761098	205	226	0.12	100	25	0.01	36	210	136	>5.00	4	1	< 1	0.01	< 10	< 10	2	< 10	18
M 761099	205	226	0.11	95	25	0.01	49	220	138	>5.00	10	1	< 1	0.01	< 10	< 10	1	< 10	20
M 761100	205	226	0.31	100	33	0.01	56	360	130	>5.00	14	2	< 1	0.04	< 10	< 10	4	< 10	40
M 761101	205	226	0.47	140	28	0.01	88	280	106	>5.00	10	1	< 1	< 0.01	< 10	< 10	3	< 10	38
M 761102	205	226	0.83	285	3	0.06	103	310	< 2	0.12	2	4	13	0.20	< 10	< 10	55	< 10	22
M 761103	205	226	2.75	730	1	0.04	228	320	2	0.78	2	4	9	0.10	< 10	< 10	58	< 10	146
M 761104	205	226	1.14	275	5	0.03	75	320	2	3.58	4	1	8	0.07	< 10	< 10	17	< 10	28
M 761105	205	226	1.06	325	4	0.03	76	390	< 2	3.02	6	1	7	0.10	< 10	< 10	24	< 10	40
M 761106	205	226	2.28	730	< 1	0.04	85	460	< 2	0.69	< 2	4	12	0.21	< 10	< 10	91	< 10	82
M 761107	205	226	0.99	470	< 1	0.06	22	580	< 2	0.03	< 2	5	11	0.28	< 10	< 10	90	< 10	28
M 761108	205	226	0.56	280	5	0.01	16	270	< 2	1.13	2	1	30	0.04	10	< 10	6	< 10	8
M 761109	205	226	0.18	175	8	0.01	142	130	< 2	>5.00	2	2	6	0.05	< 10	< 10	12	< 10	12
M 761110	205	226	0.21	245	7	0.01	98	360	< 2	>5.00	2	1	12	0.06	< 10	< 10	8	< 10	8
M 761111	205	226	0.36	270	< 1	0.01	5	160	< 2	0.18	< 2	1	19	0.05	20	< 10	8	< 10	8
M 761112	205	226	0.51	1725	< 1	0.01	19	240	< 2	0.26	2	1	35	0.03	100	< 10	15	< 10	< 2
M 761113	205	226	0.10	415	3	0.01	48	180	< 2	2.83	4	< 1	11	0.05	50	< 10	10	< 10	< 2
M 761114	205	226	0.23	235	4	0.03	75	250	< 2	3.63	< 2	3	12	0.10	10	< 10	30	< 10	2
M 761115	205	226	0.46	315	3	0.03	108	220	< 2	3.35	2	3	8	0.09	< 10	< 10	37	< 10	10

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date: 20-OCT-2000  
 Invoice No. : I0031319  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments : ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031319

SAMPLE	PREP CODE	Weight grams	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm
M 761081	205 226	3328	< 5	< 0.2	0.90	< 2	< 10	< 10	< 0.5	< 2	13.80	< 0.5	9	8	15	3.86	< 10	< 1	0.12	< 10
M 761082	205 226	3605	< 5	< 0.2	1.35	< 2	< 10	30	< 0.5	< 2	11.30	< 0.5	9	20	4	6.61	< 10	< 1	0.31	< 10
M 761083	205 226	3523	< 5	< 0.2	0.13	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	2	< 1	1	2.10	< 10	< 1	0.01	< 10
M 761084	205 226	3396	< 5	< 0.2	0.08	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	1	< 1	< 1	1.33	< 10	< 1	0.01	< 10
M 761085	205 226	4316	< 5	< 0.2	0.71	< 2	< 10	10	< 0.5	< 2	13.30	0.5	7	11	2	4.92	< 10	< 1	0.17	< 10
M 761086	205 226	3704	< 5	< 0.2	0.09	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	2	< 1	< 1	1.93	< 10	< 1	0.03	< 10
M 761087	205 226	3508	< 5	< 0.2	0.98	< 2	< 10	20	< 0.5	< 2	13.15	< 0.5	7	12	3	4.38	< 10	< 1	0.17	< 10
M 761088	205 226	3739	< 5	< 0.2	0.97	< 2	< 10	50	< 0.5	< 2	14.00	< 0.5	6	10	17	3.74	< 10	< 1	0.47	< 10
M 761089	205 226	1494	< 5	0.8	1.02	20	< 10	20	0.5	< 2	1.34	1.0	38	41	649	>15.00	10	< 1	0.10	< 10
M 761090	205 226	3092	35	2.8	0.52	162	< 10	10	1.0	< 2	0.39	2.5	125	25	211	>15.00	10	< 1	0.09	< 10
M 761091	205 226	3859	< 5	0.4	0.49	22	< 10	10	< 0.5	< 2	12.10	< 0.5	26	11	91	9.10	< 10	< 1	0.12	< 10
M 761092	205 226	3609	< 5	0.6	0.33	40	< 10	< 10	0.5	< 2	10.60	0.5	31	10	81	13.35	< 10	< 1	0.04	< 10
M 761093	205 226	4272	< 5	0.4	0.32	28	< 10	< 10	0.5	< 2	9.24	3.0	37	6	130	13.60	< 10	< 1	0.03	< 10
M 761094	205 226	3788	< 5	< 0.2	0.40	< 2	< 10	< 10	< 0.5	< 2	12.65	3.0	22	9	144	9.38	< 10	< 1	0.03	< 10
M 761095	205 226	4661	< 5	0.2	0.37	12	< 10	10	< 0.5	< 2	7.35	0.5	18	8	147	9.97	< 10	< 1	0.09	< 10
M 761096	205 226	3632	35	2.8	0.26	120	< 10	10	0.5	< 2	0.63	< 0.5	52	13	114	>15.00	10	< 1	0.07	< 10
M 761097	205 226	4185	25	2.8	0.27	114	< 10	10	0.5	< 2	0.37	< 0.5	49	12	93	>15.00	10	< 1	0.13	< 10
M 761098	205 226	4625	35	3.4	0.24	130	< 10	10	0.5	< 2	0.42	1.0	64	17	107	>15.00	10	< 1	0.08	< 10
M 761099	205 226	5761	60	3.0	0.23	142	< 10	10	0.5	< 2	0.14	< 0.5	74	17	121	>15.00	10	< 1	0.08	< 10
M 761100	205 226	4302	45	2.2	0.48	152	< 10	10	0.5	< 2	0.24	1.5	105	17	132	>15.00	10	< 1	0.16	< 10
M 761101	205 226	4299	35	2.0	0.56	116	< 10	10	1.0	< 2	0.69	3.0	126	19	415	>15.00	10	< 1	0.09	< 10
M 761102	205 226	3090	< 5	< 0.2	1.27	30	< 10	30	< 0.5	< 2	0.88	< 0.5	21	133	8	1.77	< 10	< 1	0.08	< 10
M 761103	205 226	4328	45	0.4	3.02	36	< 10	< 10	< 0.5	< 2	0.80	0.5	62	196	851	5.68	< 10	< 1	0.03	< 10
M 761104	205 226	4202	5	0.4	1.27	< 2	< 10	10	< 0.5	< 2	0.53	< 0.5	81	52	764	6.42	< 10	< 1	0.07	< 10
M 761105	205 226	4190	< 5	0.2	1.36	< 2	< 10	10	< 0.5	< 2	0.50	< 0.5	75	57	1055	6.81	< 10	< 1	0.06	< 10
M 761106	205 226	3490	< 5	< 0.2	3.07	< 2	< 10	60	< 0.5	< 2	1.10	< 0.5	31	136	120	5.85	< 10	< 1	0.56	< 10
M 761107	205 226	4024	< 5	< 0.2	1.75	< 2	< 10	20	< 0.5	< 2	0.80	< 0.5	10	100	7	3.34	< 10	< 1	0.14	< 10
M 761108	205 226	4269	40	< 0.2	0.72	< 2	< 10	< 10	< 0.5	< 2	3.45	< 0.5	23	17	403	2.96	< 10	< 1	< 0.01	< 10
M 761109	205 226	5746	30	0.8	0.35	< 2	< 10	< 10	0.5	< 2	1.46	2.5	232	9	1865	>15.00	< 10	< 1	< 0.01	< 10
M 761110	205 226	5181	15	0.4	0.48	< 2	< 10	< 10	0.5	< 2	2.31	1.5	173	12	2040	11.95	< 10	< 1	< 0.01	< 10
M 761111	205 226	4061	< 5	< 0.2	0.49	2	< 10	< 10	< 0.5	< 2	4.02	< 0.5	9	12	24	1.19	< 10	< 1	0.01	< 10
M 761112	205 226	3780	< 5	< 0.2	0.75	< 2	< 10	< 10	< 0.5	< 2	>15.00	< 0.5	6	18	28	1.60	< 10	< 1	< 0.01	< 10
M 761113	205 226	5029	< 5	< 0.2	0.18	4	< 10	< 10	< 0.5	< 2	9.70	< 0.5	71	6	419	4.62	< 10	< 1	< 0.01	< 10
M 761114	205 226	4307	< 5	< 0.2	0.38	16	< 10	< 10	< 0.5	< 2	3.84	< 0.5	101	18	478	6.22	< 10	< 1	0.01	< 10
M 761115	205 226	4405	< 5	0.2	0.71	24	< 10	< 10	< 0.5	< 2	2.38	< 0.5	103	23	718	6.80	< 10	< 1	0.03	< 10

CERTIFICATION: 



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 20-OCT-2000  
 Invoice No. : 10031319  
 P.O. Number :  
 Account : PHU

## CERTIFICATE OF ANALYSIS A0031319

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 761081	205 226	9.33	1840	3	0.02	18	90	< 2	2.34	2	3	34	0.01	70	< 10	14	< 10	18
M 761082	205 226	8.05	1205	6	0.02	13	120	< 2	>5.00	< 2	4	36	0.04	50	< 10	29	< 10	16
M 761083	205 226	9.41	1855	1	0.01	2	30	< 2	2.01	< 2	< 1	34	< 0.01	80	< 10	4	< 10	< 2
M 761084	205 226	9.81	1805	< 1	0.01	1	10	< 2	0.78	< 2	< 1	27	< 0.01	80	< 10	3	< 10	< 2
M 761085	205 226	8.56	1795	5	0.01	10	70	< 2	4.56	< 2	2	31	0.02	60	< 10	20	< 10	14
M 761086	205 226	9.24	2390	1	0.01	2	10	< 2	1.28	< 2	< 1	15	< 0.01	80	< 10	3	< 10	< 2
M 761087	205 226	8.97	1500	4	0.02	10	80	2	3.18	< 2	3	41	0.01	60	< 10	25	< 10	6
M 761088	205 226	9.14	2980	2	0.02	9	70	< 2	2.20	< 2	3	45	0.03	60	< 10	21	< 10	78
M 761089	205 226	0.36	265	16	0.04	77	510	14	>5.00	2	4	8	0.05	< 10	< 10	25	< 10	132
M 761090	205 226	0.21	125	27	0.01	72	250	118	>5.00	12	1	< 1	< 0.01	< 10	< 10	4	< 10	22
M 761091	205 226	0.19	1700	11	0.01	28	360	12	>5.00	10	2	24	0.01	50	< 10	10	< 10	< 2
M 761092	205 226	0.25	1680	16	0.01	37	280	22	>5.00	8	3	21	0.01	40	< 10	10	< 10	6
M 761093	205 226	0.41	1720	15	0.01	47	230	18	>5.00	< 2	3	21	0.03	20	< 10	13	< 10	6
M 761094	205 226	0.44	2500	8	0.01	42	230	2	>5.00	2	3	33	0.05	50	< 10	21	< 10	6
M 761095	205 226	0.45	1695	10	0.01	30	330	10	>5.00	6	2	21	0.04	20	< 10	10	< 10	< 2
M 761096	205 226	0.10	120	25	0.01	36	250	120	>5.00	10	1	< 1	0.01	< 10	< 10	3	< 10	12
M 761097	205 226	0.09	75	24	0.01	38	280	112	>5.00	4	1	< 1	0.01	< 10	< 10	1	< 10	10
M 761098	205 226	0.12	100	25	0.01	36	210	136	>5.00	4	1	< 1	0.01	< 10	< 10	2	< 10	18
M 761099	205 226	0.11	95	25	0.01	49	220	138	>5.00	10	1	< 1	0.01	< 10	< 10	1	< 10	20
M 761100	205 226	0.31	100	33	0.01	56	360	130	>5.00	14	2	< 1	0.04	< 10	< 10	4	< 10	40
M 761101	205 226	0.47	140	28	0.01	88	280	106	>5.00	10	1	< 1	< 0.01	< 10	< 10	3	< 10	38
M 761102	205 226	0.83	285	3	0.06	103	310	< 2	0.12	2	4	13	0.20	< 10	< 10	55	< 10	22
M 761103	205 226	2.75	730	1	0.04	228	320	2	0.78	2	4	9	0.10	< 10	< 10	58	< 10	146
M 761104	205 226	1.14	275	5	0.03	75	320	2	3.58	4	1	8	0.07	< 10	< 10	17	< 10	28
M 761105	205 226	1.06	325	4	0.03	76	390	< 2	3.02	6	1	7	0.10	< 10	< 10	24	< 10	40
M 761106	205 226	2.28	730	< 1	0.04	85	460	< 2	0.69	< 2	4	12	0.21	< 10	< 10	91	< 10	82
M 761107	205 226	0.99	470	< 1	0.06	22	580	< 2	0.03	< 2	5	11	0.28	< 10	< 10	90	< 10	28
M 761108	205 226	0.56	280	5	0.01	16	270	< 2	1.13	2	1	30	0.04	10	< 10	6	< 10	8
M 761109	205 226	0.18	175	8	0.01	142	130	< 2	>5.00	2	2	6	0.05	< 10	< 10	12	< 10	12
M 761110	205 226	0.21	245	7	0.01	98	360	< 2	>5.00	2	1	12	0.06	< 10	< 10	8	< 10	8
M 761111	205 226	0.36	270	< 1	0.01	5	160	< 2	0.18	< 2	1	19	0.05	20	< 10	8	< 10	8
M 761112	205 226	0.51	1725	< 1	0.01	19	240	< 2	0.26	2	1	35	0.03	100	< 10	15	< 10	< 2
M 761113	205 226	0.10	415	3	0.01	48	180	< 2	2.83	4	< 1	11	0.05	50	< 10	10	< 10	< 2
M 761114	205 226	0.23	235	4	0.03	75	250	< 2	3.63	< 2	3	12	0.10	10	< 10	30	< 10	2
M 761115	205 226	0.46	315	3	0.03	108	220	< 2	3.35	2	3	8	0.09	< 10	< 10	37	< 10	10

CERTIFICATION: 



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

A0031598

Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

**CERTIFICATE**

**A0031598**

(PHU) - TEMEX RESOURCES LTD.

Project: EAGLE ROCK  
 P.O. #:

Samples submitted to our lab in Mississauga, ON.  
 This report was printed on 06-NOV-2000.

## SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	15	Geochem ring to approx 150 mesh
226	15	0-3 Kg crush and split
3204	15	Save 1 Kg reject for 90 days
229	15	ICP - AQ Digestion charge

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

## ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	15	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	15	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	15	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	15	As ppm: 32 element, soil & rock	ICP-AES	2	10000
557	15	B ppm: 32 element, rock & soil	ICP-AES	10	10000
2121	15	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	15	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	15	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	15	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	15	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	15	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	15	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	15	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	15	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	15	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	15	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	15	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	15	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	15	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	15	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	15	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	15	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	15	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	15	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	15	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
551	15	S %: 32 element, rock & soil	ICP-AES	0.01	5.00
2141	15	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	15	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	15	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	15	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	15	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	15	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	15	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	15	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	15	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 26-OCT-2000  
 Invoice No. :10031598  
 P.O. Number :  
 Account :PHU

<b>CERTIFICATE OF ANALYSIS</b>	<b>A0031598</b>
--------------------------------	-----------------

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
	FA+AA																				
M761116	205	226	< 5	< 0.2	0.75	6	< 10	< 10	< 0.5	< 2	1.88	< 0.5	8	49	8	1.02	< 10	< 1	0.03	< 10	0.48
M761117	205	226	< 5	< 0.2	2.16	< 2	< 10	160	< 0.5	< 2	0.98	< 0.5	15	32	58	5.38	< 10	< 1	0.59	< 10	0.96
M761118	205	226	< 5	0.2	1.96	< 2	< 10	20	< 0.5	< 2	1.04	< 0.5	27	28	866	5.52	< 10	< 1	0.12	< 10	1.00
M761119	205	226	< 5	< 0.2	3.07	< 2	< 10	160	< 0.5	< 2	1.63	1.5	20	20	153	8.07	10	< 1	0.54	< 10	1.59
M761142	205	226	< 5	0.6	1.90	< 2	< 10	40	< 0.5	< 2	2.09	2.0	17	35	867	11.75	< 10	< 1	0.44	< 10	1.73
M761143	205	226	< 5	< 0.2	1.10	< 2	< 10	< 10	< 0.5	2	>15.00	< 0.5	9	10	70	3.57	< 10	< 1	< 0.01	< 10	0.91
M761144	205	226	< 5	< 0.2	0.61	< 2	< 10	< 10	< 0.5	6	>15.00	< 0.5	5	7	16	1.83	< 10	1	< 0.01	< 10	0.50
M761145	205	226	< 5	< 0.2	0.25	< 2	< 10	< 10	< 0.5	2	14.80	< 0.5	17	10	116	4.58	< 10	< 1	0.09	< 10	0.13
M761146	205	226	< 5	< 0.2	0.25	< 2	< 10	< 10	< 0.5	6	>15.00	< 0.5	8	6	60	3.59	< 10	< 1	0.08	< 10	0.24
M761147	205	226	< 5	< 0.2	0.18	< 2	< 10	< 10	< 0.5	8	>15.00	< 0.5	22	7	91	3.49	< 10	< 1	0.02	< 10	0.11
M761148	205	226	< 5	< 0.2	0.14	< 2	< 10	< 10	< 0.5	10	>15.00	< 0.5	8	3	13	3.03	< 10	< 1	0.01	< 10	0.22
M761149	205	226	< 5	< 0.2	0.40	< 2	< 10	< 10	< 0.5	2	>15.00	< 0.5	6	8	24	2.07	< 10	< 1	< 0.01	< 10	0.46
M761150	205	226	< 5	0.2	0.44	< 2	< 10	< 10	< 0.5	< 2	10.45	0.5	26	17	229	3.98	< 10	< 1	< 0.01	< 10	0.54
M761201	205	226	< 5	0.8	0.42	< 2	< 10	20	0.5	4	0.98	3.0	95	35	595	14.45	< 10	< 1	0.07	< 10	0.40
M761202	205	226	< 5	0.2	0.72	6	< 10	30	< 0.5	4	1.18	< 0.5	46	43	356	5.43	< 10	< 1	0.10	< 10	0.69

CERTIFICATION: \_\_\_\_\_





# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 26-OCT-2000  
 Invoice No. : 10031598  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031598

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
M761116	205	226	215	< 1	0.05	11	530	< 2	< 0.01	< 2	2	22	0.23	< 10	< 10	40	< 10	12
M761117	205	226	680	< 1	0.10	2	1360	< 2	0.08	< 2	8	7	0.25	< 10	< 10	46	< 10	44
M761118	205	226	605	1	0.08	1	1230	< 2	0.95	< 2	6	12	0.23	< 10	< 10	28	< 10	34
M761119	205	226	985	< 1	0.05	1	1310	< 2	0.02	< 2	20	17	0.22	< 10	< 10	54	< 10	98
M761142	205	226	700	6	< 0.01	51	340	2	4.63	< 2	1	16	0.08	< 10	< 10	29	< 10	70
M761143	205	226	3530	1	< 0.01	16	100	< 2	1.59	2	< 1	132	0.02	80	< 10	17	< 10	28
M761144	205	226	4150	< 1	< 0.01	10	60	< 2	0.66	< 2	< 1	124	0.01	90	< 10	10	< 10	12
M761145	205	226	2810	4	0.01	22	100	< 2	2.72	< 2	1	17	0.03	50	< 10	13	< 10	10
M761146	205	226	4650	4	< 0.01	16	80	< 2	3.32	< 2	1	48	0.01	80	< 10	8	< 10	< 2
M761147	205	226	3120	2	< 0.01	15	110	< 2	2.23	< 2	< 1	27	0.02	70	< 10	5	< 10	10
M761148	205	226	5010	4	< 0.01	10	70	< 2	3.47	< 2	< 1	53	< 0.01	80	< 10	3	< 10	16
M761149	205	226	5090	2	< 0.01	10	90	< 2	1.77	< 2	1	66	< 0.01	90	< 10	10	< 10	10
M761150	205	226	925	9	0.01	16	300	< 2	2.28	2	1	25	0.04	40	< 10	8	< 10	10
M761201	205	226	115	8	0.03	48	220	< 2	>5.00	< 2	1	9	0.03	< 10	< 10	10	< 10	174
M761202	205	226	195	4	0.04	67	320	< 2	2.78	2	1	12	0.04	< 10	< 10	14	< 10	24

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project: EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number :1-A  
 Total Pages :1  
 Certificate Date: 26-OCT-2000  
 Invoice No. : I0031598  
 P.O. Number :  
 Account : PHU

## CERTIFICATE OF ANALYSIS

A0031598

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
	FA+AA																				
M761116	205	226	< 5	< 0.2	0.75	6	< 10	< 10	< 0.5	< 2	1.88	< 0.5	8	49	8	1.02	< 10	< 1	0.03	< 10	0.48
M761117	205	226	< 5	< 0.2	2.16	< 2	< 10	160	< 0.5	< 2	0.98	< 0.5	15	32	58	5.38	< 10	< 1	0.59	< 10	0.96
M761118	205	226	< 5	< 0.2	1.96	< 2	< 10	20	< 0.5	< 2	1.04	< 0.5	27	28	866	5.52	< 10	< 1	0.12	< 10	1.00
M761119	205	226	< 5	< 0.2	3.07	< 2	< 10	160	< 0.5	< 2	1.63	1.5	20	20	153	8.07	10	< 1	0.54	< 10	1.59
M761142	205	226	< 5	0.6	1.90	< 2	< 10	40	< 0.5	< 2	2.09	2.0	17	35	867	11.75	< 10	< 1	0.44	< 10	1.73
M761143	205	226	< 5	< 0.2	1.10	< 2	< 10	< 10	< 0.5	2	>15.00	< 0.5	9	10	70	3.57	< 10	< 1	< 0.01	< 10	0.91
M761144	205	226	< 5	< 0.2	0.61	< 2	< 10	< 10	< 0.5	6	>15.00	< 0.5	5	7	16	1.83	< 10	1	< 0.01	< 10	0.50
M761145	205	226	< 5	< 0.2	0.25	< 2	< 10	< 10	< 0.5	2	14.80	< 0.5	17	10	116	4.58	< 10	< 1	0.09	< 10	0.13
M761146	205	226	< 5	< 0.2	0.25	< 2	< 10	< 10	< 0.5	6	>15.00	< 0.5	8	6	60	3.59	< 10	< 1	0.08	< 10	0.24
M761147	205	226	< 5	< 0.2	0.18	< 2	< 10	< 10	< 0.5	8	>15.00	< 0.5	22	7	91	3.49	< 10	< 1	0.02	< 10	0.11
M761148	205	226	< 5	< 0.2	0.14	< 2	< 10	< 10	< 0.5	10	>15.00	< 0.5	8	3	13	3.03	< 10	< 1	0.01	< 10	0.22
M761149	205	226	< 5	< 0.2	0.40	< 2	< 10	< 10	< 0.5	2	>15.00	< 0.5	6	8	24	2.07	< 10	< 1	< 0.01	< 10	0.46
M761150	205	226	< 5	< 0.2	0.44	< 2	< 10	< 10	< 0.5	< 2	10.45	0.5	26	17	229	3.98	< 10	< 1	< 0.01	< 10	0.54
M761201	205	226	< 5	0.8	0.42	< 2	< 10	20	0.5	4	0.98	3.0	95	35	595	14.45	< 10	< 1	0.07	< 10	0.40
M761202	205	226	< 5	0.2	0.72	6	< 10	30	< 0.5	4	1.18	< 0.5	46	43	356	5.43	< 10	< 1	0.10	< 10	0.69

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-6163

To: TEMEX RESOURCES LTD.

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project: EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

Page Number :1-B  
 Total Pages :1  
 Certificate Date: 26-OCT-2000  
 Invoice No. : I0031598  
 P.O. Number :  
 Account : PHU

## CERTIFICATE OF ANALYSIS A0031598

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M761116	205 226	215	< 1	0.05	11	530	< 2	< 0.01	< 2	2	22	0.23	< 10	< 10	40	< 10	12
M761117	205 226	680	< 1	0.10	2	1360	< 2	0.08	< 2	8	7	0.25	< 10	< 10	46	< 10	44
M761118	205 226	605	1	0.08	1	1230	< 2	0.95	< 2	6	12	0.23	< 10	< 10	28	< 10	34
M761119	205 226	985	< 1	0.05	1	1310	< 2	0.02	< 2	20	17	0.22	< 10	< 10	54	< 10	98
M761142	205 226	700	6	< 0.01	51	340	2	4.63	< 2	1	16	0.08	< 10	< 10	29	< 10	70
M761143	205 226	3530	1	< 0.01	16	100	< 2	1.59	2	< 1	132	0.02	80	< 10	17	< 10	28
M761144	205 226	4150	< 1	< 0.01	10	60	< 2	0.66	< 2	< 1	124	0.01	90	< 10	10	< 10	12
M761145	205 226	2810	4	0.01	22	100	< 2	2.72	< 2	1	17	0.03	50	< 10	13	< 10	10
M761146	205 226	4650	4	< 0.01	16	80	< 2	3.32	< 2	1	48	0.01	80	< 10	8	< 10	< 2
M761147	205 226	3120	2	< 0.01	15	110	< 2	2.23	< 2	< 1	27	0.02	70	< 10	5	< 10	10
M761148	205 226	5010	4	< 0.01	10	70	< 2	3.47	< 2	< 1	53	< 0.01	80	< 10	3	< 10	16
M761149	205 226	5090	2	< 0.01	10	90	< 2	1.77	< 2	1	66	< 0.01	90	< 10	10	< 10	10
M761150	205 226	925	9	0.01	16	300	< 2	2.28	2	1	25	0.04	40	< 10	8	< 10	10
M761201	205 226	115	8	0.03	48	220	< 2	>5.00	< 2	1	9	0.03	< 10	< 10	10	< 10	174
M761202	205 226	195	4	0.04	67	320	< 2	2.78	2	1	12	0.04	< 10	< 10	14	< 10	24

CERTIFICATION: \_\_\_\_\_

# ALS Chemex

AURORA LABORATORY SERVICES LTD.  
212 Brooksbank Ave, North Vancouver BC Canada V7J 2C1  
Phone: 604-984-0221 Fax: 604-984-0218 Website: www.alschemex.com

## FAX DATA REPORT

**COMPANY : TEMEX RESOURCES LTD.**

**CONTACT : ATTN: DAN P. BUNNER**

**FAX NUMBER : 1-905-567-6561**

---

**SENDER : MARYANN**  
**NO OF PAGES : 2 INCL COVER**  
**SUBJECT : Automated FAX data delivery**

**DATE SUBMITTED : 1-DEC-00 at 09:21 PDT**

### DESCRIPTION :

**Results for workorder A0031599 - Project : EAGLE ROCK**  
**3 samples received on 16-OCT-00 by our Toronto office**  
**This workorder has all data entered**

**FAX COPY ONLY - A certified copy will be sent through the mail**

If there are any problems with this transmission, please call our office immediately at 604 984 0221

ALS Chemex charges clients \$0.50 per page of analytical results faxed within North America and \$2.00 per page faxed outside North America (billed monthly)

---

This facsimile contains privileged and confidential information intended only for the use of the addressee. If you are not the addressee, you are hereby notified that you must not disseminate, copy or take action in respect of its contents. If you have received the facsimile in error please notify ALS Chemex immediately and return it to the above fax.

A Campbell Brothers Limited Company



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-824-2808 FAX: 905-824-8183

To: TEMEX RESOURCES LTD. ##  
 UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date: 28-OCT-00  
 Invoice No. : 10031599  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031599

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
M761116	299 --	14.12	12.40	0.01	9.20	0.55	5.20	0.17	3.24	0.14	50.40	1.26	2.30	98.99
M761117	299 --	12.68	4.55	0.01	12.66	0.83	2.50	0.19	4.37	0.30	57.41	1.91	1.11	98.52
M761119	299 --	12.57	3.72	< 0.01	13.87	0.79	2.77	0.18	3.55	0.33	55.89	1.87	3.36	98.90

12/01/99 9:23AM CHEMEX LABS HHPND-T-HAL

CERTIFICATION: \_\_\_\_\_

# ALS Chemex

AURORA LABORATORY SERVICES LTD.  
212 Brooksbank Ave. North Vancouver BC Canada V7J 2C1  
Phone: 604-984-0221 Fax: 604-984-0218 Website: www.alschemex.com

## FAX DATA REPORT

**COMPANY : TEMEX RESOURCES LTD.**

**CONTACT : ATTN: DAN P. BUNNER**

**FAX NUMBER : 1-905-567-6561**

---

**SENDER : MARYANN**  
**NO OF PAGES : 3 INCL COVER**  
**SUBJECT : Automated FAX data delivery**

**DATE SUBMITTED : 1-DEC-00 at 09:21 PDT**

### DESCRIPTION :

**Results for workorder A0031946 - Project : EAGLE ROCK**  
**5 samples received on 19-OCT-00 by our Toronto office**  
**This workorder has all data entered**

**FAX COPY ONLY - A certified copy will be sent through the mail**


If there are any problems with this transmission, please call our office immediately at 604 984 0221

ALS Chemex charges clients \$0.50 per page of analytical results faxed within North America and \$2.00 per page faxed outside North America (billed monthly)

---

This facsimile contains privileged and confidential information intended only for the use of the addressee. If you are not the addressee, you are hereby notified that you must not disseminate, copy or take action in respect of its contents. If you have received the facsimile in error please notify ALS Chemex immediately and return it to the above fax.

A Campbell Brothers Limited Company



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-824-2808 FAX: 905-824-6163

To: TEMEX RESOURCES LTD. ##

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date: 27-OCT-00  
 Invoice No. : 10031946  
 P.O. Number :  
 Account : PHU


Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0031946

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
M761213	255 295	10	1.4	0.10	< 2	< 10	< 10	0.5	< 2	0.58	11.5	40	8	906	>15.00	< 10	< 1	0.05	< 10	0.22
M761214	255 295	30	1.8	< 0.01	< 2	< 10	< 10	1.0	< 2	0.66	10.0	232	20	2430	>15.00	< 10	< 1	< 0.01	< 10	0.05
M761215	255 295	45	1.8	< 0.01	< 2	< 10	< 10	1.5	< 2	0.06	10.5	260	20	642	>15.00	< 10	< 1	< 0.01	< 10	0.04
M761216	255 295	30	2.0	< 0.01	< 2	< 10	< 10	1.5	< 2	0.09	9.5	246	19	2690	>15.00	< 10	< 1	< 0.01	< 10	0.04
M761217	255 295	25	1.6	0.03	< 2	< 10	< 10	1.0	< 2	0.63	5.0	188	8	2280	>15.00	< 10	< 1	0.03	< 10	0.05

12/01/99 9:26AM CHEMEX LABS ALPHA-FINAL

CERTIFICATION:



# ALS Chemex

Aurora Laboratory Services Ltd  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2806 FAX: 905-624-8163

To: TEMEX RESOURCES LTD. ##

UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 27-OCT-00  
 Invoice No. : 10031946  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER

**CERTIFICATE OF ANALYSIS      A0031946**

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M761213	255 295	155	< 1	< 0.01	156	110	20	4.22	< 2	< 1	10	0.01	< 10	< 10	13	< 10	16
M761214	255 295	180	< 1	< 0.01	80	50	18	3.72	< 2	< 1	5	0.01	< 10	< 10	12	< 10	14
M761215	255 295	80	< 1	< 0.01	89	40	18	3.13	< 2	< 1	5	0.01	< 10	< 10	13	< 10	8
M761216	255 295	85	< 1	< 0.01	82	60	18	3.57	< 2	< 1	5	0.01	< 10	< 10	12	< 10	12
M761217	255 295	245	8	0.02	61	80	14	3.53	< 2	< 1	5	0.01	< 10	< 10	10	< 10	18

12/01/99 9:26AM CHEMEX LABS Alpha-TRAX2

CERTIFICATION: \_\_\_\_\_



## ALS Chemex

AURORA LABORATORY SERVICES LTD.  
212 Brooksbank Ave, North Vancouver BC Canada V7J 2C1  
Phone: 604-984-0221 Fax: 604-984-0218 Website: www.alschemex.com

### FAX DATA REPORT

**COMPANY : TEMEX RESOURCES LTD.**

**CONTACT : ATTN: DAN P. BUNNER**

**FAX NUMBER : 1-905-567-6561**

---

**SENDER : MARYANN**  
**NO OF PAGES : 3 INCL COVER**  
**SUBJECT : Automated FAX data delivery**

**DATE SUBMITTED : 1-DEC-00 at 09:21 PDT**

### DESCRIPTION :

**Results for workorder A0033169 - Project : EAGLE ROCK**  
**13 samples received on 01-NOV-00 by our Toronto office**  
**This workorder has all data entered**

**FAX COPY ONLY - A certified copy will be sent through the mail**


If there are any problems with this transmission, please call our office immediately at 604 984 0221

ALS Chemex charges clients \$0.50 per page of analytical results faxed within North America and \$2.00 per page faxed outside North America (billed monthly)

---

This facsimile contains privileged and confidential information intended only for the use of the addressee. If you are not the addressee, you are hereby notified that you must not disseminate, copy or take action in respect of its contents. If you have received the facsimile in error please notify ALS Chemex immediately and return it to the above fax.

A Campbell Brothers Limited Company



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-824-2808 FAX: 905-824-8163

To: TEMEX RESOURCES LTD. ##  
 UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Project: EAGLE ROCK  
 Comments: ATTN: DUANE PARNHAM CC: DAN BUNNER


Page Number :1-A  
 Total Pages :1  
 Certificate Date: 10-NOV-00  
 Invoice No. : 10033169  
 P.O. Number :  
 Account : PHU

## CERTIFICATE OF ANALYSIS A0033169

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
M761203	205 226	15	2.8	0.77	38	< 10	< 10	1.0	< 2	0.20	2.5	87	34	235	>15.00	< 10	< 1	< 0.01	< 10	0.53
M761204	205 226	< 5	0.2	2.66	28	< 10	40	< 0.5	< 2	0.55	2.5	36	96	30	5.04	< 10	< 1	0.31	< 10	2.10
M761205	205 226	< 5	0.4	1.86	< 2	< 10	30	< 0.5	4	1.12	< 0.5	43	71	244	7.89	< 10	< 1	0.20	< 10	0.99
M761206	205 226	5	0.8	1.70	< 2	< 10	30	< 0.5	< 2	0.66	0.5	81	60	478	11.15	< 10	< 1	0.19	< 10	0.85
M761207	205 226	10	0.2	1.66	< 2	< 10	10	< 0.5	< 2	1.42	< 0.5	34	55	207	6.68	< 10	< 1	0.13	< 10	0.92
M761208	205 226	10	0.6	2.44	< 2	< 10	20	< 0.5	< 2	0.82	0.5	60	81	276	10.30	< 10	< 1	0.15	< 10	1.30
M761209	205 226	10	0.8	1.19	< 2	< 10	10	< 0.5	< 2	0.83	< 0.5	86	46	515	11.10	< 10	< 1	0.10	< 10	0.58
M761210	205 226	< 5	0.6	1.77	< 2	< 10	50	< 0.5	< 2	2.32	1.0	65	44	435	11.30	< 10	< 1	0.63	< 10	1.19
M761211	205 226	10	1.2	1.55	< 2	< 10	30	0.5	< 2	0.59	4.0	179	31	1100	>15.00	< 10	< 1	0.27	< 10	0.94
M761212	205 226	145	0.2	2.29	< 2	< 10	< 10	< 0.5	< 2	0.15	< 0.5	50	1120	60	3.87	< 10	< 1	< 0.01	< 10	4.17
M761218	205 226	5	0.6	0.16	< 2	< 10	< 10	< 0.5	2	>15.00	< 0.5	17	5	109	4.08	< 10	1	< 0.01	< 10	0.14
M761219	205 226	< 5	1.0	0.34	< 2	< 10	< 10	< 0.5	< 2	3.32	< 0.5	94	21	1140	8.30	< 10	< 1	< 0.01	< 10	0.14
M761220	205 226	30	< 0.2	1.09	62	< 10	< 10	< 0.5	< 2	0.66	< 0.5	44	37	43	2.45	< 10	< 1	0.03	< 10	0.73

12/01/99 9:30AM CHEMEX LABS Alpha-THX2

CERTIFICATION: .....



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 5175 Timberlea Blvd., Mississauga  
 Ontario, Canada L4W 2S3  
 PHONE: 905-624-2808 FAX: 905-624-6163

To: TEMEX RESOURCES LTD. ##  
 UNIT 100 - 4307 KERRY DR.  
 BURLINGTON, ON  
 L7L 1V8

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date: 10-NOV-00  
 Invoice No. : 10033169  
 P.O. Number :  
 Account : PHU

Project : EAGLE ROCK  
 Comments : ATTN: DUANE PARNHAM CC: DAN BUNNER

## CERTIFICATE OF ANALYSIS A0033169

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M761203	205 226	95	27	< 0.01	95	280	12	>5.00	< 2	7	7	0.02	< 10	< 10	42	< 10	44
M761204	205 226	875	1	0.04	84	250	12	0.25	2	6	13	0.23	< 10	< 10	160	< 10	482
M761205	205 226	765	< 1	0.04	61	200	< 2	2.66	2	7	12	0.15	< 10	< 10	96	< 10	44
M761206	205 226	650	< 1	0.03	114	290	< 2	3.83	2	4	14	0.14	< 10	< 10	73	< 10	34
M761207	205 226	645	< 1	0.04	76	280	< 2	2.24	6	4	12	0.13	< 10	< 10	70	< 10	36
M761208	205 226	915	< 1	0.04	73	240	< 2	3.02	< 2	7	10	0.16	< 10	< 10	125	< 10	42
M761209	205 226	420	< 1	0.04	118	230	< 2	4.23	2	5	10	0.12	< 10	< 10	63	< 10	22
M761210	205 226	745	1	0.03	91	210	< 2	3.48	2	7	12	0.12	< 10	< 10	81	< 10	32
M761211	205 226	880	< 1	0.03	200	180	< 2	4.96	< 2	4	8	0.08	< 10	< 10	53	< 10	32
M761212	205 226	425	1	< 0.01	612	390	< 2	0.45	2	2	4	0.04	< 10	< 10	101	< 10	48
M761218	205 226	4690	< 1	< 0.01	15	100	< 2	3.45	< 2	< 1	30	0.01	< 10	< 10	1	< 10	10
M761219	205 226	235	45	0.02	59	240	< 2	4.19	< 2	< 1	20	0.05	< 10	< 10	5	< 10	18
M761220	205 226	435	3	0.05	35	260	< 2	0.19	2	3	11	0.13	< 10	< 10	50	< 10	40

12/01/99 9:30AM CHEMEX LABS ALPND-THAL

CERTIFICATION: \_\_\_\_\_



Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 85(2) and 86(3), R.S.O. 1990

Transaction Number (office use) W0070.00276 Assessment Files Research Imaging



of subsections 85(2) and 86(3) of the Mining Act. Under section 8 of the Act, you must review the assessment work and correspond with the mining land holder.

41I16NW2014 2.20807 SCHOLES

900

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240. - Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

Form for recorded holder(s) with fields for Name, Address, Client Number, Telephone Number, and Fax Number. Includes handwritten entry for TEMEX RESOURCES LTD.

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs) [ ] Physical: drilling, stripping, trenching and associated assays [x] Rehabilitation [ ]

Work Type section with fields for Diamond Drilling, Office Use, Commodity, Total \$ Value of Work Claimed (53,786), Dates Work Performed, NTS Reference, Mining Division (Sudbury), and Resident Geologist (Sudbury).

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; - provide proper notice to surface rights holders before starting work; - complete and attach a Statement of Costs, form 0212; - provide a map showing contiguous mining lands that are linked for assigning work; - include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

Form for person or companies who prepared the technical report, including a RECEIVED stamp from the GEOSCIENCE ASSESSMENT OFFICE dated DEC 22 2000.

4. Certification by Recorded Holder or Agent

I, DAN P. BANNER, do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent section with fields for Signature, Date (Dec 20, 2000), Agent's Address, Telephone Number, and Fax Number.

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date.
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$8,892	\$4,000	0	\$4,892
1 1211626 1211627	8 4	\$53,786 0	3200 1600	50,400 0	186
2 1211628 1211629	2 4	0 0	0 1600	0 0	0 0
3 1211630 1211631	2 2	0 0	0 0	0 0	0 0
4 1211632 1211633	4 4	0 0	0 1600	0 0	0 0
5 1211634 1211635	6 3	0 0	2400 1200	0 0	0 0
6 1217947 1217948	2 1	0 0	800 2000	0 0	0 0
7 1217952 1219179	2 1	0 0	3200 400	0 0	0 0
8 1214186 1219192	1 1	0 0	400 400	0 0	0 0
9 12280783 1236549	10 8	0 0	4000 3200	0 0	0 0
10 1236569 1236571	16 16	0 0	6400 6400	0 0	0 0
11 1236572 1236577	15 9	0 0	6000 3600	0 0	0 0
12 1235959 1214748	12 1	0 0	4800 400	0 0	0 0
13					
14					
15					
Column Totals		53,786	53,600	50,400	186

I, DAN P. BUNNER (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: [Signature] Date: Dec 20, 2000

6. Instructions for cutting back credits that are not approved.


Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only


Received Stamp



Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

Personal information collected on this form is obtained under the authority of subsection 8(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of Work <small>Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.</small>	Cost Per Unit of work	Total Cost
DRILLING/CASING	606 m	\$456/m	\$33,066
Core Analyses	77/Samples	\$25.68/sample	\$1,977
Senior Geologist	29 days	\$225/day	\$6,525
Senior Geologist Assistant	4 days	\$180/day	\$720
<b>Associated Costs (e.g. supplies, mobilization and demobilization).</b>			
Project Supervision/Reporting	7 man days	\$250/day	\$1,750
FIELD SUPPLIES			\$1,929
ATV Rental	5 day	\$75/day	\$375
<b>Transportation Costs</b>			
TRUCK RENTAL 4x4		\$133/day	\$3,857
FUEL (At cost)			\$1,089
<b>Food and Lodging Costs</b>			
MEALS	33 man days	\$50.67/man day	\$1,672
ACCOM.	1 month		\$826
<b>Total Value of Assessment Work</b>			<b>\$53,786</b>


**Calculations of Filing Discounts:**

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK  $\times 0.50 =$  Total \$ value of worked claimed.

**Note:**

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

**Certification verifying costs:**

I, Dian P. Bunner (please print full name), do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as Senior Geologist for Temex I am authorized (recorded holder, agent, or state company position with signing authority) to make this certification.

Signature <u>Dian P. Bunner</u>	Date <u>Dec 20, 2000</u>
------------------------------------	-----------------------------

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (888) 415-9845  
Fax: (877) 670-1555

January 18, 2001

TEMEX RESOURCES LTD.  
4307 KERRY DRIVE, SUITE 100  
BURLINGTON, ONTARIO  
L7L-1V8

Visit our website at:  
[www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm](http://www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm)

Dear Sir or Madam:

**Submission Number:** 2.20807

**Status**

**Subject: Transaction Number(s):** W0070.00276 Approval

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in **DUPLICATE** to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact **JIM MCAULEY** by e-mail at [james.mcauley@ndm.gov.on.ca](mailto:james.mcauley@ndm.gov.on.ca) or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY  
Lucille Jerome  
Acting Supervisor, Geoscience Assessment Office  
Mining Lands Section

# Work Report Assessment Results

---

**Submission Number:** 2.20807

**Date Correspondence Sent:** January 18, 2001

**Assessor:** JIM MCAULEY

---

<b>Transaction Number</b>	<b>First Claim Number</b>	<b>Township(s) / Area(s)</b>	<b>Status</b>	<b>Approval Date</b>
W0070.00276	1211626	SCHOLES	Approval	January 17, 2001

**Section:**

16 Drilling PDRILL

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

**Correspondence to:**

Resident Geologist  
Sudbury, ON

**Recorded Holder(s) and/or Agent(s):**

Daniel Peter Bunner  
OAKVILLE, ONTARIO, CANADA

Assessment Files Library  
Sudbury, ON



TEMEX RESOURCES LTD.  
BURLINGTON, ONTARIO

---










# Legend

## Geology

- Paleoproterozoic**
- Nipissing Diabase
- 7b - gabbro
- intrusive contact -----
- Huronian Supergroup**
- Gowganda Formation
- 4a - paraconglomerate
  - 4c - mudstone
  - 4c - pebble wacke
  - 4g - arkose
- unconformity -----
- Archean**
- 3a - dacite
  - 3b - rhyolite
  - 3c - tuff, lapilli tuff
- 2a - andesite
  - 2b - coarse grained
  - 2c - tuff
- 1a - basalt
  - 1b - coarse grained
  - 1c - volcanoclastic, mudstone
- massive sulfide, exhalite

## Symbols

- Geological contacts
- Area of outcrop
- Boulder
- Trench, Pit
- Bedding
- Foliation
- Schistosity
- Carbonate alteration zone
- Claim boundary and post number
- Hydrology
- Lowland, swamp



Note: Channel samples in trench 1 - 3 are detailed on Figures 3.2.1a - 3a.  
All other samples located at trench areas are grab samples from bedrock or the rubble piles immediately adjacent.

Temex Resources Limited

South Grid Geology

Eagle Rock Lake Property


mapping by: RGB, RDD  
drafting by: SHM  
checked by: RGB - 31 August 1999

NTS 411/16  
scale: 1:2500  
Map 1 of 1






FIGURE 3



COLLAR LOCATION: LINE 7+52W, 2+25N CLAIM 1211626



HOLES PLOTTED

TOTAL 1

ERL001

BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Cu	R		N	None	250	Min .5

TEXT BANDS	L/R	PAT	TIC	ITEMS
code	L		Y	Ovb - Overburden
code	L		Y	B
code	L		Y	siB
code	L		Y	Bam
code	L		Y	coB
code	L		Y	chB
code	L		Y	A
code	L		Y	chA
code	L		Y	Dt - Dacite Tuff
code	L		Y	coDt
code	L		Y	copyDt
code	L		Y	Rt
code	L		Y	MS - Massive Sulfide
code	L		Y	SM - semi-Massive Sulfide
code	L		Y	lch - cherty Ironstone
code	L		Y	pbx - pseudo-brecciated volcanic rock

SECTION SPECS:


REF. PT. E, N 556082 5196410  
 EXTENTS 127 125  
 SECTION TOP, BOT 350 225  
 TOLERANCE +/- 25 m

2.20807

SCALE 1 : 1000



AZIMUTH (DEG) = 80



Dip - 45° S

Temex Resources Corporation  
 Eagle Rock Lake - South Grid  
**Section L7+50W - ERL001**  
 2 October 2000

Holeini 4.00.00 18-Nov-2000 07:15:45

PLOTTED BY : INTLBBON

CHECKED BY : J.P.S


4116NMZ014

2.20807

SCHOLES

220





HOLES PLOTTED

TOTAL 2

ERL002

ERL003




41116NW2014

2.20807

SCHOLES

230

COLLAR LOCATION: LINE 7+75W, 3152N CLAIM 1211626



BAR GRAPHS  
Cu L N None 500 Min 13

TEXT BANDS	L/R	PAT	TIC	ITEMS
code	R	[Pattern]	Y	0vb - Overburden
code	R	[Pattern]	Y	B - Basalt
code	R	[Pattern]	Y	siB
code	R	[Pattern]	Y	Bam - amygduloidal Basalt
code	R	[Pattern]	Y	coB
code	R	[Pattern]	Y	chB
code	R	[Pattern]	Y	A
code	R	[Pattern]	Y	chA - chloritic Andesite
code	R	[Pattern]	Y	Dt - Dacite Tuff
code	R	[Pattern]	Y	coDt - carbonated Dacite Tuff
code	R	[Pattern]	Y	copyDt - carbonated pyritic Dacite Tuff
code	R	[Pattern]	Y	Rt - Rhyolite Tuff
code	R	[Pattern]	Y	MS - Massive Sulfide
code	R	[Pattern]	Y	Ich - cherty Ironstone

SECTION SPECS:


REF. PT. E, N 556092 5196469  
EXTENTS 116.975 150  
SECTION TOP, BOT 350 200  
TOLERANCE +/- 15 m

2.20807

SCALE 1 : 1000



AZIMUTH (DEG) = 80



Temex Resources Corporation  
Eagle Rock Lake - South Grid  
Section L7+75W - ERL002, ERL003

2 October 2000

HoleIn1 4.00.00


18-Nov-2000

06:05:33

PLOTTED BY: J. N. L. B. W.

CHECKED BY: D. P. B.

FIGURE 5



HOLES PLOTTED

TOTAL 1

ERL004



41I16NW2014 2.20807 SCHOLES

240


BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Cu	L	—	N	None	250	Min 8
TEXT BANDS	L/R	PAT	TIC	ITEMS		
code	R		Y	0vb	- Overburden	
code	R		Y	B		
code	R		Y	siB	- silicified Basalt	
code	R		Y	chpyBbx		
code	R		Y	coB		
code	R		Y	chB		

SECTION SPECS:

REF. PT.	E, N	555862	5196347
EXTENTS		108.772	125
SECTION TOP, BOT		375	250
TOLERANCE +/-		15 m	

2.20807


COLLAR LINE 9+00W, 1433N CLAIM 1211626



SCALE 1 : 1000



AZIMUTH (DEG) = 55



$D_p = -45^\circ S$

Temex Resources Corporation  
Eagle Rock Lake - South Grid  
**Section L9+00W - ERL004**

2 October 2000

HoleInI 4.00.00

18-Nov-2000


05:13:56

PLOTTED BY : *INTALSON*

CHECKED BY : *D.B.*



FIGURE 6



HOLES PLOTTED

TOTAL 1


ERL005

BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Cu	R	█	N	None	250	Min 30
TEXT BANDS	L/R	PAT	TIC	ITEMS		
code	L	▨	Y	0vb	Overburden	
code	L	▨	Y	B	Basalt	
code	L	▨	Y	siB	silicified Basalt	
code	L	█	Y	chpyBbx	chloritized pyritic brecciated Basalt	
code	L	▨	Y	coB	carbonated Basalt	
code	L	▨	Y	chB	chloritized Basalt	


SECTION SPECS:

REF. PT. E, N 556401 5195882  
 EXTENTS 143.814 123.767  
 SECTION TOP, BOT 346.626 222.859  
 TOLERANCE +/- 19.79 m


2.20807



SCALE 1 : 1000



AZIMUTH (DEG) = 56.686



Temex Resources Corporation  
 Eagle Rock Lake - South Grid  
**Section L2+00W - ERL005**  
 2 October 2000

HoleIn1 4.00.00 17-Nov-2000 15:15:30


PLOTTED BY : INTERBAN

CHECKED BY : D.P.B



41116NW2014 2.20807 SCHOLES

250




HOLES PLOTTED

TOTAL 1  
ERL006

BAR GRAPHS	L/R	COL	TIC	AVG_INT	VSCALE	RANGE
Cu	R		N	None	500	Min 7



TEXT BANDS	L/R	PAT	TIC	ITEMS
code	L	[diagonal lines]	Y	Ovb - Overburden
code	L	[horizontal lines]	Y	B - Basalt
code	L	[checkered]	Y	siB
code	L	[dots]	Y	Bam
code	L	[white]	Y	coB
code	L	[horizontal lines]	Y	chB
code	L	[vertical lines]	Y	A
code	L	[checkered]	Y	siA - silicified Andesite
code	L	[diagonal lines]	Y	Dt
code	L	[white]	Y	coDt
code	L	[red]	Y	copyDt
code	L	[white]	Y	Rt
code	L	[brown]	Y	MS
code	L	[triangles]	Y	SM
code	L	[dots]	Y	lch
code	L	[diamonds]	Y	pbx



SECTION SPECS:

REF. PT.	E, N	556014	5196271
EXTENTS		118.771	125
SECTION TOP, BOT		350	225
TOLERANCE +/-		25	m

2.20807



Temex Resources Corporation  
Eagle Rock Lake - South Grid  
**Section L7+50W - ERL006**  
2 October 2000

HoleIn1 4.00.00	18-Nov-2000	07:46:57
PLOTTED BY : INTERBON		
CHECKED BY : P.P.B		