



010

Diamond Drilling

Township of LACKNER

Report N^o: 13

Work performed by: SILVERMAN PROPERTY

Claim N ^o	Hole N ^o	Footage	Date	Note
S 59271	# 9	302.2'	Oct/54	

Notes: See Report #10 for map.

PROPERTY Silverman property

HOLE NUMBER 9
 SHEET NUMBER 1
 SECTION FROM TO

DIAMOND DRILL RECORD

LOCATION: LAT. line 32 S 3250 E 100' S.
 DEP. Claim 3 59271 Lockner Twp.
 ELEVATION OF COLLAR 400' N 450' E 1/3 post.
 DATUM

DIRECTION AT START: BEARING 0 North
 DIP 45

STARTED Oct. 5, 1954
 COMPLETED Oct. 9, 1954
 ULTIMATE DEPTH 302.2
 PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0	30.0	Overburden			
30.0	73.9	Magnetite in nepheline syenite - appears to be brown garnet present - in some 5' sections magnetite would be about 45%			
73.9	75.4	Feldspar - calcite veinlet			
75.4	97.8	Magnetite in nepheline syenite			
97.8	102.0	Iron rich lamprophyre dike			
102.0	124.0	Magnetite in nepheline syenite			
124.0	129.5	Minor amount of magnetite in nepheline syenite and diorite			
129.5	217.7	Magnetite in nepheline syenite - about 35% - 45% magnetite			
217.7	229.0	Nepheline syenite - minor amounts of magnetite			
229.0	231.7	Lamprophyre dike			
231.7	255.5	Nepheline syenite			
255.5	257.0	Lost core			
257.0	261.8	Nepheline syenite			
261.8	262.7	Lamprophyre dike			
262.7	276.6	Nepheline syenite - narrow sections with minor magnetite			
276.6	278.3	Lamprophyre dike			

NORTHERN MINER PRESS LIMITED, TORONTO-S'OCK FORM NO. 501 REV. 9/44

DRILLED BY Canadian Drilling

SIGNED M.C. Paulin

PROPERTY

HOLE NUMBER 9

DIAMOND DRILL RECORD

SHEET NUMBER 2

SECTION FROM TO

LOCATION: LAT.....
 DEP.....

STARTED

ELEVATION OF COLLAR

COMPLETED

DATUM

ULTIMATE DEPTH

DIRECTION AT START: BEARING.....
 DIP.....

PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE No.	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$		
278.2 - 289.0	Nepheline syenite						
289.0 - 291.9	Lost core						
291.9 - 302.2	Nepheline syenite - practically no dark mineral 291.9 to 298.0						
	Core split and checked for spectrographic examination from						
40 - 45	175 - 180						
55 - 60	190 - 195						
70 - 75	205 - 210						
85 - 90	220 - 225						
100 - 105	235 - 240						
115 - 120	250 - 255						
130 - 135	265 - 270						
145 - 150	280 - 285						
160 - 165	295 - 300						

DRILLED BY

SIGNED