



# SWASTIKA LABCO

P.O. BOX 10, SWAS  
TELEPHONE: (705) 64  
ANALYTICAL CHEMISTS



410155E0041 2.11548 SWAYZE

010

## Certificate of Analysis

Sample No. 69367 Date: Dec. 30, 1987

Received Dec. 16, 1987 98 Samples of ore

Requested by Can Mac Exploration Limited, Barry's Bay, Ontario proj#Saxton

page 1 of 3

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|------------|-------------|---------------|
| 01         | 10/Nil      | 67642      | Nil/10      |               |
| 03         | Nil         | 67643      | 10          |               |
| 04         | Nil         | 67644      | Nil         |               |
| 05         | Nil         | 67645      | Nil         |               |
| 06         | Nil         | 67646      | Nil         |               |
| 07         | Nil         | 67647      | Nil         |               |
| 08         | Nil         | 67648      | Nil         |               |
| 09         | Nil         | 67649      | Nil         |               |
| 10         | Nil         | 67650      | Nil         |               |
| 31         | Nil         | 67654      | Nil         |               |
| 32         | Nil         | 67655      | Nil         |               |
| 33         | Nil         | 67656      | Nil         |               |
| 34         | Nil         | 67663      | Nil         |               |
| 35         | Nil         | 67664      | Nil         |               |
| 36         | Nil         | 67665      | Nil         |               |
| 37         | Nil         | 67666      | Nil         |               |
| 38         | Nil         | 67667      | Nil         |               |
| 39         | Nil         | 67668      | Nil         |               |
| 40         | Nil         | 1475-030N  | Nil         | Nil           |
| 41         | Nil         | 1475-040N  | Nil         | Nil           |

con't.....

Per

G. Lebel, Manager/dg

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69367

## Certificate of Analysis

Page 2 of 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|------------|-------------|---------------|
| 1475-050N  | Nil         | Nil           | 1475-160N  | Nil         | Nil           |
| 060N       | Nil         | Nil           | 160S       | Nil         | Nil           |
| 070N       | 10/Nil      | 0.8           | 170N       | Nil/Nil     | Nil           |
| 080N       | Nil         | 0.2           | 180N       | Nil         | Nil           |
| 090N       | Nil         | Nil           | 190N       | Nil         | Nil           |
| 100N       | Nil         | 0.2           | 200N       | Nil         | Nil           |
| 100S       | Nil         | Nil           | 210N       | Nil         | Nil           |
| 105N       | Nil         | Nil           | 220N       | Nil         | Nil           |
| 110N       | Nil         | Nil           | 230N       | Nil         | Nil           |
| 110        | Nil         | Nil           | 240N       | Nil         | Nil           |
| 120N       | 10          | 0.2           | 250N       | Nil         | Nil           |
| 120S       | Nil         | 0.2           | 255N       | Nil         | Nil           |
| 127N       | Nil/10      | Nil           | 270N       | Nil         | Nil           |
| 130N       | Nil         | Nil           | 280N       | Nil         | Nil           |
| 130S       | Nil         | Nil           | 290N       | Nil         | Nil           |
| 140N       | Nil         | 0.2           | 300N       | Nil         | Nil           |
| 140S       | Nil         | Nil           | 310N       | 10/Nil      | 0.2           |
| 142N       | Nil         | Nil           | 329N       | Nil         | Nil           |
| 150N       | Nil         | Nil           | 331N       | Nil         | Nil           |
| 150S       | Nil         | Nil           | 336N       | Nil         | 0.6           |

con't....

Per

G. Lebel, Manager



ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69367

## Certificate of Analysis

Page 3 of 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|
| 1475-347N  | Nil         | Nil           |
| 354N       | Nil         | Nil           |
| 364N       | Nil         | Nil           |
| 375N       | Nil         | Nil           |
| 1475-x     | Nil         | Nil           |
| 2700-0     | Nil         |               |
| 2700-090N  | Nil         |               |
| 2700-425S  | Nil         |               |
| 2700-465S  | Nil         |               |
| 3000-025S  | Nil         |               |
| 3100-210S  | Nil/Nil     |               |
| 3100-470N  | Nil         |               |
| 3100-550N  | Nil         |               |
| 3100-665N  | Nil         |               |
| 3300-530N  | Nil         |               |
| 3300-650N  | Nil         |               |
| 3300-560S  | Nil         |               |
| 3300-858S  | Nil         |               |

NOTE: Platinum and Palladium results to follow.

Per

G. Lebel, Manager

ESTABLISHED 1928




# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69367 - A Date: Jan. 4, 1988  
Received Dec. 16, 1987 1 Sample of Ore  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.  
Proj. #Saxton

| SAMPLE NO. | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-----------------|------------------|
| 1475-255N  | <20             | <5               |

Per   
G. Lebel - Manager /ns

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 842-3244 FAX: (705) 842-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69409

Date: Jan. 5, 1988

Received Dec. 23, 1987 61 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.


Proj. #None Samples per Robin E. Goad

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|------------|-------------|
| 800-0      | Nil         | 1475-170S  | Nil         | 1475-400N  | Nil         |
| 800-075N   | Nil/10      | 180S       | Nil         | 410N       | Nil         |
| 80S        | Nil         | 190S       | Nil         | 420N       | Nil         |
| 855        | Nil         | 195S       | Nil         | 430N       | Nil         |
| 105S       | Nil         | 225S       | Nil         | 440N       | Nil         |
| 125N       | Nil         | 228S       | Nil         | 450N       | Nil         |
| 150S       | Nil         | 230S       | Nil         | 460N       | Nil         |
| 175N       | Nil         | 240S       | Nil/20      | 470N       | Nil         |
| 180S       | Nil         | 250S       | Nil         | 480N       | Nil         |
| 220N       | Nil         | 255S       | Nil         | 490N       | Nil         |
| 290S       | Nil         | 260S       | Nil         | 500N       | Nil         |
| 300N       | Nil         | 275S       | Nil         | 510N       | Nil/10      |
| 300S       | 10          | 285S       | Nil         | 520N       | Nil         |
| 515N       | Nil         | 295S       | Nil         | 530N       | Nil         |
| 525S       | Nil         | 305S       | 20          | 535N       | Nil         |
| 630N       | 10/Nil      | 315S       | Nil         | 1775-210N  | Nil         |
| 665S       | Nil         | 325S       | Nil         | * 220N     | Nil         |
| 790N       | Nil         | 335S       | Nil         | * 230N     | Nil         |
| 860N       | Nil         | 345S       | Nil         | 240N       | Nil         |
| 963S       | Nil         | 390N       | Nil         | 250N       | 10          |
|            |             |            |             | 260N       | Nil         |

NOTE: \* Two samples with same number.  
Silver, platinum, and palladium results to follow.

Per G. Lebel  
G. Lebel - Manager /ns

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69409 - A

Date: Jan. 13, 1988

Received Dec. 23, 1987 35 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

| SAMPLE NO. | SILVER<br>PPM | PLATINUM<br>PPB | PALLADIUM<br>PPB | SAMPLE NO. | SILVER<br>PPM |
|------------|---------------|-----------------|------------------|------------|---------------|
| 800-525S   | ---           | <20             | 12               | 1475-345S  | Nil           |
| 1475-170S  | Nil           | ---             | ---              | 390N       | Nil           |
| 180S       | Nil           | ---             | ---              | 400N       | Nil           |
| 190S       | Nil           | ---             | ---              | 410N       | Nil           |
| 195S       | Nil           | ---             | ---              | 420N       | Nil           |
| 225S       | Nil           | ---             | ---              | 430N       | Nil           |
| 228S       | Nil           | ---             | ---              | 440N       | Nil           |
| 230S       | Nil           | ---             | ---              | 450N       | Nil           |
| 240S       | Nil           | ---             | ---              | 460N       | Nil           |
| 250S       | Nil           | ---             | ---              | 470N       | Nil           |
| 255S       | Nil           | ---             | ---              | 480N       | Nil           |
| 260S       | Nil           | ---             | ---              | 490N       | Nil           |
| 275S       | Nil           | ---             | ---              | 500N       | Nil           |
| 285S       | Nil           | ---             | ---              | 510N       | Nil           |
| 295S       | Nil           | ---             | ---              | 520N       | Nil           |
| 305S       | Nil           | ---             | ---              | 530N       | Nil           |
| 315S       | Nil           | ---             | ---              | 535N       | Nil           |
| 325S       | Nil           | ---             | ---              |            |               |
| 335S       | Nil           | ---             | ---              |            |               |

Per G. Lebel  
G. Lebel - Manager /ns



ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69607

Date: Feb. 1, 1988

Received Jan. 25, 1988 109 Samples of Ore

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario. Page 1 of 3.

ATTENTION: R. Goad Proj. #Saxton

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-------------|------------|-------------|-----------------|------------------|
| 1775-0+00  | 30          | 1775-200N  | Nil         | ----            | -----            |
| 10N        | 320/400     | 200S       | 30          | ----            | ----             |
| 20N        | 10          | 210N       | Nil         | ----            | ----             |
| 30S        | 10          | 210S       | 80/40       | ----            | ----             |
| 40S        | 10          | 215S       | Nil         | ----            | ----             |
| 50S        | 20          | 290N       | Nil         | ----            | ----             |
| 55N        | 20          | 300N       | Nil         | ----            | ----             |
| 60S        | Nil         | 310N       | Nil         | ----            | ----             |
| 65N        | Nil         | 320N       | Nil         | ----            | ----             |
| 70S        | Nil         | 330N       | Nil         | ----            | ----             |
| 75N        | Nil         | 340N       | Nil         | ----            | ----             |
| 80S        | 10          | 350N       | Nil         | ----            | ----             |
| 85N        | Nil         | 355N       | Nil         | ----            | ----             |
| 90S        | Nil         | 2950-700S  | Nil         | ----            | ----             |
| 95S        | Nil         | 710S       | Nil         | ----            | ----             |
| 100S       | Nil         | 720S       | 10/Nil      | <30             | 5                |
| 110S       | 10/30       | 730S       | Nil         | ----            | ----             |
| 120S       | Nil         | 740S       | Nil         | 30              | 15               |
| 160N       | Nil         | 750S       | Nil         | ----            | ----             |
| 170N       | Nil         | 760S       | Nil         | ----            | ----             |
| 180N       | Nil         | 770S       | Nil         | ----            | ----             |
| 190N       | Nil         | 780S       | Nil         | ----            | ----             |
| 190S       | Nil         |            |             |                 |                  |

Con't.....

Per G. Lebel  
G. Lebel - Manager





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69607

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB | SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-------------|-----------------|------------------|------------|-------------|-----------------|------------------|
| 2950-790S  | Nil         | ----            | ----             | 3350-120S  | 20          | ----            | ----             |
| 800S       | 10          | ----            | ----             | 125N       | Nil         | ----            | ----             |
| 810S       | 10          | ----            | ----             | 130S       | 20          | ----            | ----             |
| 820S       | Nil         | ----            | ----             | 135N       | Nil         | ----            | ----             |
| 830S       | Nil         | ----            | ----             | 135S       | 20/20       | ----            | ----             |
| 840S       | Nil         | ----            | ----             | 145N       | Nil         | ----            | ----             |
| 850S       | 10/Nil      | ----            | ----             | 155N       | Nil         | ----            | ----             |
| 3350-0+00  | Nil         | <30             | <5               | 180N       | Nil         | ----            | ----             |
| 3350-020N  | Nil         | ----            | ----             | 190N       | Nil         | ----            | ----             |
| 030N       | Nil         | ----            | ----             | 200N       | Nil         | ----            | ----             |
| 040N       | Nil         | ----            | ----             | 210N       | Nil         | ----            | ----             |
| 050N       | Nil         | ----            | ----             | 210S       | Nil         | ----            | ----             |
| 060N       | Nil         | ----            | ----             | 220N       | 20          | ----            | ----             |
| 060S       | 20/Nil      | ----            | ----             | 220S       | Nil         | ----            | ----             |
| 065S       | Nil         | ----            | ----             | 230N       | Nil/Nil     | <30             | <5               |
| 070N       | Nil         | ----            | ----             | 230S       | Nil         | ----            | ----             |
| 070S       | Nil         | ----            | ----             | 235N       | Nil         | ----            | ----             |
| 080N       | Nil         | ----            | ----             | 240N       | Nil         | ----            | ----             |
| 090S       | Nil         | ----            | ----             | 240S       | Nil         | ----            | ----             |
| 095N       | Nil         | ----            | ----             | 250N       | Nil         | ----            | ----             |
| 100S       | Nil         | ----            | ----             | 250S       | Nil         | ----            | ----             |
| 105N       | Nil         | ----            | ----             | 260N       | Nil         | ----            | ----             |
| 105S       | Nil         | ----            | ----             | 260S       | Nil         | ----            | ----             |
| 115N       | Nil         | ----            | ----             | 270N       | Nil         | ----            | ----             |
| 1115S      | Nil         | ----            | ----             | 270S       | Nil         | ----            | ----             |

Con't.....

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 842-3244 FAX: (705) 842-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69607

## Certificate of Analysis

Page -3-

| SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|
| 3350-280N  | Nil         |
| 280S       | Nil         |
| 290N       | Nil         |
| 290S       | Nil         |
| 300N       | Nil         |
| 300S       | Nil         |
| 310N       | Nil         |
| 310S       | Nil/Nil     |
| 320N       | Nil         |
| 320S       | Nil         |
| 330N       | Nil         |
| 330S       | Nil         |
| 340N       | Nil         |

Per

G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69848 Date: Feb. 17, 1988

Received Feb. 10, 1988 64 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Page 1 of 2.

| SAMPLE NO.    | GOLD<br>PPB                | SILVER<br>PPM | COPPER<br>PPM |
|---------------|----------------------------|---------------|---------------|
| D+105-N1      | 230                        | 0.2           | 8             |
| N2 VEIN       | 350 VEIN                   | 0.4           | 13            |
| N3 VEIN       | 1480 VEIN                  | 0.3           | 32            |
| N4            | Nil                        | Nil           | 20            |
| N5            | Nil                        | Nil           | 38            |
| D+045-NV VEIN | 8910 VEIN<br>0.282(Oz/ton) | 4.0           | 1050          |
| Second Pulp   | 0.314/0.310                |               |               |
| 1W-127S       | 280                        | 0.7           | ---           |
| D+045-NC1     | 27020<br>0.85(Oz/ton)      | 7.5           | 3490          |
| Second Pulp   | 0.80/0.90                  |               |               |
| NC2           | 1500                       | 0.3           | 29            |
| NC3           | 20                         | Nil           | 8             |
| NC4           | 420                        | 0.4           | 38            |
| D+090-N1      | 790                        | 0.2           | 45            |
| N2 VEIN       | 2770/2330 VEIN             | 0.5           | 86            |
| N3            | 590                        | 0.6           | 103           |
| N4            | 80                         | Nil           | 29            |
| N5            | Nil                        | Nil           | 18            |
| N6            | 50                         | Nil           | 6             |
| 1775-090N     | Nil                        | ---           | ---           |
| 1775-011N     | Nil                        | ---           | ---           |

Con't.....

Per G. Lebel  
G. Lebel - Manager /ns



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69848

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|---------------|---------------|------------|-------------|
| 1775-016N  | Nil         | ---           | ---           | 625-025N   | Nil         |
| NX-069W    | Nil         | Nil           | 11            | 036N       | Nil         |
| 625-010S   | Nil         | ---           | ---           | 150N       | Nil         |
| 020S       | Nil         | ---           | ---           | 163N       | Nil         |
| 030S       | Nil         | ---           | ---           | 171N       | Nil         |
| 040S       | Nil         | ---           | ---           | 181N       | 10/Nil      |
| 050S       | Nil         | ---           | ---           | 190N       | Nil         |
| 060S       | Nil         | ---           | ---           | 200N       | Nil         |
| 070S       | Nil         | ---           | ---           | 210N       | Nil         |
| 080S       | Nil         | ---           | ---           | 220N       | Nil         |
| 090S       | Nil/Nil     | ---           | ---           | 230N       | Nil         |
| 100S       | Nil         | ---           | ---           | 625-W-069N | Nil         |
| 110S       | Nil         | ---           | ---           | 070N       | Nil         |
| 120S       | Nil         | ---           | ---           | 085N       | Nil         |
| 130S       | Nil         | ---           | ---           | 093N       | Nil         |
| 140S       | Nil         | ---           | ---           | 100N       | Nil         |
| 150S       | Nil         | ---           | ---           | 110N       | Nil         |
| 160S       | Nil         | ---           | ---           | 117N       | Nil         |
| 170S       | Nil         | ---           | ---           | 124N       | Nil         |
| 180S       | Nil         | ---           | ---           | 130N       | Nil         |
| 190S       | Nil         | ---           | ---           | 140N       | Nil/Nil     |
| 625-200S   | Nil         | ---           | ---           |            |             |
| 005N       | Nil         | ---           | ---           |            |             |
| 015N       | Nil         | ---           | ---           |            |             |

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (706) 642-3244 FAX: (706) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053 Date: March 2, 1988

Received February 19, 1988 83 Samples of Rock

Submitted by Can Mac Exploration Division, Barry's Bay, Ontario

Page one of four

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| 125-015S   | Nil         | ---           | ---           |
| 125-020S   | Nil         | ---           | ---           |
| 125-025S   | Nil/Nil     | ---           | ---           |
| 125-035S   | Nil         | ---           | ---           |
| 125-045S   | Nil         | ---           | ---           |
| 125-150S   | Nil         | ---           | ---           |
| 125-160S   | Nil         | ---           | ---           |
| 125-170S   | Nil         | ---           | ---           |
| 125-180S   | Nil         | ---           | ---           |
| 125-190S   | Nil         | ---           | ---           |
| 125-200S   | Nil         | ---           | ---           |
| 125-210S   | Nil         | ---           | ---           |
| 125-220S   | Nil         | ---           | ---           |
| 125-240S   | Nil         | ---           | ---           |
| 125-250S   | Nil         | ---           | ---           |
| 125-260S   | Nil         | ---           | ---           |
| 225-020S   | Nil         | ---           | ---           |
| 225-030S   | 20/Nil      | ---           | ---           |
| 225-040S   | Nil         | ---           | ---           |
| 225-050S   | Nil         | ---           | ---           |
| 225-060S   | Nil         | ---           | ---           |

Per

G. Lebel-Manager/rl

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis


Scale No. 70053

Page 2

| SAMPLE NO.                 | GOLD<br>PPB                | SILVER<br>PPM | COPPER<br>PPM |
|----------------------------|----------------------------|---------------|---------------|
| 225-070S                   | Nil                        | ---           | ---           |
| 375-130S                   | Nil                        | ---           | ---           |
| D.T. 010S                  | 10                         | ---           | ---           |
| D.T. 020S                  | Nil                        | ---           | ---           |
| D.T. 030S                  | Nil                        | ---           | ---           |
| D.T. 040S                  | 10                         | ---           | ---           |
| D.T. 050S                  | Nil                        | ---           | ---           |
| D.T. 060S                  | Nil                        | ---           | ---           |
| D.T. 060N 1                | 140                        | Nil           | 49            |
| D.T. 060N 2                | 790                        | 0.2           | 38            |
| D.T. 060N 3                | 60                         | Nil           | 38            |
| D.T. 060N 4<br>Second Pulp | 14400/14260<br>16800/15430 | 3.0           | 613           |
| D.T. 060N 5<br>Second Pulp | 52460/49440<br>50400/50470 | 8.4           | 2930          |
| D.T. 060N 6                | 30                         | Nil           | 11            |
| D.T. 070S                  | Nil                        | ---           | ---           |
| D.T. 075N 1                | 20                         | Nil           | 9             |
| D.T. 075N 2                | 430                        | 0.4           | 87            |
| D.T. 075N 3                | 140                        | Nil           | 9             |
| D.T. 075N 4                | 30                         | Nil           | 35            |
| D.T. 075N 5                | 1800                       | 1.1           | 308           |
| D.T. 075N 6                | 520                        | 0.3           | 21            |
| D.T. 075N 7                | 30                         | Nil           | 9             |
| D.T. 075N 8                | 70                         | Nil           | 13            |
| D.T. 075N 9                | 160                        | 0.2           | 36            |

VEIN

VEIN

Per 

G. Lebel-Manager /rl

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053


Page 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| D.T. 080S  | Nil         | ---           | ---           |
| D.T. 090S  | 20          | ---           | ---           |
| D.T. 100S  | 300         | ---           | ---           |
| D.T. 110S  | 100         | ---           | ---           |
| D.T. 120S  | 100         | ---           | ---           |
| D.T. 130S  | 200         | ---           | ---           |
| D.T. 140S  | 330/340     | ---           | ---           |
| D.T. 150S  | 240         | ---           | ---           |
| D.T. 160S  | 20          | ---           | ---           |
| D.T. 170S  | Nil         | ---           | ---           |
| D.T. 205N  | Nil         | ---           | ---           |
| D.T. 215N  | Nil         | ---           | ---           |
| D.T. 225N  | Nil         | ---           | ---           |
| D.T. 235N  | Nil         | ---           | ---           |
| D.T. 245N  | Nil         | ---           | ---           |
| D.T. 255N  | Nil         | ---           | ---           |
| D.T. 265N  | Nil         | ---           | ---           |
| D.T. 275N  | Nil         | ---           | ---           |
| D.T. 285N  | Nil         | ---           | ---           |
| D.T. 295N  | Nil         | ---           | ---           |
| D.T. 305N  | Nil         | ---           | ---           |
| D.T. 315N  | Nil         | ---           | ---           |
| D.T. 325N  | Nil         | ---           | ---           |
| N2V-001E   | 10          | 0.4           | ---           |
| N2V-002E   | 270         | 2.6           | ---           |
| N2V-003E   | 100         | 0.6           | ---           |

Per

G. Lebel-Manager/rl

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (705) 842-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 70053

## Certificate of Analysis

Page 4

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| N2V-004E   | .790        | 0.5           | ---           |
| N2V-005E   | 1030/750    | 0.4           | ---           |
| N2V-010E   | Nil         | ---           | ---           |
| N2V-020E   | Nil         | ---           | ---           |
| N2V-030E   | Nil         | ---           | ---           |
| NX-005W    | Nil         | ---           | ---           |
| NX-015W    | Nil         | ---           | ---           |
| NX-020E    | Nil         | ---           | ---           |
| NX-025W    | Nil         | Nil           | 14            |
| NX-025E    | Nil         | ---           | ---           |
| NX-035W    | Nil         | ---           | ---           |
| NX-035E    | Nil         | ---           | ---           |

Per *G. Lebel*  
G. Lebel-Manager/rl

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053

Date: March 2, 1988

Received February 19, 1988 83 Samples of Rock

Submitted by Can Mac Exploration Division, Barry's Bay, Ontario

Page one of four

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| 125-015S   | Nil         | ---           | ---           |
| 125-020S   | Nil         | ---           | ---           |
| 125-025S   | Nil/Nil     | ---           | ---           |
| 125-035S   | Nil         | ---           | ---           |
| 125-045S   | Nil         | ---           | ---           |
| 125-150S   | Nil         | ---           | ---           |
| 125-160S   | Nil         | ---           | ---           |
| 125-170S   | Nil         | ---           | ---           |
| 125-180S   | Nil         | ---           | ---           |
| 125-190S   | Nil         | ---           | ---           |
| 125-200S   | Nil         | ---           | ---           |
| 125-210S   | Nil         | ---           | ---           |
| 125-220S   | Nil         | ---           | ---           |
| 125-240S   | Nil         | ---           | ---           |
| 125-250S   | Nil         | ---           | ---           |
| 125-260S   | Nil         | ---           | ---           |
| 225-020S   | Nil         | ---           | ---           |
| 225-030S   | 20/Nil      | ---           | ---           |
| 225-040S   | Nil         | ---           | ---           |
| 225-050S   | Nil         | ---           | ---           |
| 225-060S   | Nil         | ---           | ---           |

Per G. Lebel  
G. Lebel-Manager/rl

ESTABLISHED 1928







# SWARTIKA LABORATORIES LIMITED

P.O. BOX 10, SWARTIKA, ONTARIO POK ITU  
TELEPHONE: (706) 642-3244  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053

Page 2

| SAMPLE NO.                 | GOLD<br>PPB                | SILVER<br>PPM | COPPER<br>PPM |
|----------------------------|----------------------------|---------------|---------------|
| 225-070S                   | Nil                        | ---           | ---           |
| 375-130S                   | Nil                        | ---           | ---           |
| D.T. 010S                  | 10                         | ---           | ---           |
| D.T. 020S                  | Nil                        | ---           | ---           |
| D.T. 030S                  | Nil                        | ---           | ---           |
| D.T. 040S                  | 10                         | ---           | ---           |
| D.T. 050S                  | Nil                        | ---           | ---           |
| D.T. 060S                  | Nil                        | ---           | ---           |
| D.T. 060N 1                | 140                        | Nil           | 49            |
| D.T. 060N 2                | 790                        | 0.2           | 38            |
| D.T. 060N 3                | 60                         | Nil           | 38            |
| D.T. 060N 4<br>Second Pulp | 14400/14260<br>16800/15430 | 3.0           | 613           |
| D.T. 060N 5<br>Second Pulp | 52460/49440<br>50400/50470 | 8.4           | 2930          |
| D.T. 060N 6                | 30                         | Nil           | 11            |
| D.T. 070S                  | Nil                        | ---           | ---           |
| D.T. 075N 1                | 20                         | Nil           | 9             |
| D.T. 075N 2                | 430                        | 0.4           | 87            |
| D.T. 075N 3                | 140                        | Nil           | 9             |
| D.T. 075N 4                | 30                         | Nil           | 35            |
| D.T. 075N 5                | 1800                       | 1.1           | 308           |
| D.T. 075N 6                | 520                        | 0.3           | 21            |
| D.T. 075N 7                | 30                         | Nil           | 9             |
| D.T. 075N 8                | 70                         | Nil           | 13            |
| D.T. 075N 9                | 160                        | 0.2           | 36            |

VEIN

VEIN

Per

G. Lebel-Manager /rl

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053

Page 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| D.T. 080S  | Nil         | ---           | ---           |
| D.T. 090S  | 20          | ---           | ---           |
| D.T. 100S  | 300         | ---           | ---           |
| D.T. 110S  | 100         | ---           | ---           |
| D.T. 120S  | 100         | ---           | ---           |
| D.T. 130S  | 200         | ---           | ---           |
| D.T. 140S  | 330/340     | ---           | ---           |
| D.T. 150S  | 240         | ---           | ---           |
| D.T. 160S  | 20          | ---           | ---           |
| D.T. 170S  | Nil         | ---           | ---           |
| D.T. 205N  | Nil         | ---           | ---           |
| D.T. 215N  | Nil         | ---           | ---           |
| D.T. 225N  | Nil         | ---           | ---           |
| D.T. 235N  | Nil         | ---           | ---           |
| D.T. 245N  | Nil         | ---           | ---           |
| D.T. 255N  | Nil         | ---           | ---           |
| D.T. 265N  | Nil         | ---           | ---           |
| D.T. 275N  | Nil         | ---           | ---           |
| D.T. 285N  | Nil         | ---           | ---           |
| D.T. 295N  | Nil         | ---           | ---           |
| D.T. 305N  | Nil         | ---           | ---           |
| D.T. 315N  | Nil         | ---           | ---           |
| D.T. 325N  | Nil         | ---           | ---           |
| N2V-001E   | 10          | 0.4           | ---           |
| N2V-002E   | 270         | 2.6           | ---           |
| N2V-003E   | 100         | 0.6           | ---           |

Per G. Lebel  
G. Lebel-Manager/r

ESTABLISHED 1928

Canadian Institute of Mining and Metallurgy



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0

TELEPHONE: (705) 642-3244

ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053

Page 4

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| N2V-004E   | .790        | 0.5           | ---           |
| N2V-005E   | 1030/750    | 0.4           | ---           |
| N2V-010E   | Nil         | ---           | ---           |
| N2V-020E   | Nil         | ---           | ---           |
| N2V-030E   | Nil         | ---           | ---           |
| NX-005W    | Nil         | ---           | ---           |
| NX-015W    | Nil         | ---           | ---           |
| NX-020E    | Nil         | Nil           | 14            |
| NX-025W    | Nil         | ---           | ---           |
| NX-025E    | Nil         | ---           | ---           |
| NX-035W    | Nil         | ---           | ---           |
| NX-035E    | Nil         | ---           | ---           |

Per

G. Lebel-Manager/rl

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS


## Certificate of Analysis

Certificate No. 70054 Date: March 1, 1988

Received Feb. 19, 1988 51 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|------------|-------------|
| NX-045E    | N11         | NX-145E    | N11         | SX-095E    | 20          |
| NX-045W    | 20          | NX-155E    | N11         | SX-100W    | 20          |
| NX-055E    | N11         | SX-005W    | N11         | SX-105E    | N11         |
| NX-055W    | N11         | SX-010W    | 20          | SX-115E    | N11         |
| NX-065W    | N11         | SX-015E    | 110/100     | SX-125E    | N11         |
| NX-065E    | N11         | SX-020E    | 40          | SX-135E    | 30          |
| NX-075W    | 40/N11      | SX-020W    | N11         | SX-145E    | N11         |
| NX-075E    | 30          | SX-025E    | N11         | SX-145W    | 10          |
| NX-085E    | N11         | SX-030W    | N11         | SX-155E    | N11         |
| NX-085W    | N11         | SX-035E    | N11         | 125-230S   | N11         |
| NX-095E    | N11         | SX-040W    | 30          |            |             |
| NX-095W    | N11         | SX-045E    | 10          |            |             |
| NX-105E    | N11         | SX-050W    | N11         |            |             |
| NX-105W    | 30          | SX-055E    | N11         |            |             |
| NX-115E    | N11         | SX-060E    | 20          |            |             |
| NX-115W    | 30          | SX-060W    | N11         |            |             |
| NX-125E    | N11         | SX-070W    | N11         |            |             |
| NX-125W    | 650/900     | SX-075E    | 50/20       |            |             |
| NX-135E    | N11         | SX-080W    | N11         |            |             |
| NX-135W    | 20          | SX-085E    | N11         |            |             |
|            |             | SX-090W    | 20          |            |             |

Per   
G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70247 Date: March 15, 1988

Received March 3, 1988 45 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Proj. #Swayze

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| DT-120-N1  | Nil         | Nil           | 9             |
| DT-150-N1  | Nil         | Nil           | 10            |
| DT-165-N1  | Nil         | Nil           | 7             |
| DT-180-N1  | 100/110     | Nil           | 11            |
| DT-195-N1  | Nil         | Nil           | 14            |
| DT-120-N2  | Nil         | Nil           | 7             |
| DT-150-N2  | Nil         | Nil           | 7             |
| DT-165-N2  | 20          | Nil           | 8             |
| DT-180-N2  | 30          | Nil           | 23            |
| DT-195-N2  | Nil         | Nil           | 12            |
| DT-120-N3  | 10          | Nil           | 20            |
| DT-150-N3  | 10          | Nil           | 15            |
| DT-165-N3  | Nil         | Nil           | 13            |
| DT-180-N3  | Nil         | Nil           | 12            |
| DT-195-N3  | 10          | Nil           | 10            |
| DT-120-N4  | 100/100     | Nil           | 52            |
| DT-150-N4  | Nil         | Nil           | 15            |
| DT-165-N4  | Nil         | Nil           | 7             |
| DT-180-N4  | Nil         | Nil           | 40            |
| DT-195-N4  | Nil         | Nil           | 16            |
| DT-150-N5  | 30          | Nil           | 37            |
| DT-165-N5  | Nil         | Nil           | 8             |
| DT-180-N5  | 40/40       | Nil           | 56            |

Con't.....

Per G. Lebel

G. Lebel - Manager /ns



# SWASTIKA LABORATORIES LIMITED


P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 70247

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| DT-195-N5  | Nil         | N11           | 14            |
| DT-165-N6  | Nil         | N11           | 6             |
| DT-180-N6  | Nil         | N11           | 16            |
| DT-195-N6  | Nil         | N11           | 28            |
| DT-195-N7  | Nil         | N11           | 18            |
| DT-195-N8  | Nil         | N11           | 54            |
| DT-195-N9  | 20          | N11           | 15            |
| DT-195-N10 | Nil         | N11           | 9             |
| 075-005N   | Nil         | ---           | ---           |
| 075-016N   | Nil         | ---           | ---           |
| 075-025N   | 20          | ---           | ---           |
| 075-030N   | Nil         | ---           | ---           |
| 075-034N   | 100         | ---           | ---           |
| 075-003S   | Nil         | ---           | ---           |
| 075-004S   | 160/120     | ---           | ---           |
| 075-011S   | 70          | ---           | ---           |
| 075-041S   | 20          | ---           | ---           |
| 075-048S   | Nil         | ---           | ---           |
| 075-058S   | Nil         | ---           | ---           |
| 075-067S   | Nil         | ---           | ---           |
| 075-072S   | Nil         | ---           | ---           |
| 075-000    | 40          | ---           | ---           |

Per   
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70174 Date: March 9, 1988

Received Feb. 27, 1988 69 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.


Proj. #Swayze

Page 1 of 3.

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|
| 075-103N   | 10          | 075-485N   | Nil         |
| 108N       | Nil         | 510N       | Nil         |
| 117N       | Nil         | 520N       | Nil         |
| 127N       | Nil         | 530N       | Nil         |
| 136N       | Nil         | 540N       | Nil         |
| 147N       | Nil         | 550N       | 30/10       |
| 156N       | Nil         | 560N       | Nil         |
| 167N       | Nil         | 570N       | Nil         |
| 177N       | Nil         | 580N       | 10          |
| 185N       | Nil         | 590N       | Nil         |
| 193N       | 10          | 600N       | Nil         |
| 204N       | 10          | 610N       | Nil         |
| 214N       | Nil         | 620N       | Nil         |
| 222N       | 40/60       | 625N       | 30          |
| 232N       | Nil         | 630N       | 10          |
| 465N       | Nil         | 665N       | Nil         |
| 475N       | Nil         | 675N       | Nil         |
|            |             | 685N       | Nil         |
|            |             | Con't....  |             |

Per

G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS


Certificate No. 70174

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| M2V-001E   | 30          | Nil           | 33            |
| 002E       | 270/280     | 0.6           | ---           |
| 003E       | 160         | 0.2           | ---           |
| 004E       | 60          | Nil           | ---           |
| 005E       | 60          | 0.3           | ---           |
| S2V-005N   | 300         | 0.3           | ---           |
| 000 *      | 50          | Nil           | ---           |
| 001E       | Nil         | 0.3           | ---           |
| 003E       | Nil         | Nil           | ---           |
| M2V-000    | 200/180     | 0.7           | ---           |
| 003W       | Nil         | Nil           | ---           |
| 375-013S   | Nil         | ---           | ---           |
| 019S       | Nil         | ---           | ---           |
| 031S       | Nil         | ---           | ---           |
| 037S       | Nil         | ---           | ---           |
| 038S       | 10          | ---           | ---           |
| 040S       | Nil         | ---           | ---           |
| 044S       | 50          | ---           | ---           |
| 050S       | 380/490     | ---           | ---           |
| 060S       | 30          | ---           | ---           |

Con't....

Per   
G. Lebel - Manager

ESTABLISHED 1928







# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO N0K 1T0  
TELEPHONE: (708) 849-8244 FAX: (708) 849-8200  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS


Certificate No. 70174

## Certificate of Analysis


Page - 1 -

| SAMPLE NO: | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|
| 375-070S   | Nil         | ---           |
| 080S       | 10          | ---           |
| 090S       | Nil         | ---           |
| 094S       | Nil         | ---           |
| 100S       | Nil         | ---           |
| 110S       | Nil         | ---           |
| 116S       | Nil         | ---           |
| 120S       | Nil         | ---           |
| 130S       | Nil         | ---           |
| S2V-001W   | 750/1130    | 1.7           |
| 002W       | 880/880     | 1.9           |
| 003W       | 140         | Nil           |
| 004W       | 480         | 0.2           |
| 005W       | Nil         | Nil           |

NOTE: The tag was partially  
destroyed for Sample #000

Per   
G. Lebel - Manager

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053 - A Date: April 5, 1988

Received Feb. 19, 1988 3 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

### "Semi-Quantitative Multi-Element Analysis"

| SAMPLE NO.: | DT-060N2 | DT-060N4 | DT-060N5 | SAMPLE NO.:                    | DT-060N2 | DT-060N4 | DT-060N5 |
|-------------|----------|----------|----------|--------------------------------|----------|----------|----------|
| Silver      | % <0.001 | <0.001   | <0.001   | Thorium                        | % <0.001 | <0.001   | <0.001   |
| Arsenic     | % 0.01   | <0.001   | <0.001   | Uranium                        | % <0.01  | <0.01    | <0.01    |
| Boron       | % 0.1    | 0.02     | 0.02     | Vanadium                       | % 0.001  | <0.001   | <0.001   |
| Barium      | % 0.07   | 0.03     | 0.05     | Tungsten                       | % <0.001 | <0.001   | <0.001   |
| Beryllium   | % <0.001 | <0.001   | <0.001   | Yttrium                        | % <0.001 | <0.001   | <0.001   |
| Bismuth     | % 0.01   | <0.001   | <0.001   | Zinc                           | % 0.007  | 0.005    | 0.007    |
| Cadmium     | % <0.001 | <0.001   | <0.001   | Zirconium                      | % <0.001 | <0.001   | <0.001   |
| Cerium      | % <0.001 | <0.001   | <0.001   | Al <sub>2</sub> O <sub>3</sub> | % 12.9   | 5.4      | 8.4      |
| Cobalt      | % <0.001 | <0.001   | <0.001   | Fe <sub>2</sub> O <sub>3</sub> | % 3.9    | 2.5      | 2.8      |
| Chromium    | % 0.05   | 0.1      | 0.1      | CaO                            | % 2.3    | 1.5      | 1.7      |
| Copper      | % 0.005  | 0.06     | 0.3      | MgO                            | % 1.4    | 0.76     | 1.03     |
| Mercury     | % <0.01  | <0.01    | <0.01    | Na <sub>2</sub> O              | % 5.6    | 2.1      | 4.1      |
| Lanthanum   | % <0.001 | <0.001   | <0.001   | K <sub>2</sub> O               | % 3.1    | 1.3      | 2.3      |
| Molybdenum  | % 0.006  | <0.001   | <0.001   | TiO <sub>2</sub>               | % 0.2    | 0.1      | 0.1      |
| Niobium     | % <0.001 | <0.001   | <0.001   | MnO                            | % 0.04   | 0.04     | 0.05     |
| Nickel      | % 0.005  | 0.007    | 0.006    | P <sub>2</sub> O <sub>5</sub>  | % 0.43   | 0.35     | 0.27     |
| Lead        | % <0.001 | <0.001   | <0.001   | LOI                            | % 3.39   | 1.78     | 2.09     |
| Sulphur     | % 2.4    | 2.5      | 1.9      |                                |          |          |          |
| Antimony    | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Selenium    | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Tin         | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Strontium   | % 0.02   | 0.01     | 0.02     |                                |          |          |          |
| Tellurium   | % <0.001 | <0.001   | <0.001   |                                |          |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per

G. Lebel - Manager /ns



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69848 - A

Date: March 1, 1988

Received Feb. 10, 1988 2 Samples of Rock


Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

### "Semi-Quantitative Multi-Element Analysis"

| SAMPLE NO.: | D+045NV  | D+045NC1 | SAMPLE NO.:                    | D+045NV  | D+045NC1 |
|-------------|----------|----------|--------------------------------|----------|----------|
| Silver      | % <0.001 | <0.001   | Thorium                        | % <0.001 | <0.001   |
| Arsenic     | % <0.001 | <0.001   | Uranium                        | % <0.001 | <0.001   |
| Boron       | % <0.001 | <0.001   | Vanadium                       | % 0.007  | 0.01     |
| Barium      | % 0.04   | 0.04     | Tungsten                       | % <0.001 | 0.004    |
| Berillium   | % <0.001 | <0.001   | Yttrium                        | % <0.001 | <0.001   |
| Bismuth     | % <0.001 | <0.001   | Zinc                           | % 0.003  | 0.006    |
| Cadmium     | % <0.001 | <0.001   | Zirconium                      | % 0.007  | 0.01     |
| Cerium      | % 0.01   | 0.01     | Al <sub>2</sub> O <sub>3</sub> | % 2.6    | 8.9      |
| Cobalt      | % <0.001 | <0.001   | Fe <sub>2</sub> O <sub>3</sub> | % 4.9    | 1.7      |
| Chromium    | % 0.05   | 0.1      | CaO                            | % 1.0    | 0.3      |
| Copper      | % 0.4    | 0.1      | MgO                            | % 0.2    | 1.3      |
| Mercury     | % <0.01  | <0.01    | Na <sub>2</sub> O              | % 1.1    | 3.7      |
| Lanthanum   | % <0.001 | <0.001   | K <sub>2</sub> O               | % 0.4    | 1.2      |
| Molybdenum  | % <0.001 | <0.001   | TiO <sub>2</sub>               | % 0.05   | 0.1      |
| Niobium     | % <0.001 | <0.001   | MnO                            | % 0.01   | 0.03     |
| Nickel      | % 0.01   | 0.005    | P <sub>2</sub> O <sub>5</sub>  | % 0.2    | 0.2      |
| Lead        | % 0.01   | 0.01     | LOI                            | % 1.45   | 2.25     |
| Sulphur     | % 1.8    | 0.9      |                                |          |          |
| Antimony    | % <0.001 | <0.001   |                                |          |          |
| Selenium    | % 0.005  | 0.01     |                                |          |          |
| Tin         | % <0.001 | <0.001   |                                |          |          |
| Strontium   | % 0.01   | 0.005    |                                |          |          |
| Tellurium   | % <0.001 | <0.001   |                                |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per G. Lebel  
G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70054 Date: March 1, 1988  
Received Feb. 19, 1988 51 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|------------|-------------|
| NX-045E    | N11         | NX-145E    | N11         | SX-095E    | 20          |
| NX-045W    | 20          | NX-155E    | N11         | SX-100W    | 20          |
| NX-055E    | N11         | SX-005W    | N11         | SX-105E    | N11         |
| NX-055W    | N11         | SX-010W    | 20          | SX-115E    | N11         |
| NX-065W    | N11         | SX-015E    | 110/100     | SX-125E    | N11         |
| NX-065E    | N11         | SX-020E    | 40          | SX-135E    | 30          |
| NX-075W    | 40/N11      | SX-020W    | N11         | SX-145E    | N11         |
| NX-075E    | 30          | SX-025E    | N11         | SX-145W    | 10          |
| NX-085E    | N11         | SX-030W    | N11         | SX-155E    | N11         |
| NX-085W    | N11         | SX-035E    | N11         | 125-230S   | N11         |
| NX-095E    | N11         | SX-040W    | 30          |            |             |
| NX-095W    | N11         | SX-045E    | 10          |            |             |
| NX-105E    | N11         | SX-050W    | N11         |            |             |
| NX-105W    | 30          | SX-055E    | N11         |            |             |
| NX-115E    | N11         | SX-065E    | 20          |            |             |
| NX-115W    | 30          | SX-060W    | N11         |            |             |
| NX-125E    | N11         | SX-070W    | N11         |            |             |
| NX-125W    | 650/900     | SX-075E    | 50/20       |            |             |
| NX-135E    | N11         | SX-080W    | N11         |            |             |
| NX-135W    | 20          | SX-085E    | N11         |            |             |
|            |             | SX-090W    | 20          |            |             |

Per   
G. Lebel - Manager /ns



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANAYLTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70247

Date: March 15, 1988

Received March 3, 1988 45 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Proj. #Swayze

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| DT-120-N1  | Nil         | Nil           | 9             |
| DT-150-N1  | Nil         | Nil           | 10            |
| DT-165-N1  | Nil         | Nil           | 7             |
| DT-180-N1  | 100/110     | Nil           | 11            |
| DT-195-N1  | Nil         | Nil           | 14            |
| DT-120-N2  | Nil         | Nil           | 7             |
| DT-150-N2  | Nil         | Nil           | 7             |
| DT-165-N2  | 20          | Nil           | 8             |
| DT-180-N2  | 30          | Nil           | 23            |
| DT-195-N2  | Nil         | Nil           | 12            |
| DT-120-N3  | 10          | Nil           | 20            |
| DT-150-N3  | 10          | Nil           | 15            |
| DT-165-N3  | Nil         | Nil           | 13            |
| DT-180-N3  | Nil         | Nil           | 12            |
| DT-195-N3  | 10          | Nil           | 10            |
| DT-120-N4  | 100/100     | Nil           | 52            |
| DT-150-N4  | Nil         | Nil           | 15            |
| DT-165-N4  | Nil         | Nil           | 7             |
| DT-180-N4  | Nil         | Nil           | 40            |
| DT-195-N4  | Nil         | Nil           | 16            |
| DT-150-N5  | 30          | Nil           | 37            |
| DT-165-N5  | Nil         | Nil           | 8             |
| DT-180-N5  | 40/40       | Nil           | 56            |

Con't.....

Per G. Lebel

G. Lebel - Manager /ns

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO M1C 1E0  
TELEPHONE: (705) 849 8944 FAX: (705) 849 4988  
ANALYTICAL CHEMISTS • APPRAISERS • CONSULTANTS

Certificate No. 70247

## Certificate of Analysis

Page 1 of 1

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| DT-195-N5  | Nil         | Nil           | 14            |
| DT-165-N6  | Nil         | Nil           | 6             |
| DT-180-N6  | Nil         | Nil           | 16            |
| DT-195-N6  | Nil         | Nil           | 28            |
| DT-195-N7  | Nil         | Nil           | 18            |
| DT-195-N8  | Nil         | Nil           | 54            |
| DT-195-N9  | 20          | Nil           | 15            |
| DT-195-N10 | Nil         | Nil           | 9             |
| 075-005N   | Nil         | ---           | ---           |
| 075-016N   | Nil         | ---           | ---           |
| 075-025N   | 20          | ---           | ---           |
| 075-030N   | Nil         | ---           | ---           |
| 075-034N   | 100         | ---           | ---           |
| 075-003S   | Nil         | ---           | ---           |
| 075-004S   | 160/120     | ---           | ---           |
| 075-011S   | 70          | ---           | ---           |
| 075-041S   | 20          | ---           | ---           |
| 075-048S   | Nil         | ---           | ---           |
| 075-058S   | Nil         | ---           | ---           |
| 075-067S   | Nil         | ---           | ---           |
| 075-072S   | Nil         | ---           | ---           |
| 075-000    | 40          | ---           | ---           |

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928

Member  
Canadian Testing  
Association



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO M0K 1T0  
TELEPHONE: (708) 642-2244 FAX: (708) 642-2300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 70174

## Certificate of Analysis

Page

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM |
|------------|-------------|---------------|---------------|
| M2V-001E   | 30          | Nil           | 33            |
| 002E       | 270/280     | 0.6           | ---           |
| 003E       | 160         | 0.2           | ---           |
| 004E       | 60          | Nil           | ---           |
| 005E       | 60          | 0.3           | ---           |
| S2V-005N   | 300         | 0.3           | ---           |
| 000 *      | 50          | Nil           | ---           |
| 001E       | Nil         | 0.3           | ---           |
| 003E       | Nil         | Nil           | ---           |
| M2V-000    | 200/180     | 0.7           | ---           |
| 003W       | Nil         | Nil           | ---           |
| 375-013S   | Nil         | ---           | ---           |
| 019S       | Nil         | ---           | ---           |
| 031S       | Nil         | ---           | ---           |
| 037S       | Nil         | ---           | ---           |
| 038S       | 10          | ---           | ---           |
| 040S       | Nil         | ---           | ---           |
| 044S       | 50          | ---           | ---           |
| 050S       | 380/490     | ---           | ---           |
| 060S       | 30          | ---           | ---           |

Con't....

Per

G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 649-8244 FAX: (705) 649-8800  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70174 Date: March 9, 1988  
Received Feb. 27, 1988 69 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Proj. #Swayze

Page 1 of 3.

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|
| 075-103N   | 10          | 075-485N   | Nil         |
| 108N       | Nil         | 510N       | Nil         |
| 117N       | Nil         | 520N       | Nil         |
| 127N       | Nil         | 530N       | Nil         |
| 136N       | Nil         | 540N       | Nil         |
| 147N       | Nil         | 550N       | 30/10       |
| 156N       | Nil         | 560N       | Nil         |
| 167N       | Nil         | 570N       | Nil         |
| 177N       | Nil         | 580N       | 10          |
| 185N       | Nil         | 590N       | Nil         |
| 193N       | 10          | 600N       | Nil         |
| 204N       | 10          | 610N       | Nil         |
| 214N       | Nil         | 620N       | Nil         |
| 222N       | 40/60       | 625N       | 30          |
| 232N       | Nil         | 630N       | 10          |
| 465N       | Nil         | 665N       | Nil         |
| 475N       | Nil         | 675N       | Nil         |
|            |             | 685N       | Nil         |

Con't....

Per

G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS


Certificate No. 70174

## Certificate of Analysis

Page -3-

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|
| 375-070S   | Nil         | ---           |
| 080S       | 10          | ---           |
| 090S       | Nil         | ---           |
| 094S       | Nil         | ---           |
| 100S       | Nil         | ---           |
| 110S       | Nil         | ---           |
| 116S       | Nil         | ---           |
| 120S       | Nil         | ---           |
| 130S       | Nil         | ---           |
| S2V-001W   | 750/1130    | 1.7           |
| 002W       | 880/880     | 1.9           |
| 003W       | 140         | Nil           |
| 004W       | 480         | 0.2           |
| 005W       | Nil         | Nil           |

NOTE: The tag was partially  
destroyed for Sample #000

Per   
G. Lebel - Manager

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69848 - A Date: March 1, 1988  
Received Feb. 10, 1988 2 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

### "Semi-Quantitative Multi-Element Analysis"


| SAMPLE NO.: | D+045NV  | D+045NC1 | SAMPLE NO.:                    | D+045NV  | D+045NC1 |
|-------------|----------|----------|--------------------------------|----------|----------|
| Silver      | % <0.001 | <0.001   | Thorium                        | % <0.001 | <0.001   |
| Arsenic     | % <0.001 | <0.001   | Uranium                        | % <0.001 | <0.001   |
| Boron       | % <0.001 | <0.001   | Vanadium                       | % 0.007  | 0.01     |
| Barium      | % 0.04   | 0.04     | tungsten                       | % <0.001 | 0.004    |
| Berillium   | % <0.001 | <0.001   | Yttrium                        | % <0.001 | <0.001   |
| Bismuth     | % <0.001 | <0.001   | Zinc                           | % 0.003  | 0.006    |
| Cadmium     | % <0.001 | <0.001   | Zirconium                      | % 0.007  | 0.01     |
| Cerium      | % 0.01   | 0.01     | Al <sub>2</sub> O <sub>3</sub> | % 2.6    | 8.9      |
| Cobalt      | % <0.001 | <0.001   | Fe <sub>2</sub> O <sub>3</sub> | % 4.9    | 1.7      |
| Chromium    | % 0.05   | 0.1      | CaO                            | % 1.0    | 0.3      |
| Copper      | % 0.4    | 0.1      | MgO                            | % 0.2    | 1.3      |
| Mercury     | % <0.01  | <0.01    | Na <sub>2</sub> O              | % 1.1    | 3.7      |
| Lanthanum   | % <0.001 | <0.001   | K <sub>2</sub> O               | % 0.4    | 1.2      |
| Molybdenum  | % <0.001 | <0.001   | TiO <sub>2</sub>               | % 0.05   | 0.1      |
| Niobium     | % <0.001 | <0.001   | MnO                            | % 0.01   | 0.03     |
| Nickel      | % 0.01   | 0.005    | P <sub>2</sub> O <sub>5</sub>  | % 0.2    | 0.2      |
| Lead        | % 0.01   | 0.01     | LOI                            | % 1.45   | 2.25     |
| Sulphur     | % 1.8    | 0.9      |                                |          |          |
| Antimony    | % <0.001 | <0.001   |                                |          |          |
| Selenium    | % 0.005  | 0.01     |                                |          |          |
| tin         | % <0.001 | <0.001   |                                |          |          |
| Strontium   | % 0.01   | 0.005    |                                |          |          |
| tellurium   | % <0.001 | <0.001   |                                |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per G. Label

G. Label - Manager /ns

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70053 - A

Date: April 5, 1988

Received Feb. 19, 1988 3 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

### "Semi-Quantitative Multi-Element Analysis"


| SAMPLE NO.: | DT-060N2 | DT-060N4 | DT-060N5 | SAMPLE NO.:                    | DT-060N2 | DT-060N4 | DT-060N5 |
|-------------|----------|----------|----------|--------------------------------|----------|----------|----------|
| Silver      | % <0.001 | <0.001   | <0.001   | Thorium                        | % <0.001 | <0.001   | <0.001   |
| Arsenic     | % 0.01   | <0.001   | <0.001   | Uranium                        | % <0.01  | <0.01    | <0.01    |
| Boron       | % 0.1    | 0.02     | 0.02     | Vanadium                       | % 0.001  | <0.001   | <0.001   |
| Barium      | % 0.07   | 0.03     | 0.05     | Tungsten                       | % <0.001 | <0.001   | <0.001   |
| Berillium   | % <0.001 | <0.001   | <0.001   | Yttrium                        | % <0.001 | <0.001   | <0.001   |
| Bismuth     | % 0.01   | <0.001   | <0.001   | Zinc                           | % 0.007  | 0.005    | 0.007    |
| Cadmium     | % <0.001 | <0.001   | <0.001   | Zirconium                      | % <0.001 | <0.001   | <0.001   |
| Cerium      | % <0.001 | <0.001   | <0.001   | Al <sub>2</sub> O <sub>3</sub> | % 12.5   | 5.4      | 8.4      |
| Cobalt      | % <0.001 | <0.001   | <0.001   | Fe <sub>2</sub> O <sub>3</sub> | % 3.0    | 2.5      | 2.8      |
| Chromium    | % 0.05   | 0.1      | 0.1      | CaO                            | % 2.5    | 1.5      | 1.7      |
| Copper      | % 0.005  | 0.06     | 0.3      | MgO                            | % 1.4    | 0.76     | 1.03     |
| Mercury     | % <0.01  | <0.01    | <0.01    | Na <sub>2</sub> O              | % 5.5    | 2.1      | 4.1      |
| Lanthanum   | % <0.001 | <0.001   | <0.001   | K <sub>2</sub> O               | % 3.2    | 1.3      | 2.3      |
| Molybdenum  | % 0.006  | <0.001   | <0.001   | TiO <sub>2</sub>               | % 0.2    | 0.1      | 0.1      |
| Niobium     | % <0.001 | <0.001   | <0.001   | MnO                            | % 0.04   | 0.04     | 0.05     |
| Nickel      | % 0.005  | 0.007    | 0.006    | P <sub>2</sub> O <sub>5</sub>  | % 0.43   | 0.35     | 0.27     |
| Lead        | % <0.001 | <0.001   | <0.001   | LOI                            | % 3.39   | 1.78     | 2.09     |
| Sulphur     | % 2.4    | 2.5      | 1.9      |                                |          |          |          |
| Antimony    | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Selenium    | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Tin         | % <0.001 | <0.001   | <0.001   |                                |          |          |          |
| Strontium   | % 0.02   | 0.01     | 0.02     |                                |          |          |          |
| Tellurium   | % <0.001 | <0.001   | <0.001   |                                |          |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per

*G. Lebel*  
G. Lebel - Manager /ns

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis


Certificate No. 70174 - A Date: April 5, 1988  
Received Feb. 27, 1988 2 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario. Proj. #Swayze

### "Semi-Quantitative Multi-Element Analysis"

| SAMPLE NO.:  | S2V-001W | S2V-002W | SAMPLE NO.:                      | S2V-001W | S2V-002W |
|--------------|----------|----------|----------------------------------|----------|----------|
| Silver %     | <0.001   | <0.001   | Thorium %                        | <0.001   | <0.001   |
| Arsenic %    | 0.01     | <0.001   | Uranium %                        | <0.01    | <0.01    |
| Boron %      | 0.01     | 0.01     | Vanadium %                       | <0.001   | <0.001   |
| Barium %     | 0.1      | 0.1      | Tungsten %                       | <0.001   | <0.001   |
| Beryllium %  | <0.001   | <0.001   | Yttrium %                        | <0.001   | <0.001   |
| Bismuth %    | 0.01     | <0.001   | Zinc %                           | 0.01     | 0.01     |
| Cadmium %    | 0.001    | <0.001   | Zirconium %                      | <0.001   | <0.001   |
| Cerium %     | <0.001   | <0.001   | Al <sub>2</sub> O <sub>3</sub> % | 2.9      | 2.9      |
| Cobalt %     | <0.001   | <0.001   | Fe <sub>2</sub> O <sub>3</sub> % | 2.1      | 2.0      |
| Chromium %   | 0.1      | 0.2      | CaO %                            | 1.8      | 1.8      |
| Copper %     | 0.009    | 0.01     | MgO %                            | 1.0      | 1.0      |
| Mercury %    | <0.01    | <0.01    | Na <sub>2</sub> O %              | 1.6      | 1.5      |
| Lanthanum %  | <0.001   | <0.001   | K <sub>2</sub> O %               | 0.6      | 0.5      |
| Molybdenum % | 0.002    | <0.001   | TiO <sub>2</sub> %               | 0.06     | 0.08     |
| Niobium %    | <0.001   | <0.001   | MnO %                            | 0.03     | 0.03     |
| Nickel %     | 0.008    | 0.008    | P <sub>2</sub> O <sub>5</sub> %  | 0.42     | 0.45     |
| Lead %       | <0.001   | <0.001   | LOI %                            | 2.48     | 2.50     |
| Sulphur %    | 1.7      | 1.9      |                                  |          |          |
| Antimony %   | <0.001   | <0.001   |                                  |          |          |
| Selenium %   | <0.001   | <0.001   |                                  |          |          |
| Tin %        | <0.001   | <0.001   |                                  |          |          |
| Strontium %  | 0.02     | 0.02     |                                  |          |          |
| Tellurium %  | <0.001   | <0.001   |                                  |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per G. Lebel  
G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 842-3244 FAX: (705) 842-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis


Certificate No. 70174 - A Date: April 5, 1988  
Received Feb. 27, 1988 2 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario. Proj. #Swayze

### "Semi-Quantitative Multi-Element Analysis"

| SAMPLE NO.: | S2V-001W | S2V-002W | SAMPLE NO.:                    | S2V-001W | S2V-002W |
|-------------|----------|----------|--------------------------------|----------|----------|
| Silver      | % <0.001 | <0.001   | Thorium                        | % <0.001 | <0.001   |
| Arsenic     | % 0.01   | <0.001   | Uranium                        | % <0.01  | <0.01    |
| Boron       | % 0.01   | 0.01     | Vanadium                       | % <0.001 | <0.001   |
| Barium      | % 0.1    | 0.1      | Tungsten                       | % <0.001 | <0.001   |
| Berillium   | % <0.001 | <0.001   | Yttrium                        | % <0.001 | <0.001   |
| Bismuth     | % 0.01   | <0.001   | Zinc                           | % 0.01   | 0.01     |
| Cadmium     | % 0.001  | <0.001   | Zirconium                      | % <0.001 | <0.001   |
| Cerium      | % <0.001 | <0.001   | Al <sub>2</sub> O <sub>3</sub> | % 2.9    | 2.9      |
| Cobalt      | % <0.001 | <0.001   | Fe <sub>2</sub> O <sub>3</sub> | % 2.1    | 2.0      |
| Chromium    | % 0.1    | 0.2      | CaO                            | % 1.8    | 1.8      |
| Copper      | % 0.009  | 0.01     | MgO                            | % 1.0    | 1.0      |
| Mercury     | % <0.01  | <0.01    | Na <sub>2</sub> O              | % 1.6    | 1.5      |
| Lanthanum   | % <0.001 | <0.001   | K <sub>2</sub> O               | % 0.6    | 0.5      |
| Molybdenum  | % 0.002  | <0.001   | TiO <sub>2</sub>               | % 0.06   | 0.08     |
| Niobium     | % <0.001 | <0.001   | MnO                            | % 0.03   | 0.03     |
| Nickel      | % 0.008  | 0.008    | P <sub>2</sub> O <sub>5</sub>  | % 0.42   | 0.45     |
| Lead        | % <0.001 | <0.001   | LOI                            | % 2.48   | 2.50     |
| Sulphur     | % 1.7    | 1.9      |                                |          |          |
| Antimony    | % <0.001 | <0.001   |                                |          |          |
| Selenium    | % <0.001 | <0.001   |                                |          |          |
| tin         | % <0.001 | <0.001   |                                |          |          |
| Strontium   | % 0.02   | 0.02     |                                |          |          |
| tellurium   | % <0.001 | <0.001   |                                |          |          |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per G. Lebel  
G. Lebel - Manager / n





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70054 - A Date: April 5, 1988

Received Feb. 19, 1988 1 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.


### "Semi-Quantitative Multi-Element Analysis"

| SAMPLE NO.:  | NX-085W | SAMPLE NO.:                      | NX-085W |
|--------------|---------|----------------------------------|---------|
| Silver %     | <0.001  | Thorium %                        | <0.001  |
| Arsenic %    | 0.01    | Uranium %                        | <0.01   |
| Boron %      | 0.09    | Vanadium %                       | <0.001  |
| Barium %     | 0.07    | Tungsten %                       | <0.001  |
| Berillium %  | <0.001  | Yttrium %                        | <0.001  |
| Bismuth %    | <0.001  | Zinc %                           | 0.01    |
| Cadmium %    | <0.001  | Zirconium %                      | 0.001   |
| Cerium %     | <0.001  | Al <sub>2</sub> O <sub>3</sub> % | 9.7     |
| Cobalt %     | <0.001  | Fe <sub>2</sub> O <sub>3</sub> % | 4.6     |
| Chromium %   | 0.02    | CaO %                            | 2.1     |
| Copper %     | 0.002   | MgO %                            | 2.4     |
| Mercury %    | <0.01   | Na <sub>2</sub> O %              | 5.8     |
| Lanthanum %  | <0.001  | K <sub>2</sub> O %               | 2.4     |
| Molybdenum % | 0.005   | TiO <sub>2</sub> %               | 0.2     |
| Niobium %    | <0.001  | MnO %                            | 0.08    |
| Nickel %     | 0.005   | P <sub>2</sub> O <sub>5</sub> %  | 0.52    |
| Lead %       | <0.001  | LOI %                            | 3.58    |
| Sulphur %    | 1.7     |                                  |         |
| Antimony %   | <0.001  |                                  |         |
| Selenium %   | <0.001  |                                  |         |
| Tin %        | <0.001  |                                  |         |
| Strontium %  | 0.02    |                                  |         |
| Tellurium %  |         |                                  |         |

NOTE: Slight chromium contamination due to use of hard chrome steel pulverizer plates.

Per G. Lebel

G. Lebel - Manager /ns



ESTABLISHED 1928




# SWASTIKA LABORATORIES LIMITED


P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70019 Date: March 3, 1988  
Received Feb. 19, 1988 6 Samples of Humus & Soil  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

|       | SAMPLE NO. | GOLD<br>PPB | COPPER<br>PPM |
|-------|------------|-------------|---------------|
| Humus | DT-100N#1  | 35/45       | 25            |
| Soil  | DT-100N#2  | N11         | 10            |
| Soil  | DT-045N#3  | 15          | 14            |
| Soil  | SX-050W#4  | N11         | 7             |
| Humus | DT-045N#5  | 450/360     | 17            |
| Humus | SX-050W#6  | 5           | 18            |

Per   
G. Lebel - Manager /ns



ESTABLISHED 1928




# SWASTIKA LABORATORIES LIMITED


P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 70115 Date: March 3, 1988  
Received Feb. 27, 1988 2 Samples of Soil & Humus  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

| SAMPLE NO.        | GOLD<br>PPB | COPPER<br>PPM |
|-------------------|-------------|---------------|
| Soil<br>S2V-005N  | Nil         | 21            |
| Humus<br>S2V-005N | 65/50       | 88            |

Per   
G. Lebel - Manager /ns



ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69367

## Certificate of Analysis

Page 2 of 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|------------|-------------|---------------|
| 1475-050N  | Nil         | Nil           | 1475-160N  | Nil         | Nil           |
| 060N       | Nil         | Nil           | 160S       | Nil         | Nil           |
| 070N       | 10/Nil      | 0.8           | 170N       | Nil/Nil     | Nil           |
| 080N       | Nil         | 0.2           | 180N       | Nil         | Nil           |
| 090N       | Nil         | Nil           | 190N       | Nil         | Nil           |
| 100N       | Nil         | 0.2           | 200N       | Nil         | Nil           |
| 100S       | Nil         | Nil           | 210N       | Nil         | Nil           |
| 105N       | Nil         | Nil           | 220N       | Nil         | Nil           |
| 110N       | Nil         | Nil           | 230N       | Nil         | Nil           |
| 110        | Nil         | Nil           | 240N       | Nil         | Nil           |
| 120N       | 10          | 0.2           | 250N       | Nil         | Nil           |
| 120S       | Nil         | 0.2           | 255N       | Nil         | Nil           |
| 127N       | Nil/10      | Nil           | 270N       | Nil         | Nil           |
| 130N       | Nil         | Nil           | 280N       | Nil         | Nil           |
| 130S       | Nil         | Nil           | 290N       | Nil         | Nil           |
| 140N       | Nil         | 0.2           | 300N       | Nil         | Nil           |
| 140S       | Nil         | Nil           | 310N       | 10/Nil      | 0.2           |
| 142N       | Nil         | Nil           | 329N       | Nil         | Nil           |
| 150N       | Nil         | Nil           | 331N       | Nil         | Nil           |
| 150S       | Nil         | Nil           | 336N       | Nil         | 0.6           |

con't....

Per

G. Lebel, Manager

ESTABLISHED 1928



Certificate No. 69367


# Certificate of Analysis

Page 3 of 3

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM |
|------------|-------------|---------------|
| 1475-347N  | Nil         | Nil           |
| 354N       | Nil         | Nil           |
| 364N       | Nil         | Nil           |
| 375N       | Nil         | Nil           |
| 1475-x     | Nil         | Nil           |
| 2700-0     | Nil         |               |
| 2700-090N  | Nil         |               |
| 2700-425S  | Nil         |               |
| 2700-465S  | Nil         |               |
| 3000-025S  | Nil         |               |
| 3100-210S  | Nil/Nil     |               |
| 3100-470N  | Nil         |               |
| 3100-550N  | Nil         |               |
| 3100-665N  | Nil         |               |
| 3300-530N  | Nil         |               |
| 3300-650N  | Nil         |               |
| 3300-560S  | Nil         |               |
| 3300-858S  | Nil         |               |

NOTE: Platinum and Palladium results to follow.

Per



G. Lebel, Manager

ESTABLISHED 1928

Under  
Canadian Testing  
Association



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis


Certificate No. 69367 - A Date: Jan. 4, 1988

Received Dec. 16, 1987 1 Sample of Ore

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Proj. #Saxton

| SAMPLE NO. | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-----------------|------------------|
| 1475-255N  | <20             | <5               |

Per   
G. Lebel - Manager /ns



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69409 Date: Jan. 5, 1988

Received Dec. 23, 1987 61 Samples of Rock


Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Proj. #None Samples per Robin E. Goad

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|------------|-------------|------------|-------------|
| 800-0      | Nil         | 1475-170S  | Nil         | 1475-400N  | Nil         |
| 800-075N   | Nil/10      | 180S       | Nil         | 410N       | Nil         |
| 80S        | Nil         | 190S       | Nil         | 420N       | Nil         |
| 855        | Nil         | 195S       | Nil         | 430N       | Nil         |
| 105S       | Nil         | 225S       | Nil         | 440N       | Nil         |
| 125N       | Nil         | 228S       | Nil         | 450N       | Nil         |
| 150S       | Nil         | 230S       | Nil         | 460N       | Nil         |
| 175N       | Nil         | 240S       | Nil/20      | 470N       | Nil         |
| 180S       | Nil         | 250S       | Nil         | 480N       | Nil         |
| 220N       | Nil         | 255S       | Nil         | 490N       | Nil         |
| 290S       | Nil         | 260S       | Nil         | 500N       | Nil         |
| 300N       | Nil         | 275S       | Nil         | 510N       | Nil/10      |
| 300S       | 10          | 285S       | Nil         | 520N       | Nil         |
| 515N       | Nil         | 295S       | Nil         | 530N       | Nil         |
| 525S       | Nil         | 305S       | 20          | 535N       | Nil         |
| 630N       | 10/Nil      | 315S       | Nil         | 1775-210N  | Nil         |
| 665S       | Nil         | 325S       | Nil         | * 220N     | Nil         |
| 790N       | Nil         | 335S       | Nil         | * 230N     | Nil         |
| 860N       | Nil         | 345S       | Nil         | 240N       | Nil         |
| 963S       | Nil         | 390N       | Nil         | 250N       | 10          |
|            |             |            |             | 260N       | Nil         |

NOTE: \* Two samples with same number.  
Silver, platinum, and palladium results to follow.

Per G. Lebel  
G. Lebel - Manager /ns





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS


## Certificate of Analysis

Certificate No. 69409 - A Date: Jan. 13, 1988  
Received Dec. 23, 1987 35 Samples of Rock  
Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

| SAMPLE NO. | SILVER PPM | PLATINUM PPB | PALLADIUM PPB | SAMPLE NO. | SILVER PPM |
|------------|------------|--------------|---------------|------------|------------|
| 800-525S   | ---        | <20          | 12            | 1475-345S  | Nil        |
| 1475-170S  | Nil        | ---          | ---           | 390N       | Nil        |
| 180S       | Nil        | ---          | ---           | 400N       | Nil        |
| 190S       | Nil        | ---          | ---           | 410N       | Nil        |
| 195S       | Nil        | ---          | ---           | 420N       | Nil        |
| 225S       | Nil        | ---          | ---           | 430N       | Nil        |
| 228S       | Nil        | ---          | ---           | 440N       | Nil        |
| 230S       | Nil        | ---          | ---           | 450N       | Nil        |
| 240S       | Nil        | ---          | ---           | 460N       | Nil        |
| 250S       | Nil        | ---          | ---           | 470N       | Nil        |
| 255S       | Nil        | ---          | ---           | 480N       | Nil        |
| 260S       | Nil        | ---          | ---           | 490N       | Nil        |
| 275S       | Nil        | ---          | ---           | 500N       | Nil        |
| 285S       | Nil        | ---          | ---           | 510N       | Nil        |
| 295S       | Nil        | ---          | ---           | 520N       | Nil        |
| 305S       | Nil        | ---          | ---           | 530N       | Nil        |
| 315S       | Nil        | ---          | ---           | 535N       | Nil        |
| 325S       | Nil        | ---          | ---           |            |            |
| 335S       | Nil        | ---          | ---           |            |            |

Per G. Lebel  
G. Lebel - Manager /ns

ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANAYLTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69607

Date: Feb. 1, 1988

Received Jan. 25, 1988

109

Samples of Ore

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.

Page 1 of 3.


ATTENTION: R. Goad Proj. #Saxton

| SAMPLE NO. | GOLD<br>PPB | SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-------------|------------|-------------|-----------------|------------------|
| 1775-0+00  | 30          | 1775-200N  | Nil         | ----            | ----             |
| 10N        | 320/400     | 200S       | 30          | ----            | ----             |
| 20N        | 10          | 210N       | Nil         | ----            | ----             |
| 30S        | 10          | 210S       | 80/40       | ----            | ----             |
| 40S        | 10          | 215S       | Nil         | ----            | ----             |
| 50S        | 20          | 290N       | Nil         | ----            | ----             |
| 55N        | 20          | 300N       | Nil         | ----            | ----             |
| 60S        | Nil         | 310N       | Nil         | ----            | ----             |
| 65N        | Nil         | 320N       | Nil         | ----            | ----             |
| 70S        | Nil         | 330N       | Nil         | ----            | ----             |
| 75N        | Nil         | 340N       | Nil         | ----            | ----             |
| 80S        | 10          | 350N       | Nil         | ----            | ----             |
| 85N        | Nil         | 355N       | Nil         | ----            | ----             |
| 90S        | Nil         | 2950-700S  | Nil         | ----            | ----             |
| 95S        | Nil         | 710S       | Nil         | ----            | ----             |
| 100S       | Nil         | 720S       | 10/Nil      | <30             | 5                |
| 110S       | 10/30       | 730S       | Nil         | ----            | ----             |
| 120S       | Nil         | 740S       | Nil         | 30              | 15               |
| 160N       | Nil         | 750S       | Nil         | ----            | ----             |
| 170N       | Nil         | 760S       | Nil         | ----            | ----             |
| 180N       | Nil         | 770S       | Nil         | ----            | ----             |
| 190N       | Nil         | 780S       | Nil         | ----            | ----             |
| 190S       | Nil         |            |             |                 |                  |

Con't.....

Per

G. Lebel - Manager





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69607

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB | SAMPLE NO. | GOLD<br>PPB | PLATINUM<br>PPB | PALLADIUM<br>PPB |
|------------|-------------|-----------------|------------------|------------|-------------|-----------------|------------------|
| 2950-790S  | Nil         | ----            | ----             | 3350-120S  | 20          | ----            | ----             |
| 800S       | 10          | ----            | ----             | 125N       | Nil         | ----            | ----             |
| 810S       | 10          | ----            | ----             | 130S       | 20          | ----            | ----             |
| 820S       | Nil         | ----            | ----             | 135N       | Nil         | ----            | ----             |
| 830S       | Nil         | ----            | ----             | 135S       | 20/20       | ----            | ----             |
| 840S       | Nil         | ----            | ----             | 145N       | Nil         | ----            | ----             |
| 850S       | 10/Nil      | ----            | ----             | 155N       | Nil         | ----            | ----             |
| 3350-0+00  | Nil         | <30             | <5               | 180N       | Nil         | ----            | ----             |
| 3350-020N  | Nil         | ----            | ----             | 190N       | Nil         | ----            | ----             |
| 030N       | Nil         | ----            | ----             | 200N       | Nil         | ----            | ----             |
| 040N       | Nil         | ----            | ----             | 210N       | Nil         | ----            | ----             |
| 050N       | Nil         | ----            | ----             | 210S       | Nil         | ----            | ----             |
| 060N       | Nil         | ----            | ----             | 220N       | 20          | ----            | ----             |
| 060S       | 20/Nil      | ----            | ----             | 220S       | Nil         | ----            | ----             |
| 065S       | Nil         | ----            | ----             | 230N       | Nil/Nil     | <30             | <5               |
| 070N       | Nil         | ----            | ----             | 230S       | Nil         | ----            | ----             |
| 070S       | Nil         | ----            | ----             | 235N       | Nil         | ----            | ----             |
| 080N       | Nil         | ----            | ----             | 240N       | Nil         | ----            | ----             |
| 090S       | Nil         | ----            | ----             | 240S       | Nil         | ----            | ----             |
| 095N       | Nil         | ----            | ----             | 250N       | Nil         | ----            | ----             |
| 100S       | Nil         | ----            | ----             | 250S       | Nil         | ----            | ----             |
| 105N       | Nil         | ----            | ----             | 260N       | Nil         | ----            | ----             |
| 105S       | Nil         | ----            | ----             | 260S       | Nil         | ----            | ----             |
| 115N       | Nil         | ----            | ----             | 270N       | Nil         | ----            | ----             |
| 1115S      | Nil         | ----            | ----             | 270S       | Nil         | ----            | ----             |

Con't.....

Per G. Lebel  
G. Lebel - Manager

ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANAYLTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69607


## Certificate of Analysis

Page -3-

| SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|
| 3350-280N  | Nil         |
| 280S       | Nil         |
| 290N       | Nil         |
| 290S       | Nil         |
| 300N       | Nil         |
| 300S       | Nil         |
| 310N       | Nil         |
| 310S       | Nil/Nil     |
| 320N       | Nil         |
| 320S       | Nil         |
| 330N       | Nil         |
| 330S       | Nil         |
| 340N       | Nil         |

Per

G. Lebel - Manager



ESTABLISHED 1928





# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANAYLTICAL CHEMISTS • ASSAYERS • CONSULTANTS

## Certificate of Analysis

Certificate No. 69848

Date: Feb. 17, 1988

Received Feb. 10, 1988 64 Samples of Rock

Submitted by Can Mac Exploration Ltd., Barry's Bay, Ontario.


Page 1 of 2.

| SAMPLE NO.    | GOLD<br>PPB                | SILVER<br>PPM | COPPER<br>PPM |
|---------------|----------------------------|---------------|---------------|
| D+105-N1      | 230                        | 0.2           | 8             |
| N2 VEIN       | 350 VEIN                   | 0.4           | 13            |
| N3 VEIN       | 1480 VEIN                  | 0.3           | 32            |
| N4            | Nil                        | Nil           | 20            |
| N5            | Nil                        | Nil           | 38            |
| D+045-NV VEIN | 8910 VEIN<br>0.282(Oz/ton) | 4.0           | 1050          |
| Second Pulp   | 0.314/0.310                |               |               |
| 1W-127S       | 280                        | 0.7           | ---           |
| D+045-NC1     | 27020<br>0.85(Oz/ton)      | 7.5           | 3490          |
| Second Pulp   | 0.80/0.90                  |               |               |
| NC2           | 1500                       | 0.3           | 29            |
| NC3           | 20                         | Nil           | 8             |
| NC4           | 420                        | 0.4           | 38            |
| D+090-N1      | 790                        | 0.2           | 45            |
| N2 VEIN       | 2770/2330 VEIN             | 0.5           | 86            |
| N3            | 590                        | 0.6           | 103           |
| N4            | 80                         | Nil           | 29            |
| N5            | Nil                        | Nil           | 18            |
| N6            | 50                         | Nil           | 6             |
| 1775-090N     | Nil                        | ---           | ---           |
| 1775-011N     | Nil                        | ---           | ---           |

Con't.....

Per 

G. Lebel - Manager /ns



ESTABLISHED 1928



# SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO P0K 1T0  
TELEPHONE: (705) 642-3244 FAX: (705) 642-3300  
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate No. 69848

## Certificate of Analysis

Page -2-

| SAMPLE NO. | GOLD<br>PPB | SILVER<br>PPM | COPPER<br>PPM | SAMPLE NO. | GOLD<br>PPB |
|------------|-------------|---------------|---------------|------------|-------------|
| 1775-016N  | Nil         | ---           | ---           | 625-025N   | Nil         |
| NX-069W    | Nil         | Nil           | 11            | 036N       | Nil         |
| 625-010S   | Nil         | ---           | ---           | 150N       | Nil         |
| 020S       | Nil         | ---           | ---           | 163N       | Nil         |
| 030S       | Nil         | ---           | ---           | 171N       | Nil         |
| 040S       | Nil         | ---           | ---           | 181N       | 10/Nil      |
| 050S       | Nil         | ---           | ---           | 190N       | Nil         |
| 060S       | Nil         | ---           | ---           | 200N       | Nil         |
| 070S       | Nil         | ---           | ---           | 210N       | Nil         |
| 080S       | Nil         | ---           | ---           | 220N       | Nil         |
| 090S       | Nil/Nil     | ---           | ---           | 230N       | Nil         |
| 100S       | Nil         | ---           | ---           | 625-W-069N | Nil         |
| 110S       | Nil         | ---           | ---           | 070N       | Nil         |
| 120S       | Nil         | ---           | ---           | 085N       | Nil         |
| 130S       | Nil         | ---           | ---           | 093N       | Nil         |
| 140S       | Nil         | ---           | ---           | 100N       | Nil         |
| 150S       | Nil         | ---           | ---           | 110N       | Nil         |
| 160S       | Nil         | ---           | ---           | 117N       | Nil         |
| 170S       | Nil         | ---           | ---           | 124N       | Nil         |
| 180S       | Nil         | ---           | ---           | 130N       | Nil         |
| 190S       | Nil         | ---           | ---           | 140N       | Nil/Nil     |
| 625-200S   | Nil         | ---           | ---           |            |             |
| 005N       | Nil         | ---           | ---           |            |             |
| 015N       | Nil         | ---           | ---           |            |             |

Per G. Lebel  
G. Lebel - Manager



ESTABLISHED 1928



W 8906-052

Mining

Do not use shaded areas below.

|   |  |  |                         |
|---|--|--|-------------------------|
| Type of Survey(s)<br><b>Assays</b>  |  | Township or Area<br><b>Swayze + Dwyer Twp.</b> |                         |
| Claim Holder(s)<br><b>Can-Mac Exploration Ltd.</b>  |  | Prospector's Licence No.<br><b>T-315</b>       |                         |
| Address<br><b>Box 118, Barry's Bay, ON K0J 1B0</b>  |  |  |                         |
| Survey Company<br><b>Swastika Laboratories</b>  | Date of Survey (from & to)<br><b>23 12 87 / 21 03 88</b><br><small>Day Mo. Yr. Day Mo. Yr.</small> |  | Total Miles of line Cut |
| Name and Address of Author (of Geo-Technical report)<br><b>Swastika, Ontario Topboon.</b> |  |  |                         |

Credits Requested per Each Claim in Columns at right

| Special Provisions  | Geophysical   | Days per Claim |
|---|---|----------------|
| For first survey:<br>Enter 40 days. (This includes line cutting)                                      | - Electromagnetic<br>- Magnetometer                             |                |
| For each additional survey:<br>using the same grid:<br>Enter 20 days (for each)                       | - Radiometric<br>- Other  |                |
| Man Days<br>Complete reverse side and enter total(s) here.<br><small>POHUPINE MINING DIVISION</small> | - Electromagnetic<br>- Magnetometer<br>- Radiometric<br>- Other | Days per Claim |
| Airborne Credits<br>Note: Special provisions credits do not apply to Airborne Surveys.                | Electromagnetic<br>Magnetometer<br>Radiometric                  | Days per Claim |

Mining Claims Traversed (List in numerical sequence)

| Mining Claim   |        |                  | Mining Claim |        |                  |
|--|--------|------------------|--------------|--------|------------------|
| Prefix   | Number | Expend. Days Cr. | Prefix       | Number | Expend. Days Cr. |
| RECEIVED<br>FEB 22 1989<br>MINING LANDS SECTION<br>AUG 26 1988<br>RECORDED<br>AUG 26 1988<br>See attached list |        |                  |              |        |                  |

Expenditures (excludes power stripping)

Type of Work Performed  
**Assays**

Performed on Claim(s)  
**\* 866470-932501-932502**  
**932509-932197-932506**

Calculation of Expenditure Days Credits

|                    |                    |
|--------------------|--------------------|
| Total Expenditures | Total Days Credits |
| <b>\$ 4,068.55</b> | <b>271</b>         |

Instructions  
Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

Total number of mining claims covered by this report of work. **42**

Date **Aug. 24/88**

Recorded Holder or Agent (Signature)  
*[Signature]*

For Office Use Only

|                                       |                                       |                                       |
|---------------------------------------|---------------------------------------|---------------------------------------|
| Total Days Cr. Recorded<br><b>271</b> | Date Recorded<br><b>AUG 26/88</b>     | Mining Recorder<br><i>[Signature]</i> |
| Date Approved as Recorded             | Branch Director<br><i>[Signature]</i> |                                       |

See work statement.

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.



Recorded Holder  
**CAN-MAC EXPLORATION LTD.**

Township or Area  
**DENYES AND SWAYZE**

| Type of survey and number of Assessment days credit per claim   | Mining Claims Assessed  |
|---|---|
| <b>Geophysical</b><br>Electromagnetic _____ days<br>Magnetometer _____ days<br>Radiometric _____ days<br>Induced polarization _____ days<br>Other _____ days<br><br>Section 77 (19) See "Mining Claims Assessed" column<br><b>Geological</b> _____ days<br><b>Geochemical</b> _____ days<br><br>Man days <input type="checkbox"/> Airborne <input type="checkbox"/><br>Special provision <input type="checkbox"/> Ground <input type="checkbox"/><br><br><input type="checkbox"/> Credits have been reduced because of partial coverage of claims.<br><input type="checkbox"/> Credits have been reduced because of corrections to work dates and figures of applicant. | \$4,068.55 SPENT ON ANALYSES OF SAMPLES TAKEN ON MINING CLAIMS:<br><br>P-866469-70<br>932196-97<br>932200<br>932501 to 07 incl.<br>932507 to 11 incl.<br><br>271 days credit allowed which may be grouped in accordance with Section 76(6) of the Mining Act R.S.O 1980 |

Special credits under section 77 (16) for the following mining claims

[Empty box for special credits]

No credits have been allowed for the following mining claims

not sufficiently covered by the survey                       insufficient technical data filed

[Empty box for no credits]

The Mining Recorder may reduce the above credits if necessary in order that the total number of approved assessment days recorded on each claim does not exceed the maximum allowed as follows: Geophysical - 80; Geological - 40; Geochemical - 40; Section 77(19) - 60.


Mining Lands Section  
3rd Floor, 880 Bay St.  
Toronto, Ontario  
M5S 1Z8

Phone: (416) 965-4888

March 17, 1989

Your file: W 8906-52  
Our file: 2.11548

Mining Recorder  
Ministry of Northern Development and Mines  
60 Wilson Avenue  
Timmins, Ontario  
P4N 2S7



Dear Sir:

Re: Data for Expenditures submitted under Section 77(19)  
of the Mining Act R.S.O. 1980 on Mining Claims P 866469  
et al in Swayze and Denyes Township

---

The enclosed statement of assessment work credits for assaying samples  
has been approved as of the above date. Please disregard the Notice  
of Intent dated March 2, 1989.

Please inform the recorded holder of these mining claims and so  
indicate on your records.

Yours sincerely,


W.R. Cowan  
Provincial Manager, Mining Lands  
Mines and Minerals Division

DK:eb


cc: Resident Geologist  
Timmins, Ontario

cc: Can-Mac Exploration  
Barry's Bay, Ontario

**FIGURE 2 SAXTON LAKE CLAIM GROUP**



**FIGURE 3 TOPBOOT LAKE CLAIM GROUP**



Raney Twp. - M.1069

THE TOWNSHIP OF

DENYES

















DISTRICT OF SUDBURY

PORCUPINE MINING DIVISION

SCALE: 1-INCH = 40 CHAINS

MAGNETIC DECLINATION 9° WEST

LEGEND

- PATENTED LAND 
- CROWN LAND SALE 
- LEASES 
- LOCATED LAND 
- LICENSE OF OCCUPATION 
- MINING RIGHTS ONLY 
- SURFACE RIGHTS ONLY 
- ROADS 
- IMPROVED ROADS 
- KING'S HIGHWAYS 
- RAILWAYS 
- POWER LINES 
- MARSH OR MUSKIEG 
- MINES 
- CANCELLED 
- PATENTED FOR S.R.O. 

NOTES

400' surface rights reservation along the shores of all lakes and rivers.

L. U. P.





Received Jan. 4/80  
 PLAN NO. M.758

ONTARIO  
 MINISTRY OF NATURAL RESOURCES  
 SURVEYS AND MAPPING BRANCH

Halcrow Twp. - M.906

Swayze Twp. - M.1150



Greenlaw Twp. - M.895




AREAS WITHDRAWN FROM DISPOSITION

- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M.+S. - MINING AND SURFACE RIGHTS

Description Order No Date Disposition File

Rollo Twp.



Denyes Twp.

Dore Twp.


LEGEND

- HIGHWAY AND ROUTE No
- OTHER ROADS
- TRAILS
- SURVEYED LINES
- TOWNSHIPS, BASE LINES, ETC
- LOTS, MINING CLAIMS, PARCELS, ETC
- UNSURVEYED LINES
- LOT LINES
- PARCEL BOUNDARY
- MINING CLAIMS ETC
- RAILWAY AND RIGHT OF WAY
- UTILITY LINES
- NON-PERENNIAL STREAM
- FLOODING OR FLOODING RIGHTS
- SUBDIVISION OR COMPOSITE PLAN
- RESERVATIONS
- ORIGINAL SHORELINE
- MARSH OR MUSKEG
- MINES
- TRAVERSE MONUMENT

DISPOSITION OF CROWN LANDS

| TYPE OF DOCUMENT                | SYMBOL |
|---------------------------------|--------|
| PATENT, SURFACE & MINING RIGHTS | ●      |
| " SURFACE RIGHTS ONLY           | ○      |
| " MINING RIGHTS ONLY            | ◐      |
| LEASE, SURFACE & MINING RIGHTS  | ■      |
| " SURFACE RIGHTS ONLY           | ◼      |
| " MINING RIGHTS ONLY            | ◻      |
| LICENCE OF OCCUPATION           | ▼      |
| ORDER-IN-COUNCIL                | OC     |
| RESERVATION                     | ⊙      |
| CANCELLED                       | ⊖      |
| SAND & GRAVEL                   | ⊕      |

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6 1875, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT R.S.O. 1970, CHAP 380, SEC 63, SUBSEC 1



TOWNSHIP

# SWAYZE

M.N.R. ADMINISTRATIVE DISTRICT

## CHAPLEAU

MINING DIVISION

## PORCUPINE

LAND TITLES / REGISTRY DIVISION

## SUDBURY

Ontario Ministry of Natural Resources Land Management Branch

Date MARCH, 1985 Number G-3249



410155E0041 2.1548 SWAYZE

Cunningham Twp.





FIGURE 16

• SAMPLES COLLECTED BY ABERNATHY (SEPTEMBER, 1987)  
 - SAMPLES COLLECTED IN 1988

|                                 |                         |
|---------------------------------|-------------------------|
| GEOLOGICAL ENGINEERING SERVICES |                         |
| NORTH BAY, ONT.                 |                         |
| ROBIN E. GOAD M.Sc. F.G.A.C.    |                         |
| REVISION                        | CAN-MAC EXPLORATION LTD |
| TITLE TOPBOOT LAKE-SWAYZE TWP   |                         |
| Au ASSAY COMPILATION MAP        |                         |
| MARCH/88                        | 1:2500                  |
| NTS:                            | REG.                    |



2.11548

