



41P09SE0003 13 CANE

010

Diamond Drilling

Township OF CANE

Report NO: 13

Work performed by: SOLID SILVER MINES LIMITED

Claim NO	Hole NO	Footage	Date	Note
T 52513	# 1	143'	Jan/65	
	# 2	244'	Jan/65	
	# 3	247'	Feb- Apr/65	
	# 4	172.6'	Apr/65	

Notes:

DIAMOND DRILL RECORD

752513 - SW 1/4 - T11/2 R01, Con 2

NAME OF PROPERTY Solid Silver Mines Ltd
 HOLE NO. 1 LENGTH 143
 LOCATION Cane Top
 LATITUDE 18+00E DEPARTURE 32+25S
 ELEVATION _____ AZIMUTH 180° DIP 45°
 STARTED Jan 10/65 FINISHED Jan 25/65

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. 1 SHEET NO. 1

REMARKS _____

LOGGED BY H. Hansen
 Checked by K. GUSE

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	oz/TON	oz/TON	
					FROM	TO	TOTAL				
0	20	Overburden									
20	127	Medium grained diabase with quartz at 112.6 to 113'									
127	143	Red Massive quartzite.									

[Handwritten signature]

LANGRIM LIMITED, 106 RICHMOND STREET WEST, TORONTO, ONT. EM. 6-1168

DIAMOND DRILL RECORD

NAME OF PROPERTY Solid Silver Mines Ltd.
 HOLE NO. 2 LENGTH 244'
 LOCATION Cane Top
 LATITUDE 20+00E DEPARTURE 16+70S
 ELEVATION _____ AZIMUTH 535W DIP 45°
 STARTED Jan 28/65 FINISHED Jan 31/65

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. 2 SHEET NO. 1
 REMARKS _____

LOGGED BY H. Harrison
 Checked by K. Crause

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	OZ/TON	OZ/TON	
					FROM	TO	TOTAL				
0	7	Overburden									
7	20.8	Diabase									
20.8	21	Altered fracture zone									
21	136.3	Diabase									
136.3	137	Sheared zone									
137	244	Diabase									

[Handwritten signature]

LANGRIDGE LIMITED, 106 RICHMOND STREET WEST, TORONTO, ONT. EM. 6-1168

DIAMOND DRILL RECORD

NAME OF PROPERTY Solid Silver Mines Ltd.
 HOLE NO. 3 LENGTH 247'
 LOCATION Caine Twp. - Ontario.
 LATITUDE 12 + 00 N. DEPARTURE 39 + 00 E.
 ELEVATION _____ AZIMUTH S 70° W. ^{DIP} 45°
 STARTED Feb. 6/65. FINISHED Apr. 2/65.


FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. 3 SHEET NO. 1

REMARKS _____

LOGGED BY R. A. Crouse.

LANGRIDGE LIMITED 106 RICHMOND STREET WEST, TORONTO, ONT. EM. 6-1188

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	OZ/TON	OZ/TON	
					FROM	TO	TOTAL				
0	10	Overburden.									
10	30	Reddish quartzite.									
30	48	Diabase.									
48	58	Quartzite.									
58	80	Diabase.									
80	81	Quartzite.									
81	95	Diabase.									
95	100	Quartzite.									
100	114	Diabase.									
114	116	Quartzite.									
116	132	Diabase.									
132	138	Quartzite.									
138	141	Diabase with some epidote.									
141	169	Diabase									
169	170	Diabase with some epidote.									
170	247	Diabase with few scattered pyrite crystals.									
		END OF HOLE.									

DIAMOND DRILL RECORD

NAME OF PROPERTY Solid Silver Mines Ltd
 HOLE NO. 4 LENGTH 172.6
 LOCATION Cane Top
 LATITUDE 12+60N DEPARTURE 33+00E
 ELEVATION _____ AZIMUTH 140° DIP 45°
 STARTED Apr 4/65 FINISHED Apr 9/65

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH


HOLE NO. 4 SHEET NO. 1

REMARKS _____

LOGGED BY R.H. Clouse

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON
					FROM	TO	TOTAL				
0	9	Overburden									
9	94	Diabase									
94	118	Porphyry. 103' to 105' Fractures with epidote in fracture planes									
118	172.6	Diabase									

[Handwritten signature]
[Handwritten signature]



SOLID SILVER MINES LTD.

Cane Twp.

Diamond Drill Hole Location

Scale 1" = 1320'

June 4, 1965.

M. Crowe.