



41P11SE0142 12 FAWCETT

010

Diamond Drilling

Township of FAWCETT

Report NO 12

Work performed by: R.G. Ramsay

Claim NO	Hole NO	Footage	Date	Note
MR 43443	R-71-1	750.0'	Oct/71	

Notes:

D.D.H. No. R-71-1
 LOCATION CLAIM #
MR. 43443
 SECTION _____

PROPERTY RAYLOYD MINES & EXPLORATIONS LIMITED, FAWCETT TWP.

LATITUDE _____

STARTED Oct. 2, 1971

BEARING East DEPTH 750.0

DEPARTURE _____

COMPLETED Oct. 8, 1971

DIP -50°

ELEVATION _____

V.D. _____ H.D. _____

GENERAL GEOLOGY	ASSAY		SAMPLE		FOOTAGE	ECONOMIC GEOLOGY
	VALUE	FEET	NUMBER			
0.0 - 82.0 Casing. mostly sand.						
82.0 - 177.0 Diabase, fine grained with some disseminated pyrite. Dark grey in colour.						
93.5- 98.5 Altered section contains round patches of yellowish epidote, up to 1 1/2" in diameter.						
98.5-101.5 Cobalt conglomerate with assorted pebbles and fragments greenstone, red jasper, etc. Apparently an inclusion in the diabase.						
101.5-172.0 Diabase, somewhat coarser grained than the previous. Contains some rounded patches of epidote. Locally calcite threads with red hematite.						
172.0-177.0 Diabase, becoming very fine grained.						
177.0-635.0 Peridotite, fine grained dark green, homogeneous in appearance, locally serpentized. Fine sulphides including millerite present, also pentlandite.						
275.0-307.0 Peridotite, coarser grained section; greenish serpentine throughout.						

DRILLING CONTRACTOR _____

ENGINEER _____

D.D.H. No. R-71-1
LOCATION _____
SECTION _____


PROPERTY

LATITUDE _____ STARTED _____ BEARING _____ DEPTH _____
 DEPARTURE _____ COMPLETED _____ DIP _____
 ELEVATION _____ V.D. _____ H.D. _____

GENERAL GEOLOGY	ASSAY		SAMPLE		FOOTAGE	ECONOMIC GEOLOGY
	VALUE	FEET	NUMBER			
596.5-570.0 Fine grained diabase.						
570.0-572.1 Altered peridotite.						
572.1-596.0 Diabase, light grey, fine grained small inclusions of altered peridotite.						
596.0-635.0 Peridotite, fine grained dark grey, some narrow calcite stringers.						
635.0-750.0 Matachewan diabase, coarse grained gabbroic in texture. Dark to light grey, massive in appearance.						
750.0 End of hole.						

Hosking Diamond Drilling Co. Ltd.
DRILLING CONTRACTOR

Paul C. M. Lee
ENGINEER




SKETCH SHOWING LOCATION

D.P.H. R-71-1

RAYLLOYD MINES & EXPLORATIONS. LTD

FAWCETT TWP.

#224/71 Fawcett Twp
R. B. Ramsay



SKETCH SHOWING LOCATION

D.D.H. R-71-1

RAYLLOYD MINES & EXP. LTD

FANCETT TWP.



41P11SE0142 12 FAWCETT

Scott

ONTARIO

THE MINING ACT REPORT OF WORK

900 form is required for each type of work to be recorded.

To the Recorder of LARDER LAKE Mining Division
I, RAYLOYD MINES & EXPLORATIONS LTD. name of Recorded Holder
109 Bayfield Street BARRIE ONTARIO Miner's Licence
Post Office Address

do hereby report the performance of 5.28 days of D.I.A.M.O.N.G. D.R.I.L.L.I.N.G. type of work
not before reported to be applied on the following contiguous claims

Table with 6 columns: Claim No., Days, Claim No., Days, Claim No., Days. Contains 18 entries for various mining claims and their durations.

All the work was performed on Mining Claim (s) MR 43443
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
For Geological and Geophysical Survey - The names and addresses of men employed as well as dates. Type of instrument used in the case of geophysical survey. Reports and maps in duplicate must be filed with the Minister within 60 days of recording.
For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

DIAMOND DRILLING - 750 ft. D.D.H. # R-71-1. A.Q.S. CORE Bearing East, Dip - 50°.

OWNER OF DRILL - Hosking Diamond Drilling Co. Ltd. McWatters, P.Q.

STARTED - Oct. 2, 1971

FINISHED - Oct. 8, 1971

Date October 28, 1971

Signature of Recorded Holder or Agent

The Mining Act Certificate Verifying Report of Work

I, RAYMOND G. RAMSAY
10 COOK STREET, BARRIE, ONTARIO.
(Post Office Address)

hereby certify:

- 1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
2. That the annexed report is true.

Dated OCTOBER 28 19 71

Signature

RECORDED NOV - 1 1971
REC. No.

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH