

41P11SW0262 16 ASQUITH

010

DIAMOND DRILLING

TOWNSHIP: ASQUITH

REPORT No.: 16

WORK PERFORMED BY: ROY ANNETT

<u>CLAIM No.</u>	<u>HOLE No.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
L 512387	79-1	240.0	Sept./79	(1) (2)

NOTES: (1) # 276-79
(2) #161 & 162



THE MINING ACT - MINISTRY OF NATURAL RESOURCES
DIAMOND DRILLING LOG

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. #779-1 PAGE NO. 1


DRILLING COMPANY FERGUSON MINING SERVICES		COLLAR ELEVATION	BEARING OF HOLE FROM TRUE NORTH N 50 E	TOTAL FOOTAGE 103'	DIP OF HOLE AT collar 45°	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM FROM #2 POST L512387 60' NORTH 330' WEST	MAP REFERENCE NO.	CLAIM NO. L 512387
DATE HOLE STARTED SEPT. 1, 1979	DATE COMPLETED SEPT. 2, 1979	DATE LOGGED OCT. 31/79	LOGGED BY R. B. FERGUSON		ft		LOCATION (Tp., Lot, Con. OR Lat. and Long.) ASQUITH TWP.	PROPERTY NAME FERNET
EXPLORATION CO., OWNER OR OPTIONEE ROY ANNETT		DATE SUBMITTED NOV. 1/79	SUBMITTED BY (Signature) Roy Annett		ft			
					ft			

FOOTAGE		ROCK TYPE	DESCRIPTION Colour, grain size, texture, minerals, alteration, etc.	PLANAR FEATURE ANGLE*	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS +	
FROM	TO						FROM	TO		AU	AG
0'	2'		OVERBURDEN								
2'	75'	PORPHYRY	LIGHT PINK TO RED, MED GRAIN, LIGHT PYRITE, FEW QTZ. MINERALS, SOME CARBONATIZATION.		52'						
75'	80'	PORPHYRY	AS ABOVE			4833	75'	80'	5'	NIL	
80'	84'	PORPHYRY	AS ABOVE			4834	80'	84'	4'	0.002	
84'	90'	GREEN CARBONATE ROCK.	MARIPOSITE, QUARTZ, CARBONATIZED VOLCANICS AND LIGHT PYRITE MINERALIZATION			4835	84'	90'	6'	0.02	0.10
90'	95'	DD	AS ABOVE			4836	90'	95'	5'	0.03	TRACE
95'	100'	DD	MARIPOSITE, QUARTZ, CALCITE, CARBONATIZED VOLCANICS, RHYOLITE BRECCIA, LIGHT PYRITE AND GADOLINA, VERY LIGHT CHALCOPYRITE.			4837	95'	100'	5'	0.16	0.59
100'	103'	DD	CARBONATIZED QTZ RHYOLITE BRECCIA, LIGHT PYRITE		100'						

* For features such as foliation, bedding, schistosity, measured from the long axis of the core.

+ Additional credit available. See Assessment Work Regulations.

● LOCATION OF Hole # F.T. 79-1 IN
ASQUITH TWP.



COLLAR - 60' NORTH & 330' WEST OF POST 2 CLAIM L512387

BEARING - N 50° E

DEPTH - 103'

CORE SIZE - 1 1/2 X



SWASTIKA LABORATORIES LIMITED

P.O. BOX 10, SWASTIKA, ONTARIO POK 1T0
TELEPHONE: (705) 642-3244
ANALYTICAL CHEMISTS • ASSAYERS • CONSULTANTS

Certificate of Analysis

Certificate No. 48343 Date: September 26 1979

Received Sept. 18/79 5 Samples of Split Core

Submitted by Ferguson Mining Services, Matachewan, Ontario

1/2 LE F.T. 29-1 ASQUITH TWP

	SAMPLE NO.	GOLD Oz./ton	SILVER Oz./ton
<i>75' - 80'</i>	4833	Nil	
<i>80' - 85'</i>	4834	0.002	
<i>85' - 90'</i>	4835	0.02	0.10
<i>90' - 95'</i>	4836	0.03	Trace
<i>95' - 100'</i>	4837	0.16	0.59

Per

G. Lebel

G. Lebel - Manager

ESTABLISHED 1928

