

1P115W0266 2.2638 ASQUITH

010

Geological Mapping Asquith Twp.

197F.

MES D. MCCANNELL, P.ENG.

Kayak Explorations Limited

111 Richmond Street West

CONSULTING GEOLOGIST

TELEPHONE 363-6995 326 ADELAIDE ST. W. TORONTO, ONTARIO, CANADA M5V 1R3 January 10, 1978

RECEIVED

MAR 3 0 1978

PROJECTS UNIT

Gentlemen:

Suite 1014

The Directors

Toronto, Ontario

The following is a review of the work completed todate by your Company on a group of fourteen mining claims located in Asquith Township, Shiningtree area, Ontario. Immediately prior to the acquisition of this claims group by Kayak Explorations Limited, a program of geophysical surveying was conducted over the ground by the vendors. This work consisted of cutting east-west picket lines at 400 foot intervals and conducting electromagnetic and magnetometer surveys along these lines.

A program of diamond drilling was commenced in the spring of 1976 to investigate some known structural conditions on the property. During the period April 25th to August 6th, 1976, ten short holes were put down for a total drilled footage of 1,129 feet. These holes were localized in three areas of the property and were directed to investigate an EM anomaly in the southeast corner of the claims group, a quartz vein on which extensive trenching had been carried out several years ago in the central part and the area of a shallow shaft and trenching in the northeast corner of the property. Quartz veining was encountered in several of the holes but the only assay of any consequence, was 1.28% copper for a core length of 8.5 feet in one of the holes drilled to check the EM anomaly in the southeast corner of the claims group.

The history of some of the claims included in this group of fourteen claims, dates back to the early part of this century when numerous spectacular gold discoveries in the area attracted considerable mining exploration activity. It was reported that 250 ounces of gold were recovered from a rich pocket associated with the quartz veining in claim 393515 in the central part of the present group. Gold was obviously associated with the quartz veining in the northeast corner of the property as this is undoutedly what prompted the sinking of the shaft at this location. The dump material from the shaft contains a considerable amount of quartz.

In November 1977, the entire claims group was geologically mapped using the east-west picket lines cut in 1975 as control. The property was found to be largely underlain by basic volcanic formations with some more acid types including rhyolite and trachyte. These pocks of volcanic origin have been fairly

trachyte. These pocks of volcanic origin have been fairly extensivelly intruded by gabbro and diabase. The gabbros appear to be sills interbanded with the volcanics but the diabase form very definite west of north striking dikes which are usually rich in olivine and frequently carry finely disseminated pyrite and pyrrhotite with some chalcopyrite.

The main feature brought out by the geological mapping, is the definite east-west folliation in the underlying formations. A strong shear zone was noted striking across the property through the south central part. This shearing is exposed in two small outcrops and would underly a large swamp or marsh in the southeast quarter of the claims group. Two strong north-south topographic lineaments are present both of which are probably controlled by underlying geological features. One of these is Jesse James Lake at the west boundary of the claims group and the other is Teapot Creek which extends through the eastcentral part of the property.

The geophysical survey carried out in 1975, was run eastwest which was considered normal to the regional structures in the area. These lines however, paralleled the folliation on this property and the large shear zone picked up by the geological mapping. It is of interest to note also that a conductor does exist along the lineament of Teapot Creek, a factor that was not previously noted.

The snow conditions that developed immediately the mapping work was completed in November 1977, did not permit some followup stripping and prospecting that appears to be definitely warranted. It is now recommended that this work be completed in the coming field season. It is especially suggested that the large east-west shear zone be examined in more detail and some attempt should be made to expose rocks somewhere along the lineament occupied by Teapot Creek. This could be especially intersting in areas where this north-south structure is intersected by the diabase or gabbro. An estimated cost of this additional work is One Thousand Five Hundred Dollars.

Respectfully submitted, Tames D. McCannell, P.Eng.,

Consulting Geologist

Foronto, Ontario January 10, 1978



attach

TO BE ATTACHED AS AN APPENDIX TO TECHNICAL REPORT FACTS SHOWN HERE NEED NOT BE REPEATED IN REPORT TECHNICAL REPORT MUST CONTAIN INTERPRETATION, CONCLUSIONS ETC.

Geological Mapping Type of S rvey____ Township or Area Asquith Twp. er(s) Kayak Explorations Ltd. MINING CLAIMS TRAVERSED Claim ho List numerically 1014-111 Richmond St. W. Toronto J.D. McCannell Report_ Author o 393501 B26 Adelaide St. W., Toronto, Ont. (prefix) Address_ (number) Nov. 15 - Dec. 16, 1977 393502 ates of Survey_ Covering (linecutting to office) of Line cut used existing lines 393503 tetTotal Mil 393504 SPECL PROVISIONS DAYS 393505 CREDI S REQUESTED per claim Geophysical 393506 -Electromagnetic_ ENTEI 40 days (includes -Magnetometer_ 393509 line cut ing) for first -Radiometric_ survey. 393510 ENTEI 20 days for each -Other_ additio al survey using 20 393511 Geological_ same gi 🏻 Geochemical. 393512 AIRBOR E CREDITS (Special provision credits do not apply to airborne surveys) 393514 Electromagnetic. _Radiometric Magnetor eter. (enter days per claim) 393515 auch 29 DATE: SIGNATURE 393517 Author of Report 393518 LD PROJEC'S SECTION 63.2502 _ Oualifications. Res. Geol Previous | prveys _ _date_ Checked GEOLOG CAL BRANCH _____date__ Approve(by. GEOLOC CAL BRANCH_ TOTAL CLAIMS. Approvec by_ _date_

DFFICE USE ONLY

GEOPHYSICAL TECHNICAL DATA

+ 73.....

AD ATU 10					
GROUND	URVEYS			영국 아이지 않는다. 영경에서 이제 실패하는	· · · ·
Number of	Stations	Number	of Readings		
Station int	rval				
Line spacia					
Profile sca	or Contour intervals				
	(specity t	or each type of survey)			
MAGNET					
Instrumen		a se spanya por a la companya de la La companya de la comp			12
Accuracy ·	cale constant				÷.
Diurnal co	ection method				
Base static	location				
				n an the second s	i di di Angle
ELECTRC	IAGNETIC				
Instrumen	:	s			÷.,
Coil confi	ration		nie wiele warden warden in der sone werden sone werden sone werden sone werden sone werden sone werden sone wer werden sone werden sone werd werden sone werden sone werd		-
Coil separi	ion				
Accuracy	÷				
Method:	Fixed transmitter	C Shoot back		TT Dovallal line	
methou.					-
KTAANAN AL			a fragment and a second s	「「「「「「「」」「「」」「「」」「「」」「「」」「」」「」」「」」「」」」	
Frequency	· · ·	(specify V.L.F. station)	·	نې د د و و و و و و و و و و و و و و و و و	in an
Parameter	measured	(specify V.L.F. station)	- 1, 2	ان در بر به هوره میرد و ۲۵ وارد و م محرب به هوره میرد و ۲۵ وارد و م	
Parameter <u>GRAVIT'</u>	measured	(specify V.L.F. station)			
Parameter <u>GRAVIT'</u> Instrumer	measured	(specify V.L.F. station)			
Parameter <u>GRAVIT'</u> Instrumen Scale con	measured	(specify V.L.F. station)			
Parameter <u>GRAVIT'</u> Instrumen Scale con Correctio	measured ant made	(specify V.L.F. station)			
Parameter <u>GRAVIT'</u> Instrumen Scale con Correctio	measured ant made	(spccify V.L.F. station)			
Parameter GRAVIT' Instrumen Scale con Correctio Base stati	measuredantmade	(specify V.L.F. station)			
Parameter <u>GRAVIT'</u> Instrumen Scale con Correctio Base stati	measured ant made n value and location	(specify V.L.F. station)			
Parameter <u>GRAVIT</u> Instrumer Scale con Correctio Base stati Elevation	measuredant made value and location	(spccify V.L.F. station)			
Parameter GRAVIT' Instrumen Scale con Correctio Base stati Elevation INDUCE	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY	(spccify V.L.F. station)			
Parameter GRAVIT' Instrumen Scale con Correctio Base stati Elevation INDUCEJ Instrumei	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY	(specify V.L.F. station)			
Parameter <u>GRAVIT</u> Instrumer Scale con Correctio Base stati Elevation <u>INDUCE</u> Instrumer Time don	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY in	(specify V.L.F. station)	náin.		
Parameter <u>GRAVIT</u> Instrumen Scale con Correctio Base stati Elevation <u>INDUCE</u> Instrumen Time don Frequenc	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY in	(specify V.L.F. station)	nain.		
Parameter GRAVIT' Instrumen Scale con Correctio Base stati Elevation INDUCEJ Instrumen Time don Frequenc Power	measuredant made n value and location ccuracy POLARIZATION RESISTIVITY in	(specify V.L.F. station)	náin		
Parameter <u>GRAVIT</u> Instrumer Scale con Correctio Base stati Elevation <u>INDUCE</u> Instrumer Time don Frequenc Power Electrode	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY in	(specify V.L.F. station)	náin		
Parameter <u>GRAVIT</u> Instrumer Scale con Correctio Base stati Elevation <u>INDUCE</u> Instrumer Time don Frequenc Power Electrode Electrode	measured ant made n value and location ccuracy POLARIZATION RESISTIVITY in potang	(specify V.L.F. station)	nain		
Parameter GRAVIT' Instrumen Scale con Correctio Base stati Elevation INDUCEJ Instrumen Time don Frequenc Power Electrode Electrode	measuredant made n value and location ccuracy POLARIZATION RESISTIVITY in rray pacing ctrode	(specify V.L.F. station)	náin		

いいのからか

Contraction of the local division of the loc

1

144393

(* 1. S.)





ree SYMBOLS STRIKE AND DIP OF SCHISTOCITY -15 STRIKE AND DIP OF VEIN Ð 80 Balsom fir Cedar 0 SHEARING OUTCROP WITH CONTACT, DEFINED, ASSUMED 393518 FAULT TRENCH Σ KETTLE K SLOPE all m V-2' VEIN with WIDTH TOPOGRAPHIC BOUNDARY **SWAMP, BOG, WET PLACES** To ✓ STREAM / Cedar Sudbury

JEŞSE

Balsam Fir

Birch

White Spruce

- INTERMITTENT STREAM, DRAINAGE COURSE

TRACTOR, SKIDOO, ROAD **BUILDING, RUINS**

-0- CLAIM POST

DIAMOND DRILL HOLE (K-5 = Kayak hole)

**** BEAVER DAM

LEGEND

