



41P14NE0050 21 MIDLOTHIAN

010

Diamond Drilling

Township of Midlothian

Report NO: 21

Work performed by: Stump Mines Ltd.


Claim NO	Hole NO	Footage	Date	Note
L 298911	508	417'	June/73	(1)
	509	194'	July/73	(1)

Notes:

(1) 193/73

CLAIM # 298910

CLAIM # 298911




MIN. D. HOLE # 508 N 80° E
DEPTH 47' DIT 95°

MIN. D. HOLE # 509 S 20° W
DEPTH 124' DIT 95°

CLAIM # 298911

2/10/70



SCALE 1" = 100'

D.D. Hole # 508

LOCATION - South of Center Post
#1 CORNER 111.18074

DIRECTION - N 20° E DIP 45°

DEPTH - 410'

STARTED - JUNE 30/73

COMPLETED - JULY 6/73

D.D. Hole # 509

LOCATION - South of Center Post

#1 CORNER 111.18074

DIRECTION - S 20° W DIP 45°

DEPTH - 194'

STARTED - JULY 10/73

COMPLETED - JULY 25/73

AS 10/73

NORTH ULTRA BASICS. Post 1

ASBESTOS DIAMOND DRILL LOG

LOCATION 500 FT N. of cl. AP-18074

DEP. _____
 ELEVATION OF COLLAR _____
 DATUM _____
 DIRECTION AT START S 20° W
 B.R.G. _____
 DIP 45°

STARTED July 10/73
 COMPLETED July 19/73
 PROPOSED DEPTH 250 ft.
 ULTIMATE DEPTH 194 ft

DIAMOND DRILL HOLE NO. 509
 DATE MILLED _____
 PRICES USED _____
 DATE LOGGED July 20/73
 METHOD _____
 LOGGED BY J.P.H.

GEOLOGICAL DESCRIPTION	BENCH	FOOTAGE		LEGEND	RE-COV-ERY	FIBRE VEINS										ESTIMATED YIELD		CORE MILL RESULTS		REMARKS
		FROM	TO			1/32"	1/16"	1/8"	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	%	S	YIELD	VALUE/TON ORE	FIBRE	
0-49 CASING																				
49-62 ULTRA BASICS Highly weathered pyroxenite, calcis badly broken with lost core :- from To 52.5 - 53 0.5' 54.0 - 56.5 2.5' 59.0 - 60.0 1.0' 61 - 62.0 1.0'																				
62-90. PYROXENITE Dark green crystalline - medium grained, occasional slickensided slip. at 68' 1/4" talcy slip 106.5 1/4" fibrous talcy vein																				
90-125 Fine grained Dunite 112-125 light green sheared & slickensided																				

United Asbestos Sales
 #193
 Midland, Texas

