

**REPORT ON EXPLORATION
AND WORK ACTIVITIES ON

FLINSKY CLAIM PROPERTY
CLEAVER TOWNSHIP
LARDER LAKE MINING DIVISION
1997 AND 1998**

BY

**WILLIAM FLINSKY
and
NEIL PRYOR**




42A03NE2004 2.19277 CLEAVER

010

FALLON TWP.

GEIKIE TWP.



CLEAVER TWP.

CLEAVER PROPERTY

45 UNITS Claims Location Map

SCALE = 1" = 1/2 mile

HINKS TWP.

LOCATION

The property is located in the northwest and central portion of Cleaver Township, District of Timiskaming, Larder Lake Mining Division. The property includes the following 45 mining claim units:

1204131 - 6 units	1133232 - 1 unit
1180173 - 6 units	1133231 - 1 unit
1219015 - 2 units	1169022 - 1 unit
1129846 - 1 unit	1169024 - 1 unit
1129847 - 6 units	1129879-4 UNITS
1229000-8 UNITS	1228505-8 UNITS

ACCESS

An all-weather Night Hawk timber logging road extending from South Porcupine (Timmins area) south to Cleaver Township approximately 45 km road crosses claim group 1204131 from north to southwest. A branch logging road extends east along the north end of the claim group and Little Night Hawk Lake, which is also accessible via fixed wing aircraft from South Porcupine Lake Charter Service.

REGIONAL GEOLOGY

The Cleaver property lies within the Abitibi Greenstone belt of the superior province of the Canadian Precambrian Shield. Locally, the property area is underlain by Archean age mafic and felsic volcanic rocks and younger, possibly down faulted Cobalt Group sediments along the east of the township. The Geikie Pluton, a large granodiorite intrusion, has intruded the supracrustal rocks and lies to the west covering most of Geikie Township northeast and northwest. Ultramafic volcanic rocks are intermittently draped around the stock and older calc-alkaline volcanics are locally domed up at the periphery of the stock. A north trending fault zone of regional extent lies along the Gowganda formation to the east.

A west trending fault zone in central Cleaver Township divides the area into a northern and southern geological terrain.

2.19277

STRIPPING AND TRENCHING

NUMBER 1 TRENCH

This Trench is located in the West Zone in the northwest corner of claim block No. 1180173, 75 meters from the Night Hawk Timber Haulage Road. The trench was started approx. 250 meters northwest on strike of the 1996 New Discovery Trench No. 6. A Beet Mat survey was taken across the approx. strike, and response was very encouraging. Overburden was removed for an area of 6 meters long by 5 meters wide and 1.5 meters deep of sand, gravel, and hard pack till at the "C" horizon. The exposed bedrock was washed for a better viewing of flow-banded rhyolite and interflow silicified argillite unit, with pyrite mineralization and pyrrhotite, breccias. A graphitic flow intersects the rhyolite with red to pink staining. Sampling was done across the strike and sample assay results are enclosed with list.

CW - 1 CW - 3
CW - 2 CW - 4

NUMBER 2 TRENCH

This Trench is located West Zone 25 meters west of the 1996 New Discovery identified as No. 6 Trench to intersect the calcite and galena vein that was exposed in 1996. Blasting overburden and excavating in a north south direction, the trench was open for a distance of 5 meters long, 2 meters wide and approx. 1 meter deep in sand and gravel material.

Bedrock encountered altered volcanic rocks, disseminated sulfide mineralization, associated with graphite, Sample and assay results are enclosed with a list.

CW - 5 CW - 7
CW - 6 CW - 9

5-19277

NUMBER 3 TRENCH – WEST ZONE

Trenching was started on the southeast end connected to 1996 Discovery Trench No. 6. Overburden in this location was in sand and gravel with large boulders. Blasting was done on the outer perimeter of the high grade galena vein along the rhyolite flow, exposing silicified argillite, massive carbonated galena and sphalerite. The vein at this point would be 14cm wide and starting to turn 10° south. Trenching continued for approx. 6 meters, where the vein steeply dipped into a heavy wet bog. At this point, the vein was 8cm wide, containing calcite, galena, zinc, hematite, and massive pyrite.

The trench length is 7.5 meters, 4 meters wide, and the depth varies from 1 to 1.5 meters. Sample assay results enclosed with a list.

CW – 8	CW – 14
CW – 10	CW – 15
CW – 11	CW – 16
CW – 12	CW – 17
CW – 13	CW – 18

NUMBER 4 TRENCH – EAST ZONE

Trenching was started about 400 meters east of No. 3 Trench and 200 meters south of the interpreted vein strike. Pickets were installed on line over the bog for easy access where some outcrop exists. Overburden varied from 0 to 1.5 meters in depth. Trench is 4 meters long and 3 meters at widest point.

Bedrock consisted of andesite, dacite, and rhyolite and some pyrite mineralization was present. Stripping was discontinued at this point. Samples were taken and assayed results are enclosed with list.

CE – 4

2 .19277

NUMBER 5 TRENCH – EAST ZONE

This trench was started 75 meters southeast of #4 trench line cut between trenches for easy access with equipment. The trench in this area is 4 meters long, 2 meters wide and 1.5 meters deep in a sandy loam with some medium granodiorite float, well-rounded.

Bedrock is rhyolite and flow banded. A small barren quartz stringer 2 cm wide was observed. A sample was cut across the rhyolite flow and the quartz vein.

Assay results are enclosed. Discontinue stripping for now.

CE – 7

BEEP MAT SURVEY was undertaken within this general area. The magnetic response was quite high in the area north from No.4 and No. 5. Trench for approx. 300 meters. The area was surveyed.

NUMBER 6 TRENCH

This Trench was started 100 meters, 350° northwest of No. 4 Trench. Top soil was removed from an area 8 meters long, 4 meters wide; 1 meter deep. Blasting was used to loosen all soil. Area was excavated to bedrock, and mineralization due to blasting was very abundant. High pressure washing was done, exposing rich pyrrhotite stringers and calcite vein with galena in small leached pockets. Could be amygdaloid?

Sphalerite, chalcopyrite and silver is present. The surrounding geology is an intrusive breccia flow-banded rhyolite. Cut and grab samples were taken and assay results are attached. Work to continue in the spring.

CE – 5 CE – 9

CE – 8 CE – 10

2.19.257

CLEAVER PROPERTY, WEST SHOWING

SAMPLE	AQ	TOTAL	AQ	TOTAL	AQ	TOTAL	AQ	TOTAL	Au ppb
	Cu ppm	Cu ppm	Pb ppm	Pb %	Zn ppm	Zn %	Ag ppm(oz/t)	Ag ppm	
CW-1		348		0.050		0.200		2	<10
CW-18	100	106	7,700	0.740	11,500	1.100		<1	<10
CW-2		60		0.034		0.095		<1	<10
CW-3		42		4.960		0.049	48 (1.5)	46	<10
CW-4		46		0.009		0.013		<1	<10
CW-5	270	264	21,800	2.120	5,200	0.490		9	<10
CW-6	700	646	3,200	0.288	6,200	0.560		6	12
CW-7	390	380	3,400	0.310	4,700	0.400		6	<10
CW-8	210	204	4,800	0.422	62,000	5.600		<1	<10
CW-9	240	244	6,000	0.600	5,576	0.520		2	<10
CW-10	250	222	4,150	0.390	48,000	4.720		1	10
CW-11	670	608	6,100	0.530	41,000	4.000		6	<10
CW-12	190	182	3,500	0.320	7,900	0.790		2	<10
CW-13	90	90	530,000	5.600	1,200	0.120	204 (6.2)	200	105
CW-14	12,700	12,600	28,000	2.640	8,800	0.870	35 (1.1)	36	<10
CW-15	230	236	2,700	0.266	17,800	1.800		3	<10
CW-16	370	350	8,000	0.780	14,700	1.400		2	<10
CW-17	320	286	26,700	2.600	2,400	0.200		4	10


CLEAVER PROPERTY, EAST SHOWING

SAMPLE	AQ	TOTAL	AQ	TOTAL	AQ	TOTAL	AQ	TOTAL	Au ppb
	Cu ppm	Cu ppm	Pb ppm	Pb %	Zn ppm	Zn %	Ag ppm(oz/t)	Ag ppm	
CE-4		40		0.006		8.400		<1	<10
CE-5	500	482	606,000	5.700	14,000	1.420	180 (5.5)	180	30
CE-7		44		0.034		0.075		<1	10
CE-8	260	242	3,600	0.350	172,000	16.800		6	15
CE-9	510	480	55,000	5.480	14,700	1.500	85 (2.6)	82	<10
CE-10	400	382	2,800	0.270	30,500	3.020		<1	<10


2.19277

FLINSKY SHOWING
NEW DISCOVERY 1996
WEST ZONE TRENCH NO. 6




FOR REFERENCE ONLY
W.S.F.




2.1927



LEGEND

-  Archean greenstone and associated Sediments
-  Granitic Terrain
-  Archean Sediments, some volcanics and intrusions

Revisions	WM-FLINSKY	
	CLEAVER	PROPERTY
	PROPERTY LOCATION	
Date:	Drawn	Scale 1:7,603,200
Job No.	Approved	Figure 1



2261.2

CLEAVER TWP.




Figure 9.2. Generalized geology of Cleaver and Hincks townships.

22261.2



42A03NE2004 2.19277 CLEAVER

020

1997

MAY = 16-17-19-20-23-24-26-27-30

JUNE = 1-2-15-16-19-21-26-28

JULY = 5-8-11-14-16-19-23

AUG = 1-2-7-18-26-29

SEPT = 5-7-18-23-26-27-30

OCT = 5-9-11-14-17-19-22-25-26

TOTAL = 46 DAYS RECORDED FEB. 4 1999

TRANSACTION NO. - W 9980.00099

FIRST CLAIM NO. - 1229000

TOWNSHIP CLEAVER PLAN NO. G-3619

RECORDED HOLDER


WILLIAM FLINSKY

SOUTH PORCUPINE ONTARIO


CLIENT NO. C-132309

William Flinsky

2.19277



WEST ZONE TRENCH No. 1 CLAIM No. 1180173



WEST ZONE TRENCH NO. 2 CLAIM NO. 1180173



TO NO. 1 TRENCH

ROLL OF
TOPSOIL
MOSS

TRAIL

FLOW BANDED
RHYOLITE

HIGH MAG.
READING
(WITH BEEP MAT)

CW-7

CW-6

MAFIC
VOLCANIC

PYRRHOTITE

GRAPHITE

CW-9

RHYOLITE


EXCAVATED
TOP SOIL
SAND AND
GRAVEL

CW-5


HIGH MAG.
READING

TRAIL


TO NO. 3
TRENCH




WEST ZONE TRENCH NO. 3 CLAIM NO. 1180173




EAST ZONE TRENCH NO. 4 CLAIM NO. 1180173



EAST ZONE TRENCH NO. 5 CLAIM NO. 1180173



EAST ZONE TRENCH NO. 6 CLAIM NO. 118173





MICHAEL H. GUNNING, Ph.D.
Cominco Ltd., Exploration
E-Mail: mike.gunning@cominco.com

2200-120 Adelaide St. W.
Toronto, ON, Canada, M5H 1T1
TEL: 416-943-1311 / FAX: 416-869-3480

24-Nov-97

Bill Flinsky
South Porcupine, Ontario

Bill,
Here are the assays for the samples I collected while visiting your Cleaver Property with Brent McAllister on October 8, 1997. Give me a call if there are any questions regarding the data.

Mike

A handwritten signature in cursive script, appearing to read "Mike H. Gunning".



Ministry of Northern Development and Mines

Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 66(2) and 66(3), R.S.O. 1990


Transaction Number (office use)
W9980 00099
Assessment Files Research Imaging



42A03NE2004 2.19277 CLEAVER 900


Sections 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, this report work and correspond with the mining land holder. Questions about this collection should be directed to the Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.
- Please type or print in ink.



1. Recorded holder(s) (Attach a list if necessary)

Name <u>WILLIAM FLINSKY</u>	Client Number <u>C-152309</u>
Address <u>129 HUOT ST. BOX 1056 PONIHO SOUTH PORCUPINE ONT.</u>	Telephone Number <u>(705) 235-2208</u>
	Fax Number
Name	Client Number
Address	Telephone Number
	Fax Number



2. Type of work performed: Check (✓) and report under ONE of the following groups for this declaration.


Geotechnical: prospecting, surveys, assays and work under section 18 (regs) Physical: drilling stripping, trenching and associated assays Rehabilitation

Work Type <u>SURFACE STRIPPING - WASHING DRILLING (PLUGGER) - BLASTING, EXCAVATING</u>	Office Use
<u>TOTAL DAYS WORKED TWO MEN 46 DAYS</u>	Commodity
Dates Work Performed From <u>16 05 1997</u> To <u>26 10 1997</u>	Total \$ Value of Work Claimed <u>17,465</u>
Global Positioning System Data (if available)	NTS Reference
Township/Area <u>CLEAVER TWP.</u>	Mining Division <u>Larder Lake</u>
M or G-Plan Number <u>G-3619</u>	Resident Geologist District <u>Kirkland Lake</u>

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; ✓
- provide proper notice to surface rights holders before starting work; ✓
- complete and attach a Statement of Costs, form 0212; ✓
- provide a map showing contiguous mining lands that are linked for assigning work; ✓
- include two copies of your technical report. ✓

3. Person or companies who prepared the technical report (Attach a list if necessary)

Name <u>WILLIAM FLINSKY</u>	Telephone Number <u>(705) 235-2208</u>
Address <u>129 HUOT ST. SOUTH PORCUPINE ONT</u>	Fax Number
Name <u>NEIL PRYOR</u>	Telephone Number <u>(705) 235-3974</u>
Address <u>101 RAE AVE SOUTH PORCUPINE</u>	Fax Number
Name	Telephone Number
Address	Fax Number



4. Certification by Recorded Holder or Agent

I, WILLIAM FLINSKY, do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent <u>William Flinsky</u>	Date <u>FEB. 7 1999</u>
Agent's Address <u>129 HUOT ST. SOUTH PORCUPINE</u>	Telephone Number <u>(705) 235-2208</u>
	Fax Number

Deemed Day 10/99.

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W9980.00099

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1229000	8		3,200		
2 1204131	6		2,400		
3 1180173	6	17,465	4,000	12,400	10,65
4 1219015	2		800		
5 1129846	1		400		
6 1129847	6		2,400		
7 1133231	1		400		
8 1133232	1		400		
9 1169022	1		400		
10 1169024	1		400		
11 1129879	4		1,600		
12					
13					
14					
15			16,400	12,400	
Column Totals		17,465			10,65

I, WILLIAM FLINSKY (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing

William Flinsky

Date

FEB. 4 1999

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp

RECEIVED
LARDER LAKE
MINING DIVISION

FEB 4 1999

2:05 PM

0241 (03/97)

Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

RECEIVED
FEB 09 1999
GEOSCIENCE ASSESSMENT

Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of work Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.	Cost Per Unit of work	Total Cost
MANUAL LABOUR			
STRIPPING, WASHING,	24 SAMPLES		
DRILLING, SAMPLING,	46 DAYS		
BLASTING, EXCAVATING,	2 MEN 8 HR DAYS	300. ⁰⁰ PER DAY	13.800. ⁰⁰
Associated Costs (e.g. supplies, mobilization and demobilization).			
DYNAMITE, FUSE, CAPS, & BLASTING WIRE			380. ⁰⁰
STRIPPING TOOLS, PICKS - BARS - SHOVELS - HAMMERS, HAND WINCH, WITH EARTH SCOOP, 1/2 YD			410. ⁰⁰
PACK SACK GAS DRILL, BITS, RODS, CHAIN SAW.			420. ⁰⁰
HIGH PRESSURE WATER PUMP, HOSES & NOZZLE,			255. ⁰⁰
Transportation Costs			
VEHICLE MILEAGE (RETURN) 2500 KM		30¢ KM	750. ⁰⁰
BOAT MOTOR, FUEL & OIL			650. ⁰⁰
Food and Lodging Costs			
SET UP CAMP, STOVE, BUNKS, LAMP, ETC PLUS FOOD			
TENT'S			800. ⁰⁰
Total Value of Assessment Work			17,465. ⁰⁰

RECEIVED
FEB 09 1999
FILED DIRECTOR'S ASSESSMENT OFFICE

RECEIVED
LARDER LAKE
MINING DIVISION

FEB. 4/1999
2.054.

Calculations of Filed Director's Assessment

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK $\times 0.50 =$ Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, WILLIAM FLINSKY, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as William Flinsky I am authorized to make this certification.
(recorded holder, agent, or stake company position with signing authority)

Signature <u>William Flinsky</u>	Date FEB. 7 1999
-------------------------------------	---------------------

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (877) 670-1555

June 14, 1999

WILLIAM A FLINSKY
129 HUOT STREET
BOX 1056
SOUTH PORCUPINE, Ontario
P0N-1H0

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Dear Sir or Madam:

Submission Number: 2.19277

Status

Subject: Transaction Number(s): W9980.00099 Approval After Notice

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Bruce Gates by e-mail at bruce.gates@ndm.gov.on.ca or by telephone at (705) 670-5856.

Yours sincerely,



ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.19277

Date Correspondence Sent: June 14, 1999

Assessor: Bruce Gates

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9980.00099	1229000	CLEAVER	Approval After Notice	June 14, 1999

Section:

10 Physical PSTRIP
10 Physical PTRNCH

The revisions outlined in the Notice dated May 5, 1999, have been corrected. Accordingly, assessment work credit has been approved as outlined on the Declaration of Assessment Work Form accompanying this submission.

Correspondence to:


Resident Geologist
Kirkland Lake, ON

Recorded Holder(s) and/or Agent(s):

WILLIAM A FLINSKY
SOUTH PORCUPINE, Ontario

Assessment Files Library
Sudbury, ON

FALLON TWP.



NOTES

400 surface rights reservation along the shores of all lakes and rivers.

DESCRIPTION	ORDER NO.	DATE	DISPOSITION	FILE
-------------	-----------	------	-------------	------

*NORTH EAST CORNER REDRAFTED OCT 28, 1984

AREAS WITHDRAWN FROM DISPOSITION

- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M + S. - MINING AND SURFACE RIGHTS

Description	Order No.	Date	Disposition	File
R-1 SEC. 35	W-L-20/94 NER	5 & 6 m	94/03/24	
R-2 SEC 35	W-L-101/94 NER	5 & 6 m	94/10/06	
Ⓢ SEC. 35 W-LL-C159699	ONT MAY 15/89	M+S		

NOTICE OF FORESTRY ACTIVITY

THIS TOWNSHIP / AREA FALLS WITHIN THE ONTARIO PAPER FOREST MANAGEMENT AGREEMENT AND MAY BE SUBJECT TO FORESTRY OPERATIONS. THE MNR UNIT FORESTER FOR THIS AREA CAN BE CONTACTED AT: 896 RIVERSIDE DR. TIMMINS, ONT. P4N 3W2 705-267-7951

LEGEND

- PATENTED LAND
 - PATENTED FOR SURFACE RIGHTS ONLY
 - LEASE
 - LICENSE OF OCCUPATION
 - CROWN LAND SALES
 - LOCATED LAND
 - CANCELLED
 - MINING RIGHTS ONLY
 - SURFACE RIGHTS ONLY
 - HIGHWAY & ROUTE NO.
 - ROADS
 - TRAILS
 - RAILWAYS
 - POWER LINES
 - MAFISH OR MUSKEG
 - MINES
- *used only with summer resort locations or when space is limited

TOWNSHIP OF

CLEAVER

DISTRICT OF TIMISKAMING

LARDER LAKE MINING DIVISION

SCALE: 1 INCH = 40 CHAINS (1/2 MILE)

DR. _____ PLAN NO. **G-3619**
DATE JULY 1986




Ministry of Natural Resources

Ministry of Northern Development and Mines

THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.


COPY OF THIS MYLAR ARCHIVED FEB. 05/93
ARCHIVED JANUARY 26, 1995
ARCHIVED FEB 24/97

PLAN UP DATED OCT 27/89



4240326304 2-19277 CLEARER 200

2.19277



LEGEND	
15	VAG AGGLOMERATE WITH GRANULITE - SILICEOUS POINT
14	DM INTENSIVE ROCKS DIABASE (MONTAGNAN) ARCHEAN
13	BLA LAMPROPHYRE WITH GREEN BASIC INTRUSIVE BLOTTE FLAKES
12	ASY SYENITE PINK FELDSPAR ROCK VOLCANIC - HYBRID GNEISS
11	QD MARIC INTENSIVE ROCKS DIORITE - QUARTZ DIORITE
8	VA ANDESITE INTERMEDIATE VOLCANIC APHYRATIC ROCKS
7	VRP TUFF DARK GREY SILICEOUS VOLCANIC MATRIX CHERT
5	FEK FERROBASIC BASALT CARBONATED FLOWS
4	MR MAG RICH BASALT TABLETS

SP	TRENCH
□	PIT
PY	PYRITE
CP	CHALCOPYRITE
GN	GALENA
AG	SILVER
SP	SPHALERITE-ZINC
1 INCH = 100 METERS	
SCALE 1:5000	
CLEAVER TWP. ONTARIO	

2.19277