

# LIST OF CLAIMS

WITH CLAIM BOUNDARIES RECUT AS PER  
ASSESSMENT REQUIREMENTS AFTER 5 YEARS


SINGLE UNITS		BLOCK CLAIMS	
1129846	1 UNIT	1129847	6 UNITS
1133231	1 "	1204131	6 "
1133232	1 "	1180173	6 "
1169022	1 "		
1169024	1 "		
TOTAL	5 UNITS	TOTAL	- 18 UNITS

2 MEN 4 DAYS  
300° PER DAY  
OCT. 1999  
20-21-22-23

2 MEN 5 DAYS  
300° PER DAY  
OCT. 2000  
25-26-27-28-29

9-DAYS INCLUDED IN TOTAL OF DAYS  
WORKED ON MINING LAND

RECORDED HOLDER  
CLIENT NO. C-132309  
*William Flinsky*



DECLARATION WORK DAYS PERFORMED  
ON MINING LAND

.. 1999 ..

MAY	- 4 - 5 - 8 - 12 - 21 - 22 - 28	- 7
JUNE	- 2 - 4 - 11 - 13 - 16 - 19 - 24	- 7
JULY	- 3 - 4 - 8 - 14 - 18 22 - 30	- 7
AUG	- 3 - 6 - 10 - 15 - 17 - 20 - 24	- 7
SEPT	- 1 - 4 - 7 - 11 - 14 - 18 - 21	- 7
OCT	- 9 - 12 - 15 - <span style="border: 1px solid black; padding: 2px;">20 - 21 - 22 - 23</span>	- 7
TOTAL		42 DAYS

.. 2000 ..

MAY	- 12 - 16 - 20 - 25 - 27 - 31	- 6
JUNE	- 3 - 7 - 10 - 13 - 17 - 23 - 27	- 7
JULY	- 4 - 7 - 11 - 18 - 23 - 27 - 31	- 7
AUG	- 3 - 4 8 - 11 - 14 - 17 - 19 - 21	- 8
SEPT	- 3 - 4 - 9 - 12 - 15 - 18 - 21 - 25	- 8
OCT	- 2 - 5 - 6 - <span style="border: 1px solid black; padding: 2px;">25 - 26 - 27 - 28 - 29</span>	- 8
TOTAL		44 DAYS

RECORDED HOLDER  
CLIENT NO. C-132309

*William Flinsky*

**REPORT ON EXPLORATION  
AND WORK ACTIVITIES ON  
  
FLINSKY CLAIM PROPERTY  
CLEAVER TOWNSHIP  
LARDER LAKE MINING DIVISION  
1999 AND 2000**

**BY**

**WILLIAM FLINSKY  
and  
NEIL PRYOR**

## LOCATION

The property is located in the northwest and central portion of Cleaver Township, District of Timiskaming, Larder Lake Mining Division. The property includes the following 45 mining claim units:

1204131 - 6 units	1133232 - 1 unit
1180173 - 6 units	1133231 - 1 unit
<del>1219015</del> - 2 units	1169022 - 1 unit
1129846 - 1 unit	1169024 - 1 unit
1129847 - 6 units	<del>1129879</del> - 4 UNITS
<del>1229000</del> - 8 UNITS	


## ACCESS

An all-weather Night Hawk timber logging road extending from South Porcupine (Timmins area) south to Cleaver Township approximately 45 km road crosses claim group 1204131 from north to southwest. A branch logging road extends east along the north end of the claim group and Little Night Hawk Lake, which is also accessible via fixed wing aircraft from South Porcupine Lake Charter Service.




## REGIONAL GEOLOGY

The Cleaver property lies within the Abitibi Greenstone belt of the superior province of the Canadian Precambrian Shield. Locally, the property area is underlain by Archean age mafic and felsic volcanic rocks and younger, possibly down faulted Cobalt Group sediments along the east of the township. The Geikie Pluton, a large granodiorite intrusion, has intruded the supracrustal rocks and lies to the west covering most of Geikie Township northeast and northwest. Ultramafic volcanic rocks are intermittently draped around the stock and older calc-alkaline volcanics are locally domed up at the periphery of the stock. A north trending fault zone of regional extent lies along the Gowganda formation to the east.


A west trending fault zone in central Cleaver Township divides the area into a northern and southern geological terrain.



**LEGEND**

-  Archean greenstone and associated Sediments
-  Granitic Terrain
-  Archean Sediments, some volcanics and intrusions

Revisions		
	CLEAVER	PROPERTY
	<b>PROPERTY LOCATION</b>	
Date:	Drawn	Scale 1:7,603,200
Job No.	Approved	Figure 1




CLEAVER TWP

FALLON TWP.

GEIKIE TWP.

HINKS TWP.



CLEAVER TWP.

CLAIM BOUNDARIES  
RECUT AS PER  
HIGHLIGHTED

CLEAVER PROPERTY

37 UNITS Claims Location Map

SCALE = 1-1/2 miles

NUMBER 1 TRENCH

This Trench is located in the east zone along the north side of claim line No. 1180173 and 400 meters east of the old Moody Lee showing, West of the small lake narrows and claim post No. 4 of claim No. 1129846, and Line Post 400 meters West of No. 2 Post Claim No. 1180173. A Trench was started here to attempt to locate a continuation of the calcite vein that strikes northeast of the Moody lee Showing. A steel bar was driven in the sand and gravel to find bedrock at the 5-foot mark. No bedrock was encountered. Three more holes were driven and blasted. Excavation took place and the bar was driven deeper at this point. Approximate total about two meters. No bedrock was found.

NUMBER 1-A TRENCH

Moving east approximately 200 meters, this trench was started. A hole was driven in sand and gravel. The hole was blasted, blowing out sand and heavy gravel. Excavation took place down to bedrock. Cleaning the rock exposed a granodiorite stock. Pyrite particles were noticed in the rock and a hole was drilled into the rock and blasted for a better examination. Found the rock to be a float. Worked stopped in this area and moving northeast, no samples.



Approximately 200 meters northeast of trench number 1-A, a new trench was started on a small dome. A steel bar was driven into moss overburden and heavy gravel. At one meter, solid was encountered. Another hole was driven east. Both holes were loaded and blasted to loosen material. Excavated to bedrock and cleaned for examination. The formation of the rock has the appearance of an anticlinal fold with the tops eroded. The centre of the fold consists of diabase much schist and impregnated with pyrites and other sulphides that are oxidized to iron rust. Samples were taken and assay results enclosed. Work progress to continue at a later date. Number two trench is four meters long east/west and two meters wide in sand and clay.

NUMBER 3 TRENCH

The trench was started at the foot of a high hill ridge composed of cobalt sediments. Maps show these hills approximately 200 feet high. Stripping was started 300 meters South of number one claim post No. 1180173 and 100 meters north of line post.

The target area of this location is to attempt to encounter the presence of the diabase dyke, north-south fault, or the cobalt conglomerate contact along the northern geological terrain, and any additional conductors extending under the

proterozoic rocks. No fault was found, but a diabase dyke or gabbro. This northeast area is known for platinum group elements in gabbro.

A bar was driven into topsoil for two holes down to bedrock or float; blasted to loosen gravel material for excavation. the completed trench is four meters long, east and west, three meters wide, one meter deep.

Acid lava seems to have the greatest extent of any of the rocks on the property. West of the trench there is a small percentage of breccia and other pyroclastic material. It is difficult to identify the rock in more detail than acid lava, with disseminated stringers of pyrrhotite, sample were taken and assay results are enclosed.

#### NUMBER 4 TRENCH

A trail was cut and blazed for easy access to move equipment from number three trench to number four location.

A Beep Mat was used before any work was started. A lay-out was done by driving steel bars into overburden of moss, sand and gravel, all marked for depth.

Blasting took place to loosed top soil for easy excavation and scraping was done down to bedrock in fine and coarse sand and gravel, east/west direction, three meters long, two meters wide; one point five meters deep. The rock exposed is an Archean intrusive and looks like a basalt porphyry with diabase or a gabbro. More than likely diabase because of the magnetic attraction to a Beep Mat. The diabase dyke crystalline dark colour, coarse textured. Strike is northeast. More excavation took place West across the dyke for about two meters after a better examination. Host rock is Diorite Pyrite. Stringers are common. Samples were taken and assay results are enclosed.

Will continue trenching in the spring of the year 2000 due to freeze-up. Access to the east zone workings is by water and all working gear is moved to west zone of the lake. Our priority this fall is to re-establish claim boundaries while the bush is clean of leaves.

NUMBER 5 TRENCH

This trench location is 200 meters west of number four trench and 400 meters south of line post claim number 1180173. The claim line used to tranverse a Beep Mat survery was taken in the area because of past exploration with high magnetic features worth stripping. A bar was driven down to bedrock to check for depth and loading powder for blasting overbruden, for easier mucking.

Excavating was in coarse sand and gravel. A calcite and galena vein was encountered. Stripping and excavating continued to open an area northwest three meters long by two meters wide and one meter deep. The vein is ten centimeters wide with calcite and galena, pyrite bearing quartz and pink pebble conglomerates, host rock dacite. Some sections are probably rhyolite and trachyte. The rock was found to be very hard to drill or break with a sledge. Samples taken for assay results are enclosed.

NUMBER 6 TRENCH

On the west zone claim number 1180173, 300 meters from the main haulage road and line post east, a Beep Mat was used to pin point a conductor found by Cominco during a geophysical survey in

1988. The area had a very high magnetic response. After driving a bar into overburden to measure depth to bedrock, holes were in overburden from one to two meters. Blasting was done to loosen overburden for easier scraping. Fine sand and gravel was encountered to bedrock. Stripping area is oval-shaped, three meters wide by five meters long. Strike of mineralization is northwest of sulphide-bearing quartz, carbonatized and silicified. Zones of pyrite and pyrrhotite washing were done by high pressure pump and hoses. Samples were taken for assay and results are enclosed.

#### NUMBER 7 TRENCH

Stripping and trenching took place 450 meters south of number six trench, into claim number 1219015 and 425 meters east of the main haulage road. Stripping started by the claim line, 400 meters east of number one post. A Beep Mat was used in this area with very high magnetic response. The top soil was decomposed vegetation and moss, also large spruce trees and jackpine.

Depth to bedrock was approximately 36 centimeters. Encountered rusted oxidized rock in a shear zone, intrusive contact, agglomerate dark grey to fine grained rhyolite fragment. Size is approximately six centimeters. Strike of shear zone

northwest, stripping along strike, eight meters of massive sulphide was encountered. Using a 16 X hand lens, minerals would be interpreted as pyrite-chalcopyrite, galena and sphalerite. Samples were taken and assay results are enclosed. Work to continued.

NUMBER 8 TRENCH

Stripping and trenching took place on the north side of an old bush road used for haulage in a clear cut area of claim number 1129847, 450 meters from the main haulage road east. An outcrop was examined north in a wooded area finding a quartz stringer approximately five centimeters wide. Stripping continued south from this point, removing stumps and sand. Some boulders up to the old road, approximately 175 meters. The quartz vein 23 centimeters wide, dipping under the road. The road would be 35 meters wide at this point. Excavation continued south on the same quartz vein, chalcopyrite showing in patches along the way. Approximately 27 meters south of the road, the vein forks east/west, with east stringer about six centimeters and west stringer at four centimeters.

The strike of this vein system is N 35 degrees east.

The southern group geology is somewhat different than the


northern group because of the east/west fault that crosses parallel to the line of claim number 1219015 and claim number 1129846. The chief interest in these claims to the south is in their possibilities as silver and gold producers. Samples were taken and assay results are enclosed.

Work to continue trenching and exploration in the spring of 2001. Our priority this fall 2000, is to re-establish claim boundaries as per assessment credits after five years.

Claims to be done are enclosed on the attached sheet.

EAST ZONE TRENCH NO. 1A CLAIM NO. 1180173

NORTH EAST NEW LOCATION TRENCH NO. 2




NO. 1A

GRANODIORITE  
FLOAT  
BLASTED  
CONTAINING  
SOME PYRITE

SAND AND  
GRAVEL

200  
METERS

EAST ZONE TRENCH NO. 1 CLAIM NO. 1180173



NO. 1

SAND AND  
GRAVEL

WEST 400 METERS

WEST MOODY LEE SHOWING

CLAIM BOUNDARY

POP  
POPLAR  
POP

JP

JP

JP

JP

JP JP

JP

JP

JP

JP

JACK PINE

JP

JP

JP

JP

JP

JP


JP

JP


JP




# EAST ZONE TRENCH NO. 2 CLAIM NO. 1180173




# EAST ZONE TRENCH NO. 3 CLAIM NO. 118173




# EAST ZONE TRENCH NO. 4 CLAIM NO. 1180173



# EAST ZONE TRENCH NO.5 CLAIM NO.118173



# WEST ZONE TRENCH NO.6 CLAIM NO. 1180173







**Swastika Laboratories Ltd.**  
**P.O. Box 10, 1 Cameron Ave.,**  
**Swastika, Ontario P0K 1T0**  
**Tel:(705) 642-3244**  
**Fax:(705) 642-3300**  
**E-Mail:swaslab@nt.net**

# Invoice

DATE	INVOICE #
12/4/00	2443

To:

**W. FLINSKY**  
**P.O. BOX 1056-129 HUOT STREET**  
**SOUTH PORCUPINE, ONTARIO**  
**P0N 1H0**

P.O. NO.		TERMS		PROJECT #	
		30 DAYS			
QTY	DESCRIPTION	CERT#	RATE	AMOUNT	
1	Au Pd	0W-3859-RA1	12.00	12.00T	
3	Ag		3.00	9.00T	
4	Cu		1.50	6.00T	
4	Zn		1.50	6.00T	
1	Zn		7.25	7.25T	
3	Pd		9.00	27.00T	
4	Sample Prep		3.50	14.00T	
Business Number: RT883022329					
			<b>GST</b>	5.69	
<b>TOTAL</b>				<b>\$86.94</b>	





Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

## Assay Certificate

**0W-3859-RA1**

Company: **W. FLINSKY**

Date: NOV-14-00

Project:

Attn: **W. Flinsky**

We hereby certify the following Assay of 4 Rock samples submitted NOV-06-00 by .

Sample Number	Au g / tonne	Ag PPM	Cu PPM	Zn PPM	Zn %	Pd g / tonne
WF-110	0.01	3.3	289	>10000	2.67	<0.005
WF-111	-	-	149	138	-	<0.005
WF-112	-	0.1	72	79	-	<0.005
WF-113	-	0.1	5	31	-	<0.005

One assay ton portion used.

Certified by

# Certificate of Analysis

Thursday, March 16, 2000

Wild West Holdings Ltd.  
P.O. Box 1329  
Princeton, BC, CAN  
VOX1W0  
Ph#: (250) 295-7010  
Fax#:

Date Received : 22-Feb-00  
Date Completed : 25-Feb-00  
Job # 200040041  
Reference :  
Sample #: 3          Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb
599	W-P-1	<5	<15	<10	7
600	W-7	<5	<15	<10	6
601	W-9	<5	<15	<10	<5
602 Check	W-9	<5	<15	<10	

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni

Certified By: \_\_\_\_\_

Page 1 of 1

# ACCURASSAY LABORATORIES

(DIVISION OF ASSAY LABORATORY SERVICES INC.)

**HEAD OFFICE:**

P.O. Box 426, 3 Industrial Drive, Kirkland Lake, Ontario, P2N 3J1  
 (705) 567-3361 / (705) 567-3362  
 1070 Lithium Dr., Unit 2, Comp. 22, Thunder Bay, Ontario, P7B 6G3  
 (807) 623-6448  
 105 King Street, Porcupine, Ontario, P0N 1C0 (705) 235-8611

PURCHASE ORDER No.: \_\_\_\_\_

DATE SHIPPED: March 6 / 2000

No. OF CARTONS: 1

No. OF SAMPLES: 3

SHIPPED BY: BW

DATE RECEIVED: March 6 / 2000

## ANALYTICAL REQUEST NOTICE

RESULTS TO BE SENT TO

Bill Way

INVOICES TO BE SENT TO

William Flinsky  
129 Hoot St. Box 1056  
SOUTH PORCUPINE ONT  
P0N 1H0

### INSTRUCTIONS

No. OF SAMPLES	SAMPLE TYPE	SAMPLES Nos. (series)	ELEMENTS TO BE ANALYSED	ADDITIONAL INSTRUCTIONS
<u>3</u>	<u>R</u>	<u>WF - 101</u> <u>WF - 102</u> <u>WF - 103</u>	<u>PT, PD</u> <u>Rhodium</u>	<u>Please send results to Accurassay</u>

**SAMPLE DISPOSITION**  
 PULPS | REJECTS | WATERS

STORE 120 DAYS, RETURN			
STORE 120 DAYS, DISCARD			
RETURN AFTER ANALYSIS			
DISCARD AFTER ANALYSIS			

**SPECIAL INSTRUCTIONS**

NO - CHARGE

SIGNATURE: Jacqueline Christina



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

## Geochemical Analysis Certificate

0W-2618-RG1

Company: **W. FLINSKY**

Date: AUG-21-00

Project:

Attn: **W. Flinsky**

We hereby certify the following Geochemical Analysis of 3 Rock samples submitted AUG-14-00 by .

Sample Number	Pt PPB	Pd PPB	Rh PPB
WF-105	<5	<5	<5
WF-106	<5	<5	<5
WF-107	<5	<5	<5

One assay ton portion used.

Certified by *Denis Chantre*



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

## Assay Certificate

**0W-3080-RA1**

Company: **W. FLINSKY**

Date: SEP-22-00

Project:

Attn: **W. Flinsky**

*We hereby certify* the following Assay of 2 Rock samples submitted SEP-18-00 by .

Sample Number	Ag g/tonne	Cu PFM	Zn PFM	Zn %	Pd g/tonne
WF-108	-	274	4010	-	<0.005
WF-109	4.5	1930	>10000	1.86	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
Telephone (705) 642-3244 Fax (705) 642-3300

Swastika Laboratories Ltd

Tel: (705) 642-3244

INVOICE

P.O. Box 10  
1 Cameron Avenue  
Swastika, Ontario  
P0K 1T0

NO: 00001918

DATE: 09/26/00

PAGE: 1

SOLD TO:

SHIP TO: F411

W. FLINSKY  
129 HUOT STREET BOX 1056  
SOUTH PORCUPINE ONTARIO  
P0N 1H0

Same

GST Number: RT883022329

Proj #/P.O. # N/A

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	G	P	UNIT PRICE	AMOUNT
	1		Ag			7.25	7.25
	2		Cu			3.00	6.00
	2		Zn			1.50	3.00
	1		Zn			4.00	4.00
	1		Pd			9.00	9.00
	2		Sample Prep			3.50	7.00
			Cert #0W-3080-RA1				
			GST @ 7%				2.54
COMMENTS:						TOTAL	38.79
Net 30 Days							

Swastika Laboratories Ltd

Tel: (705) 642-3244

P.O. Box 10  
1 Cameron Avenue  
Swastika, Ontario  
POK 1T0

# INVOICE

NO: 00001683

DATE: 08/21/00

PAGE: 1

SOLD TO:

SHIP TO: F411

W. FLINSKY  
129 HUOT STREET BOX 1056  
SOUTH PORCUPINE ONTARIO  
PON 1H0

Same

GST Number: RT883022329

Proj #/P.O. # N/A

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	G	P	UNIT PRICE	AMOUNT
	3		Pt Pd			14.00	42.00
	3		Rh			10.00	30.00
	3		Sample Prep			3.50	10.50
			Cert #OW-2618-RG1				
			GST @ 7%				5.78

COMMENTS:

Net 30 Days

*AUG. 25/2000*  
*TD - CHECQUE # 133*

TOTAL

88.28

WEST ZONE

EAST ZONE

1219015

NO NAME LAKE

1129846

TIMBER HAULAGE ROAD SOUTH PORCUPINE

SWAMP

CREEK

1129847

B.D.

No. 8

OVERGROWN

TRENCH

TIMBER CLEAR CUT 10 YR OLD

NO NAME LAKE

OVERGROWN BRUSH

SKID ROADS

SWAMP

CREEK

1133232

1133231

TRENCH NO 8

CLEAVER TWP SOUTH END PLAN NO. G-3619



20044



Persons for show



42A03NE2006 2.20944 CLEAVER

900

sections 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, this work and correspond with the mining land holder. Questions about this collection and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.  
- Please type or print in ink.

2.20944

**1. Recorded holder(s) (Attach a list if necessary)**

Name <b>WILLIAM FLINSKY</b>	Client Number <b>132309</b>
Address <b>129 HUOT ST. BOX 1056 PONIHO</b>	Telephone Number <b>705-235-2208</b>
<b>SOUTH PORCUPINE ONTARIO</b>	Fax Number
Name	Client Number
Address	Telephone Number
	Fax Number

**2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.**

<input type="checkbox"/> Geotechnical: prospecting, surveys, assays and work under section 18 (regs)	<input checked="" type="checkbox"/> Physical: drilling stripping, trenching and associated assays	<input type="checkbox"/> Rehabilitation
Work Type <b>SURFACE - STRIPPING - DRILLING - BLASTING - EXCAVATING - WASHING</b>		Office Use
		Commodity
		Total \$ Value of Work Claimed <b>31,120</b>
Dates Work Performed From <b>4 MAY 1999</b> To <b>29 OCT 2000</b>		NTS Reference
Global Positioning System Data (if available)		Mining Division <b>Larder Lake</b>
Township/Area <b>CLEAVER TWP.</b>		Resident Geologist District <b>Kirkland Lake</b>
M or G-Plan Number <b>G-3619 LARDER LAKE DIV.</b>		

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; ✓  
- provide proper notice to surface rights holders before starting work; ✓  
- complete and attach a Statement of Costs, form 0212; ✓  
- provide a map showing contiguous mining lands that are linked for assigning work; ✓  
- include two copies of your technical report. ✓

**3. Person or companies who prepared the technical report (Attach a list if necessary)**

Name <b>WILLIAM FLINSKY</b>	Telephone Number <b>705-235-2208</b>
Address <b>129 HUOT ST. SOUTH PORCUPINE</b>	Fax Number
Name <b>NEIL PRYOR</b>	Telephone Number <b>705-235-3974</b>
Address <b>101 RAE AVE SOUTH PORCUPINE</b>	Fax Number
Name	Telephone Number
Address	Fax Number

**4. Certification by Recorded Holder or Agent**

I, **WILLIAM FLINSKY** (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent <b>William Flinsky</b>	Date <b>MARCH 5/2001</b>
Agent's Address <b>129 HUOT ST. SOUTH PORCUPINE</b>	Telephone Number <b>705-235-2208</b>
	Fax Number

**RECEIVED**  
MAR - 6 2001  
GEOSCIENCE ASSESSMENT OFFICE

3433

6. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

202024

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1229000	8		3200		
2 1204131	6		2400		
3 1180173	6	31.120	4000	14,400	12.720
4 1219015	2		800		
5 1129846	1		800		
6 1129847	6		2400		
7 1133231	1		800		
8 1133232	1		800		
9 1169022	1		800		
10 1169024	1		800		
11 1129879	4		1600		
12					
13					
14					
15					
<b>Column Totals</b>		<b>31.120</b>	<b>19200</b>	<b>14.400</b>	<b>12.720</b>

I, \_\_\_\_\_, do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: William Flinsky Date: MARCH 5 / 2001

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp	Deemed Approved Date	Date Notification Sent
	Date Approved	Total Value of Credit Approved
	Approved for Recording by Mining Recorder (Signature)	

**RECEIVED**  
MAR - 6 2001  
GEOSCIENCE ASSESSMENT  
OFFICE

Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/98. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 9B5.

Work Type	Units of work Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.	Cost Per Unit of work	Total Cost
MANUAL LABOUR	2 MEN 8 HR DAY - 77 DAYS	300. <sup>00</sup> PER DAY	
RECUT CLAIM BOUNDRIES	2 MEN 8 HR DAY - 9 DAYS	300. <sup>00</sup> PER DAY 86 DAYS	25,800. <sup>00</sup>
STRIPPING & DRILLING			
BLASTING & EXCAVATING			
HIGH PRESSURE WASHING			
CUT ROCK SAMPLES			224. <sup>00</sup>
<b>Associated Costs (e.g. supplies, mobilization and demobilization).</b>			
DYNAMITE, ELEC CAPS, BLASTING WIRE, BLASTING MACHINE.			400. <sup>00</sup>
STRIPPING TOOLS   PICKS   BARS   HAND WINCH, CABLES. SHOVELS   HAMMERS   EARTH SCOOP 1/2 YARD.			550. <sup>00</sup>
PACK SACK GAS DRILL, DRILL STEEL & BITS			950. <sup>00</sup>
			440. <sup>00</sup>
<b>Transportation Costs</b>			
VEHICLE MILEAGE RETURN		3200 KM 30 <sup>+</sup> KM	960. <sup>00</sup>
BOAT, MOTOR, OIL & FUEL			750. <sup>00</sup>
<b>Food and Lodging Costs</b>			
SET UP CAMP, TENT, BUNKS, STOVE, LAMP, ETC.			1,050. <sup>00</sup>
FOOD - ICE			
<b>Total Value of Assessment Work</b>			<b>31,120.<sup>00</sup></b>

**Calculations of Filing Discounts:**

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.

**Note:**  
 - Work older than 5 years is not eligible for credit.  
 - A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

**Certification verifying costs:**

I, WILLIAM FLINSKY, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as William Flinsky I am authorized to make this certification.  
(recorded holder, agent, or state company position) (with signing authority)

<b>RECEIVED</b>	Signature <u>William Flinsky</u>	Date <u>MARCH 5/2001</u>
MAR - 6 2001	<b>GEOSCIENCE ASSESSMENT OFFICE</b>	

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (888) 415-9845  
Fax: (877) 670-1555

April 26, 2001

WILLIAM A FLINSKY  
129 HUOT STREET  
BOX 1056  
SOUTH PORCUPINE, Ontario  
P0N-1H0

Visit our website at:  
[www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm](http://www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm)

Dear Sir or Madam:

**Submission Number:** 2.20944

**Status**

**Subject: Transaction Number(s):** W0180.00110 Approval

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact JIM MCAULEY by e-mail at [james.mcauley@ndm.gov.on.ca](mailto:james.mcauley@ndm.gov.on.ca) or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY  
Lucille Jerome  
Acting Supervisor, Geoscience Assessment Office  
Mining Lands Section

# Work Report Assessment Results

---

**Submission Number:** 2.20944

**Date Correspondence Sent:** April 26, 2001

**Assessor:** JIM MCAULEY

---

<b>Transaction Number</b>	<b>First Claim Number</b>	<b>Township(s) / Area(s)</b>	<b>Status</b>	<b>Approval Date</b>
W0180.00110	1180173	CLEAVER	Approval	April 26, 2001

**Section:**

10 Physical PSTRIP  
10 Physical PTRNCH

Assessment work credit has been redistributed, as outlined on the attached Distribution of Assessment Work Credit sheet, to better reflect the location of the work.

**Correspondence to:**

Resident Geologist  
Kirkland Lake, ON

**Recorded Holder(s) and/or Agent(s):**

WILLIAM A FLINSKY  
SOUTH PORCUPINE, Ontario

Assessment Files Library  
Sudbury, ON

---

# Distribution of Assessment Work Credit

The following credit distribution reflects the value of assessment work performed on the mining land(s).

**Date:** April 26, 2001

**Submission Number:** 2.20944

---

**Transaction Number:** W0180.00110


<u>Claim Number</u>	<u>Value Of Work Performed</u>
1129847	3,500.00
1219015	3,500.00
1180173	20,820.00
1204131	1,800.00
1129846	300.00
1133232	300.00
1133231	300.00
1169024	300.00
1169022	300.00
<b>Total: \$</b>	<b>31,120.00</b>

---



# MINING LAND TENURE MAP

Date / Time of Issue Apr 26 2001 13:53h Eastern  
 TOWNSHIP / AREA PLAN  
 CLEAVER G-3619  
 ADMINISTRATIVE DISTRICTS / DIVISIONS  
 Mining Division Larder Lake  
 Land Titles/Registry Division TIMISKAMING  
 Ministry of Natural Resources District TIMMINS



### TOPOGRAPHIC

- Administrative Boundary
- Township
- Concession Lot
- Provincial Park
- Indian Reserve
- CR, PI and P&E
- Contour
- Contour - Approx. Accuracy 2 metres
- Stream
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Hydro Line
- Communication Line
- Wooded Area
- Mound or C. Mound, Historical, Hero, Cultural

### LAND TENURE

- Freehold Patent**
  - Surface and Mining Rights
  - Surface Rights Only
  - Mining Rights Only
- Leasehold Patent**
  - Surface and Mining Rights
  - Surface Rights Only
  - Mining Rights Only
- License of Occupation**
  - Uses not Specified
  - Surface and Mining Rights
  - Surface Rights Only
  - Mining Rights Only
- Land Use Permit
- Order in Council
- Water Power Lease Agreement
- Mining Claim

### LAND TENURE WITHDRAWALS

- Areas Withdrawn from Disposition
- 1254 Mining Act Withdrawal Types**
  - Surface and Mining Rights Withdrawn
  - Surface Rights Only Withdrawn
  - Mining Rights Only Withdrawn
  - Order in Council Withdrawal Types
  - Surface and Mining Rights Withdrawn
  - Surface Rights Only Withdrawn
  - Mining Rights Only Withdrawn
- IMPORTANT NOTICES

### LAND TENURE WITHDRAWAL DESCRIPTIONS

Number	Type	Date	Description
3854	Wm	Jan 1 2001	SEC.35 W.L. 2094 MER. SAM 94-0204
3857	Wm	Jan 1 2001	SEC.35 W.L. 18794 MER. SAM 94-1006
3855	Wm	Jan 1 2001	4887 T. SURF. AC. RIGHTS RES. REVISION ALONG THE SHORES OF ALL LAKES & RIVERS
W.L.C.1506	Wm	May 15 1999	SEC.35 W. L.L. C.108600 CRT MAY 1500 M-3

### IMPORTANT NOTICES

Areas under which special regulations, limitations or conditions exist that affect normal prospecting, staking and mineral development activities.





These notices to staking mining claims should consult with the Provincial Mining Recorder's Office of the Ministry of Northern Development and Mines for additional information as to the status of the lands shown herein. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Lands Titles or Registry Office, or the Ministry of Natural Resources. The information shown is derived from digital data available on the Provincial Mining Recorder's Office at the time of downloading from the Ministry of Northern Development and Mines web site.

**General Information and Limitations**  
 Contact Information:  
 Provincial Mining Recorder's Office TEL: 709  
 1000 Green Lake Centre TEL: 1 (800) 935-9645  
 833 University Lakeshore FAX: (709) 745-1444  
 Stouffville, ON P3C 6B5  
 Home Page: www.mnr.ca/mining/mnr/s\_lands/units/mrpgs.htm  
 Map Datum: NAD 83  
 Projection: UTM 18N (degrees)  
 Topographic Data Source: Land Information Ontario  
 Mining Land Tenure Source: Provincial Mining Recorder's Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, rights of way, bedding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that result or pertain from entry to staking mining claims may not be shown.





- 16 DIABASE
- 15 GOWGANDA FORMATION
- 14 DIABASE (MATACHEWAN)
- 13 ALKALIC FELSIC ROCKS
- 12 GRANDIORITE
- 11 GABBRO
- 10 ULTRAMAFIC
- 9 SEDIMENTARY
- 8 VOLCANIC
- TRENCH



CLEAVER TWP LARDER LAKE DIVISION  
 WILLIAM FLINSKY DATE JAN 5-2001  
 PLAN NO. G-3619 SCALE=1"=400'