



RECEIVED
JAN 09 2003
GEOSCIENCE ASSESSMENT
OFFICE



42A03NW2003 2.24758

FRIPP

010

Mining Lands - Mining Claims Client Report

Porcupine - Division 60

CLIENT: 302850 - DAXL, HERMANN


<u>TOWNSHIP / AREA</u>	<u>Claim Number</u>	<u>Recording Date</u>	<u>Claim Due Date</u>	<u>Status</u>	<u>Percent Option</u>	<u>Work Required</u>	<u>Total Applied</u>	<u>Total Reserve</u>	<u>Claim Bank</u>
FRIPP	P 1199442	2002-FEB-12	2004-FEB-12	A	100.00 %	2400	0	0	0
FRIPP	P 1199443	2002-FEB-12	2004-FEB-12	A	100.00 %	1600	0	0	0
MUSGROVE	P 1244901	2001-FEB-28	2003-FEB-28	A	100.00 %	4000	0	0	0
MUSGROVE	P 3000699	2002-APR-17	2004-APR-17	A	100.00 %	6000	0	0	0

| [Back](#) | [Main Menu](#) | [Mining Lands](#) |

© Copyright 2001 Queen's Printer for Ontario

This information is provided as a public service, but we cannot guarantee that the information is current or accurate. Readers should verify the information before acting on it.

302850



EXCERPT OF MAP 2345 OGS
 PETERLONG MAP
 MNR 1977
 1:50 000 1cm = 500 m
 N
 ↑
 1 0 1 km 2

BEEP MAT SURVEY AND SAMPLING

OCT - DEC 2002

ON

DAXL CLAIMS IN FRIPP AND MUSGROVE TPS

by Hermann Daxl, M.Sc., P. Geol.

24 December 2002

INTRODUCTION:

The purpose of this Beep Mat survey was to obtain samples of bedrock conductors where there is no outcrop, but where the geology is promising or where an anomaly has been indicated by the helicopter-borne survey (T-3482 / 2.14526), or the ground magnetometer survey (T-702). The work was done by myself on all 4 of the contiguous claims held 100% by myself, namely 1199442 and 1199443 in Fripp Township, and 1244901 and 3000699 in Musgrove Township, 35 claim units in total. Access is simple with a light truck as all roads are of gravel and even the narrow remote ones are in fair condition. Access is 37 to 46km from downtown Timmins as shown in the attached location maps.

The Beep Mat is a handy instrument (see photo) pulled like a small sleigh, with a console carried on the chest. The latest model BMIV+ will beep when the sleigh is within <3m of a conductor and display a number for guidance. A separate different beep and number tells magnetic rocks within <50cm, so that sometimes both happen. The desired samples can often be dug up with hand tools. The usual good glacial polish of the subcrops shows much geological detail visible in photos.

GEOLOGY AND PREVIOUS WORK

The claims are located within the northeast margin of the Peterlong Lake Complex of medium-grained blue-quartz-bearing diorite, where it has been intruded by ultramafic rocks <700m wide along faults trending some 140 -160 degrees. Some geologists consider these to be older volcanics engulfed by the granitic batholith, possibly as a projection from similar rocks in the wider region. The fine grain-size of the massive rocks should be no reason, because the original minerals are obliterated in such rocks, nor should be polysuturing if any.

Medium-grained diorite xenoliths, sometimes variably assimilated, are quite evident according to my drill logs of 1996-97, and several outcrops

and subcrops seen in my present work, which makes the ultramafics younger intrusions. The so-called iron formations are magmatic to hydrothermal deposits near their contacts (see photos).

This is paramount for the exploration potential because of the Hollinger Copper Deposit located on the adjacent patented claim unit P51071, a drilled-off resource of possibly some 50,000 tonnes of some 4% Cu, as can be estimated from my drill logs and sections in file T-3806. Where not contaminated by xenoliths, the chalcopyrite pulse grades 20% Cu. It was clear also to the geologist in the nineteen-sixties that the copper-rich serpentinite is an intrusion, but experts meanwhile assumed that it be an inclusion, and thereby halted exploration.

The following assessment files cover some of the area of my claims:

T- 492	Sanderelli	Ground MAG and EM, geology map.
T- 702	Hollinger	Ground MAG and EM, geology map, diamond drill holes F12, F13, F14, F29.
T-1618	Shadrack	Ground MAG and EM, 3 drill holes.
T-2525	Northgate	Geology, Geochem, MAG, VLF.
T-3482	Falconbridge	Helicopter MAG-EM-VLF, geology map, 1 diamond drill hole, compilation report.

The following OGS maps include some of the area of my claims:

Map 2345	Peterlong Lake	Geology 1: 50.000, Report 171
Map 81389+93	Shining Tree	Airborne EM - total MAG

PRESENT WORK:

The Beep Mat BMII borrowed from the MNDM Resident Geologist worked well because of the frequently shallow overburden of boulders over sandy till. Twelve finds were dug up to a maximum of 0.7m deep and 3m long. Only two of these (samples 116,123,135, and 124) were glacial erratics, most of the others were solidly in place, or surely local.

The Beep Mat BMIV+ was used over swamps, because of its deeper range of some 3m. Several conductive areas were located, but could not be reached with hand tools, and most were below 2m of soggy black-brown humus or peat. Mechanical work is necessary, as such conductors cannot be judged otherwise.

The main traces of the Beep Mat are shown on the attached 3 map sheets, often along reflagged old grid lines, together with sample locations, Beep Mat conductors, and occasional important outcrops labelled at their actual locations. Rock units with question marks, e.g. UM?, are inferred from Beep Mat response or from frequent frost-heaved boulders. These would be additions with good agreement to the geological map of file T-3482 / 2.14595, which is recommended as an underlay. The ultramafic rocks are more extensive than known so far, and probably occur also as smaller dikes and offshoots, especially in contact areas.

RESULTS:

The sample descriptions and analyses by fire assay for Au, Pt, Pd, and other elements by ICP-aqua regia, are attached. Ni and Cu was repeated by atomic absorption-aqua regia with one minor discrepancy. These low values resemble the similar contact deposits intersected even beside the Hollinger Copper Deposit, and therefore one must not discredit the potential. The copper-rich rocks there are not related to contacts, but are separate later pulses within the intrusion, as documented by my drill logs of 1996-97, notably including a graded magmatic bed. No samples could be dug up from such inside anomalies in the present work.

According to pits with 3m^2 of washed subcrop exposure as shown in attached photographs, and samples obtained, the three types of conductors or magnetic anomalies are clearly not inclusions of sedimentary iron formations as often referred to in the past, but are associated with the ultramafic contacts, namely:

1. Infiltration of pyrite in the wallrock, possibly hydrothermal.
2. Assimilation zones with schlieren of magnetite, pyrite, or pyrrhotite, often with bands of quartz as the quartz diorite xenoliths show much assimilation.
3. Magmatic cumulates of much pyrrhotite and pyrite, such as sample 113, and the leaner sample 127 probably further inside.

As such contact mineralization they give a helpful geophysical outline of the ultramafic units, which according to the Hollinger Copper Deposit could include copper-rich zones. One must remember that the Hollinger Copper Deposit was discovered by coincidence when drilling such a magnetic contact anomaly, because it did not show as a worthwhile conductor, not even on the more recent helicopter-borne survey, yet it subcrops under only 10m of swamp and boulders. However, this does not mean that the Beep Mat could not respond when close enough.

OTHER FINDINGS:

The diabase dike trending some 60 degrees from between Jules Lake and Donut Lake to Bartlett Lake is only weakly magnetic according to few spots tested with the Beep Mat. The ultramafic is usually very weakly to weakly magnetic, less so where more chloritic or talcose, but the diorite is completely non-magnetic. The magnetic anomaly south of Jules Lake may be more due to the rather fresh pyroxenite-amphibolite than the rather narrow diabase dike. The Beep Mat shows any magnetic difference only when within 50cm, which is usually too little, especially when snow is added.

The snow may however improve its sensitivity to weak or distant conductors, especially where otherwise the ground is wet, because water can cause a negative reading of <15 which would cancel a very weak conductive response. The Hollinger Copper Deposit is non-magnetic but conductive according to the drill logs. It should therefore be possible to locate a spot for sampling.

CONCLUSIONS:

This use of the Beep Mat should be considered a mere start, since it works very well to locate and sample conductors under the present thin overburden, but it takes a traverse every 2-3 meters not to miss a subcrop that comes near enough to surface. Considering the derogatory reports of some experts in the past, it may take some time and especially tangible proof to raise money for more expensive exploration. Hopefully the next Beep Mat Survey will locate an ultramafic breccia with a chalcopyrite-rich ultramafic matrix, and grade 20% Cu, just like in drill hole MAC-3 and others of the Hollinger Copper Deposit.

ACKNOWLEDGEMENT:

I thank the Ministry of Northern Development and Mines, and the Office of the Resident Geologist, South Porcupine, for lending me the Beep Mat BMII free of charge.

24 December 2002



SAMPLE DESCRIPTIONS by H. Daxl, Oct-Dec 2002.

			mt	sulf
SR101	LB	Local boulder, actinolite rock, 20% magnetite schlieren, some assimilated quartz sometimes blue, pegmatite dikelets.	20%	0
SR102	LB	Local boulder, fresh greenish-gray ultramafic, fine-grained, massive, serpentinized H=4-5, nonmagnetic here, barren, removed weathering.	0	0
SR103		Assimilated diorite in 25% ultramafic mass, 5% magnetite bands, 1% pyrite veinlets in diorite, few pyrrhotite pods, rusty.	5%	1%py
SR104		Very similar to SR103, see photo.		
SR106		50cm contact margin of ultramafic with 50% assimilation of diorite wallrock, banded, no magnetite, 5% magnetic pyrrhotite, some rust.	0	5%po
SR109		Marginal ultramafic with magnetite schlieren, 50% diorite xenoliths with magnetite infiltration; no sulfides, adjacent to SR106. See photos.	30%	0
SR110		Ultramafic chilled margin with strong assimilation of diorite with pyrrhotite infiltration; locally magnetic, 20% pyrrhotite, quite rusty.	0	20%po

SR112	Diorite xenoliths, partly assimilated, probably in SR113; nonmagnetic, 2% pyrite infiltration. See photo.	0	2%py
SR113	Ultramafic, fine-grained, no xenoliths, strongly magnetic, 15 % magnetic pyrrhotite; probably a sulfide cumulate at contact.	?	15%po
SR115	Diorite, weakly magnetic, 5% pyrrhotite-pyrite infiltration, probably wallrock to ultramafic, quite rusty. From old pit at southwest bay of Donut Lake.	?	5%popy
SR118	Very similar to SR115, nonmagnetic, Probably in place south of claim line.	0	2%popy
SR120	Diorite, some injections of ultramafic, nonmagnetic, 5% pyrrhotite-pyrite, rusty. 15m east of old central north-facing pit.	0	5%popy
SR121	Diorite, nonmagnetic, 2% pyrrhotite-pyrite infiltration, rusty. From subcrop 15 m east of SR115.	0	2%popy
SR123 B	Boulder, 140x80x35cm, sampled fresh part. Angular breccia weathered ochre with 50% fresh pyrite-rich matrix. See photo. Rather poor response of C1000 and M500.	0	30% py
SR124 B?	Boulder? similar to SR123, also in analyses, note As, Mn, Au, no Cu. But strong response of C16000 as is larger?	0	30% py

- SR127 Ultramafic, greenish-gray, fine-grained, massive, 5% 5%po
H=4 (hardness), moderately to strongly magnetic,
5% magnetite, 5% magnetic pyrrhotite, quite fresh.
- SR128 Ultramafic with 20% felsic assimilation, 10% 0
magnetite-rich, no sulfides, quite fresh.
NE-slope to swamp, probably chill zone.
- SR129 Ultramafic, massive, 25% felsic xenoliths, 0 5%popy
probably chilled margin, no magnetite,
5% very fine magnetic pyrrhotite and pyrite.
Note 6742 ppm zinc. Adjacent to SR128.
- SR130 Diorite wallrock? with some ultramafic, 0 5%py
nonmagnetic, 5% pyrite dissemination and veinlets.
- SR131 Pyroxenite? Amphibolite? fine-grained, dark-gray, WM 0
massive, H=4-5, weakly magnetic, barren.
Cleaned to <3% beige weathered crust.
MAG anomaly more due to this than narrow diabase?
- SR132 Gossaned and sandy at SR133, nonmagnetic.
- SR133 Ultramafic, 50% diorite xenoliths, near contact, 0 2%
nonmagnetic, quite fresh with rusty coating,
some 2% pyrite-pyrrhotite. 50m south of trench.
- SR134 Ashed black-brown humus from 1m depth in swamp
over Beep Mat anomaly. Note Au, Ag, even Ni, Cu.
- SR135 Pan-concentrate of pre-glacial sorted sand 0 0
under SR123. 50% black mafics. No Au, Pt, Pd, Ag.

CERTIFICATE OF QUALIFICATION

I, Hermann Daxl, certify that:

1. I am a professional geologist, specialized in exploration, and am a member of the Ordre des geologues du Quebec, Montreal, Permit #236.
2. I hold a M.Sc.Minex degree from Queen's University of Kingston, Ontario, conferred in 1988.
3. I hold a B.Sc. Specialization Geology degree from Concordia University of Montreal, conferred in 1987.
4. I have been a member of the Association of Professional Geologists and Geophysicists of Quebec, Montreal, since 1988.
5. I have practised my profession since 1988, as an employee or under contract, and have gained experience in many types of mineralization through exploration mapping and core logging, in Canada, USA, Mexico, Cuba, and Chile.
6. I have mapped, logged core or supervised drilling programs on some 10 ultramafic magmatic sulfide occurrences or deposits, including the Redstone Mine south of Timmins, the Dumont Nickel Deposit, about 4000m of core of the Katiniq nickel mine at Raglan, Ungava, Quebec, and 1500m of core of the Hollinger Copper Deposit adjacent to my claims.
7. I have done 4 years of research on magmatic oxide deposits.
8. I hold 100% interest in the 4 mineral claims subject of the present work. I can be reached by telephone at 514-947-8306.

24 December 2002

Hermann Daxl, M.Sc., P. Geol.





Beep Mat BMII borrowed from the District Geologist.

2. 247 58



Subcrop at sample 104, assimilating diorite xenoliths in pyrite-rich locally magnetic ultramafic groundmass under sandy till overlain by cobble till.



Pit of samples 106-109 at contact trending 170 degrees.



Large diorite xenolith injected by po-rich ultramafic adjacent to ultramafic with magnetite schlieren, both containing some assimilated diorite.



Pit of samples 111-113 of conductor trending 130 degrees. Ultramafic locally contains 15% fine-grained magnetic pyrrhotite cumulates.

2. 247 58



1.4m erratic 123 of angular carbonate breccia with 40% pyrite matrix.



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Geochemical Analysis Certificate

2W-3400-RG1

Company: **HERMANN DAXL**

Date: DEC-19-02

Project:

Attn:

We hereby certify the following Geochemical Analysis of 24 Core samples submitted DEC-06-02 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB	Multi-element	WRA
SR101	2	-	107	33	<5	<5		
SR102	10	-	114	72	<5	58		
SR103	69	-	633	81	<5	<5		
SR104	17	-	891	114	<5	<5		
SR106	Nil	7	1320	129	<5	10		
SR109	7	-	359	31	<5	<5		
SR110	10	-	793	60	<5	<5		
SR112	Nil	-	38	43	<5	<5		
SR113	Nil	-	601	129	<5	<5		
SR115	10	-	533	234	<5	<5		
SR118	34	-	1340	112	<5	<5		
SR120	7	-	249	86	<5	<5		
SR121	7	-	110	33	<5	<5		
SR123	21	-	35	129	<5	<5		
SR124	127	103	28	105	<5	<5		
SR127	10	-	645	36	<5	<5		
SR128	2	-	21	1	<5	<5		
SR129	7	-	420	82	<5	<5		
SR130	12	-	861	635	<5	5		
SR131	9	-	15	884	<5	7		
SR132	5	-	563	80	<5	<5		
SR133	10	-	595	103	<5	<5		
SR134	151	-	45	28	<5	<5		
SR135	Nil	-	17	29	<5	<5		

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 2W3400 RJ

Date : Dec-13-02

HERMANN DAXL

Attention:

Project:

Sample: Core

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
SR101	<0.2	0.36	<5	10	<0.5	5	0.64	<1	12	243	101	9.61	0.02	0.19	115	<2	0.05	37	780	18	5	<1	<10	<1	0.04	227	<10	6	48	8
SR102	<0.2	4.07	<5	10	<0.5	<5	2.42	<1	14	99	103	2.19	0.02	1.10	250	<2	0.32	70	50	<2	<5	2	<10	38	0.05	28	<10	1	19	2
SR103	0.8	0.82	<5	20	<0.5	10	0.56	1	53	520	640	14.32	0.06	0.48	340	2	0.05	96	490	22	10	1	<10	<1	0.04	57	20	3	1212	11
SR104	<0.2	0.28	<5	10	<0.5	20	0.20	1	245	343	935	>15.00	0.03	0.11	100	<2	0.05	132	250	26	5	<1	<10	<1	0.03	47	<10	<1	496	12
SR106	<0.2	0.57	<5	10	<0.5	20	0.22	2	103	313	1417	>15.00	0.02	0.43	250	2	0.04	138	580	28	10	<1	<10	<1	0.03	79	20	2	1631	14
SR109	<0.2	0.87	<5	20	<0.5	15	0.20	<1	23	250	354	>15.00	0.03	0.73	340	<2	0.03	43	900	22	5	1	<10	<1	0.04	120	<10	3	602	11
SR110	0.4	0.43	<5	10	<0.5	25	3.38	<1	20	302	793	>15.00	0.02	0.05	3270	<2	0.03	71	250	34	10	<1	<10	<1	0.03	43	<10	2	27	19
SR112	<0.2	1.08	<5	30	<0.5	<5	0.40	1	12	387	31	4.83	0.07	0.69	855	<2	0.08	49	640	56	5	1	<10	7	0.05	39	<10	3	93	3
SR113	0.4	0.60	<5	20	<0.5	30	0.29	<1	11	69	547	>15.00	0.05	0.23	1150	<2	0.05	139	470	46	5	<1	<10	<1	0.03	73	<10	1	21	20
SR115	0.2	0.69	<5	30	<0.5	15	0.29	<1	15	239	494	>15.00	0.17	0.61	175	2	0.05	245	880	24	5	1	<10	<1	0.05	45	<10	4	27	12
SR118	0.6	1.51	<5	30	0.5	15	0.55	<1	210	355	1753	>15.00	0.22	1.33	335	<2	0.07	341	1380	40	10	2	<10	<1	0.10	91	<10	5	40	20
SR120	<0.2	0.55	<5	30	<0.5	<5	0.46	<1	36	218	268	9.63	0.11	0.31	230	<2	0.05	98	960	24	5	<1	<10	<1	0.08	29	<10	3	60	7
SR121	<0.2	0.59	<5	30	<0.5	<5	0.33	<1	15	252	96	7.48	0.09	0.33	220	<2	0.06	43	680	10	5	1	<10	<1	0.07	28	<10	1	22	5
SR123	<0.2	0.42	65	20	<0.5	40	0.07	<1	35	144	<1	>15.00	0.01	0.65	7085	<2	0.03	146	330	54	10	<1	<10	<1	<0.01	58	<10	<1	33	28
SR124	<0.2	0.33	210	20	<0.5	35	0.08	<1	34	201	<1	>15.00	0.01	0.94	6900	<2	0.03	122	360	88	15	<1	<10	<1	<0.01	57	<10	<1	35	26
SR127	<0.2	0.04	<5	10	<0.5	10	0.15	<1	20	207	665	10.64	0.01	0.09	460	<2	0.03	49	230	14	5	<1	<10	<1	0.01	27	<10	1	11	7
SR128	<0.2	0.04	<5	20	<0.5	10	0.12	<1	3	108	5	13.87	0.02	0.05	125	<2	0.03	8	320	20	5	<1	<10	<1	0.08	43	<10	1	43	9
SR129	<0.2	1.47	<5	20	<0.5	10	0.43	11	75	283	408	>15.00	0.07	1.00	385	2	0.08	96	380	34	5	3	<10	<1	0.03	67	120	2	6742	11
SR130	<0.2	1.15	<5	40	<0.5	<5	0.46	<1	78	232	907	8.42	0.11	0.62	425	<2	0.09	655	400	10	5	1	<10	<1	0.06	33	<10	1	190	6
SR131	<0.2	0.55	<5	10	<0.5	<5	0.17	<1	49	566	5	5.35	0.01	10.01	610	<2	0.04	842	80	4	10	2	<10	<1	0.02	26	<10	1	44	4
SR132	<0.2	1.76	<5	40	<0.5	<5	0.91	<1	47	152	532	12.71	0.09	0.96	650	<2	0.11	91	800	24	5	2	<10	<1	0.07	65	<10	2	66	9
SR133	<0.2	1.63	<5	20	<0.5	<5	1.09	<1	67	128	575	8.25	0.06	0.88	690	<2	0.12	104	790	14	5	2	<10	<1	0.08	70	<10	3	111	6
SR134	1.0	0.12	<5	50	<0.5	<5	2.98	<1	<1	14	43	0.27	0.01	0.39	60	2	0.04	27	230	6	<5	1	<10	47	<0.01	6	<10	2	16	3
SR135	<0.2	0.79	<5	10	<0.5	<5	0.28	<1	9	159	10	1.79	0.02	0.70	140	<2	0.05	32	320	2	5	1	<10	3	0.05	19	<10	1	35	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 2W3400 RL

Date : Dec-18-02

HERMANN DAXL

Attention:

Project:


Sample: Core

ICP Whole Rock Assay

Lithium Metaborate Fusion

Sample Number	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	CaO %	MgO %	Na ₂ O %	TiO ₂ %	K ₂ O %	MnO %	P ₂ O ₅ %	LOI %	Ba ppm	Sr ppm	Zr ppm	Sc ppm	Y ppm	Be ppm	Co ppm	Cr ppm	Cu ppm	Ni ppm	V ppm	Zn ppm	Rb ppm	Nb ppm	Total %
SR102	47.77	12.90	11.17	12.00	11.98	0.96	0.51	0.08	0.20	0.03	1.64	40	60	10	80	15	<5	70	1335	185	330	395	100	<100	<10	99.51
SR131	42.54	6.66	11.10	5.47	28.16	0.65	0.30	0.07	0.16	0.03	3.78	60	20	20	35	10	<5	105	3745	15	1920	210	65	100	<10	99.55



Sample is fused with Lithium metaborate and dissolved in dilute HNO₃.

Signed: 

17U
NAD 27
UTM
70°W
DECL.

BEEP MAT SURVEY & SAMPLING,
BY H. DAXL 9 NOV - DEC 2002

Scale: 1:5000 1cm = 50m




LEGEND:

- x ⊗ Sample, dug pit to subcrop conductor, <2m long, 0.7 deep.
- BM <20 Beep Mat conductor readings, no samples, too deep.
- ⊔ Conductor response area < 3m deep overburden.
- 116B Sample number and type: NO suffix = Bedrock, B = Boulder, H = Humus, S = Sand.
- UM Ultramafic Rocks, mostly very weakly magnetic.
- Di Diorite country rock, non-magnetic, actual location.
- UMBi UM with assimilated Di xenoliths, contact zone, dike?
- Beep Mat track, excl. detail search.
- L96N Old gridlines, reflagged.
- = Claimposts and blazes checked; — not checked.
- ∇ Steep slope or cliff
- == Gravel road, trucks.
- - - Trail, winter only.
- ~ ~ ~ Beaver dam, — other passage.
- ⋈ Waterlogged deep humus, ⋈ trees.
- PX Pyroxenite? weakly magnetic, actual location; amphybolik?

Please refer to report. Use as overlay to map T-3482 filed 15 Jun 1992, 2.14595, as assessment work, attached. Only some rocks of special interest are mapped here as the goal was to sample conductor subcrops.


BUMD? U118



17U
NAD27
UTM
N
7° W
DECL.

BEEP MAT SURVEY & SAMPLING
BY H. DAXL 18 OCT - DEC 2002

Scale: 1:5000 1cm = 50m



Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines



Date: 2003-MAR-14

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

HERMANN DAXL
14365 SHAW CR.
PIERREFONDS, QUEBEC
H9H 1J7 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.24758
Transaction Number(s): W0360.00026

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,

A handwritten signature in black ink, appearing to read "Ron Gashinski".

Ron Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Hermann Daxl
(Claim Holder)

Assessment File Library

Hermann Daxl
(Assessment Office)

Date / Time of Issue: Thu Mar 13 11:20:41 EST 2003


TOWNSHIP / AREA
MUSGROVE

PLAN
G-3962

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

Porcupine
TIMISKAMING
TIMMINS



TOPOGRAPHIC


- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cut, Pit & Pile
- Contour
- Mine Shafts
- Mine Hoopframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower

Land Tenure

- Freehold Patent
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
- Leasehold Patent
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
- Licence of Occupation
 - Uses Not Specified
 - Surface And Mining Rights
 - Surface Rights Only
 - Mining Rights Only
 - Land Use Permit
 - Order in Council (Not open for staking)
 - Water Power Lease Agreement
 - Mining Claim
 - Filed Only Mining Claims

Symbol	Area Withdrawn from Disposition
1234	Areas Withdrawn from Disposition
Wsm	Mining Acts Withdrawal Types
Wb	Surface And Mining Rights Withdrawn
Wm	Surface Rights Only Withdrawn
W'm	Mining Rights Only Withdrawn
W'sm	Order in Council Withdrawal Types
W'sb	Surface And Mining Rights Withdrawn
W'sm	Surface Rights Only Withdrawn
W'm	Mining Rights Only Withdrawn

- LAND TENURE WITHDRAWALS
- IMPORTANT NOTICES



LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
3759	Wsm	Jan 1, 2001	400 FT SURFACE RIGHTS RESERVATION AROUND ALL LAKES & RIVERS
3826	Wsm	Jan 1, 2001	RY 223 (L.U.P. - PENDING APPLICATION UNDER THE PUBLIC LANDS ACT)
3830	Wsm	Oct 7, 1994	AGGREGATE PERMIT OCT.07/94 SAND & GRAVEL
W 19/77	We	Jan 1, 1980	W 19/77 10/4/78 S.R.O. 185543
W-P 04/63	Wsm	Jan 23, 1993	MINING RIGHTS ONLY WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE
W-P 45/64	Wsm	May 2, 1994	M.R.&S.R. WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE OR LEASE
W-P 52/64	Wsm	May 2, 1994	M.R.&S.R. WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE OR LEASE
W-P 53/64	Wsm	May 2, 1994	M.R.&S.R. WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE OR LEASE
W-P 54/64	Wsm	May 2, 1994	M.R.&S.R. WITHDRAWN FROM PROSPECTING, STAKING OUT, SALE OR LEASE
W-P 50/64	Wsm	May 2, 1994	SURFACE AND MINING RIGHTS WITHDRAWN UNDER SECTION 35 OF THE MINING ACT
W-P 51/64	Wsm	May 2, 1994	SURFACE AND MINING RIGHTS WITHDRAWN UNDER SECTION 35 OF THE MINING ACT
W19/77	Ws	Jan 1, 1980	W19/77 1/3/77 S.R.O. 174106
W19/78	We	Jan 1, 1980	W19/78 10/4/78 S.R.O.185543
W23/77	Ws	Jan 1, 2001	W23/77 11/3/77 S.R.O.185543

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations
 Contact Information:
 Provincial Mining Recorders' Office
 Willat Green Miller Centre 933 Ramsey Lake Road
 Sudbury ON P3E 6B5
 Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/mis/mrppge.htm

Toll Free
 Tel: 1 (888) 415-6945 ext 5777
 Fax: 1 (877) 670-1444

Map Datum: NAD 83
 Projection: UTM (6 degree)
 Topographic Data Source: Land Information Ontario
 Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.



BEEP MAT SURVEY AND SAMPLING OCT - DEC 2002



DAXL CLAIMS IN FRIPP AND MUSGROVE TPS

Work done by Hermann Daxl, M.Sc., P.Geol.

LEGEND:


- x ⊙ Sample, dug pit to subcrop conductor, ~2m long, 0.7 deep.
- BM +20 Beep Mat conductor readings, no samples, too deep.
- ⊖ Conductor response area ~3m deep overburden.
- 116B Sample number and type: No suffix = Bedrock, B = Boulder, H = Humus, S = Sand.
- UM Ultramafic Rocks, mostly very weakly magnetic.
- Di Diorite country rock, non-magnetic, actual location.
- UMbi UM with assimilated Di xenoliths, contact zone, dike!
- Beep Mat track, excl. detail search.
- L96N Old gridlines, reflagged.
- Claimposts and blazes checked; — not checked.
- ⚡ Steep slope or cliff.
- ▬ Gravel road, trucks.
- ⋯ Trail, winter only.
- ~ Beaver dam, — other passage.
- * Waterlogged deep humus, * trees.
- PX Pyroxenite, weakly magnetic, actual location; amphibolite?


Please refer to report. Use as overlay to map T-3492 filed 15 Jun 1992, 2.14595, as assessment work, attached. Only some rocks of special interest are mapped here as the goal was to sample conductor subcrops.



Scale: 1 : 5000, 1 cm = 50 meters

Used GPS NAD 1927 - Declination 7 degrees West






MONETA-FALCONBRIDGE-FRIPP
PN 8210

FROM T-3482


2. 247 58





FROM T-3482 FALCONBRIDGE-FRIPP
PN 8228

3000ME



42A03NW2003 2.24758 FRIPP

1000ME 95 E