





42A05NE0089 W9660-00244 GODFREY

010

SUMMARY REPORT  
OF THE  
GEOLOGICAL, GEOPHYSICAL, WASHING AND STRIPPING PROGRAM  
FOR  
ROBIN MATHIEU/RICHARD MATHIEU  
ON THE  
GODFREY GOLD PROSPECT  
GODFREY TOWNSHIP  
PORCUPINE MINING DIVISION  
TIMMINS, ONTARIO  
OP95-023, OP95-022



PREPARED BY: J.C. GRANT, CET, FGAC  
JANUARY, 1996





42A05NE0089 W9660-00244 GODFREY

010C

## APPENDIX

	PAGE
PURPOSE.....	1
PROPERTY, LOCATION AND DESCRIPTION.....	2
CLAIM GROUP.....	2
ACCESS, CLIMATE, LOCAL RESOURCES.....	2
REGIONAL GEOLOGY.....	3
LOCAL GEOLOGY.....	3, 4
HISTORY OF THE PROPERTY.....	4
PURPOSE OF THE 1995 OPAP PROGRAM.....	5
PROPERTY GEOLOGY.....	5, 6
TRENCH GEOLOGY, TRENCH RESULTS.....	6
GEOPHYSICAL PROGRAM.....	7
MAGNETIC RESULTS, VLF-EM RESULTS.....	7
SURVEY RESULTS.....	8
LIST OF FIGURES:	
FIGURE 1, LOCATION MAP	
FIGURE 2, PROPERTY LOCATION MAP	
FIGURE 3, CLAIMSKETCH	
FIGURE 4, AIRBORNE EM MAP	
FIGURE 5, GEOLOGY MAP	
APPENDIX:	
A: BRGM, OMNI PLUS AND IV SYSTEMS	
CERTIFICATE	
POCKET MAPS:	
PROPERTY GEOLOGY MAP	
TRENCH MAP AND GEOLOGY	
CONTOURED MAG MAP	
CONTOURED FRASER FILTER MAP, VLF	
PROFILE VLF MAP	

PURPOSE

This report was prepared for the purpose of:

- 1) satisfying all OPAP regulations and requirements
- 2) highlighting the geological and geophysical setting of the claim group
- 3) determining if the trenched areas are anomalous and worthy of future follow-up
- 4) determining if the property should be retained for additional follow-up

The sources of information contained within this report were obtained from the Ministry Of Northern Development and Mines assessment files, geological consultants reports, mapping and sampling of the property by the applicants, trench work and survey results completed by the applicants.

PROPERTY:

Location and Description

The Godfrey gold prospect is comprised of 4 unpatented mining claims located in the southwest section of Godfrey Township and the southeast section of Turnbull Township of the Porcupine Mining Division in the District of Cochrane in Northeastern Ontario. Figure 1 and 2

Claim Group

The claim numbers which make up the Godfrey gold prospect are as follows:

Claim Number	# Of Units	Acres
P-1193435	4	160
P-1189770	2	80
P-1189891	2	80
P-1189769	1	40


Refer to figure 3 copied from the MNDM Plan map of Godfrey and Turnbull Townships.


Access, Climate, Local Resources


The access to the property is ideal year round. Highway 101 travels west from the City of Timmins to the Mallette main haulage road which travels north and west through Bristol and onto the township line between Bristol and Godfrey. The road follows the township line and crosses the south section of the claim group. Figure 2.

The clamatic conditions are typical of this portion of Northeastern Ontario. The temperature can range from -40 degrees to +35 degrees celcius.

Water conditions are located on the west section of the claim group and is represented by Godfrey creek. The depth ranges from 3 to 8 feet.



		
<b>EXSICS EXPLORATION LTD.</b> P.O. Box 1000, P4M-7X1 Suite 13, Hollinger Bldg, Timmins Ont. Telephone: 705-267-4151		
<b>CLIENT: R. &amp; R. MATHIEU OPAP</b>		
<b>PROPERTY: GODFREY TWP GOLD PROSPECT</b>		
<b>TITLE:</b> <div style="text-align: center; font-size: 1.2em;"><b>LOCATION MAP</b></div> <div style="text-align: right;">Fig. 1</div>		
<b>Date:</b> Nov. 1995	<b>Scale:</b> 1"=125miles	<b>MNDM Plan#:</b>
<b>Drawn:</b> P. Gauthier	<b>Interp:</b> J.C. Grant	<b>Job No.</b> E-0





**EXSICS EXPLORATION LTD.**

P.O. Box 1000, P4M-7X1  
 Suite 13, Hollinger Bldg, Timmins Ont.  
 Telephone: 705-267-4151

CLIENT: **R. & R. MATHIEU OPAP**  
 PROPERTY: **GODFREY TWP GOLD PROSPECT**  
 TITLE: **PROPERTY LOCATION** Fig. 2

Date: Nov. 1995 Scale: 1:600,000 MNDM Plan#: 22-6  
 Drawn: Interp: J.C. Grant Job No. E-0





PRECAMBRIAN\*  
EARLY TO MIDDLE  
PRECAMBRIAN  
MAFIC INTRUSIVE ROCKS

11 Dabon, unaltered.  
11a Dabon, altered.

KAMISKOTIA COMPLEX\*  
LATE INTRUSIVE PHASES  
MAFIC INTRUSIVE ROCKS

2 Unaltered.  
2a Gabbro, perthitic gabbro.  
2b Basalt dike.

INTERMEDIATE TO MAFIC  
INTRUSIVE ROCKS

7 Unaltered.  
7a Granophyre, microcline.  
7b Spheneitic quartz-diorite microcline.  
7c Amphibole and/or magnetite.  
7d Foliated perthite-microcline.  
7e Amphibole perthite, microcline.  
7f Amphibole perthite, microcline.  
7g Hornblende dike.

INTRUSIVE CONTACT

EARLY INTRUSIVE PHASES  
FELSIC INTRUSIVE ROCKS

3 Unaltered.  
3a Amphibole and/or magnetite.  
3b Amphibole.  
3c Granite dike (unfoliated).  
3d Hornblende quartz dike.  
3e Hornblende dike.

FELSIC METAVOLCANICS

4 Unaltered.  
4a Amphibole and/or magnetite.  
4b Amphibole.  
4c Hornblende quartz dike.  
4d Amphibole and/or magnetite.  
4e Full amphibole and quartz.  
4f Amphibole and quartz.  
4g Amphibole and quartz.  
4h Amphibole and quartz.  
4i Amphibole and quartz.



EXSICS EXPLORATION LTD.

P.O. Box 1000, P4M-7X1  
Suite 13, Hollinger Bldg, Timmins Ont.  
Telephone: 705-267-4511

CLIENT: R. & R. MATHIEU OPAP  
PROPERTY: GODFREY TWP GOLD PROSPECT

TITLE:  
GEOLOGY MAP

Fig. 5

Date: Nov. 1995

Scale: 1:20,000


MNDM Plan#: 2330

Drawn:

Intern: J.C. Grant

Job No. E-0





**EXSICS EXPLORATION LTD.**

P.O. Box 1000, P4B-2T1  
 Suite 10, Hollinger Bldg, Timmins Ont.  
 Telephone: 705-267-4151

**CLIENT: R. & R. MATHIEU OPAP**

**PROPERTY: GODFREY TWP GOLD PROSPECT**

**TITLE: AIRBORNE  
 ELECTROMAGNETIC SURVEY Fig. 4**

**Date: Nov. 1995**

**Scale: 1:20,000**

**MNDM Plan#:**

**Drawn: P. Gauthier**

**Interp: J.C. Grant**

**Job No. E-0**

REGIONAL GEOLOGY:

The geology of the Timmins area consists predominantly of Precambrian metavolcanics and metasediments. The precambrian rocks were later covered partially by unconsolidated Cenozoic deposits. Figure 4. The precambrian rocks represent a 40,000 foot thick sequence of lower to middle greenschist facies volcanics and sediments that are divided into three groups. From the oldest to the youngest the three groups are known as the Deloro, Tisdale and Porcupine Groups. The Deloro group is a 16,000 foot thick sequence composed of basal ultramafics, andesites and basalt flows followed by dacite flows, calc-alkaline rhyolites and dacite pyroclastic rocks and oxide to sulphide facies iron formation. The Tisdale group is a 14,000 foot thick sequence composed of basal ultramafic volcanics and komatiites followed by tholeiitic basalts and calc-alkaline pyroclastic rocks. The Porcupine group is a 10,000 foot thick sequence composed of interlayered wacke, siltstone and conglomerate.

The rocks of the Timmins area were then intruded by sill-like bodies and dikes composed of felsic to mafic components,

Stratigraphic displacement of rock types range from tens of feet to thousands of feet. The most prominent and prolific fault in the area is known as the Destor-Porcupine Fault. This major structural break trends generally northeast, dips steeply north and has a width in excess of 400 feet. Other younger fault systems traversing the area are known as the Montreal River Fault and the Burrows Benedict Fault.

Structurally, the area lies within the Superior Province of the Canadian Shield. North of the Destor-Porcupine Fault, 2 major series of deformational-metamorphic events altered the rocks in the region; initial northtrending series of folds were subsequently refolded about an east-northeast trending series of folds. South of the Destor-Porcupine Fault, an east-west trending series of folds produce a major structural domain known as the Shaw Dome.

LOCAL GEOLOGY

The property is generally underlain by intermediate to mafic intrusives. These host rocks were then intruded by a unit of felsic metavolcanics coming into the property from the west. There is also evidence of a mafic to intermediate metavolcanics which cross cuts the south central section of the property in generally an east-west direction.

A diabase dike is observed in the magnetic survey as well as on geological maps cross cutting the eastern boundary of the group in a north-south direction. Numerous quartz veinlets have been exposed in the mafic host rocks and many of these veins carry different concentrations of sulphides, predominantly pyrites. Visible gold has also been observed in a number of the veins.

#### HISTORY OF THE PROPERTY

A file dated 1913 describes an outcrop area on present claim P-1189769 which was stripped and blasted by prospectors of that era. They supposedly encountered an area of visible gold and were attempting to trace it's origin. The outcrop is approximately 100 meters west of a creek which the Mathieus have located and uncovered the evidence of old trenching. No mention of assays or follow-up work was recorded during that period of exploration.

In 1964, Larchmount Exploration carried out linecutting and a magnetic survey which was subsequently followed up with two drill holes. One hole was drilled into a magnetic low on the west side of claim 1189769 and one hole in the centre of the same claim. Low gold values were returned and reported. Further work was recommended but due to the access, which was by helicopter at that time, no further work by Larchmount was done.

Current logging operations to the north of the property has resulted in Mallette putting in a permanent logging road to access the surrounding townships. This logging road provides excellent access to the applicants property.

In June, 1992, the applicants staked the property which is now represented by claims 1193435, 1189769 and 1189770 in Godfrey Township and claim 1189891 in Turnbull Township. The applicants prospected the claims during the years of 1993 and 1994 mainly around the old trenching. They completed a large trench in the area of the old workings which was mapped and sampled. The assays returned a range of values from trace gold to 7.75 ounces to the ton. Some of the veinlets returned values over 11 ounces to the ton.

The success of the prospecting and trench sampling suggested that the applicants should apply for an OPAP grant to complete surveys across the claims with the intent of locating favourable structures which may represent horizons for gold deposition.

PURPOSE OF THE 1995 OPAP PROGRAM

The purpose of the 1995 OPAP program was to cover the claims geophysically with the hope of outlining favourable structure suitable for gold deposition. A detailed prospecting of the claim group was needed to extend the strike of the gold bearing unit. The government airborne survey of the area shows a broad magnetic low area across the west central section of claims 1189769 and 1189770 which strikes north-northwest. This will be an area for follow-up surveys and prospecting. The original trench, see enclosed trench map, should be dewatered and resampled to verify the gold values especially in light of the recent activity in the surrounding area by Teck, Bandor Gold, Cambior, Falconbridge and Westminer.

The presence of abundant sulphides should lend themselves well to a geophysical survey consisting of magnetics and VLF. Both surveys are good geological tools and both react well to minimal sulphide content units.

PROPERTY GEOLOGY

The property was mapped by the applicants during the months of June, July and August, 1995. Several of the older trenches were dug out and mapped as well as one large trench which was dewatered and remapped to verify the assay results taken in earlier years. Due to excessive swamp coverage and a small pond on the grid, it was decided to wait until after freeze up to complete the survey coverage so the whole claim unit could be surveyed.

The majority of the property is covered by a mixture of tag alders and moose maple saplings ranging in height from 3 to 7 feet. Most of this is on top of a moderate to very wet swampy area, especially in the vicinity of the small pond. There is a section of mature pine on the southeast section of the grid which is on a slight rise of ground suggesting a small esker area. There is visible outcroppings in the southwest and west sections of the grid. The southwest corner of the grid seems to be underlain by intermediate to mafic intrusives which appear to be striking northwest. There is evidence of a number of old trenches in the area which were done on the various and numerous quartz veins which were observed in the outcrop. As you progress to the north and into claim 1189770, the west section of this claim is underlain by the mafic intrusive, however, the east central section of the claim is cross-cut by a diabase dike which is readily visible in the magnetic survey results.

Progressing further north and into claim unit 1193435, there appears to be an outcropping of felsic meta-volcanics, which appears to cross cut the mafic unit or the mafic unit has intruded into the felsic host rock. A number of older trenches were also located in and around the number 4 post of claim 1189770. These trenches were cleaned out and mapped by the applicants. The trenches had a number of quartz veins, in places, 6 inches wide with abundant sulphides made up of pyrites, galenas and chalcopyrites. The host rock appeared to be the mafic intrusive. Several old trenches were also observed between lines 100MN and 200MN which were dug out and mapped. These trenches appeared to test a wide quartz structure which had chalcopyrite rich seams associated with it. The applicants cleaned out the trenches and were able to uncover the quartz vein and the copper showing.

#### TRENCH GEOLOGY

The most interesting geology on the property was in the southwest corner of the grid. The large trench which was done earlier crosses a number of good quartz structures as well as sheared zones. The quartz veins have abundant sulphides with them which are comprised of pyrites, chalcopyrites and galena. A number of the veins carry free gold. The host rock appears to be the mafic intrusive comprised of andesites and dacites which in turn have been cross-cut by the quartz veins and shear zones. A porphyry dike was also uncovered in the trenching. The applicants dewatered this trench to resample the better veins and to prepare the trench for inspection by Teck and by Black Hawk who both expressed an interest in the property.

#### TRENCH RESULTS

The long trench which had been done earlier was successful in locating a favourable structure which was host to good gold values. Also the trench work proved the existence of good sulphide content within and along the contacts of the quartz veining. The magnetic survey and VLF survey should react well to these structures and possibly trace them to a more massive unit which may be under the swamp to the north. The trench also proved the area to be quite active geologically as there is a number of cross structure present in the host rock. The quartz veining appears to be north to about northeast whereas the shearing is more easterly. We already know that the diabase dikes run north-south.

GEOPHYSICAL PROGRAM

This program consisted of a detailed magnetic and VLF survey. Both of the surveys were completed over the entire claim group using a compass paced and flagged grid. The geological survey was completed over the same flagged grid for control and correlation between surveys.

The surveys were completed using the BRGM OMNI IV and OMNI PLUS systems. Specifications for each unit can be found under Appendix A of this report.

The following parameters were kept constant throughout the surveys.

**MAGNETIC SURVEY**

Line spacing..... 30, 100 meters  
 Station spacing..... 25 meters  
 Diurnal correction..... base station recorder  
 Base station record interval. 30 seconds  
 Reference field..... 58,220 gammas  
 Datum subtraction..... 57,500 gammas  
 Contour interval..... 10 gammas  
 Accuracy..... +/- 0.5 gammas  
 Parameters measured..... Earth's total magnetic field

**VLF-EM SURVEY**

Line spacing ..... 30, 100 meters  
 Station spacing..... 25 meters  
 Transmitter station..... Cutler, Maine  
 Transmitter frequency..... 24.0 khz  
 Transmitter direction..... Az 115 degrees  
 Profile scale..... 1 cm: +/- 20%  
 Parameters measured..... Inphase dip angle  
 Filter method..... Fraser filter  
 Contour interval..... 2 units

The Fraser filter method is a low pass filtering which results in placing a high positive value over shallow buried anomalies and a weaker positive value over deeper buried anomalies. It is also a good filtering to locate weak structure not readily evident in the inphase readings.

SURVEY RESULTS

The magnetic survey was the most successful in outlining the geological structures on the property. Certainly the most predominant structure relates to the north-south trending diabase dike which covers most of the west section of the grid. It is represented by a series of elongated mag high bullseyes.


The second most predominant structure is another moderate magnetic high unit generally striking at an azimuth of 100 degrees. This unit appears to relate to a sulphide rich intrusive of porphyrite, (andesites), which have been cross-cut by quartz veins and shear zones. Both of these cross structures seem to be instrumental in the deposition of good gold values. Similar structure should be followed up by trenching and stripping.

Another area of interest would be the moderate magnetic high structure paralleling the diabase dike and to the east. It may represent a structural target as there is a moderate to weak VLF zone associated with it's strongest section. The unit may also represent a diabase dike but deeper and therefore, caution and possibly further follow-up work should be done before the unit is drill tested.

At the time of this writing, the applicants had samples out for assay but the results were to be kept confidential until negotiations with interested parties has been exercised.

Respectfully submitted

J.C. Grant, CET, FGAC  
January, 1996




1000 #  
57 3903

CERTIFICATE

I, John C. Grant, hereby certify that:

- 1) I am a graduate geophysicist (1975) of the three year program in Geological Technology at Cambrian College of Applied Arts and Technology, Sudbury, Campus. I have worked subsequently as an Exploration Geophysicist for Teck Exploration Limited (5 years), North Bay office, and as Exploration Manager and Geophysicist for Exsics Exploration Limited from 1980 to present.
- 2) I am a Member of the Certified Engineering Technologist Association since 1984.
- 3) I am a member of the Geological Association of Canada.
- 4) I have been actively engaged in my profession for the last twenty (20) years, including all aspects of exploration studies, surveys and interpretations.
- 5) I have no specific or special interest in the described property. I have been retained as a Consulting Geophysicist by the claim holders.

John Charles Grant, CET, FGAC





*APPENDIX A*

# OMNI PLUS VLF Magnetometer System

EDA



## Major Benefits of the OMNI PLUS

- Combined VLF/Magnetometer/Gradiometer System
- No Orientation Required
- Three VLF Magnetic Parameters Recorded
- Automatic Calculation of Fraser Filter
- Calculation of Ellipticity
- Automatic Correction of Primary Field Variations
- Measurement of VLF Electric Field

## Specifications\*

Frequency Tuning Range .....	15 to 30 kHz, with bandwidth of 150 Hz; tuning range accommodates new Puerto Rico station at 28.5 kHz
Transmitting Stations Measured .....	Up to 3 stations can be automatically measured at any given grid location within frequency tuning range
Recorded VLF Magnetic Parameters .....	Total field strength, total dip, vertical quadrature (or alternately, horizontal amplitude)
Standard Memory Capacity .....	800 combined VLF magnetic and VLF electric measurements as well as gradiometer and magnetometer readings
Display .....	Custom designed, ruggedized liquid crystal display with built-in heater and an operating temperature range from -40°C to +55°C. The display contains six numeric digits, decimal point, battery status monitor, signal strength status monitor and function descriptors.
*RS232C Serial I/O Interface .....	2400 baud rate, 8 data bits, 2 stop bits, no parity
Test Mode .....	A. Diagnostic Testing (data and programmable memory) B. Self Test (hardware)
Sensor Head .....	Contains 3 orthogonally mounted coils with automatic tilt compensation
Operating Environmental Range .....	-40°C to +55°C; 0 - 100% relative humidity; Weatherproof
Power Supply .....	Non-magnetic rechargeable sealed lead-acid 18V DC battery cartridge or belt; 18V DC disposable battery belt; 12V DC external power source for base station operation only.
<b>Weights and Dimensions</b>	
Instrument Console .....	2.8 kg, 128 x 150 x 250 mm
Sensor Head .....	2.1 kg, 130 dia. x 130 mm
VLF Electronics Module .....	1.1 kg, 40 x 150 x 250 mm
Lead Acid Battery Cartridge .....	1.8 kg, 235 x 105 x 90 mm
Lead Acid Battery Belt .....	1.8 kg, 540 x 100 x 40 mm
Disposable Battery Belt .....	1.2 kg, 540 x 100 x 40 mm

\*Preliminary

EDA Instruments Inc.,  
4 Thorncliffe Park Drive,  
Toronto, Ontario  
Canada M4H 1H1  
Telex: 06 23222 EDA TOR.  
Cables: Instruments Toronto  
(416) 425-7800

In USA,  
EDA Instruments Inc.,  
5151 Ward Road,  
Wheat Ridge, Colorado  
U.S.A. 80033  
(303) 422-9112

Printed in Canada

# OMNI IV Tie-Line Magnetometer

EDA



- Four Magnetometers in One
- Self Correcting for Diurnal Variations
- Reduced Instrumentation Requirements
- 25% Weight Reduction
- User Friendly Keypad Operation
- Universal Computer Interface
- Comprehensive Software Packages

## Specifications

Dynamic Range	18,000 to 110,000 gammas. Roll-over display feature suppresses first significant digit upon exceeding 100,000 gammas.
Tuning Method	Tuning value is calculated accurately utilizing a specially developed tuning algorithm
Automatic Fine Tuning	$\pm 15\%$ relative to ambient field strength of last stored value
Display Resolution	0.1 gamma
Processing Sensitivity	$\pm 0.02$ gamma
Statistical Error Resolution	0.01 gamma
Absolute Accuracy	$\pm 1$ gamma at 50,000 gammas at 23°C $\pm 2$ gamma over total temperature range
Standard Memory Capacity	
Total Field or Gradient	1,200 data blocks or sets of readings
Tie-Line Points	100 data blocks or sets of readings
Base Station	5,000 data blocks or sets of readings
Display	Custom-designed, ruggedized liquid crystal display with an operating temperature range from $-40^{\circ}\text{C}$ to $+55^{\circ}\text{C}$ . The display contains six numeric digits, decimal point, battery status monitor, signal decay rate and signal amplitude monitor and function descriptors.
RS-232 Serial I/O Interface	2400 baud, 8 data bits, 2 stop bits, no parity
Gradient Tolerance	6,000 gammas per meter (field proven)
Test Mode	A. Diagnostic testing (data and programmable memory) B. Self Test (hardware)
Sensor	Optimized miniature design. Magnetic cleanliness is consistent with the specified absolute accuracy.
Gradient Sensors	0.5 meter sensor separation (standard), normalized to gammas/meter. Optional 1.0 meter sensor separation available. Horizontal sensors optional.
Sensor Cable	Remains flexible in temperature range specified, includes strain-relief connector
Counting Time (Base Station Mode)	Programmable from 5 seconds up to 60 minutes in 1 second increments
Operating Environmental Range	$-40^{\circ}\text{C}$ to $+55^{\circ}\text{C}$ ; 0–100% relative humidity; weatherproof
Power Supply	Non-magnetic rechargeable sealed lead-acid battery cartridge or belt; rechargeable NiCad or Disposable battery cartridge or belt; or 12V DC power source option for base station operation.
Battery Cartridge/Belt Life	2,000 to 5,000 readings, for sealed lead acid power supply, depending upon ambient temperature and rate of readings
<b>Weights and Dimensions</b>	
Instrument Console Only	2.8 kg, 238 x 150 x 250mm
NiCad or Alkaline Battery Cartridge	1.2 kg, 235 x 105 x 90mm
NiCad or Alkaline Battery Belt	1.2 kg, 540 x 100 x 40mm
Lead-Acid Battery Cartridge	1.8 kg, 235 x 105 x 90mm
Lead-Acid Battery Belt	1.8 kg, 540 x 100 x 40mm
Sensor	1.2 kg, 56mm diameter x 200mm
Gradient Sensor	
(0.5 m separation - standard)	2.1 kg, 56mm diameter x 790mm
Gradient Sensor	
(1.0 m separation - optional)	2.2 kg, 56mm diameter x 1300mm
Standard System Complement	Instrument console; sensor; 3-meter cable, aluminum sectional sensor staff, power supply, harness assembly, operations manual.
Base Station Option	Standard system plus 30 meter cable
Gradiometer Option	Standard system plus 0.5 meter sensor

EDA Instruments Inc.  
4 Thorncliffe Park Drive  
Toronto, Ontario  
Canada M4H 1H1  
Telex: 06 23222 EDA TOR  
Cable: Instruments Toronto  
(416) 425 7800

In U.S.A.  
EDA Instruments Inc.  
5151 Ward Road  
Wheat Ridge, Colorado  
U.S.A. 80033  
(303) 422 9112

Printed in Canada



# Swastika Laboratories

A Division of TSL/Assayers Inc.

Established 1928

Assaying - Consulting - Representation

## Assay Certificate

6W-0202-RA1

Company: **R. MATHIEU**

Date: JAN-22-96

Project:

Att.: **R. Mathieu**

We hereby certify the following Assay of 8 Rock samples submitted JAN-18-96 by .

Sample Number	Au oz/ton	Au Check oz/ton	Au PPB	Ag PPM	Cu PPM	Ni PPM
Sample #1	1.832	-	-	10.7	-	-
Sample #2	2.504	2.368	-	62.2	-	-
Sample #3	13.82	13.86	-	-	-	-
Sample #4	0.021	-	710	-	-	-
Sample #5	0.040	-	1374	4.8	395	760
Sample #6	0.003	-	113	-	9460	-
Sample #7	0.002	-	82	-	1760	-
Sample #8	0.002	-	79	-	-	-



2.16505

Certified by

P.O. Box 10, Swastika, Ontario P0K 1T0

Telephone (705) 642-3244

FAX (705) 642-3300

RE - GodFREY Gold PROSPECT.

SAMPLE'S SENT OUT TO BE ASSAYED

- #1 BIG TRENCH (CLAIM # 1189769)
- #2 BIG TRENCH (CLAIM # 1189769)
- #3 BIG TRENCH (CLAIM # 1189769)
- #4 SOUTH OF BIG TRENCH (CLAIM # 1189769)
- #5 NORTH COPPER SHOWING (CLAIM # 1189770)
- #6 NORTH COPPER SHOWING (CLAIM # 1189770)
- #7 NORTH COPPER SHOWING (CLAIM # 1189770)
- #8 L 600N 175W (OUTCROP) (CLAIM # ~~1189770~~  
1193435)

UNE 20\1995

WENT TO EXCISE EXPLORATION TO OBTAIN RENTAL PRICES ON GEOPHYSICAL EQUIPMENT. PRICE ON PLOTTING OF ALL DATA AND INTERPRETED REPORT COMPLETE DISCUSSED WORK PROGRAM WITH JOHN. DROVE TO CLAIM BLOCK TO VIEW WHAT HAVE OLD LINES FROM ARE PREVIOUS PROGRAM WERE IN.  
[writing on tickets not legible]

UNE 21\1995

1 Phy.  
DUG HOLE ON MAG HIGH CLAIM#1189770 [ ]  
TO MUCH OVERBURDEN. HOLE ABANDONED.

UNE 22\1995

1 Geol.  
PROSPECTING OF OUTCROPPING L-2N 70m-WEST [mag high] OLIVINE DIABASE  
[KE. [no samples taken]

UNE 23\25\1995

2  
JULY 1, 2, 11, 12  
13, 14, 15,  
16, 17, 1995

HELPER TODD MATHIEU--(10 DAYS)  
[ABSENT THE 17]

9 Phy.  
LEANING OUT OF TRENCH#1 WHERE QUARTZ VEINS CROSS. DE-WATERING OF LOWER SECTION OF TRENCH.  
14 VEINS CROSSING TRENCH LOOKED AT  
2 VEINS NORTH OF TRENCH LOOKED AT  
EACH EXPLORATION TO GIVE VIEW AT LATER DATE.

JULY 22, 23\1995

2 Phy.  
PROSPECTING 90m NORTH 60m WEST DUG HOLE [mag high] TO MUCH OVERBURDEN  
[hole abandoned]  
PROSPECTING 30m NORTH 75m WEST CLEANED OFF OUTCROP WITH BRUSH HOE  
[ROCKED OFF SAMPLES. ROCK CONTAINS GOOD CHALCOPYRITE CONCENTRATIONS  
[we could not tell if rock was bed rock] NO SAMPLES TAKEN.  
HE REST OF DAY SPENT PROSPECTING GENERAL AREA.

JULY 28, 29, 30\1995

36 ADVAN  
ESTABLISHED BASE LINE TO CONTROL EAST WEST LINES ON NORTH PART OF GRID.  
IT IN LINE#12N, 11W.  
ON LINE 10N WEST HALF THERE IS TO MUCH WATER. WE WILL NEED TO WAIT TILL  
SNOW IS ON GROUND AND WATER IS FROZEN.

JULY 31\1995

AUG 1, 2, 4\1995

4 Geology  
PROSPECTING OF NORTH CLAIM BLOCK 4-UNITS.  
LOOKING FOR OUTCROPPING OLD TRENCHES ONLY.  
NORTH AND SOUTH OF EAST HALF ALL OVERBURDEN  
NORTH QUARTER OF WEST HALF HAS POND RIGHT IN CENTER.  
SOUTH QUARTER OF WEST HALF HAS OUTCROP AREAS TO BE TAPPED WHEN GRID IS  
ESTABLISHED.



05 5.6.7\1995

3 Pky

RESPECTING CLAIM#1189769 420m SOUTH 50m WEST  
PARTZ VEIN IN OLD TRENCH CLEANED OFF WITH GRUB HOE.  
chiseled along vein 20"±.

PARTZ VEIN -RUSTY-PYRITE-ODD SPECKS OF GALENA.CHALCOPYRITE.  
V.G SAMPLE TAKEN]  
TRENDS NORTH SOUTH AND IS ONE OF THE VEINS THAT CUTS ACROSS  
TRENCH#1[vein#14]

STRIPED OFF MOSS AND OVERBURDEN 420m SOUTH 30m WEST [general area]  
CHISELED AT QUARTZ VEINS  
NOTED ONE QUARTZ VEIN 1"inch PARALLELING VEIN TO WEST  
RUSTY-ODD PYRITE.ODD SPECK OF GALENA.CHALCOPYRITE.  
SPECK OF V.G NOTED.V.G LEFT IN ROCK ON PROPERTY]

05 8.9.10\1995 HELPER TODD MATHIEU--[3-DAYS]

3 Pky.

RESPECTING CLAIM#1189770 2-UNITS 150m NORTH 150m WEST.  
CLEANED OUT OLD TRENCH CLEANED SIDES OF TRENCH.STRIPED OFF MOSS AND  
OVERBURDEN IN SEVERAL DIFFERENT AREAS AROUND TRENCH.  
QUARTZ VEINS IN TRENCH 4 TO 6 TO 8"INCH.WIDE NORTH SOUTH TRENDING  
CROSS CUT BY EAST WEST TRENDING VEIN.  
V.G - RUSTY-MASSIVE SULPHIDES-CHALCOPYRITE-SPHALERITE [PATCHY TO SMALL  
POCKETS] GOOD CHALCOPYRITE CONCENTRATIONS.  
V.G SAMPLES TAKEN FOR ASSAY  
OTHER STRIPED OFF AREAS G.V RUSTY BUT CONTAIN NO SULPHIDES [odd pyrite].

05 11.12.13.  
14\1995

4/ky.

CLEANED OFF CUT GRUB WITH GRUB HOE.  
50m WEST 275m NORTH.  
PARTZ WALL ROCK MIXED-RUSTY ON TOP.SMALL ODD PYRITE  
V.G SAMPLES TAKEN FOR ASSAY.

05 17.20.21  
22\1995

4/ky, 3P  
Geology.

AT IN LINE#100 SOUTH.  
FOR CLAIM#1189769 1-UNIT  
VEGETATION.OURCROP.ROAD.BROOK.SWAMP-TRENCHES.  
FOR CLAIM#1189770 2-UNITS  
VEGETATION-OUTCROPS.SWAMP.BROOK.TRENCHES.  
AT IN LINE #10N EAST END 9N EAST END 8N EAST END.  
SPED NORTH EAST CORNER OF CLAIM# [ 1 4-UNITS

05 23.24.25\1995

3P. } Geology.

ORGANIZING OF ALL DATA TO DATE.  
[vegetation.outcrops.brooks.swamp.trenches]  
TO MAP OF GRID.  
ORGANIZING OF ROCK SAMPLES.  
DRAWING OF INDIVIDUAL TRENCH MAPS.

XTYPE 8:000087  
EPT 1.2.2\1995  
ELPER TODD MATHIEU [3-DAYS]

*hm.*

SUSPECTING 400mSOUTH--60mEAST CLAIM#1189769 1-UNIT  
GENERAL AREA]  
TRIPED ~~MOSS~~ AND OVERBURDEN OFF SMALL OUTCROP LOOKING  
OR QUARTZ VEINS.  
HISELED AT TWO OTHER ROCKS THAT APPEAR NOT TO BE BED ROCK.  
XPLORED EAST SIDE OF MAIN OUTCROP CLAIM#1189769 1-UNIT  
LOOKING FOR QUARTZ VEINS.  
HISELED AT QUARTZ VEIN. 370mS--10mE IN OLD TRENCH  
[WHITE NO SULPHIDES]

INE#4108--50mWEST EXCAVATED EAST SIDE OF OLD TRENCH  
COLLECTION OF ALL SMALL PIECES OF SULPHIDES RICH QUARTZ  
MINING WAS MADE TO CHECK V.G CONCENTRATION.  
34--SAMPLES COLLECTED]  
SAMPLES TAKEN TO FLAT SURFACE WHERE WE CAREFULLY CRUSHED  
HEM UP.  
7--SAMPLES CONTAINED V.G]

TYPE B: SCLD  
DEC 27, 28, 29, 30, 31 \ 1995  
JAN 8, 9, 10, 11, 12 \ 1996

10 days.

WRITING OF LINE Sta. on PICKETS [old grid]  
IT IN LINE 290S PAC Sta. FLAGED.  
IT IN LINE 350S PAC Sta. NOT FLAGED [ran out of flaging]  
IT IN LINE 5N 6N 7N 8N WEST END 9N WEST END 10N WEST END.  
AS ON CLAIM# [ ] 4-UNITS.  
L.F ON ALL LINES ON ALL CLAIMS.  
JAN 8 V.L.F Sta. 24.0 OFF READ 21.4 ON LINE 290S WELL PUTTING IN LINE]  
DATA OF NO USE]  
CHECKED OF ALL EQUIPMENT AT EXSICS.

JAN 13, 14 \ 1996

NOTING OF ALL TOPOGRAPHY ON TO MAPS OF GRID.  
ORGANIZING OF ROCK SAMPLES.  
ORGANIZING OF MAG DATA.  
ORGANIZING OF V.L.F DATA.

JAN 15 \ 1996

DATA taken to exsics exploration for plotting and interpreted report.

\*\*\*\* 35--DAYS X 2 MEN PER DAY -----RICH+ROB

\*\*\*\*\*  
\* RICHARD MATHIEU \*  
\* \*  
\* ROBIN MATHIEU \*  
\*\*\*\*\*


\*\*\*\* HELPER TODD MATHIEU ---- 16-DAYS X 150.00 PER DAY

DATE <u>Nov 20 19 95</u>		024038	
RECEIVED FROM <u>Rich &amp; Robin Mathieu.</u>			
<u>four hundred</u>		DOLLARS (\$ <u>400.00</u> )	
FOR <u>16 DAYS LABOUR WORK on PPA.</u>			
FROM <u>June 23 - Aug 3.</u>		TO <u>16 DAYS 12 Ave</u>	
HOW PAID		ACCOUNT	
CASH		AMT. OF ACCOUNT	
CHEQUE <input checked="" type="checkbox"/>		AMT. PAID <u>700.00</u>	
MONEY ORDER		BALANCE DUE	
		BY <u>Todd Mathieu</u>	

M&P

TRENCH#1

- QUARTZ VEIN#-1 RUSTY-[ODD PYRITE] ✓
- 2 RUSTY-[ODD PYRITE]
- 3 RUSTY-[ODD PYRITE]
- (-4) RUSTY-[PYRITE, GALENA, CHALCOPYRITE]-SMALL POCKETS  
V.G SAMPLE TAKEN SOUTH OF TRENCH
- 5 RUSTY-[PYRITE, GALENA, CHALCOPYRITE, SPHALERITE]  
MASSIVE TO PATCHY TO SMALL POCKETS, CONFINED TO QUARTZ VEIN  
THAT PINCHES AND SWELLS FROM QUARTER INCH TO 2 INCHES OVER  
25 FEET. [2 SAMPLES TAKEN FOR ASSAY]  
V.G SAMPLE TAKEN
- 6 RUSTY-[PYRITE, GALENA, CHALCOPYRITE, SPHALERITE]  
SMALL POCKETS  
V.G SAMPLE TAKEN
- 7 RUSTY-[PYRITE, SPECKS OF GALENA, CHALCOPYRITE]  
V.G SAMPLE TAKEN
- 8 RUSTY-[PYRITE] ODD
- 9 RUSTY-[PYRITE] ODD
- 10 RUSTY-VEIN 3 TO 4 INCHES [PYRITE] ODD
- 11 RUSTY-[PYRITE, SPECKS OF GALENA, CHALCOPYRITE]  
V.G SAMPLE TAKEN
- 12 RUSTY-[PYRITE, SPECKS OF GALENA, CHALCOPYRITE]  
V.G SAMPLE TAKEN  
V.G SAMPLE STILL IN ROCK ON TRENCH WALL
- 13 RUSTY-[ODD PYRITE, ODD SPECK OF GALENA, CHALCOPYRITE]  
V.G SAMPLE TAKEN
- 14 RUSTY-[PYRITE, GALENA, CHALCOPYRITE]-SMALL POCKETS  
V.G SAMPLE TAKEN  
V.G SAMPLE STILL IN ROCK ON PROPERTY  
ONE SAMPLE TAKEN FOR ASSAY
- 15 RUSTY-[ODD PYRITE] SOUTHWEST OF TRENCH WEST END  
VEIN 1 TO 2 INCHES WIDE
- 16 RUSTY-[ODD PYRITE] 6m NORTH OF TRENCH WEST END  
VEIN 1 TO 2 AND A HALF INCHES WIDE



**Amended**  
**Report of Work Conducted**  
**After Recording Claim**  
 Mining Act

Transaction Number  
 W9660.00244

Personal information collected on this form is obtained or this collection should be directed to the Provincial Information Centre, Ontario, P.O. Box 688, telephone (705) 878-7288.



42A05NE0089 W9660-00244 GODFREY

900

- Instructions:
- Please type or print and refer to the Mining Act or Recorder.
  - A separate copy of this form.
  - Technical reports and maps.
  - A sketch, showing the claims the work is assigned to, must accompany this form.

Recorded Holder(s) <b>ROBID MARHEU / RICHARD MARHEU. 50<sup>th</sup> - 50<sup>th</sup>.</b>	Claim No. <b>16587, 16582</b>
Address <b>17 BIRCH ST. SOUTH SUMMERS, ONT.</b>	Telephone No. <b>844-7796</b>
Mining Division <b>PORCUPINE</b>	County <b>GODFREY</b>
Work Performed From <b>Aug 5/95</b>	To <b>Jan 15/96</b>

## Work Performed (Check One Work Group Only)

Work Group	Type
Geotechnical Survey	<b>LINES, MAPS, GEOLOGICAL SURVEYS.</b>
Physical Work, including Drilling	
Rehabilitation	
Other Authorized Work	
Assays	
Assignment from Reserve	

Total Assessment Work Claimed on the Attached Statement of Costs \$ **15,268.00**

Note: The Minister may reject for assessment work credit all or part of the assessment work submitted if the recorded holder cannot verify expenditures claimed in the statement of costs within 30 days of a request for verification.

## Persons and Survey Company Who Performed the Work (Give Name and Address of Author of Report)

Name	Address
<b>ROBID MARHEU.</b>	<b>17 BIRCH ST. S. SUMMERS, ONT.</b>
<b>RICHARD MARHEU.</b>	<b>17 BIRCH ST. S. " "</b>
<b>BOB MARHEU.</b>	<b>17 BIRCH ST. S. " "</b>
<b>J. L. GODFREY.</b>	<b>Box 1880 Summers, Ont.</b>

(attach a schedule if necessary)

## Certification of Beneficial Interest \* See Note No. 1 on reverse side

I certify that at the time the work was performed, the claims covered in this work report were recorded in the current holder's name or held under a beneficial interest by the current recorded holder.	Date <b>Mar 26/96</b>	Recorded Holder or Agent (Signature) <b>J. L. Godfrey</b>
--	--------------------------	--

## Certification of Work Report

I certify that I have a personal knowledge of the facts set forth in this Work report, having performed the work or witnessed same during and/or after its completion and enclosed report is true.		
Name and Address of Person Certifying <b>J. L. Godfrey Box 1880 Summers, Ont.</b>		
Telephone No. <b>767-4157</b>	Date <b>Mar 26/96</b>	Checked By (Signature) <b>J. L. Godfrey</b>

## For Office Use Only

Total Value Cr. Recorded <b>\$15,268.</b>	Date Recorded <b>March 26/96</b>	Mining Recorder	RECEIVED Amendment to WR 16587, 16582 JUN 28 1996 113 PORCUPINE DIVISION
	Approved Approval Date <b>June 25/96</b>	Date Approved	
	Date Notice for Amendment Sent		

see page





Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des mines

Statement of Costs  
for Assessment Credit

État des coûts aux fins  
du crédit d'évaluation

Mining Act/Loi sur les mines

Transaction No./N° de transaction  
W9660.00244

Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used to maintain a record and ongoing status of the mining claim(s). Questions about this collection should be directed to the Provincial Manager, Mining Lands, Ministry of Northern Development and Mines, 4th Floor, 188 Cedar Street, Sudbury, Ontario P3E 8A5, telephone (705) 870-7284.

Les renseignements personnels contenus dans la présente formule sont recueillis en vertu de la Loi sur les mines et serviront à tenir à jour un registre des concessions minières. Adresser toute question sur la collecte de ces renseignements au chef provincial des terrains miniers, ministère du Développement du Nord et des Mines, 188, rue Cedar, 4<sup>e</sup> étage, Sudbury (Ontario) P3E 8A5, téléphone (705) 870-7284.

1. Direct Costs/Coûts directs

Type	Description	Amount Montant	Totals Total global
Wages Salaires	Labour 23 x 300 Main-d'oeuvre	6900	
	Field Supervision Supervision sur le terrain	2400	9300
Contractor's and Consultant's Fees Droits de l'entrepreneur et de l'expert- conseil	Type DRAFTING	1100	
	CONTRACTOR CAMP Keddy, Pong, Ross	2500	3600
Supplies Used Fournitures utilisées	Type		
Equipment rental Location de matériel	Type EPA 6000i Bus		
	2x 6000i 6000i		1320
	W 6000i 11x120		
Total Direct Costs Total des coûts directs			14,220

2. Indirect Costs/Coûts indirects

\*\* Note: When claiming Rehabilitation work indirect costs are not allowable as assessment work.  
Pour le remboursement des travaux de réhabilitation, les coûts indirects ne sont pas admissibles en tant que travaux d'évaluation.

Type	Description	Amount Montant	Totals Total global
Transportation Transport	Type TRUCK		
	23 DAYS x 52 km x 0.30 \$/km		
		358	358
Food and Lodging Nourriture et hébergement	23 DAYS x 30 \$/day 2x 6000i		690
Mobilization and Demobilization Mobilisation et démobilisation		690	
Sub Total of Indirect Costs Total partiel des coûts indirects			1048
Amount Allowable (not greater than 20% of Direct Costs) Montant admissible (n'exécédant pas 20 % des coûts directs)			1048
Total Value of Assessment Credit (Total of Direct and Allowable indirect costs)			15,268

4a: The recorded holder will be required to verify expenditures claimed in this statement of costs within 30 days of a request for verification. If verification is not made, the Minister may reject for assessment work all or part of the assessment work submitted.

Note: Le titulaire enregistré sera tenu de vérifier les dépenses demandées dans le présent état des coûts dans les 30 jours suivant une demande à cet effet. Si la vérification n'est pas effectuée, le ministre peut rejeter tout ou une partie des travaux d'évaluation présentés.

1. Working Discounts

Work filed within two years of completion is claimed at 100% of the above Total Value of Assessment Credit.

Work filed three, four or five years after completion is claimed at 50% of the above Total Value of Assessment Credit. See calculations below:

20% Value of Assessment Credit	Total Assessment Claimed
x 0.50 =	

2. Certification Verifying Statement of Costs

I hereby certify:

That the amounts shown are as accurate as possible and these costs were incurred while conducting assessment work on the lands shown in the accompanying Report of Work form.

I, \_\_\_\_\_, am authorized  
(Recorded Holder, Agent, Position in Company)

I make this certification

Remise pour dépôt

1. Les travaux déposés dans les deux ans suivant leur achèvement sont remboursés à 100 % de la valeur totale susmentionnée du crédit d'évaluation.

2. Les travaux déposés trois, quatre ou cinq ans après leur achèvement sont remboursés à 50 % de la valeur totale du crédit d'évaluation susmentionné. Voir les calculs ci-dessous.

20% Valeur totale du crédit d'évaluation	Évaluation totale demandée
x 0,50 =	

Attestation de l'état des coûts

J'atteste par la présente :

que les montants indiqués sont le plus exact possible et que ces dépenses ont été engagées pour effectuer les travaux d'évaluation sur les terrains indiqués dans la formule de rapport de travail ci-joint.

Et qu'à titre de \_\_\_\_\_ je suis autorisé  
(titulaire enregistré, représentant, poste occupé dans la compagnie)

I make this attestation.

Signature	Date

*Wynnwood*  
**Report of Work Conducted After Recording Claim**

Transaction Number  
**W9660:00360**

**Mining Act**

Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used for correspondence. Questions about collection should be directed to the Provincial Manager, Mining Lands, Ministry of Northern Development and Mines, Fourth Floor, 169 Cedar Street, Sudbury, Ontario, P3E 8A5, telephone (705) 670-7284.

- Instructions:
- Please type or print and submit in duplicate.
  - Refer to the Mining Act and Regulations for requirements of filing assessment work or consult the Mining Recorder.
  - A separate copy of this form must be completed for each Work Group.
  - Technical reports and maps must accompany this form in duplicate.
  - A sketch, showing the claims the work is assigned to, must accompany this form.

Recorded Holder(s) <i>ROBIN MATHIEU / RICHARD MATHIEU. 50% - 50%</i>	Client No. <i>165877, 165882</i>
Address <i>12 BIRCH ST. SOUTH, SCHUMACHER, Ont</i>	Telephone No. <i>264-7796</i>
Mining Division <i>PORCUPINE</i>	Township/Area <i>GOFFREY</i>
Dates Work Performed From: <i>Aug 5/95</i>	To: <i>Jan 15/96</i>

Work Performed (Check One Work Group Only)

Work Group	Type
Geotechnical Survey	
Physical Work, Including Drilling	<i>DEWATERING MARCH 24, SAMPLING, TRENCHING</i>
Rehabilitation	<i>31 deep for drainage</i>
Other Authorized Work	
Assays	
Assignment from Reserve	

RECORDED  
MAR 26 1996  
Receipt

Total Assessment Work Claimed on the Attached Statement of Costs \$ 10,719.60

Note: The Minister may reject for assessment work credit all or part of the assessment work submitted if the recorded holder cannot verify expenditures claimed in the statement of costs within 30 days of a request for verification.

Persons and Survey Company Who Performed the Work (Give Name and Address of Author of Report)

Name	Address
<i>ROBIN MATHIEU</i>	<i>12 BIRCH ST S. SCHUMACHER, Ont</i>
<i>RICHARD MATHIEU</i>	<i>12 BIRCH ST. S. " " "</i>
<i>TOO MATHIEU</i>	<i>12 BIRCH ST. S. " " "</i>
<i>J. C. Grant</i>	<i>Box 1880 Timmins, Ont</i>

(attach a schedule if necessary)

Certification of Beneficial Interest \* See Note No. 1 on reverse side

I certify that at the time the work was performed, the claims covered in this work report were recorded in the current holder's name or held under a beneficial interest by the current recorded holder.	Date <i>Mar 26/96</i>	Recorded Holder or Agent (Signature) <i>J. Grant</i>
--	--------------------------	---

Certification of Work Report

I certify that I have a personal knowledge of the facts set forth in this Work report, having performed the work or witnessed same during and/or after its completion and annexed report is true.

Name and Address of Person Certifying <i>J. C. Grant Box 1880 Timmins, Ont</i>	Telephone No. <i>267-4151</i>	Date <i>Mar 26/96</i>	Certified By (Signature) <i>J. Grant</i>
---	----------------------------------	--------------------------	---

For Office Use Only

Total Value Cr. Recorded <i>\$10,713.</i>	Date Recorded <i>March 26/96</i>	Mining Recorder	Received Stamp <i>Amendment to WR 1st Rec'd Mar 26/96</i>
	Deemed Approval Date <i>June 25/96</i>	Date Approved	<i>113 C R</i>
	Date Notice for Amendments Sent		





Statement of Costs for Assessment Credit

État des coûts aux fins du crédit d'évaluation

Mining Act/Loi sur les mines

Transaction No./N° de transaction

Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used to maintain a record and to determine the going status of the mining claim(s). Questions about this collection should be directed to the Provincial Manager, Minings Lands, Ministry of Northern Development and Mines, 4th Floor, 159 Cedar Street, Sudbury, Ontario P3E 6A5, telephone (705) 670-7264.

Les renseignements personnels contenus dans la présente formule sont recueillis en vertu de la Loi sur les mines et serviront à tenir à jour un registre des concessions minières. Adresser toute question sur la collecte de ces renseignements au chef provincial des terrains miniers, ministère du Développement du Nord et des Mines, 159, rue Cedar, 4<sup>e</sup> étage, Sudbury (Ontario) P3E 6A5, téléphone (705) 670-7264.

1. Direct Costs/Coûts directs

Type	Description	Amount Montant	Totals Total global
Wages Salaires <i>Préciser le dévouement</i>	Labour Main-d'oeuvre <i>31x300</i>	9300.00	
	Field Supervision Supervision sur le terrain		9300.00
Contractor's and Consultant's Fees Droits de l'entrepreneur et de l'expert-conseil	Type		
Supplies Used Fournitures utilisées	Type		
	<i>Succesors Pump</i>		
	<i>Access, Pipe</i>		
	<i>SHOWERS, water in / day</i>		
Equipment Rental Location de matériel	Type		
<b>Total Direct Costs Total des coûts directs</b>		<b>9300.00</b>	

2. Indirect Costs/Coûts indirects

\*\* Note: When claiming Rehabilitation work Indirect costs are not allowable as assessment work. Pour le remboursement des travaux de réhabilitation, les coûts indirects ne sont pas admissibles en tant que travaux d'évaluation.

Type	Description	Amount Montant	Totals Total global
Transportation Transport	Type		
	<i>TRUCK</i>		
	<i>31 dump x 52k</i>		
	<i>x 0.304 / km</i>	483.60	
			483.60
Food and Lodging Nourriture et hébergement	<i>31x30 / 2 men</i>	930.00	930.00
Mobilization and Demobilization Mobilisation et démoblisation			
<b>Sub Total of Indirect Costs Total partiel des coûts indirects</b>			<b>1413.60</b>
<b>Amount Allowable (not greater than 20% of Direct Costs) Montant admissible (n'excédant pas 20 % des coûts directs)</b>			
<b>Total Value of Assessment Credit (Total of Direct and Allowable Indirect costs)</b>			<b>10,713.60</b>

Note: The recorded holder will be required to verify expenditures claimed in this statement of costs within 30 days of a request for verification. If verification is not made, the Minister may reject for assessment work all or part of the assessment work submitted.

Note : Le titulaire enregistré sera tenu de vérifier les dépenses demandées dans le présent état des coûts dans les 30 jours suivant une demande à cet effet. Si la vérification n'est pas effectuée, le ministre peut rejeter tout ou une partie des travaux d'évaluation présentés.

Filing Discounts

- Work filed within two years of completion is claimed at 100% of the above Total Value of Assessment Credit.
- Work filed three, four or five years after completion is claimed at 50% of the above Total Value of Assessment Credit. See calculations below:

Total Value of Assessment Credit	Total Assessment Claimed
	$\times 0.50 =$

Remises pour dépôt

- Les travaux déposés dans les deux ans suivant leur achèvement sont remboursés à 100 % de la valeur totale susmentionnée du crédit d'évaluation.
- Les travaux déposés trois, quatre ou cinq ans après leur achèvement sont remboursés à 50 % de la valeur totale du crédit d'évaluation susmentionné. Voir les calculs ci-dessous.

Valeur totale du crédit d'évaluation	Evaluation totale demandée
	$\times 0,50 =$

Certification Verifying Statement of Costs

I hereby certify that the amounts shown are as accurate as possible and these costs were incurred while conducting assessment work on the lands shown on the accompanying Report of Work form.

that as \_\_\_\_\_ I am authorized (Recorded Holder, Agent, Position in Company)

to make this certification

Attestation de l'état des coûts

J'atteste par la présente que les montants indiqués sont le plus exact possible et que ces dépenses ont été engagées pour effectuer les travaux d'évaluation sur les terrains indiqués dans la formule de rapport de travail ci-joint.

Et qu'à titre de \_\_\_\_\_ je suis autorisé (titulaire enregistré, représentant, poste occupé dans la compagnie)

à faire cette attestation.

Signature	Date
-----------	------

Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (705) 670-5853  
Fax: (705) 670-5863

August 22, 1996

Our File: 2.16505  
Transaction #: W9660.00244

Mining Recorder  
Ministry of Northern Development & Mines  
60 Wilson Ave.  
Timmins, Ontario  
P4N 2S7

Dear Mr. White:

**SUBJECT: APPROVAL OF ASSESSMENT WORK CREDIT ON MINING LAND, CLAIM(S)  
1193435 (ET AL.) IN GODFREY TOWNSHIP (AREA)**

The revisions outlined in the Notice dated July 5, 1996, have not been corrected. Accordingly no credit is being allowed for a geological survey. A total of \$1500 assessment credit has been allowed for prospecting and report writing, associated with the prospecting.

Total Assessment credit allowed for this submission is \$7,746.00. Assessment credit of \$5946 is associated with the geophysical portion of the submission and \$1500 for the prospecting portion.

Accordingly, assessment work credit has been approved as outlined on the attached sheet. The credit has been approved under Section(s) 9,14, Prospecting (PROSP), Geophysics (MAG,VLF), of the Assessment Work Regulation.


...2


August 22, 1996  
Robin & Richard Mathieu

**The approval date is August 19, 1996.** Please indicate this approval on the claim record.

If you have any questions regarding this correspondence, please contact Bruce Gates at (705) 670-5856.

Yours Sincerely,  
ORIGINAL SIGNED BY:

  
Ron C. Gashinski  
Senior Manager, Mining Lands Section  
Mines and Minerals Division

 BIG/jf  
Enclosure:

cc: Resident Geologist  
Timmins, Ontario

✓ Assessment Files Library  
Sudbury, Ontario

**DISTRIBUTION OF ASSESSMENT WORK CREDIT**

Note: credit distribution reflects the value of assessment work performed on mining land.

**Date: August 22, 1996**

**File Number: 2.16505**

**Transaction #: W9660.00244**

<u>CLAIM NUMBER</u>	<u>VALUE OF WORK PERFORMED</u>
1193435	2976
1189770	2235
1189769	2235
	-----
	\$7446

Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines

Recording Office  
60 Wilson Avenue  
Timmins, Ontario  
P4N 2S7

W9660.00360

(705) 360-8330  
Fax: 360-2001

July 4, 1996

Robin Mathieu/Richard Mathieu  
12 Birch St. S.  
Schumacher, Ontario  
P0N 1G0

Subject: APPROVAL OF ASSESSMENT WORK CREDITS, W9660.00360  
PHYSICAL WORK - GODFREY TOWNSHIP

---

Assessment work credits have been approved as outlined on the amended report of work form. The credits have been approved under Section 10 (Physical Work) of the Mining Act Regulations.

The approval date is June 25, 1996.

If you have any questions regarding this correspondence, please contact me at (705) 360-8330.

Yours sincerely,



Dale Messenger  
Acting Mining Recorder  
Porcupine Mining Division

/dc







**MAP SYMBOLOLOGY**

Aerial Cableway	Pipeline (above ground)
Boundary (unconformable)	Railroad
Disturbance	Single Track
Disturbance	Double Track
Disturbance	Abandoned
Disturbance	Turbine
Disturbance	Road
Disturbance	Highway, County
Disturbance	Township
Disturbance	Trail, Back Road (not on map)
Disturbance	Trail, Back Road (on map)
Disturbance	Rapids
Disturbance	Double line river with multiple rapids
Disturbance	Double line river with multiple rapids
Disturbance	Reservoir
Disturbance	River, Stream, Canal
Disturbance	Approximate
Disturbance	Lock
Disturbance	Utility Pole
Disturbance	Marsh or Swamp
Disturbance	Mast
Disturbance	Mine Head Frame
Disturbance	Overtop
Disturbance	Spot Elevation (above 100)
Disturbance	Tower
Disturbance	Transmission Line
Disturbance	Lock
Disturbance	Utility Pole
Disturbance	Marsh or Swamp
Disturbance	Mast
Disturbance	Mine Head Frame
Disturbance	Overtop

**AREAS WITHDRAWN FROM DISPOSITION**

- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M.S. - MINING AND SURFACE RIGHTS

Description	Order No.	Date	Disposition	File
1 - S.R.O. UNDER APPLICATION FOR AGRICULTURAL PURPOSES				
2 - CERTIFIED AGRICULTURAL LAND - S.R./RZ SUBJECT TO SEC. 4(1) OF THE MINING ACT				
3 - BONA FIDE APPLICATION				
4 - Pending S.R. Application under P.C.A.				
5 - Pending S.R. Application land not open				
6 - R.S.O. ONLY 11/15/85-835628				

**MINING AND SURFACE RIGHTS WITHDRAWN**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING

**MINING AND SURFACE RIGHTS WITHDRAWN FROM PROSPECTING**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING

**MINING AND SURFACE RIGHTS WITHDRAWN FROM PROSPECTING**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING

**MINING AND SURFACE RIGHTS WITHDRAWN FROM PROSPECTING**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING


**MINING AND SURFACE RIGHTS WITHDRAWN FROM PROSPECTING**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING

**MINING AND SURFACE RIGHTS WITHDRAWN FROM PROSPECTING**

- 1 - ORDERING, ORDERING, ORDERING
- 2 - ORDERING, ORDERING, ORDERING
- 3 - ORDERING, ORDERING, ORDERING
- 4 - ORDERING, ORDERING, ORDERING
- 5 - ORDERING, ORDERING, ORDERING
- 6 - ORDERING, ORDERING, ORDERING
- 7 - ORDERING, ORDERING, ORDERING
- 8 - ORDERING, ORDERING, ORDERING
- 9 - ORDERING, ORDERING, ORDERING
- 10 - ORDERING, ORDERING, ORDERING
- 11 - ORDERING, ORDERING, ORDERING
- 12 - ORDERING, ORDERING, ORDERING
- 13 - ORDERING, ORDERING, ORDERING
- 14 - ORDERING, ORDERING, ORDERING
- 15 - ORDERING, ORDERING, ORDERING
- 16 - ORDERING, ORDERING, ORDERING
- 17 - ORDERING, ORDERING, ORDERING
- 18 - ORDERING, ORDERING, ORDERING
- 19 - ORDERING, ORDERING, ORDERING
- 20 - ORDERING, ORDERING, ORDERING

THE INFORMATION ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDS, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.



2.16505  
MAG  
VLF  
PROSP


**LEGEND**

Highway and Route No.	
Other Roads	
Trails	
Surveyed Lines	
Townships, Base Lines, Etc.	
Lots, Mining Claims, Parcels, Etc.	
Unsurveyed Lines	
Lot Lines	
Parcel Boundary	
Mining Claims, Etc.	
Railway and Right of Way	
Utility Lines	
Non-perennial Stream	
Flooding or Flooding Right	
Subdivision or Composite Plan	
Reservations	
Original Shoreline	
Marsh or Muskeg	
Mines	
Traverse Monument	

**DISPOSITION OF CROWN LANDS**

TYPE OF DOCUMENT	SYMBOL
PATENT, SURFACE & MINING RIGHTS	●
" SURFACE RIGHTS ONLY	○
" MINING RIGHTS ONLY	◐
LEASE, SURFACE & MINING RIGHTS	◑
" SURFACE RIGHTS ONLY	◒
" MINING RIGHTS ONLY	◓
LICENCE OF OCCUPATION	◔
ORDER-IN-COUNCIL	OC
RESERVATION	○
CANCELLED	○
SAND & GRAVEL	○

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 8, 1913, VESTED IN ORIGINAL PATENTEES BY THE PUBLIC LANDS ACT, R.S.O. 1970, CHAP. 300, SEC. 43, SUBSEC. 1.




SCALE 1:20 000  
GRID ZONE 17

**NOTES**


- FLOODING RIGHTS ON EITHER SIDE OF THE MATTAGAMI RIVER TO HEPC
- THIS TWP. IS SUBJECT TO FOREST ACTIVITIES IN 1993-94. FURTHER INFORMATION AVAILABLE ON FILE.
- THIS TWP. IS SUBJECT TO FOREST ACTIVITY IN 1993-94. FURTHER INFORMATION ON FILE.
- PENDING SNOWMOBILE TRAIL NOT RECD 93-MAY-20

TOWNSHIP **2.16505**  
**GODFREY**  
M.N.R. ADMINISTRATIVE DISTRICT  
**TIMMINS**  
MINING DIVISION  
**PORCUPINE**  
LAND TITLES / REGISTRY DIVISION  
**COCHRANE**




ORIGINAL COMPILED JULY 1984  
REVISED  
Number  
**G-3991**





TURNBULL TWP  
 GODFREY TWP  
 3+00W 2+00W 1+00W BL 0+00 1+00E 2+00E 3+00E 4+00E



L 2+60S  
 L 2+90S  
 L 3+20S  
 L 3+50S  
 L 3+80S  
 L 4+10S  
 L 4+40S  
 L 4+70S  
 L 5+00S  
 L 5+30S

2+00W

TURNBULL TWP

CARSCALLEN TWP

BL 0+00

1+00E

2+00E


L 5+30S  
 L 4+70S  
 L 4+40S  
 L 4+10S  
 L 3+80S  
 L 3+50S  
 L 2+90S  
 L 2+60S

MAIN MALLETTE HAULAGE ROAD


GODFREY TWP

BRISTOL TWP

2.13505



- LEGEND
- 2 - Felsic Metavolcanics
  - Bc - Porphyrite (intrusive andesite)
  - 8 - Intermediate to Mafic Intrusive Rocks
  - I2 - Diabase Dike
  - Qv - Quartz Veins



**EXSICS EXPLORATION LTD.**  
 P.O. Box 1880, P4M-7X1  
 Suite 13, Hollinger Bldg, Timmins Ont.  
 Telephone: 705-267-4751


CLIENT: R. & R. MATHIEU OPAP *Grant*

PROPERTY: GODFREY TWP GOLD PROSPECT

TITLE: PROPERTY GEOLOGY MAP

Date: Nov. 1995	Scale: 1:2500	NTS:
Drawn: P. Gauthier	Interp: J.C. Grant	Job No. E-O





2.16505


RECEIVED  
MAY 10 1996  
MINING LANDS BRANCH

TRENCH SIZE


LENGTH: 350 Feet  
WIDTH: 14 Feet  
DEPTH: 2 - 7 Feet



230



	<b>EXSICS EXPLORATION LTD.</b> <small>P.O. Box 1000, P4N-7X1          Suite 13, Hollinger Bldg, Timmins Ont.          Telephone: 705-267-4151</small>		
	CLIENT: R. & R. MATHIEU OPAP <i>Mathieu</i>		
PROPERTY: GODFREY TWP GOLD PROSPECT			
TITLE: TRENCH DETAIL			
Date: Nov. 1995	Scale: 1"=20feet	NTS	
Drawn: P. Gauthier	Interp: J.C. Grant	Job No E-0	




TURNBULL TWP

GODFREY TWP

BRISTOL TWP

MAIN MALLETTE  
HAULAGE ROAD

RECEIVED  
MAY 10 1996  
MINING LANDS BRANCH



240

LEGEND

Instrument: BRGM OMNI-PLUS  
Transmitter Station: NAA CUTLER MAINE  
Frequency: 24.0 KHz  
Values Filtered: Inphase Dip Angle  
Contour Interval: 0,2,4,6,8,10,.....  
Operator: R. Mathieu




EXSICS EXPLORATION LTD.  
P.O. Box 1660, P4N-7X1  
Suite 13, Hollinger Bldg, Timmins Ont.  
Telephone: 705-267-4151

CLIENT: R. & R. MATHIEU OPAP  
PROPERTY: GODFREY TWP GOLD PROSPECT

TITLE: FRASER FILTERED VLF

Date: Dec. 1995 Scale: 1:2500 NTS:  
Drawn: P. Gauthier Interp: J.C. Grant Job No.: E-0






TURNBULL TWP

GODFREY TWP

BRISTOL TWP

MAIN MALLETTE  
HAULAGE ROAD

**16505**  
RECEIVED  
MAY 10 1996  
MINING LANDS RESEARCH



250


**LEGEND**  
Instrument: BRGM DMNI-PLUS  
Transmitter Station: NAA CUTLER MAINE  
Frequency: 24.0 KHz  
Parameters Measured: INPHASE DIP ANGLE  
Vertical Scale: 1cm=20%  
Operator: R. Mathieu

**EXSICS EXPLORATION LTD.**  
P.O. Box 1880, P4N-7X1  
Suite 13, Hollinger Bldg, Timmins Ont.  
Telephone: 705-287-4151

CLIENT: R. & R. MATHIEU OPAP  
PROPERTY: GODFREY TWP GOLD PROSPECT  
TITLE: VLF DIP ANGLE

Date: Dec. 1995    Scale: 1:2500    NTS:  
Drawn: P. Gauthier    Interp: J.C. Grant    Job No.: E-0






TURNBULL TWP

GODFREY TWP

BRISTOL TWP

2-16505 RECEIVED  
MAY 18 1995  
MINING LANDS BRANCH



**LEGEND**  
Instrument: BRGM DMNI-1V  
Parameters Measured: Earth's total magnetic field  
Accuracy: +/- 0.1 nano-teslas  
Diurnals: Corrected by base station recorder  
Contour Interval: 0,10,20,30,40,50,.....  
Reference Field: 58,220 gammas  
Datum Subtracted: 57,500 gammas

**EXSICS EXPLORATION LTD.**  
P.O. Box 1880, P4N-7X1  
Suite 13, Hollinger Bldg, Timmins Ont.  
Telephone: 705-267-4151

CLIENT: R. & R. MATHIEU OPAP  
PROPERTY: GODFREY TWP GOLD PROSPECT  
TITLE: MAGNETOMETER SURVEY

Date: Dec. 1995 Scale: 1:2500 NTS:  
Drawn: P. Gauthier Interp: J.C. Grant Job No.: E-0