


Diamond Drilling



42A05NW8436 20 BRISTOL

010

Township of BRISTOL

Report NO: 20

Work performed by: R.E. Allenston (Geox Limited)

Claim NO	Hole NO	Footage	Date	Note
P 363445	B-75-1	<sup>2</sup> 250.5'	Oct/75	(1)
	B-75-2	250.0'	Oct/75	(1)
	B-75-3	260.0'	Oct/75	(1)
P 363446	B-75-4	<u>350.5'</u> 1111.0	Oct/75	(1)

Notes:

(1) #244, 245, 246/75



# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES


P.O. Box 70, TIMMINS, ONTARIO, P4N 7C5  
 (705) 235-4827  
 267-3990

Hole No. B-75-4

Hole No. <u>B-75-4</u> Sheet <u>1 of 1</u>	Length <u>350.5'</u>	Commenced <u>October 24, 1975</u>	Dip: Collar <u>-45°</u>	Location Sketch North ↑ Claim No. <u>P31344</u> Scale: 1" = 1000'
Property <u>L.R. Industries - Allerton Option</u>	Bearing <u>346° (Grid North)</u>	Completed <u>October 30, 1975</u>	Etch Test	
Township <u>B2502</u>	Dip <u>-45°</u>	Drilling Co. <u>Hoskins Drilling, Ltd.</u>	Depth	
Location <u>L2E, 225</u>	Objective <u>Test vertical loop conductor</u>	Core Size <u>BQ.</u>	Rdg. <u>45.5"</u> True <u>38"</u>	
Logged By <u>P.T. George</u>		Casing Left in Hole No. _____		
Core Location <u>Timmins</u>				
Remarks _____				



Footage		DESCRIPTION	Sample No.	From	To	Length
From	To					
0	100	CASING: <u>Bulldozed overburden.</u>				
100	172.5	FELSIC TUFF  <u>Very blocky core, poor recovery (50-75%). Unweathered rocks are medium to light grey, granitic to very fine grained, massive to weakly foliated, siliceous. Rocks are highly fractured with numerous rusty to vuggy slips and joints Tuff banding at 30-35° to c.a. indicates a dip of 7° to 80° south.</u>				
172.5	213	FELSIC TUFF  <u>Similar to 100-172.5 except excellent core recovery, and no weathering or groundwater alteration. Minor quartz-carbonate veining. 174.5: 1/2" to 3/4" clot of pyrite with possible minor galena. 190-213: Rocks become pale green, slightly softer (H-5) possibly dacitic.</u>				
213	350.5	DACITE FRAGMENTAL (tuff to agglomerate)  <u>Light grey to grey green, fine to coarse grained pyroclastics; minor quartz-carbonate stringers. Fine disseminated pyrochloite, minor chalcopyrite 213: 3/4" buff to white quartz-carbonate vein. 215.5: 1.5" grey quartz-carbonate vein.</u>				



# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES

P.O. Box 70, TIMMINS, ONTARIO, P4N 7C5  
 (705) 265-4022  
 267-3990

Hole No. B-703  
 Sheet No. 2 of 2

Footage		DESCRIPTION	Sample No.	From	To	Length									
From	To														
206	240.5	FELSIC FRAGMENTAL													
		As 96-152: with slightly smaller (< 1") fragments. Matrix becomes increasingly chloritic from 210 to 240.5													
240.5	260	INTERMEDIATE TO MAFIC VOLCANICS													
		Medium green to dark grey-green, fine to medium grained, chloritic, with 5% irregular 1/4" to 1/2" quartz-carbonate veins													
		Rocks are generally massive, probably flows.													
		240.5 - 248.5: Light green, fractured, probably a flow top.													
		248.5 - 250.2: Dark grey green, massive, equigranular, fine grained, chloritic.													
		250.2 - 252.5: As 240.5 - 248.5													
		252.5 - 254.5: As 248.5 - <del>250.2</del> 250.2													
		254.5 - 260: As <del>250.2 - 260</del> 240.5 - 248.5													
260		END OF HOLE													

# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES

P.O. Box 70, TIMMINS, ONTARIO, P4N 7C5  
 (705) 265-1887  
 267-3990

Hole No. B-75-3

Hole No. <u>B-75-3</u> Sheet <u>1 of 2</u>	Length <u>260'</u>	Commenced <u>October 20, 1975</u>	Dip: Collar <u>-45°</u>	Location Sketch North ↑ Claim No. <u>P36344</u> Scale: 1" = 1000'
Property <u>L.R. Industries - Allenston Option</u>	Bearing <u>150° True - Grid South</u>	Completed <u>October 22, 1975</u>	Etch Test      Depth      Rdg.      True	
Township <u>BRISTOL</u>	Dip <u>-45°</u>	Drilling Co. <u>HASKING DRILLING LTD.</u>	<u>1</u> <u>250'</u> <u>44°</u> <u>38°</u>	
Location <u>LAE, 7+755</u>	Objective <u>Test extent of Au mineralization exposed in trenches.</u>	Core Size <u>BQ.</u>		
Logged By <u>P.T. GEORGE</u>		Casing Left in Hole <u>No</u>		
Core Location <u>Timmins</u>				
Remarks _____				

Footage		DESCRIPTION	Sample No.	From	To	Length					
From	To										
0	82.5	CASING, Bouldery overburden.									
82.5	96	Dark grey, thin bedded, fine grained argillite / tuff. Bedding 40° to c.a. Minor quartz-carbonate veining; minor disseminated pyrite.									
96	152	FELSIC FRAGMENTAL Light grey, very siliceous, inequigranular (1/8" to 3") elongate, subrounded to angular fragments of rhyolite or rhyodacite. Bedding 40° to c.a.; very minor pyrite, minor carbonate and quartz-carbonate veining. Matrix is fine grained, medium to dark grey.									
152	206	DACITE TUFF / LAPILLI TUFF Medium grey to dark grey, locally grey-green, chloritic; fine to medium grained tuff or lapilli tuff of dacite composition. Bedding 40° to c.a. Local 4" to 8" agglomeratic sections.									
		155-167: 10% quartz-carbonate veins; minor pyrrhotite, very minor chalcopyrite. Veins at 10° to c.a., 1/8" to 1/2" wide									



# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES

P.O. Box 70, TIMMINS, ONTARIO, P4N 7C5  
 (705) 226-4827  
 267-3990

Hole No. B-75-2

Hole No. <u>B-75-2</u> Sheet <u>1 of 2</u>	Length <u>250'</u>	Commenced <u>October 14, 1975</u>	Dip: Collar <u>-45</u>	Location Sketch  North  Claim No. <u>P363445</u> Scale: 1" = 1000'
Property <u>L.P. Industries - Allerton Option</u>	Bearing <u>150° True (Grid South)</u>	Completed <u>October 16, 1975</u>	Etch Test      Depth      Rdg.      True	
Township <u>BRISTOL</u>	Dip <u>-45°</u>	Drilling Co. <u>HOSKING Drilling LTD.</u>	<u>1</u> <u>250'</u> <u>46"</u> <u>38°</u>	
Location <u>12+50E, 4+50S</u>	Objective <u>Test extent of gold mineralization exposed in trenches</u>	Core Size <u>BQ.</u>	Casing Left in Hole <u>No.</u>	
Logged By: <u>P.T. GEORGE</u>				
Core Location <u>Timmins</u>				
Remarks _____				

Footage		DESCRIPTION	Sample No.	From	To	Length
From	To					
0	4	CASING				
4	75	MAFIC to ANDESITIC VOLCANICLASTIC SEDIMENT/TUFF Dark grey-green, chloritic, weakly schistose, generally thin bedded, 30-35° to c.a. Local sections show elongate fragments of fine grained, medium to dark green scoured material. Numerous irregular quartz-carbonate veins with minor pyrite and chalcopyrite. 70-75' Coarse fragmental becoming gradually lighter green to 75'.				
75	196.5	FELSIC TO INTERMEDIATE FRAGMENTAL Cream to grey-green, elongate fragments (1/4"-2"), hardness 5. Matrix is dark grey-green, chloritic. Fine disseminated pyrite in fragments, less in matrix. 1 to 2%, 1/4 to 1/2" white to grey quartz-carbonate veins with minor pyrite, and rare chalcopyrite. 129-133.5: Rusty weathered section due to ground water alteration of carbonate and pyrite. 160-196.5: Becomes increasingly felsic in appearance, matrix is lighter coloured, less chloritic. 166-195: 10% irregular 1/2" to 3" quartz veins; 1-2% pyrite, minor chalcopyrite.				





# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES

P.O. Box 70, TIMMINS, ONTARIO, P4N 7C5  
 (705) 865-4027  
 267-5790

Hole No. B-75-1  
 Sheet No. 23

Footage		DESCRIPTION	Sample No.	From	To	Length													
From	To																		
8	97.5	CONTINUED																	
		94.5 - 97 Dark grey, massive, biotite rich, medium grey, dacitic tuff and tuffo-breccia.																	
97.5	123.5	ANDESITIC TUFF																	
		Grey-green, chloritic, fine grained, thin bedded tuff with local coarse fragmental sections. Fragments are medium green, rounded, elongate andesite-dacite. Abundant carbonate alteration, minor sulphides.																	
		112' 1" quartz vein, minor pyrite, galena & chalcopyrite.																	
123.5	137	FELSIC FRAGMENTAL																	
		As 8 to 94.5																	
		124' Irregular quartz-carbonate vein parallel to core axis.																	
137	158.5	DACITE TUFF																	
		Fine grained, massive to thin bedded at 50° to core axis, medium grey colour. Minor disseminated pyrite.																	
		140.5 - 141.2 Quartz vein, 10% tourmaline, minor pyrite.																	
		142.5 - 143.5 Quartz vein																	
		146.5 - 147 Quartz vein, minor pyrite.																	
		154 - 157 Numerous 1/4" quartz-carbonate veins																	

A circular stamp containing a handwritten signature, possibly 'Peter H. ...', and some illegible text around the perimeter.

# GEDEX LIMITED

EXPLORATION MANAGEMENT AND SERVICES

P.O. Box 70, TIMMINS, ONTARIO, CAN 7C5  
 (705) 265-4027  
 267-3900

Hole No. B-75-1

Hole No. B-75-1 Sheet 1 of 3  
 Property L.P. INDUSTRIES - ALLESTON OPT.  
 Township BRISTOL TP.  
 Location 6S, 7E  
 Logged By P.T. GEORGE  
 Core Location Timmins

Length 250.5'  
 Bearing 150° True (Grid South)  
 Dip -45°  
 Objective Test extent of Au mineralization exposed in trenches.

Commenced October 6, 1975  
 Completed October 10, 1975  
 Drilling Co. Hosking D. Dring Ltd  
 Core Size BQ  
 Casing Left in Hole No

Dip: Collar -45  
 Etch Test      Depth      Rdg.      True  
1              250'      47      39

Location Sketch  
  
 See Attached Map

North ↑  
 Claim No. P36344  
 Scale: 1" = 1000'

Remarks \_\_\_\_\_

Footage		DESCRIPTION	Sample No.	From	To	Length
From	To					
0	8	CASING				
8	97.5	FELSIC FRAGMENTAL light cream to grey coloured, elongate fragments of aphanitic, hard, rhyolite in a medium grey, very fine grained matrix. Fine disseminated pyrite in fragments and matrix. Abundant carbonate alteration. Numerous irregular, thin, stringers and clots of quartz-carbonate				
	30'	2" white carbonate vein, minor pyrite.				
	35'	2 1/2" white carbonate veins, minor pyrite				
	37.5'	2" white quartz vein, 2% pyrite, minor chalcopyrite and tourmaline.				
	40.5-49	Rusty weathered zone, groundwater alteration of pyrite and carbonate.				
	69'	1" Quartz vein, minor tourmaline, 5% pyrite in wallrocks.				
	80.5-82	Irregular 1/4" to 1/2" quartz-carbonate veins, minor pyrite				
	84-89	" " " " " " " " " " " "				
	89	1" quartz vein, 5% pyrite, minor tourmaline				
	89-92	Rusty weathered				