



42A06NW0244 16 OGDEN

010

Diamond Drilling

Township of OGDEN


Report NO: 16

Work performed by: Goshawk Mines Limited









Claim NO	Hole NO	Footage	Date	Note
P 381907	75-1	404.0'	Aug/75	(1)

Notes:

(1) #228-75



LEGEND

-  Granite
-  Diabase
-  Quartz Vein
-  Rhyolite
-  Andesite
-  Porphyry
-  Tuff
-  Iron Formation

GOSHAWK MINES LIMITED

SECTION D.D.H. 75-1

SCALE



OGDEN TWP.

C. W. Anshel

OGDEN TWP. #228-75
 GOSHAWK MINES LTD.

GOSHAWK MINES LIMITED
DIAMOND DRILL HOLE 75-1

50' E. of #3 Post
80' W. of #3 Post
Claim 381907
LOCATION: Ogden Township

LATITUDE: see
DEPARTURE: map

BEARING: North (true)
ANGLE DIP: -45°

STARTED: 11 Aug., 1975
FINISHED: 14 " 1975
LOGGED BY: C.W. Archibald

FROM	TO	REMARKS	SAMPLE NO	SAMPLE LENGTH	Au OZ.			
0	28.0	CASING (Overburden)						
28.0	73.0	TUFF, sheared, very chloritic, squeezed, bedding @ 30° C.A.						
73.0	170.0	DACITE, slight schistosity at 45° to core axis, mottled grey green, vesicular, vesicles calcite filled 85.2 - 100.0 siliceous, chloritic, very odd speck of widely disseminated pyrite & chalcopryrite 85.2 - 91.0 20% quartz, some chlorite 91.0 - 94.0 less quartz, slight scatt. pyrite 94.0 - 98.0 much chlorite, 20% quartz, specks chal 100.0 - 170.0 more massive 127.0', 2" band of quartz and sericite 143.5', 2" pink quartz	1 2 3	5.8 3.0 4.0				
170.0	173.0	DYKE, leopard pattern						
173.0	219.0	DACITE; vesicular as above 207.5 - 209.2 brecciated, silicified 208.0 - 208.5 felsic						
219.0	225.3	PORPHYRY, more mafic						
225.3	256.5	DACITE, vesicular as above						
256.5	271.8	PORPHYRITIC, MORE MAFIC, green, sheared, chloritic, quartz eyes 260.0 - 262.0 quartz with very widely disseminations of pyrite specks 264.0', 2" quartz	4	2.0				
271.8	273.3	RHYOLITE, very siliceous with cubic pyrite throughout	5	1.5				
273.3	404.0	RHYOLITE, vesicular 273.3 - 277.5 bleached, sericitic, chloritic, sheared 277.5 - 280.4 90% quartz, some sericite, fractured, re-cemented with chlorite	6	2.9				


DIAMOND DRILL HOLE 75-1

LOCATION:

LATITUDE:
DEPARTURE:BEARING:
ANGLE DIP:STARTED:
FINISHED:
LOGGED BY:

FROM	TO	REMARKS	SAMPLE NO	SAMPLE LENGTH				
		278.0 - 280.4 widely disseminated specks chalco.						
		280.4 - 326.0 decreasing vesicles						
		326.0 - 329.7 re-cemented as above with chlorite, 90% quartz, very slight pyrite.	7	3.7				
		329.7 - 333.0 fractured and slightly silicified						
		333.0 - 334.8 very siliceous, chloritic, sericitic, barren of mineral	8	1.8				
		334.8 - 376.0 mottled, bleached, shows banding						
		376.0 - 377.5 chicken feed alteration, fractured at 45° to core axis						
		376.5 - 377.5 silicified						
		377.5 - 404.0 massive						
		401.0 - 404.0 slight shearing @ 45°						
	404.0	END OF HOLE						

C. W. Auld



**DIAMOND DRILL HOLE &
 SAMPLE PLAN**
GOSHAWK MINES LIMITED
 OGDEN TOWNSHIP

LEGEND

- 14 AREA SAMPLED
- --- DIAMOND DRILL HOLE

