

2.19235



42A06NW2013 2.19235 OGDEN

010

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 7

Northing: 1450
Easting: 1400
Elevation: 1000


Collar Azi.: 0
Collar Dip: -45
Hole Length: 428

Drilled by: Norex Drilling Ltd.
Date Started: 17 Feb 98
Date Finished: 24 Feb 98
Date Logged: 26 Feb 98
Logged by: Bruce Durham
Purpose: To test IP Anomaly

DRILL HOLE RECORD

*** Dip Tests ***
Depth Azi. Dip
100 0 -44
200 0 -42
300 0 -42
400 0 -40

Drill Hole: D-98-06
Claim: 1189545
Property: Ogden
Property Name: DeSantis
Core Size: NQ
Stored at: Timmins
Materials left: Casing



From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
.0	78.0	OVERBURDEN					
78.0	79.4	GREYWACKE SERICITIZED Light grey strongly sericitized beige to yellow weakly silicified ankeritic. Foliation at 40 degrees to core axis. Bedding 75 degrees to core axis.	48301	78.0	79.4	1.4	<5.0
79.4	83.6	GREYWACKE SERICITIZED Variably bleached sericitized and ankerite altered, weak secondary					

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		foliation at 45 degrees to core axis. Bedding 75 degrees to core axis. 81.9 82.5 Moderate sericitic ankeritic 5 cm quartz ankerite vein.	48302	81.9	82.5	.6	<5.0
83.6	95.6	SILTSTONE Very thinly bedded siltstone with occasional narrow greywake interbeds. Weak carbonate sericite alteration. Tops up hole, bedding 70-80 degrees to core axis, weak foliation at 45 degrees to core axis.					
95.6	108.0	GRAPHITIC ARGILLITE Black, lightly graphitic siltstone/argillite, occasional modules of pyrite, narrow pyrite beds and quartz carbonate veins. 107.0 107.9 80% white quartz with gf inclusive. Less than 2% pyrite, longest vein .4m.	48303 48304	107.0 107.9	107.9 109.0	.9 1.1	5.0 5.0
108.0	115.0	ARGILLITE ANKETITE ALTERED Tuff. Mixture of gf argillite and tuff to agglomerate. Entire section is moderate ankerite altered to streaky grey sericitic unit with occasional fragments and graphite bands. 107.9 109.0 Strong ankerite and 3-5 cm qvs. 2-3% Pyrite streaks. 109.0 110.5 Lighter grey sericitic, 2-3% cubic pyrite to .5 cm, more foliated, occasional narrow ? quartz ankerite veinlet.	48305	109.0	110.5	1.5	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		110.5 112.0 As at 109.	48306	110.5	112.0	1.5	<5.0
		112.0 113.5 As at 109, moderate ankerite.	48307	112.0	113.5	1.5	<5.0
		113.5 114.5 Brecciated more graphitic.	48308	113.5	114.5	1.0	<5.0
		114.5 115.5 Includes moderate fault ?by broken, limonite staining.	48309	114.5	115.5	1.0	5.0
115.0	199.5	MAFIC AGGLOMERATE					
		Fine grained, light to medium greenish mafic volcanic tuff to agglomerate with black argillaceous matrix.	48310	115.5	117.0	1.5	20.0
		Volcanic material is greyish to 118.5.	48311	117.0	118.5	1.5	<5.0
			48312	118.5	119.5	1.0	<5.0
		127.5 129.0 More pyritic, sheared and ankerite rich pyrite, 3-4%. Very minor quartz ankerite.	48313	127.5	129.0	1.5	5.0
		40 Cm fault, limonitic at 132, some fault gouge.	48314	140.0	141.5	1.5	10.0
		Somewhat more argillaceous from 132 to 140.1.					
		140.0 141.5 Moderate carbonate, 1% pyrite, 2-5 cm qv.					
		140.1 148.6 Stronger carbonate (ankerite), sericite alteration.					
		141.5 143.0 Moderate carbonate, 1% pyrite.	48315	141.5	143.0	1.5	<5.0
		143.0 144.5 Strong 2% pyrite, moderate foliation.	48316	143.0	144.5	1.5	5.0
		144.5 146.0 Strong 2% pyrite, moderate foliation.	48317	144.5	146.0	1.5	<5.0
		146.0 147.5 Strong 2% pyrite, moderate foliation.	48318	146.0	147.5	1.5	5.0
		147.5 148.6 Moderate carbonate, 1% pyrite.	48319	147.5	148.6	1.1	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		148.6 162.0 More argilleaceous but with occasional sections of obvious agglomerate.					
		162.0 166.0 Volcanic material is greyish in colour, Pyrite less than 1%.					
		166.0 173.0 Volcanic material is slightly more greenish and becoming more calcitic.					
		173.0 176.0 More grey, silicified and sericitic, 1-3% pyrite.	48320	173.0	174.5	1.5	<5.0
			48321	174.5	176.0	1.5	<5.0
		176.0 199.3 More argillaceous and more calcitic. Occasional pyrite rich calcitic quartz veins ?, parallel to bedding.					
		185.0 186.5 10% quartz calcite, 3-5% pyrite.	48322	185.0	186.5	1.5	20.0
		186.5 188.0 2-3% pyrite.	48323	186.5	188.0	1.5	20.0
		188.0 189.5 5% pyrite with quartz calcite.	48324	188.0	189.5	1.5	10.0
		189.5 191.0 2% disseminated pyrite.	48325	189.5	191.0	1.5	5.0
		191.0 192.0 20% quartz calcite veining, 3% pyrite.	48326	191.0	192.0	1.0	<5.0
199.5	202.6	GRAPHITIC ARGILLITE FAULT ZONE					
		Graphite and fault gouge over .4 m, minor calcite, quartz 5% pyrite.					
202.6	211.1	CONGLOMERATE ARGILLITE SILTSTONE					

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		Highly variable, much less altered and deformed. Conglomerate at 203.3-208 contain flattened grey rhyolite, chert mv argillite porphyry up to 4 cm.					
211.1	296.0	GREYWACKE					
		Grey to grey green pristine only, weakly calcite not foliated. Definite rep?????? of fining down hole, each ?????? by 1-10 cm silty beds. Bedding 60-77 degrees to core axis.					
		251.0 267.9 Occasional sph calcite filled fractures.	48327	258.5	259.6	1.1	<5.0
		258.6 259.6 .5 m and .2 m quartz calcite chlorite vein, trace 1% pyrite at 80 degrees to core axis.					
		262.7 264.3 2 cm, 10 cm, 5 cm, 75 cm, barren quartz and calcite veins at 70 degrees to core axis.	48328	262.7	264.3	1.6	<5.0
		264.3 266.6 60 cm, 3 cm, 20 cm barren quartz veins at 70 degrees to core axis.	48329	264.3	265.6	1.3	<5.0
		265.6 266.9 80 cm quartz calcite chlorite vein.	48330	265.6	266.9	1.3	<5.0
		266.9 268.2 Fault Zone tby 3%, sph in calcitic fractures and in ground mass 267.8-267.9.	48331	266.9	268.2	1.3	5.0
		Quartz rich fault with significant cpyrite sph gd at 30 degrees to core axis.	48332	268.2	269.8	1.6	<5.0
		270.0 296.0 Bedding varies from 70 degrees to core axis to more typically 45 degrees to core axis by 296. Local? fold at 296.					

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
296.0	320.0	GRAPHITIC ARGILLITE SILTSTONE					
		Grey black. Moderately graphitic, very thinly laminated to more thickly ? intersections with minor wacke beds. Bedding variable 20-90%. Alteration - calcitic. Frequent qv up to .5 m or more. Very little pyrite associated with veining.					
		296.0 297.0 3 cm & 8 cm quartz calcite chlorite pyrite.	48333	296.0	297.5	1.5	<5.0
		297.5 299.0 10 cm, 3 cm, 3 c, 60 cm chlorite.	48334	297.5	299.0	1.5	<5.0
		299.0 301.5 5 cm, 3 cm, 3 cm, 20 cm, 20 cm quartz calcite vein.	48335	299.0	301.3	2.3	<5.0
		311.7 312.0 Quartz calcite chlorite vein.	48336	313.6	315.1	1.5	<5.0
		-313.0 315.1 3 cm, 5 cm, 30 cm, 5 cm quartz calcite.					
		315.1 316.6 2 cm, 10 cm, 40 cm quartz calcite.	48337	315.1	316.6	1.5	<5.0
		316.6 318.1 30 cm quartz calcite vein.	48338	316.6	318.1	1.5	<5.0
		318.1 319.6 3 cm, 30 cm.	48339	318.1	319.6	1.5	<5.0
		319.6 321.0 5 cm, 5 cm, 2 cm, 60 cm veins.	48340	319.6	321.0	1.4	<5.0
		321.0 322.2 30 cm, 3 cm quartz calcite veins.					
320.0	428.0	GREYWACKE					
		Monotonous sequence of greywacke; only weakly deformed and altered and	48341	321.0	322.2	1.2	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		cut by occasional quartz calcite chloride veins. Bedding (greywacke-siltstone) rarely show any grading. Bedding generally 60 degrees to core axis.					
		331.7 335.0 10% quartz chloride calcite veins.					
		394.5 396.0 More graphitic/calcitic.					
		408.0 411.0 5% quartz chloride calcite veins.					
		421.0 423.0 5% quartz chloride calcite veins.					
		428.0 End of hole.					

2.19235



42A06NW2013 2.19235 OGDEN


020

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 5

Northing: 1625
 Easting: 1400
 Elevation: 1000
 Collar Azi.: 0
 Collar Dip: -45
 Hole Length: 353
 Drilled by: Norex Drilling Ltd.
 Date Started: 24 Feb 98
 Date Finished: 2 Mar 98
 Date Logged: 4 MAR 98
 Logged by: Bruce Durham
 Purpose: To test IP Anomaly



DRILL HOLE RECORD

** Dip Tests **

Depth Azi. Dip

100	0	-45
200	0	-46
293	0	-47

Drill Hole: D-98-07

Claim: 1189545
 Property: Ogden
 Property Name: DeSantis
 Core Size: NQ
 Stored at: Timmins
 Materials left: Casing

Bruce Durham

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
.0	72.0	OVERBURDEN					
72.0	74.0	MAFIC TUFF CHLORITE ALTERED Bleached leached broken 1 to 2% fine grained pyrite. Possibly intermediate in composition.	48342	72.0	74.0	2.0	<5.0
74.0	75.5	MAFIC TUFF CHLORITE ALTERED Hemitized Pyritic Magnetite Bearing Chloride Tuff or Sediment. Beige to pink hemitized tuff with bands up to 20cm of near massive CG. Pyrite and magnetite appear recrystallized. Pyrite 15% overall. Magnetite 10%. Banding 45 to 65 degrees to core axis.	48343 48344	74.0 75.0	75.0 76.5	1.0 1.5	<5.0 <5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
75.5	80.5	SYENITE HEMATIZED CHLORITE ALTERED Rather massive, uniform fine grain dike?. Broken core minor epidote throughout. 1 to 3% cubic magnetite pyrite units cut by occasional calcite chlorite veinlets and veins. Sharp lower contact broken.	48345 48346 48347	76.5 78.0 79.0	78.0 79.0 80.5	1.5 1.0 1.5	<5.0 10.0 <5.0
80.5	104.0	FAULT ZONE Chlorite Calcite Epidote Rich Shear. Ultramafic or tuff. Fine grained, moderately foliated to laminated calcite sheared mafic tuff or volcanic. Rather uniform nature. Questionable sheared vescicules indicate volcanic lithography. Pyrite up to 10% over 1 to 3cm is cubic ??. Foliation parallel (65 degrees to core axis) and associated with calcite.	48348 48349 48350	80.5 82.0 93.5	82.0 83.5 95.0	1.5 1.5 1.5	<5.0 <5.0 <5.0
104.0	130.0	MAFIC VOLCANIC Calcite chlorite altered. Fine grain reasonably homogeneous; weakly to moderately foliated. 70 degrees to core axis. 120.0 121.5 Tourmaline in ground mass as fine black needles. Minor vuggy pyritic calcitic quartz veining. Minor bleaching.	48351 48352 48353	120.0 121.5 123.0	121.5 123.0 124.0	1.5 1.5 1.0	<5.0 <5.0 <5.0
130.0	140.6	MAFIC VOLCANIC Silicified calcitic basalt. Very fine grain rather homogeneous moderately bleached and silicified, calcite rich pyritized basalt. Occasional calcitic quartz veining ???.					

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
		130.0 135.0 Light grey moderate calcite 1 to 2% disseminated MG calcite pyrite.	48354	130.0	131.5	1.5	<5.0
			48355	131.5	133.0	1.5	<5.0
			48356	133.0	134.5	1.5	<5.0
			48357	134.5	135.5	1.0	<5.0
		135.0 140.6 As above but cut by occasional quartz calcite veins up to 3cm and irregular fractures. (bleached pyrite).	48358	135.5	136.5	1.0	<5.0
			48359	136.5	138.0	1.5	<5.0
			48360	138.0	139.5	1.5	<5.0
			48361	139.5	140.6	1.1	<5.0
		Very weak to moderate sericite.					
140.6	151.0	TUFF Moderately silicified sericitic tuff.	48362	140.6	142.0	1.4	<5.0
			48363	142.0	143.0	1.0	<5.0
		Moderate sericite, weak to moderate carbonate. Weak to moderate foliation banding (bedding 70 degrees to core axis).	48364	143.0	144.5	1.5	<5.0
			48365	144.5	146.0	1.5	<5.0
		Very little quartz; pyrite less than 3%. Interval from 149 to 151, more beige. 2% CG cubic disseminated pyrite.	48366	146.0	147.5	1.5	<5.0
			48367	147.5	149.0	1.5	<5.0
			48368	149.0	150.0	1.0	<5.0
			48369	150.0	151.0	1.0	<5.0
151.0	164.0	GRAPHITIC ARGILLITE	48370	151.0	152.5	1.5	<5.0
		Thinly bedded, very graphitic mass. Narrow pyrite bands from 156.	48371	152.5	154.0	1.5	<5.0
			48372	154.0	155.5	1.5	<5.0
			48373	155.5	157.0	1.5	<5.0
			48374	157.0	158.5	1.5	<5.0
		157.3 157.7 30%, very fine grained pyrite.	48375	158.5	160.0	1.5	<5.0
		159.4 160.2 Very fine grained rich fault.	48376	160.0	161.5	1.5	<5.0
			48377	161.5	162.5	1.0	20.0
		162.5 164.0 More buff tuffaceous, less graphitic interbedded.	48378	162.5	164.0	1.5	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
164.0	173.0	TUFF Weakly graphitic beige, CB altered tuff, or sediment. Thinly laminated buff CB altered. Becoming less graphitic down hole. Pyritic 1 to 3% overall; generally as magnetite secondary xtails. Foliation 60 to 90 degrees to core axis.					
173.0	191.8	MAFIC VOLCANIC Beige carbonate altered calcitic basalt. Weakly to moderately foliated fine grained flows? with interbedded units as at 164 to 173. 179.0 182.5 Weak secondary foliation developed at 0 to 2 degrees to core axis. 181 to 182.5; 2 to 4% pyrite.	48379	181.0	182.5	1.5	<5.0
191.8	204.5	MAFIC VOLCANIC Moderate calcite altered, light to medium green. Fine grain pillowled occasional vessicules.	48380	203.0	203.8	.8	<5.0
204.5	228.5	MAFIC VOLCANIC CB Altered Basalt. Buff to cream coloured moderate carbonite, altered moderately sheared to massive basalt. 203 to 203.8; 20% calcite quartz veins.	48381 48382 48383 48384 48385 48386 48387 48388 48389	206.0 209.8 210.8 212.3 212.3 213.8 215.3 216.2 217.5 222.0 223.0	206.5 210.8 212.3 213.8 215.3 216.2 217.5 223.0 224.4	.5 1.0 1.5 1.5 1.5 .9 1.3 1.0 1.4	<5.0 15.0 <5.0 <5.0 <5.0 10.0 10.0 <5.0 <5.0

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
			48390	226.3	227.0	.7	<5.0
228.5	314.0	MAFIC VOLCANIC PILLOWED	48391	239.0	239.6	.6	15.0
		Light green rather uniform weak calcite chlorite alteration. 239 to 239.6; Quartz calcite tourmaline vein and PO pyrite.					
		248.5 249.3 80% white quartz calcite. 287.7 to 290; 80% white quartz calcite.	48392	248.5	249.3	.8	<5.0
		290.0 291.5 40% white quartz calcite and 1% PO pyrite. 291.5 to 293; 30% quartz calcite and 5% PO.	48393	287.7	290.0	2.3	<5.0
		293.0 293.7 10% quartz calcite.	48394	290.0	291.5	1.5	<5.0
			48395	291.5	293.0	1.5	<5.0
			48396	293.0	293.7	.7	<5.0
314.0	353.0	MAFIC TUFF CHLORITE ALTERED					
		Dark chloritic tuffaceous to possibly pillow. Variably calcitic. Intensely calcitic; 319 to 333 and 348.5 and 353.					
	353.0	End Of Hole.					

2019235



42A06NW2013 2.19235 OGDEN

030

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 6

Northing: 375
 Easting: 1700
 Elevation: 1000

Collar Azi.: 0
 Collar Dip: -45

Hole Length: 329
 Drilled by: Norex Drilling Ltd.
 Date Started: 8 Mar 98
 Date Finished: 11 Mar 98
 Date Logged: 12 Mar 98
 Logged by: Bruce Durham
 Purpose: To test IP Anomaly

RECEIVED

DRILL HOLE RECORD

*** Dip Tests ***

FEB 01 1998	Depth	Azi.	Dip
GEOSCIENCE ASSESSMENT OFFICE	100	0	-45
	329	0	-43

Drill Hole: D-98-09

Claim: Patent 12181
 Property: Ogden
 Property Name: DeSantis
 Core Size: NQ
 Stored at: Timmins
 Materials left: Casing

Bruce Durham

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Length (m)	AU PPB
.0	31.0	OVERBURDEN					
31.0	31.8	ARGILLITE Argillite Bedding, 30 Degrees To Core Center.					
31.8	34.9	STRONG SERICITE SCHIST (+/- QTZ) Light beige grey moderately sericitized sediment. Speckled appearance due to disseminated pyrite. 5% sand grey ankerite grains. Also cut by hairline ankerite seams. Bedding 70 degrees to core center. 45.5 to 46.3 liminite stained.	59546 59547	31.8 33.5	33.5 34.9	1.7 1.4	<5.0 <5.0

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
34.9	63.8	SILTSTONE Weakly Sericitized. Grey to partially beige (sericitic to altered) Moderately deformed becoming more altered downhole. Fault 63.8, 50 degrees to core center. More altered below fault.	59548 59549	34.9 62.3	36.3 63.8	1.4 1.5	<5.0 <5.0
63.8	74.2	SILTSTONE SERICITIZED ANKETITE ALTERED Strong sericite ankerite altered, deformed foliated (secondary foliation also developed). Pyrite generally 1 to 3%, but some sections contain more than 10% pyrite in deformed bands with abundant ankerite. 65.3 65.8 10% disseminated banded pyrite. 66.2 67.2 2% pyrite. 69.8 70.5 5 to 8% pyrite. 70.5 71.0 Strong sericite. 71.7 72.1 2 to 4% evenly disseminated very fine grained pyrite; slightly more massive and siliceous. Lower contact; 5cm calcite vein zone minor faulting.	59550 59551 59552 59553 59554 59555 59556 59557 59558 59559	63.8 65.2 66.2 67.5 68.5 69.5 69.5 70.5 71.2 72.5	65.2 66.2 67.5 68.5 69.5 70.5 71.2 72.5 74.0 75.0	1.4 1.0 1.3 1.0 1.0 1.0 .7 1.3 1.5 1.0	<5.0 10.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0
74.2	95.4	SILTSTONE Weakly Sericitic. Weakly sericitic, weakly ankeritic. Moderately deformed grey beige thinly? thickly? bedded siltstone. Very little quartz. Occasional narrow highly blackened intervals.					

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
		80.0 83.2 More altered deformed. Pyrite 2 to 4%. Some pyrite very little quartz.	59560	80.0	81.0	1.0	<5.0
			59561	81.0	82.0	1.0	<5.0
			59562	82.0	83.2	1.2	<5.0
		82.5 99.4 More yellow buff coloured, sericitic. 94 to 95.4; more deformed faulted, some boxed sections.	59563	88.5	89.5	1.0	<5.0
			59564	89.5	90.5	1.0	<5.0
			59565	90.5	92.0	1.5	<5.0
			59566	92.0	93.0	1.0	<5.0
			59567	93.0	94.5	1.5	<5.0
			59568	94.5	95.4	.9	<5.0
95.4	113.5	ARGILLITE SILTSTONE					
		Less altered but moderately to highly deformed minor sericitic ankerite. Very little pyrite (less than 1%). Moderate secondary foliation deformed. 100.6; 2cm pyritic band.					
113.5	128.5	GREYWACKE					
		Moderately Sericitic. Light grey to yellowish greywacke with lesser argillite. More sericitic ankerite quartz from 123.5. Also more deformed, pyrite 1 to 3%.	59569	123.5	125.0	1.5	<5.0
			59570	125.0	126.5	1.5	<5.0
			59571	126.5	128.0	1.5	<5.0
			59572	128.0	129.5	1.5	<5.0
128.5	145.5	ARGILLITE QUARTZ CARBONATE VEIN					
		Highly variable, highly deformed. Weakly to moderately sericitic, ankerite altered siltstone to graph argillite. Pyrite generally as very fine to fine disseminated grains in more sericitic bands (deformed) or adjacent or in quartz argillite veins and seams. Pyrite rarely exceeds 4 to 5%.					
		128.5 134.0 10% quartz arillite veins pyrite 2 to 3%.	59573	129.5	131.0	1.5	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
			59574	131.0	132.5	1.5	100.0
		134.0 136.0 80% quartz argillite veins (large veins).	59575	132.5	134.0	1.5	<5.0
		136.0 141 to 10 to 20% quartz argillite veins pyrite 1 to 3%.	59576	134.0	135.5	1.5	10.0
			59577	135.5	137.0	1.5	<5.0
		141.0 145.3 50% quartz argillite veins pyrite 1 to 3%.	59578	137.0	138.5	1.5	10.0
			59579	138.5	140.0	1.5	10.0
			59580	140.0	141.5	1.5	<5.0
			59581	141.5	143.0	1.5	<5.0
			59582	143.0	144.0	1.0	<5.0
			59583	144.0	145.5	1.5	<5.0
145.5	150.5	ARGILLITE					
		Less altered, less deformed.					
150.5	205.0	SILTSTONE					
		Less altered thinly bedded, much less sericitic and ankeritic. 162 to 170 bedding nearly 11 degrees to core center.					
		176.6 178.0 30% quartz argillite veins some of which are folded. Pyrite 2%.	59584	176.6	178.0	1.4	<5.0
		180.0 182.0 More sericitized 5 to 10% pyrite as narrow bedding parallel bands deformed by secondary foliation.	59585	180.6	182.0	1.4	<5.0
205.0	209.0	ARGILLITE SILTSTONE QUARTZ CARBONATE VEIN					
		Weakly graph highly deformed quartz argillite veined moderately scattered sericitic 1 to 3% pyrite overall. Quartz argillite veins 20 to 30%.	59586	205.0	206.0	1.0	<5.0
			59587	206.0	207.5	1.5	<5.0
			59588	207.5	209.0	1.5	10.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
209.0	217.5	GREYWACKE ARGILLITE Light to medium grey coarse wacke to fine arenite with band siltstone/argillite. 2 to 3% fine grain pyrite in coarsebeds. Minor quartz ankerite veining ankerite altered replacing bedding scattered throughout.					
217.5	230.0	ARGILLITE SILTSTONE Thinly laminated grey black veins minor sericitic.					
230.0	261.7	LITHIC ARENITE GREYWACKE Predominately coarse wacke with 30% lithic arenite and 10% conglomerate. Pebbles are up to 3cm by less than 1cm. (flattened). Less sericitic ankerite and less deformation with depth. 235 to 236.2; trace tourmaline quartz argillite vein.	59589 59590 59591 59592 59593 59594	230.0 231.5 233.0 234.5 235.5 243.5	231.5 233.0 234.5 235.5 236.2 244.5	1.5 1.5 1.5 1.0 .7 1.0	<5.0 <5.0 <5.0 10.0 50.0 40.0
261.7	304.9	GREYWACKE Relatively unaltered but moderately deformed. Minor ankerite. Foliation variable. Secondary fabric developed. Pyrite 1% or less.					
304.9	329.0	GREYWACKE Moderately sericitized. Gradational change to somewhat more bleached and sericitic greywacke. 315.5 317.0 Conglomerate fuchsite altered fragments highly deformed. 316.0 317.0 Includes 5m quartz argillite veins.	59595	315.0	316.0	1.0	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		329.0 End Of Hole.	59597	317.0	318.0	1.0	<5.0

2.19235



42A06NW2013 2.19235 OGDEN

040

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 6

Northing:	200
Easting:	1500
Elevation:	1000
Collar Azi.:	0
Collar Dip:	-45
Hole Length:	320
Drilled by:	Norex
Date Started:	12 MA
Date Finished:	14 Ma
Date Logged:	15 Ma
Logged by:	Bruce
Purpose:	To te

RECEIVED
DRILL HOLE RECORD

FEB 04 1980 Dip Tests ***
Depth Azi. Dip
GEOSCIENCE ASSESSMENT
OFFICE

Drill Hole:	D-98-10
Claim:	1228867
Property:	Ogden
Property Name:	De Santis
Core Size:	NQ
Stored at:	Timmins
Materials left:	Casing

200 0 -44
250 0 -45
320 0 -48

Breukinken

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
.0	40.0	OVERBURDEN					
40.0	73.0	GREYWACKE		59598	50.0	51.5	<5.0
		Fresh unaltered and undeformed. Alteration comprised of weak quartz. Calcite veining with chlorite.	59599	51.5	53.0	1.5	<5.0
		Very little pyrite. Some GF sections 10% quartz stringers 50 to 58.	59600	53.0	54.5	1.5	<5.0
			59601	54.5	56.0	1.5	<5.0
			59602	56.0	57.5	1.5	<5.0
			59603	57.5	59.0	1.5	<5.0
			59604	59.0	60.0	1.0	<5.0
			59605	62.5	63.5	1.0	<5.0
			59606	63.5	65.0	1.5	<5.0
			59607	65.0	66.5	1.5	<5.0
			59608	66.5	68.0	1.5	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
			59609	68.0	69.5	1.5	20.0
			59610	69.5	71.0	1.5	<5.0
			59611	71.0	72.5	1.5	<5.0
			59612	72.5	74.0	1.5	<5.0
73.0	77.0	GREYWACKE SERICITIZED	59613	74.0	75.5	1.5	15.0
		Weak to moderate sericitic altered. 1 to 2% pyrite veins. Minor quartz veining.	59614	75.5	77.0	1.5	15.0
77.0	88.4	ALTERED ULTRAMAFIC ROCK	59615	77.0	78.5	1.5	110.0
		Ultramafic Carbonate Altered Tuff?.	59616	78.5	80.0	1.5	100.0
		Highly sheared ankerite altered. Fragmented or fragmental. Beige grey occasional grey mica. Some olive coloured sections.	59617	80.0	81.0	1.0	10.0
		Grey white ankerite tails throughout. 78.5 to 80; 30% ankerite and fuchsite 1 to 2% pyrite.	59618	81.0	82.0	1.0	<5.0
			59619	82.0	83.0	1.0	<5.0
			59620	83.0	84.0	1.0	<5.0
			59621	84.0	85.0	1.0	<5.0
			59622	85.0	86.0	1.0	<5.0
			59623	86.0	87.0	1.0	10.0
		87.0 88.4 20% quartz ankerite veining. Trace pyrite.	59624	87.0	88.4	1.4	5.0
88.4	90.8	ARGILLITE	59625	88.4	89.8	1.4	90.0
		Silicified Pyritic Quartz Argillite.	59626	89.8	90.8	1.0	10.0
		Highly deformed quartz ankerite altered. 5% disseminated cubic pyrite. Strong secondary fabric.					
90.8	134.2	ALTERED ULTRAMAFIC ROCK					
		Carbonate Altered Ultramafic.					

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		Buff grey to beige olive to fuchsite rich. Medium grained ultramafic pyrite except as noted.					
90.8	92.0	Grey very fine grain silicified quartz veinlets 2 to 3% pyrite trace tourmaline (brown).	59627	90.8	92.0	1.2	15.0
92.0	93.4	Silicified less than 2% pyrite. Minor quartz. Carbonic veining. Lower contact fault?	59628	92.0	93.4	1.4	<5.0
93.4	96.0	Very brown 2 to 3% tourmaline very silicified. 5% pyrite minor quartz.	59629	93.4	94.2	.8	80.0
			59630	94.2	95.0	.8	<5.0
			59631	95.0	96.5	1.5	<5.0
96.0	99.5	More typical beige grey ultramafic.	59632	96.5	98.0	1.5	5.0
			59633	98.0	99.5	1.5	<5.0
		Sheared 1% pyrite minor quartz ankerite.					
99.5	101.3	More grey green silicified. 5 to 8% pyrite. No quartz veining.	59634	99.5	100.5	1.0	10.0
			59635	100.5	101.3	.8	30.0
101.3	105.5	Grey olive beige somewhat stripped. Ultramafic striping caused by deformation. 10cm of 15% fine grained pyrite	59636	101.3	102.5	1.2	25.0
			59637	102.5	104.0	1.5	30.0
			59638	104.0	105.5	1.5	15.0
105.5	107.2	Fuchsite rich silicified. Quite massive silica flooded 10% very fine grain. Pyrite trace CPY speck of gold at 106.5.	59639	105.5	106.2	.7	425.0
107.2	114.7	Grey olive beige ultramafic. Minor fuchsite. Pyrite less than 2%.	59640	106.2	107.2	1.0	715.0
			59641	107.2	108.0	.8	<5.0
			59642	108.0	109.0	1.0	15.0
			59643	109.0	110.0	1.0	15.0
			59644	110.0	111.5	1.5	<5.0
			59645	111.5	113.0	1.5	10.0
			59646	113.0	114.7	1.7	10.0
114.7	116.0	Dark grey and abundant fuchsite. 2% pyrite trace quartz.	59647	114.7	116.0	1.3	40.0
			59648	116.0	117.5	1.5	15.0
			59649	117.5	119.0	1.5	5.0
			59650	119.0	120.5	1.5	<5.0
			59651	120.5	122.0	1.5	<5.0
			59652	122.0	123.3	1.3	<5.0
123.3	129.0	Much more abundant fuchsite, more quartz ankerite and same	59653	123.3	124.7	1.4	10.0

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
		CB veining. Pyrite 1%.	59654	124.7	126.0	1.3	10.0
			59655	126.0	127.0	1.0	5.0
			59656	127.0	128.0	1.0	10.0
			59657	128.0	129.0	1.0	5.0
		129.0 134.2 Fuchsite rich ankerite quartz veining 40%.	59658	129.0	130.0	1.0	<5.0
			59659	130.0	131.0	1.0	5.0
			59660	131.0	132.5	1.5	5.0
			59661	132.5	134.2	1.7	10.0
134.2	141.5	SILTSTONE SERICITIZED ANKETITE ALTERED Highly Altered Siltstone Highly deformed sericitic ankeritized. Units differ in mechanical strength and are therefore variably deformed.	59662	134.2	135.5	1.3	15.0
		135.5 136.3 Dark grey very sericitic. Pyrite 5%.	59663	135.5	137.0	1.5	35.0
		136.3 138.7 Very sericitic beige 2 to 3% pyrite.	59664	137.0	138.5	1.5	20.0
			59665	138.5	140.0	1.5	15.0
		138.7 140.4 Highly sheared variable.	59666	140.0	141.5	1.5	5.0
		140.4 141.5 Quite silicious, beige. Massive 2 to 3% disseminated pyrite.					
141.5	153.5	ARGILLITE Moderately Altered Minor to moderate sericitic, ankerite. Some narrow bleached sections.	59667	141.5	143.0	1.5	<5.0
			59668	143.0	144.5	1.5	15.0
			59669	144.5	146.0	1.5	<5.0
			59670	146.0	147.5	1.5	165.0
			59671	147.5	149.0	1.5	10.0
			59672	149.0	150.5	1.5	<5.0
			59673	150.5	152.0	1.5	<5.0
			59674	152.0	153.5	1.5	<5.0
153.5	187.7	ARGILLITE Moderately deformed, weakly sericitic. Minor ankerite. Very shallow	59675	153.5	155.0	1.5	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		bedding to core axis 153 to 167. Slightly more sericite 176 to 187.7.					
187.7	193.0	CHERT					
		Fine grained silicified chert beds. 1 band with argillite.					
193.0	198.8	LITHIC ARENITE FUCHSITE ALTERED SERICITIZED	59676	193.0	194.4	1.4	<5.0
		Strong sericitic altered bleached. Pinhead to 3cm fuchsite clots and pyrite. Pyrite 1 to 3%.	59677	194.4	196.0	1.6	<5.0
			59678	196.0	197.2	1.2	<5.0
			59679	197.2	198.8	1.6	<5.0
198.8	210.0	ARGILLITE	59680	198.8	199.8	1.0	<5.0
		Weak to moderate sericitic ankerite altered.					
210.0	246.5	SILTSTONE SILICIFIED ZONE	59681	213.0	214.0	1.0	<5.0
		Very fine grain to sub aphanitic light grey. Weakly sericitic very little pyrite 4%. No sign quartz or ankerite.					
246.5	256.0	GRAPHITIC ARGILLITE					
		Dark grey black contacted. Minor faulting. Some occasional narrow pyrite beds.					
256.0	260.0	SILTSTONE					

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
		Silicious siltstone As at 210.					
260.0	284.7	ARGILLITE					
284.7	294.6	SILTSTONE Siliceous. As at 210. 284.7 287.0 2% pyrite occasional fuchsite clots.	59682	284.7	285.8	1.1	<5.0
			59683	285.8	287.0	1.2	<5.0
294.6	320.0	ARGILLITE Weak to moderate sericite. Minor ankerite. 1% pyrite. 320.0 End Of Hole.					

2.19235



42A06NW2013 2.19235 OGDEN

050

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 2

Northing: 175
 Easting: 2400
 Elevation: 1000
 Collar Azi.: 0
 Collar Dip: -45
 Hole Length: 260
 Drilled by: Norex Drilling Ltd.
 Date Started: 16 Mar 98
 Date Finished: 20 Mar 98
 Date Logged: 22 Mar 98
 Logged by: Bruce Durham
 Purpose: To test IP Anomaly

DRILL HOLE RECORD

*** Dip Tests ***

Depth Azi. Dip

100 0 -45
200 0 -42

Drill Hole: D-98-11
 Claim: 1228867
 Property: Ogden
 Property Name: DeSantis
 Core Size: NQ
 Stored at: Timmins
 Materials left: Casing

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
.0	61.0	OVERBURDEN					
61.0	70.7	FELDSPATHIC WACKE Light grey unaltered wacke with 10% white feldspar grains and occasional fragments to 5mm. Bedding 30 to 40 degrees to core axis.					
70.7	97.5	ARGILLITE Medium grey to black weakly deformed; very little alteration. Some quartz veining, generally with calcite 40%.					

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
97.5	178.0	GREYWACKE					
		Light to medium grey ; quite fresh greywacke tops downhole. Alteration very weak; very little deformation. Quartz veining where present mainly quartz calcite. Bedding variable but generally 40% to core axis. 99.7 126.0 5% barren quartz calcite chlorite veins.					
178.0	201.0	ARGILLITE	59684	199.4	200.4	1.0	<5.0
		Light to medium grey, thinly to thickly I/B argillite siltstone. Bedding generally 50 to 70 degrees to core axis. Tops downhole. Weak deformation; very weak alteration. Veining quartz calcite chloride.	59685	200.4	202.0	1.6	<5.0
201.0	260.0	SILTSTONE	59686	202.0	203.5	1.5	<5.0
		Unaltered relatively undeformed, thinly I/B siltstone greywacke. Bedding variable 50 to 80 degrees to core axis. Weak secondary foliation. 238.0 241.5 Minor (5% quartz calcite veining).					
	260.0	End of hole.					



42A06NW2013

2.19235

OGDEN 060

Date: 1 Oct, 1998

EAST WEST RESOURCES CORP.

Page: 1 of 2

Northing: 425

DRILL HOLE RECORD

Drill Hole: D-98-12

Easting: 2400

*** Dip Tests ***

Claim: 1228867

Elevation: 1000

Depth Azi. Dip

Property: Ogden

Collar Azi.: 0

80 0 -45

Property Name: DeSantis

Collar Dip: -45

Core Size: NQ

Hole Length: 86

Stored at: Timmins

Drilled by: Norex Drilling Ltd.

Materials left: Casing

Date Started: 20 MAR 98

Bruce Durham

Date Finished: 21 MAR 98

Date Logged: 24 MAR 98


Logged by: Bruce Durham

Purpose: To test IP Anomaly

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
.0	21.0	OVERBURDEN					
21.0	24.4	ALTERED ULTRAMAFIC ROCK Grey brown olive altered ultramafic ankerite altered rather massive minor to moderate fuchsite. Pyrite less than 1%. Sharp lower contact, 45 degrees to core axis.	59687 59688	21.0 22.0	22.0 23.0	1.0 1.0	5.0 10.0
	23.0	SILICIFIED CONTACT ZONE. Very massive, moderately fractured, light buff, weak ankerite pyrite, 5% as rather evenly disseminated grains. Very sharp contacts. Silicified aphanitic lower at 25 to core axis.	59689	23.0	24.4	1.4	5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
24.4	25.8	TUFF SERICITIZED Light beige to dark grey, quite sericitic, 2% pyritic foliation 20 degrees to core center. Sharp contacts lower contact 20 degrees to core center.	59690	24.4	25.8	1.4	5.0
25.8	28.0	GREYWACKE SERICITIZED Light yellow to buff sericitic, occasional ankerite veins/ patches. Pyrite less than 1% rare fuchsite clot.	59691	25.8	27.0	1.2	<5.0
28.0	70.5	SILTSTONE Silicified To fresh siltstone Variably silicified, light grey fine grained occasional remnant bedding. Not strong sercite alteration. Much broken core, 5 to 10% lower contact. Very little pyrite occasional graphite argillite. Highly deformed.	59692	27.0	28.0	1.0	<5.0
70.5	86.0	SILTSTONE SERICITIZED SILICIFIED ZONE Gradational contact to less silicified, sericitic, silicified siltstone, argillite. Minor ankerite. Trace 5% pyrite. 86.0 End of hole.					

2.19235



42A06NW2013

2.19235

OGDEN

070

Date: 1 Oct, 1998

EAST WEST RESOPURCES CORP.

Page: 1 of 3

Northing: 500
 Easting: 2400
 Elevation: 1000
 Collar Azi.: 180
 Collar Dip: -45
 Hole Length: 206
 Drilled by: Norex Drilling Ltd.
 Date Started: 21 Mar 98
 Date Finished: 23 Mar 98
 Date Logged: 26 Mar 98
 Logged by: Bruce Durham
 Purpose: To test IP Anomaly

DRILL HOLE RECORD


*** Dip Tests ***
Depth Azi. Dip

Drill Hole: D-98-13
 Claim: 1228867
 Property: Ogden
 Property Name: DeSantis
 Core Size: NQ
 Stored at: Timmins
 Materials left: Casing

From (m)	To (m)	Geology	Sample	From (m)	To (m)	Lng (m)	AU PPB
.0	21.0	OVERBURDEN					
21.0	38.5	SILTSTONE Variably sheared, sericitized scattered silicification from 27.5 to 38.5. Very poor core angles to bedding foliation 20% to core axis.					
38.5	78.4	SILTSTONE Silicified siltstone - cherty. Very light grey, highly bleached very fine grain, weakly sericitic. Little or no carbonite. Very little pyrite trace to 5%. Limonite staining 53 to 67.	59693	77.0	78.4	1.4	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
78.4	86.7	TUFF Sheared fuffaceous Wacke? (Mylonite) Grey to beige yellow, highly sheared, moderately altered (sericite ankerite). Pyrite at 1 to 3%. Numerous small fault offsets. Foliation at 60 degrees to core axis. Lower contact limonate stained.	59694 59695 59696 59697 59698 59699	78.4 80.0 81.5 83.0 84.5 86.0	80.0 81.5 83.0 84.5 86.0 86.7	1.6 1.5 1.5 1.5 1.5 .7	10.0 10.0 10.0 30.0 15.0 5.0
86.7	95.3	ALTERED ULTRAMAFIC ROCK Grey yellow ankerite altered. Moderately foliated, minor quartz ankerite veining. Trace 1% disseminated pyrite. 94 to 95.3. 40% Quartz ankerite veining. Trace 1% disseminated pyrite.	59700 59701 59702 59703 59704 59705 59706	86.7 88.0 89.0 90.5 92.0 93.0 94.0	88.0 89.0 90.5 92.0 93.0 94.0 95.3	1.3 1.0 1.5 1.5 1.0 1.0 1.3	<5.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0
95.3	104.9	MAFIC TUFF May be highly sheared, altered ultramafic? More highly variable sheared, silicified. 102.5 to 104.9; This interval is identical to beige altered zone in D-98-10, same fuchsite tourmaline quartz eyes, 2 to 3% pyrite. Foliation 60 degrees to core axis. 98.2 to 100.2 fault; chloritic filled faults, 20 degrees to core center. Limonate stained. Pyrite 2 to 5% overall.	59707 59708 59709 59710 59711 59712 59713 59714 59715	95.3 96.3 97.3 98.2 99.2 100.2 101.2 102.5 104.0	96.3 97.3 98.2 99.2 100.2 101.2 102.5 104.0 104.9	1.0 1.0 .9 1.0 1.0 1.0 1.3 1.5 .9	10.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0 <5.0 15.0
104.9	172.4	ALTERED ULTRAMAFIC ROCK Ultramafic talc chloritic magnesite altered. Dark grey/ black massive fractured talc rich to 149.4.	59716	104.9	106.0	1.1	<5.0

From (m)	To (m)	Geology	Smple	From (m)	To (m)	Lng (m)	AU PPB
		149.4 153.0 Much less talc rich. 153.0 165.0 Talc rich. 165.0 172.4 Less talc rich.	59717	171.4	172.4	1.0	<5.0
172.4	176.0	SILTSTONE SILICIFIED ZONE Silicified sediments (contact zone).	59718	172.4	173.4	1.0	<5.0
		Aphonitic silicious, quartz calcite ankerite veined zone. 1% disseminated pyrite generally ??? along veins.	59719	173.4	174.9	1.5	<5.0
176.0	206.0	GREYWACKE Quite fresh undeformed, light to medium grey. Occasional quartz chlorite veins. Nil pyrite.	59720	174.9	176.0	1.1	<5.0
	206.0	End Of Hole.					



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

2.19235

A9813647

Comments: ATTN: BOB MIDDLETON

CERTIFICATE

A9813647

(NMZ) - EAST WEST RESOURCE CORP.

Project: DESANTIS
 P.O. #:

Samples submitted to our lab in Timmins, ON.
 This report was printed on 13-MAR-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	41	Geochem ring to approx 150 mesh
226	41	0-3 Kg crush and split
3202	41	Rock - save entire reject
229	41	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	41	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	41	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	41	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	41	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	41	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	41	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	41	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	41	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	41	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	41	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	41	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	41	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	41	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	41	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	41	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	41	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	41	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	41	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	41	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	41	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	41	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	41	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	41	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	41	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	41	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	41	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	41	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	41	Tl %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	41	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	41	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	41	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	41	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	41	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000




42A06NW2013

2.19235

OGDEN

080



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1


Page Number :1-A
 Total Pages :2
 Certificate Date: 13-MAR-98
 Invoice No. :I9813647
 P.O. Number :
 Account :NMZ

Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON

CERTIFICATE OF ANALYSIS A9813647

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
48301	205 226	< 5	< 0.2	1.09	38	30	< 0.5	< 2	2.57	< 0.5	14	69	36	2.72	< 10	< 1	0.12	< 10	1.45	485
48302	205 226	< 5	< 0.2	1.75	20	50	< 0.5	< 2	1.42	< 0.5	16	83	31	3.07	< 10	< 1	0.15	10	1.42	275
48303	205 226	5	< 0.2	0.32	176	10	< 0.5	< 2	1.41	0.5	17	164	32	1.68	< 10	< 1	0.07	10	0.53	215
48304	205 226	5	< 0.2	0.32	146	10	< 0.5	< 2	5.30	0.5	33	109	99	3.72	< 10	< 1	0.06	< 10	1.86	1050
48305	205 226	< 5	0.2	0.58	86	< 10	< 0.5	< 2	7.21	< 0.5	34	54	86	5.00	< 10	< 1	0.05	< 10	2.67	1165
48306	205 226	< 5	< 0.2	1.59	62	< 10	< 0.5	< 2	7.52	< 0.5	32	67	99	6.48	< 10	< 1	0.04	< 10	3.21	1380
48307	205 226	< 5	< 0.2	1.34	62	< 10	< 0.5	< 2	5.21	< 0.5	43	70	130	5.40	< 10	< 1	0.05	< 10	2.14	1155
48308	205 226	< 5	< 0.2	1.00	70	< 10	< 0.5	< 2	5.13	< 0.5	42	76	124	4.32	< 10	< 1	0.05	< 10	2.00	1145
48309	205 226	5	0.2	0.84	96	< 10	< 0.5	< 2	5.97	0.5	51	63	146	5.08	< 10	< 1	0.04	< 10	2.27	1220
48310	205 226	20	0.2	2.95	100	< 10	< 0.5	< 2	5.36	2.0	75	79	258	8.23	< 10	< 1	0.03	< 10	2.76	1280
48311	205 226	< 5	< 0.2	2.30	32	< 10	< 0.5	< 2	7.43	0.5	30	67	79	6.99	< 10	< 1	0.03	< 10	3.55	1560
48312	205 226	< 5	0.2	3.40	28	< 10	< 0.5	< 2	6.56	< 0.5	31	75	81	8.26	< 10	< 1	0.01	< 10	3.68	1640
48313	205 226	5	< 0.2	1.69	40	< 10	< 0.5	< 2	5.15	< 0.5	33	61	111	6.00	< 10	< 1	0.04	< 10	2.27	1220
48314	205 226	10	< 0.2	2.49	30	10	< 0.5	< 2	6.55	< 0.5	34	67	100	5.95	< 10	< 1	0.06	< 10	2.96	1225
48315	205 226	< 5	< 0.2	1.95	32	10	< 0.5	< 2	7.51	< 0.5	32	58	91	5.44	< 10	< 1	0.07	< 10	3.18	1385
48316	205 226	5	< 0.2	0.73	36	10	< 0.5	< 2	4.91	< 0.5	37	43	101	2.57	< 10	< 1	0.11	< 10	1.44	740
48317	205 226	< 5	< 0.2	1.27	48	10	< 0.5	< 2	4.02	< 0.5	44	61	113	3.45	< 10	< 1	0.11	< 10	1.50	640
48318	205 226	5	< 0.2	0.98	50	10	< 0.5	< 2	3.39	< 0.5	45	48	133	2.53	< 10	< 1	0.09	< 10	1.16	490
48319	205 226	< 5	0.2	2.48	32	10	< 0.5	< 2	7.85	< 0.5	32	75	90	5.70	< 10	< 1	0.07	< 10	2.17	1160
48320	205 226	< 5	< 0.2	2.74	26	10	< 0.5	< 2	7.02	< 0.5	33	87	106	4.94	< 10	< 1	0.04	< 10	2.51	1055
48321	205 226	< 5	< 0.2	2.40	18	< 10	< 0.5	< 2	6.48	< 0.5	36	60	115	4.77	< 10	< 1	0.04	< 10	3.00	1070
48322	205 226	20	< 0.2	3.31	52	< 10	< 0.5	< 2	7.18	< 0.5	37	60	122	5.38	< 10	< 1	0.05	< 10	2.68	940
48323	205 226	20	0.2	3.48	56	< 10	< 0.5	< 2	5.66	< 0.5	39	65	120	5.64	< 10	< 1	0.05	< 10	3.24	960
48324	205 226	10	0.2	2.72	62	< 10	< 0.5	< 2	6.30	< 0.5	38	63	145	4.81	< 10	< 1	0.04	< 10	2.74	970
48325	205 226	5	< 0.2	4.18	52	< 10	< 0.5	< 2	5.32	< 0.5	42	75	204	5.78	< 10	< 1	0.03	< 10	3.11	775
48326	205 226	< 5	0.2	4.09	28	< 10	< 0.5	< 2	9.67	< 0.5	32	70	291	5.14	< 10	< 1	0.01	< 10	2.67	1275
48327	205 226	< 5	< 0.2	1.41	14	30	< 0.5	< 2	2.55	7.5	11	159	39	1.82	< 10	< 1	0.09	< 10	0.83	325
48328	205 226	< 5	< 0.2	2.06	22	40	< 0.5	< 2	1.82	4.0	20	180	42	2.78	< 10	< 1	0.14	< 10	1.15	425
48329	205 226	< 5	< 0.2	2.10	34	50	< 0.5	< 2	0.70	1.5	23	183	11	2.72	< 10	< 1	0.16	20	1.13	310
48330	205 226	< 5	< 0.2	1.38	24	30	< 0.5	< 2	3.86	1.5	13	164	38	1.70	< 10	< 1	0.09	< 10	0.79	450
48331	205 226	5	1.0	2.12	34	40	< 0.5	< 2	1.80	49.0	27	120	53	2.85	< 10	< 1	0.15	10	1.11	395
48332	205 226	< 5	< 0.2	0.71	10	20	< 0.5	< 2	1.32	< 0.5	8	212	5	1.06	< 10	< 1	0.07	< 10	0.47	210
48333	205 226	< 5	< 0.2	3.09	22	30	< 0.5	< 2	2.43	< 0.5	30	182	51	4.41	< 10	< 1	0.12	10	1.65	635
48334	205 226	< 5	< 0.2	2.70	26	40	< 0.5	< 2	2.36	< 0.5	30	172	48	3.46	< 10	< 1	0.15	30	1.38	510
48335	205 226	< 5	< 0.2	2.15	36	30	< 0.5	< 2	7.29	< 0.5	24	134	24	2.59	< 10	< 1	0.13	10	1.17	735
48336	205 226	< 5	< 0.2	1.91	18	30	< 0.5	< 2	0.40	< 0.5	21	176	35	2.87	< 10	< 1	0.10	10	1.01	330
48337	205 226	< 5	< 0.2	2.33	10	20	< 0.5	< 2	2.02	< 0.5	20	201	39	3.37	< 10	< 1	0.09	10	1.26	525
48338	205 226	< 5	< 0.2	2.43	12	30	< 0.5	< 2	1.91	< 0.5	23	155	46	3.50	< 10	< 1	0.13	10	1.26	590
48339	205 226	< 5	< 0.2	2.70	12	40	< 0.5	< 2	4.91	< 0.5	28	106	56	3.89	< 10	< 1	0.15	20	1.43	805
48340	205 226	< 5	< 0.2	2.42	16	50	< 0.5	< 2	0.99	< 0.5	24	161	39	3.38	< 10	< 1	0.17	20	1.28	405

CERTIFICATION: *[Handwritten Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON


Page Number : 1-B
 Total Pages : 2
 Certificate Date: 13-MAR-98
 Invoice No.: 19813647
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS

A9813647

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
48301	205	226	< 1	0.04	56	480	6	< 2	2	133	< 0.01	< 10	< 10	13	< 10	60
48302	205	226	1	0.04	80	560	< 2	< 2	2	81	< 0.01	< 10	< 10	20	< 10	40
48303	205	226	4	0.07	65	340	6	< 2	1	19	< 0.01	< 10	< 10	3	< 10	376
48304	205	226	< 1	0.07	69	210	6	< 2	8	36	< 0.01	< 10	< 10	16	< 10	316
48305	205	226	1	0.08	48	160	2	< 2	11	48	< 0.01	< 10	< 10	31	< 10	144
48306	205	226	1	0.07	51	130	2	< 2	15	46	< 0.01	< 10	< 10	65	< 10	130
48307	205	226	1	0.08	73	210	2	< 2	13	28	< 0.01	< 10	< 10	53	< 10	144
48308	205	226	1	0.08	97	210	< 2	< 2	13	34	< 0.01	< 10	< 10	43	< 10	168
48309	205	226	1	0.06	82	180	< 2	< 2	15	53	< 0.01	< 10	< 10	43	< 10	274
48310	205	226	< 1	0.05	102	130	< 2	< 2	22	29	< 0.01	< 10	< 10	117	< 10	486
48311	205	226	1	0.05	40	120	< 2	< 2	21	42	< 0.01	< 10	< 10	90	< 10	232
48312	205	226	1	0.04	41	140	< 2	< 2	23	39	< 0.01	< 10	< 10	128	< 10	116
48313	205	226	< 1	0.07	51	210	4	< 2	18	30	< 0.01	< 10	< 10	76	< 10	82
48314	205	226	1	0.07	49	160	2	< 2	16	44	< 0.01	< 10	< 10	95	< 10	96
48315	205	226	< 1	0.08	41	150	2	< 2	15	46	< 0.01	< 10	< 10	69	< 10	60
48316	205	226	1	0.11	64	210	< 2	< 2	6	28	< 0.01	< 10	< 10	23	< 10	48
48317	205	226	1	0.10	76	240	< 2	< 2	10	20	< 0.01	< 10	< 10	46	< 10	82
48318	205	226	1	0.07	60	230	< 2	< 2	7	19	< 0.01	< 10	< 10	31	< 10	70
48319	205	226	< 1	0.07	52	160	< 2	< 2	18	40	< 0.01	< 10	< 10	91	< 10	120
48320	205	226	1	0.07	51	170	6	< 2	15	67	< 0.01	< 10	< 10	116	< 10	118
48321	205	226	< 1	0.07	64	170	< 2	< 2	15	48	< 0.01	< 10	< 10	90	< 10	98
48322	205	226	14	0.04	66	180	8	< 2	15	57	< 0.01	< 10	< 10	116	< 10	146
48323	205	226	3	0.04	77	190	264	< 2	20	39	< 0.01	< 10	< 10	136	< 10	134
48324	205	226	1	0.05	71	200	112	< 2	16	51	< 0.01	< 10	< 10	120	< 10	110
48325	205	226	< 1	0.03	73	180	22	< 2	21	46	< 0.01	< 10	< 10	187	< 10	162
48326	205	226	< 1	0.01	57	160	26	< 2	19	138	< 0.01	< 10	< 10	154	< 10	152
48327	205	226	1	0.03	33	290	122	< 2	1	70	< 0.01	< 10	< 10	18	< 10	2110
48328	205	226	3	0.03	76	590	180	< 2	3	45	< 0.01	< 10	< 10	26	< 10	1090
48329	205	226	1	0.02	86	570	72	< 2	2	20	< 0.01	< 10	< 10	22	< 10	440
48330	205	226	< 1	0.03	51	360	90	< 2	2	104	< 0.01	< 10	< 10	19	< 10	414
48331	205	226	< 1	0.03	76	460	4780	< 2	4	36	< 0.01	< 10	< 10	34	< 10	>10000
48332	205	226	1	0.03	33	190	26	< 2	1	23	< 0.01	< 10	< 10	12	< 10	142
48333	205	226	1	0.04	109	910	14	< 2	4	58	0.04	< 10	< 10	42	< 10	122
48334	205	226	1	0.04	110	660	6	< 2	3	78	< 0.01	< 10	< 10	28	< 10	92
48335	205	226	1	0.03	88	360	10	< 2	3	182	0.06	< 10	< 10	26	< 10	70
48336	205	226	1	0.03	77	410	6	< 2	3	16	0.05	< 10	< 10	31	< 10	70
48337	205	226	1	0.03	82	420	18	< 2	3	64	0.09	< 10	< 10	34	< 10	84
48338	205	226	1	0.03	94	490	2	< 2	4	43	0.13	< 10	< 10	39	< 10	90
48339	205	226	< 1	0.01	108	860	10	< 2	4	150	0.10	< 10	< 10	37	< 10	104
48340	205	226	2	0.01	91	580	10	< 2	3	32	0.11	< 10	< 10	28	< 10	88

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
VANCOUVER, BC
V6B 3C1

Project: DESANTIS
Comments: ATTN: BOB MIDDLETON


Page Number :2-A
Total Pages :2
Certificate Date: 13-M/
Invoice No. :I9813
P.O. Number :
Account :NMZ

CERTIFICATE OF ANALYSIS

A9813647

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	I ppm
48341	205 226	< 5	< 0.2	3.48	22	50	< 0.5	< 2	0.84	< 0.5	26	164	29	4.47	< 10	< 1	0.16	30	2.00	51

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
VANCOUVER, BC
V6B 3C1

Project: DESANTIS
Comments: ATTN: BOB MIDDLETON


Page Number : 2-B
Total Pages : 2
Certificate Date: 13-MA
Invoice No. : 19813
P.O. Number :
Account : NMZ

CERTIFICATE OF ANALYSIS

A9813647

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
48341	205	226	1	0.01	101	770	16	< 2	3	26	0.17	< 10	< 10	33	< 10	110

CERTIFICATION: L. J. B. Shaeffer



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
VANCOUVER, BC
V6B 3C1

Project: DESANTIS
Comments: ATTN: BOB MIDDLETON


Page Number :1
Total Pages :1
Certificate Date: 14-MAR-98
Invoice No.: I9814214
P.O. Number:
Account : NMZ

CERTIFICATE OF ANALYSIS A9814214

SAMPLE	PREP CODE	Zn %											
48331	244 --	1.28											

CERTIFICATION:

Sara Linao



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1


Page Number :1-A
 Total Pages :2
 Certificate Date: 19-MAR-98
 Invoice No. :19814177
 P.O. Number :
 Account :NMZ

Project: DESANTIS
 Comments: ATTN: B.MIDDLETON

CERTIFICATE OF ANALYSIS A9814177

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
48342	205 226	< 5 < 0.2	1.20	< 2	80	< 0.5	< 2	1.33	< 0.5	14	50	21	1.88	< 10	< 1	0.27	30	0.82	360	
48343	205 226	< 5 0.4	0.91	24	10	< 0.5	< 2	1.91	0.5	27	80	276	13.70	< 10	< 1	0.33	10	0.65	405	
48344	205 226	< 5 < 0.2	1.34	12	130	< 0.5	< 2	2.55	< 0.5	15	48	48	2.56	< 10	< 1	0.32	10	1.33	675	
48345	205 226	< 5 1.0	1.56	6	120	< 0.5	< 2	2.18	< 0.5	15	86	49	2.63	< 10	< 1	0.18	10	1.45	635	
48346	205 226	10 < 0.2	1.56	4	130	< 0.5	< 2	1.74	< 0.5	11	44	20	2.26	< 10	< 1	0.12	10	1.53	575	
48347	205 226	< 5 < 0.2	1.05	16	90	< 0.5	< 2	2.08	< 0.5	20	38	55	2.93	< 10	1	0.36	10	1.10	560	
48348	205 226	< 5 < 0.2	0.72	4	170	< 0.5	< 2	4.38	< 0.5	35	58	120	4.27	< 10	< 1	0.29	< 10	0.74	785	
48349	205 226	< 5 < 0.2	1.17	6	60	< 0.5	< 2	3.46	< 0.5	42	103	134	4.05	< 10	< 1	0.39	< 10	1.16	750	
48350	205 226	< 5 < 0.2	2.68	< 2	20	< 0.5	< 2	7.23	< 0.5	35	163	97	4.58	< 10	< 1	0.01	< 10	2.55	1375	
48351	205 226	< 5 < 0.2	3.40	< 2	10	< 0.5	< 2	7.19	< 0.5	30	105	88	3.85	< 10	< 1	0.05	< 10	2.75	1150	
48352	205 226	< 5 < 0.2	4.13	< 2	10	< 0.5	< 2	5.63	< 0.5	35	113	96	4.57	< 10	< 1	0.03	< 10	3.50	1140	
48353	205 226	< 5 < 0.2	4.42	< 2	10	< 0.5	< 2	6.66	< 0.5	40	150	80	5.10	< 10	< 1	0.03	< 10	3.53	1305	
48354	205 226	< 5 < 0.2	1.49	2	50	< 0.5	< 2	4.98	< 0.5	13	30	48	2.32	< 10	< 1	0.09	10	1.14	710	
48355	205 226	< 5 < 0.2	2.06	8	40	< 0.5	< 2	4.31	< 0.5	13	31	9	2.56	< 10	< 1	0.10	10	1.40	730	
48356	205 226	< 5 < 0.2	2.19	20	40	< 0.5	< 2	3.92	< 0.5	15	35	6	2.90	< 10	< 1	0.09	10	1.35	710	
48357	205 226	< 5 < 0.2	1.85	54	50	< 0.5	< 2	4.59	< 0.5	14	34	23	2.95	< 10	< 1	0.10	20	1.23	620	
48358	205 226	< 5 < 0.2	1.73	16	40	< 0.5	< 2	4.54	< 0.5	14	37	34	3.21	< 10	< 1	0.08	20	1.24	610	
48359	205 226	< 5 < 0.2	1.72	36	40	< 0.5	< 2	5.53	< 0.5	14	31	32	3.22	< 10	< 1	0.07	10	1.08	700	
48360	205 226	< 5 < 0.2	1.96	26	40	< 0.5	< 2	3.85	< 0.5	15	33	25	2.94	< 10	< 1	0.09	10	1.18	615	
48361	205 226	< 5 < 0.2	2.11	8	20	< 0.5	< 2	3.58	< 0.5	15	37	23	2.94	< 10	< 1	0.07	10	1.40	555	
48362	205 226	< 5 < 0.2	1.50	14	40	< 0.5	< 2	2.98	< 0.5	15	57	25	2.55	< 10	< 1	0.14	10	0.86	300	
48363	205 226	< 5 < 0.2	1.62	2	30	< 0.5	< 2	2.46	< 0.5	16	58	29	2.58	< 10	< 1	0.12	10	0.89	290	
48364	205 226	< 5 < 0.2	1.75	8	30	< 0.5	< 2	3.26	< 0.5	18	73	41	2.72	< 10	< 1	0.13	10	0.85	400	
48365	205 226	< 5 < 0.2	1.57	2	20	< 0.5	< 2	4.25	< 0.5	18	75	45	3.12	< 10	< 1	0.12	10	0.65	480	
48366	205 226	< 5 < 0.2	1.74	8	10	< 0.5	< 2	4.20	< 0.5	19	76	28	2.74	< 10	< 1	0.11	10	0.78	515	
48367	205 226	< 5 < 0.2	2.31	14	30	< 0.5	< 2	2.00	< 0.5	16	59	31	2.87	< 10	< 1	0.10	10	1.34	360	
48368	205 226	< 5 < 0.2	2.60	10	20	< 0.5	< 2	2.75	< 0.5	17	80	31	3.14	< 10	< 1	0.10	10	1.60	500	
48369	205 226	< 5 0.2	2.63	28	30	< 0.5	< 2	2.72	< 0.5	23	92	42	3.54	< 10	1	0.11	10	1.61	540	
48370	205 226	< 5 0.2	1.67	86	30	< 0.5	< 2	0.71	< 0.5	31	62	49	3.65	< 10	< 1	0.12	10	1.11	235	
48371	205 226	< 5 0.2	2.07	62	30	< 0.5	< 2	1.07	< 0.5	26	55	35	3.68	< 10	< 1	0.13	10	1.56	300	
48372	205 226	< 5 0.2	1.50	116	30	< 0.5	< 2	1.39	< 0.5	27	54	52	3.44	< 10	< 1	0.12	10	1.07	245	
48373	205 226	< 5 0.2	1.36	162	30	< 0.5	< 2	0.95	< 0.5	31	52	184	3.41	< 10	< 1	0.11	10	0.97	220	
48374	205 226	< 5 0.6	1.18	294	20	< 0.5	< 2	1.74	< 0.5	35	38	160	5.25	< 10	< 1	0.08	10	0.90	270	
48375	205 226	< 5 0.2	1.09	176	20	< 0.5	< 2	1.25	< 0.5	26	46	161	2.49	< 10	< 1	0.09	< 10	0.80	190	
48376	205 226	< 5 0.4	1.29	224	20	< 0.5	< 2	1.39	0.5	30	41	139	3.86	< 10	< 1	0.09	< 10	0.99	215	
48377	205 226	20 0.8	1.56	198	< 10	< 0.5	< 2	5.92	< 0.5	42	69	173	9.08	< 10	< 1	0.05	< 10	1.10	655	
48378	205 226	< 5 < 0.2	3.09	76	< 10	< 0.5	< 2	4.80	1.5	52	77	294	5.80	< 10	< 1	0.04	< 10	1.86	805	
48379	205 226	< 5 0.2	4.30	86	< 10	< 0.5	< 2	7.04	0.5	45	177	192	5.02	< 10	< 1	0.05	< 10	3.07	1150	
48380	205 226	< 5 < 0.2	3.75	< 2	< 10	< 0.5	< 2	6.29	< 0.5	35	133	91	4.54	< 10	< 1	< 0.01	< 10	3.13	1185	
48381	205 226	< 5 < 0.2	3.38	< 2	< 10	< 0.5	< 2	7.74	< 0.5	37	99	95	4.17	< 10	< 1	0.06	< 10	2.31	1180	

CERTIFICATION: *John A. Brichler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

~*

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 19-MAR-98
 Invoice No. : 19814177
 P.O. Number :
 Account : NMZ

Project: DESANTIS
 Comments: ATTN: B.MIDDLETON


CERTIFICATE OF ANALYSIS

A9814177

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
48342	205 226	3	0.03	41	440	6	< 2	2	72	0.03	< 10	< 10	13	< 10	60
48343	205 226	8	0.04	71	470	26	< 2	6	88	0.11	< 10	10	39	< 10	514
48344	205 226	5	0.04	29	840	16	< 2	4	136	0.09	< 10	< 10	37	< 10	84
48345	205 226	< 1	0.04	39	840	2	< 2	3	132	0.07	< 10	< 10	30	< 10	72
48346	205 226	< 1	0.04	19	820	2	< 2	2	128	0.07	< 10	< 10	31	< 10	70
48347	205 226	1	0.05	32	700	4	< 2	2	118	0.08	< 10	< 10	50	< 10	260
48348	205 226	2	0.04	46	210	< 2	< 2	3	73	0.12	< 10	< 10	127	< 10	86
48349	205 226	4	0.04	55	190	< 2	< 2	5	89	0.16	< 10	< 10	110	< 10	90
48350	205 226	2	0.01	68	120	2	< 2	6	131	0.12	< 10	< 10	90	< 10	66
48351	205 226	1 < 0.01	49	190	2	< 2	< 2	6	59	0.16	< 10	< 10	95	< 10	66
48352	205 226	< 1 < 0.01	53	150	< 2	< 2	< 2	9	46	0.15	< 10	< 10	134	< 10	74
48353	205 226	1 < 0.01	58	150	< 2	< 2	< 2	13	53	0.14	< 10	< 10	152	< 10	76
48354	205 226	1	0.03	18	760	4	< 2	1	98	0.08	< 10	< 10	20	< 10	66
48355	205 226	< 1	0.02	21	820	< 2	< 2	2	69	0.06	< 10	< 10	22	< 10	54
48356	205 226	1	0.03	22	730	< 2	< 2	2	62	0.07	< 10	< 10	27	< 10	58
48357	205 226	< 1	0.03	19	800	10	< 2	2	71	0.07	< 10	< 10	24	< 10	44
48358	205 226	2	0.04	22	810	6	< 2	3	78	0.08	< 10	< 10	33	< 10	50
48359	205 226	< 1	0.03	20	780	10	< 2	3	69	0.07	< 10	< 10	28	< 10	46
48360	205 226	2	0.04	21	800	6	< 2	2	47	0.06	< 10	< 10	29	< 10	62
48361	205 226	1	0.04	20	780	8	< 2	3	37	0.03	< 10	< 10	35	< 10	86
48362	205 226	1	0.04	41	450	10	< 2	1	34	0.07	< 10	< 10	14	< 10	56
48363	205 226	1	0.05	50	420	8	< 2	2	28	0.08	< 10	< 10	18	< 10	50
48364	205 226	1	0.04	62	450	8	< 2	3	35	0.12	< 10	< 10	23	< 10	76
48365	205 226	1	0.05	59	440	10	< 2	1	45	0.09	< 10	< 10	14	< 10	44
48366	205 226	1	0.05	65	470	< 2	< 2	2	44	0.09	< 10	< 10	18	< 10	44
48367	205 226	1	0.05	50	430	6	< 2	1	29	0.03	< 10	< 10	17	< 10	106
48368	205 226	3	0.05	60	470	12	< 2	1	30	< 0.01	< 10	< 10	21	< 10	220
48369	205 226	2	0.05	91	470	< 2	< 2	2	31	< 0.01	< 10	< 10	27	< 10	246
48370	205 226	3	0.07	97	510	6	< 2	2	22	< 0.01	< 10	< 10	18	< 10	62
48371	205 226	3	0.07	78	560	12	< 2	2	29	< 0.01	< 10	< 10	16	< 10	54
48372	205 226	3	0.06	73	570	20	< 2	1	29	< 0.01	< 10	< 10	13	< 10	42
48373	205 226	3	< 0.07	100	540	26	2	1	24	< 0.01	< 10	< 10	12	< 10	58
48374	205 226	4	0.05	104	440	28	< 2	1	22	< 0.01	< 10	< 10	9	< 10	70
48375	205 226	5	0.05	97	470	12	< 2	1	20	< 0.01	< 10	< 10	7	< 10	94
48376	205 226	5	0.05	113	480	18	2	1	21	< 0.01	< 10	< 10	8	< 10	110
48377	205 226	5	0.03	86	230	40	2	6	30	< 0.01	< 10	< 10	42	< 10	310
48378	205 226	< 1	0.06	138	270	4	< 2	13	25	< 0.01	< 10	< 10	119	< 10	930
48379	205 226	< 1	0.03	146	160	< 2	< 2	16	35	< 0.01	< 10	< 10	116	< 10	476
48380	205 226	< 1	0.01	74	150	< 2	< 2	11	34	0.26	< 10	< 10	139	< 10	74
48381	205 226	< 1	0.03	96	150	< 2	< 2	7	28	0.15	< 10	< 10	106	< 10	62

CERTIFICATION:

J. J. [Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1


Project: DESANTIS
 Comments: ATTN: B.MIDDLETON

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 19-MAR-98
 Invoice No. : 19814177
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS A9814177

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
48382	205 226	15 < 0.2	4.05	6	< 10	< 0.5	< 2	7.17	< 0.5	37	127	81	4.62	< 10	< 1	0.04	< 10	3.39	955	
48383	205 226	< 5 0.2	4.73	10	< 10	< 0.5	< 2	7.23	< 0.5	39	183	109	5.20	< 10	< 1	0.05	< 10	3.65	1155	
48384	205 226	< 5 < 0.2	3.06	34	< 10	< 0.5	< 2	7.13	< 0.5	36	138	88	3.19	< 10	< 1	0.06	< 10	2.39	910	
48385	205 226	< 5 < 0.2	2.86	40	< 10	< 0.5	< 2	6.94	< 0.5	41	144	94	3.04	< 10	< 1	0.06	< 10	2.26	845	
48386	205 226	10 0.2	3.96	40	< 10	< 0.5	< 2	6.32	< 0.5	43	177	135	4.79	< 10	< 1	0.05	< 10	3.12	900	
48387	205 226	10 0.2	2.62	16	< 10	< 0.5	< 2	8.94	< 0.5	24	135	193	3.48	< 10	< 1	0.03	< 10	2.20	935	
48388	205 226	< 5 0.2	3.03	24	< 10	< 0.5	< 2	9.39	< 0.5	29	127	95	4.02	< 10	< 1	0.05	< 10	2.29	1180	
48389	205 226	< 5 0.2	3.58	32	< 10	< 0.5	< 2	6.03	< 0.5	39	153	113	4.57	< 10	< 1	0.07	< 10	2.86	990	
48390	205 226	< 5 0.2	3.71	18	< 10	< 0.5	< 2	5.72	< 0.5	39	196	107	4.67	< 10	< 1	0.01	< 10	3.30	1040	
48391	205 226	15 < 0.2	2.05	4	< 10	< 0.5	< 2	10.70	< 0.5	31	118	75	3.81	< 10	< 1	< 0.01	< 10	1.61	1370	
48392	205 226	< 5 0.2	1.80	6	< 10	< 0.5	< 2	5.17	< 0.5	20	126	111	2.49	< 10	< 1	< 0.01	< 10	1.68	555	
48393	205 226	< 5 < 0.2	2.17	24	< 10	< 0.5	< 2	4.94	< 0.5	21	161	15	2.99	< 10	< 1	< 0.01	< 10	1.98	905	
48394	205 226	< 5 0.2	3.23	42	< 10	< 0.5	< 2	4.61	< 0.5	36	188	34	4.24	< 10	< 1	< 0.01	< 10	3.00	1170	
48395	205 226	< 5 0.2	3.46	32	< 10	< 0.5	< 2	3.50	< 0.5	33	112	30	4.49	< 10	< 1	< 0.01	< 10	3.25	1090	
48396	205 226	< 5 < 0.2	3.44	28	< 10	< 0.5	< 2	4.37	< 0.5	37	70	136	4.99	< 10	< 1	< 0.01	< 10	2.87	1185	

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 19-MAR-98
 Invoice No. : 19814177
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN: B.MIDDLETON

CERTIFICATE OF ANALYSIS

A9814177

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
48382	205 226	2	0.01	88	130	< 2	< 2	15	30	0.02	< 10	< 10	114	< 10	74
48383	205 226	1	0.02	88	140	2	< 2	19	34	< 0.01	< 10	< 10	134	< 10	90
48384	205 226	1	0.03	118	130	< 2	< 2	12	37	0.02	< 10	< 10	86	< 10	54
48385	205 226	1	0.04	151	140	2	< 2	10	38	0.05	< 10	< 10	80	< 10	54
48386	205 226	1	0.02	111	160	2	< 2	15	31	0.01	< 10	< 10	115	< 10	90
48387	205 226	2	0.01	57	70	6	< 2	8	49	< 0.01	< 10	< 10	65	< 10	70
48388	205 226	1 < 0.01	59	100	10	< 2	< 2	8	40	0.07	< 10	< 10	75	< 10	76
48389	205 226	1 < 0.01	93	150	6	< 2	< 2	8	25	0.08	< 10	< 10	86	< 10	94
48390	205 226	3 < 0.01	125	130	6	< 2	< 2	9	22	0.16	< 10	< 10	148	< 10	82
48391	205 226	< 1 < 0.01	81	80	4	< 2	< 2	3	29	0.12	< 10	< 10	40	< 10	56
48392	205 226	1 < 0.01	39	100	< 2	< 2	< 2	4	13	0.16	< 10	< 10	63	< 10	36
48393	205 226	1 < 0.01	38	80	< 2	< 2	< 2	5	20	0.14	< 10	< 10	69	< 10	44
48394	205 226	1 < 0.01	68	130	< 2	< 2	< 2	7	23	0.25	< 10	< 10	98	< 10	70
48395	205 226	1 < 0.01	52	150	< 2	< 2	< 2	9	16	0.26	< 10	< 10	144	< 10	58
48396	205 226	1 < 0.01	56	190	< 2	< 2	< 2	9	14	0.25	< 10	< 10	157	< 10	84

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1


Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON

Page Number : 3-A
 Total Pages : 4
 Certificate Date: 26-APR-98
 Invoice No. : I9816728
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS A9816728

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D-98-10-59678	205 226		< 5	< 0.2	0.73	10	160	< 0.5	< 2	3.22	< 0.5	15	52	16	1.95	< 10	< 1	0.20	20	1.29	530
D-98-10-59679	205 226		< 5	< 0.2	0.61	10	280	< 0.5	< 2	4.13	< 0.5	14	47	20	2.63	< 10	< 1	0.17	20	1.55	570
D-98-10-59680	205 294		< 5	< 0.2	0.86	16	80	< 0.5	< 2	2.62	< 0.5	16	34	55	2.68	< 10	< 1	0.21	10	1.18	465
D-98-10-59681	205 294		< 5	< 0.2	0.58	32	80	< 0.5	< 2	2.93	< 0.5	14	98	29	2.86	< 10	< 1	0.13	< 10	1.35	430
D-98-10-59682	205 226		< 5	< 0.2	0.75	16	80	< 0.5	< 2	3.49	< 0.5	14	35	24	2.64	< 10	< 1	0.20	20	1.45	350
D-98-10-59683	205 226		< 5	< 0.2	0.71	14	80	< 0.5	< 2	3.38	< 0.5	11	44	17	2.49	< 10	< 1	0.19	10	1.36	310
D-98-11-59684	205 294		< 5	< 0.2	2.38	8	40	< 0.5	< 2	1.58	< 0.5	15	155	35	2.58	< 10	< 1	0.17	10	1.14	375
D-98-11-59685	205 226		< 5	< 0.2	2.00	< 2	40	< 0.5	< 2	1.69	< 0.5	8	98	22	2.22	< 10	< 1	0.14	10	1.07	335
D-98-11-59686	205 294		< 5	< 0.2	1.29	< 2	30	< 0.5	< 2	0.85	< 0.5	6	112	16	1.55	< 10	< 1	0.06	10	0.74	210
D-98-12-59687	205 226		5	< 0.2	2.09	110	< 10	< 0.5	< 2	3.95	< 0.5	46	1120	33	4.37	< 10	< 1	0.02	< 10	9.51	810
D-98-12-59688	205 226		10	< 0.2	2.64	86	50	< 0.5	< 2	3.38	< 0.5	30	665	50	3.88	< 10	< 1	0.19	< 10	5.55	565
D-98-12-59689	205 226		5	< 0.2	1.15	20	80	< 0.5	< 2	2.77	< 0.5	11	49	75	2.63	< 10	< 1	0.32	10	1.28	280
D-98-12-59690	205 226		5	< 0.2	1.25	10	50	< 0.5	< 2	2.15	< 0.5	12	64	36	2.41	< 10	< 1	0.20	< 10	1.37	290
D-98-12-59691	205 226		< 5	< 0.2	0.83	10	60	< 0.5	< 2	4.41	< 0.5	12	29	19	1.89	< 10	< 1	0.22	20	1.96	305
D-98-12-59692	205 226		< 5	< 0.2	0.78	6	70	< 0.5	< 2	4.99	< 0.5	10	27	31	1.99	< 10	< 1	0.24	20	2.12	390
D-98-13-59693	205 226		< 5	< 0.2	0.56	4	50	< 0.5	< 2	1.57	< 0.5	5	40	1	1.33	< 10	< 1	0.14	< 10	0.73	255
D-98-13-59694	205 226		10	< 0.2	0.72	10	60	< 0.5	< 2	1.80	< 0.5	11	43	22	2.11	< 10	< 1	0.20	< 10	0.98	280
D-98-13-59695	205 226		10	< 0.2	0.84	36	70	< 0.5	< 2	2.15	< 0.5	18	41	35	2.53	< 10	< 1	0.21	10	1.12	320
D-98-13-59696	205 226		10	< 0.2	1.08	26	80	< 0.5	< 2	2.35	< 0.5	13	41	21	2.53	< 10	< 1	0.22	10	1.38	300
D-98-13-59697	205 226		30	< 0.2	1.54	32	80	< 0.5	< 2	3.36	< 0.5	14	55	19	2.84	< 10	< 1	0.22	30	2.01	410
D-98-13-59698	205 226		15	< 0.2	1.55	68	60	< 0.5	< 2	3.16	< 0.5	19	240	30	2.68	< 10	< 1	0.16	< 10	2.42	430
D-98-13-59699	205 294		5	< 0.2	2.23	34	70	< 0.5	< 2	2.80	< 0.5	17	155	44	3.29	< 10	< 1	0.19	10	2.55	380
D-98-13-59700	205 226		< 5	< 0.2	2.21	100	< 10	< 0.5	< 2	5.87	< 0.5	44	1225	31	4.11	< 10	< 1	< 0.01	< 10	8.72	915
D-98-13-59701	205 294		< 5	< 0.2	2.26	160	< 10	< 0.5	< 2	5.13	< 0.5	48	1220	23	4.32	< 10	< 1	< 0.01	< 10	9.75	1050
D-98-13-59702	205 226		< 5	< 0.2	2.93	70	< 10	< 0.5	< 2	7.09	< 0.5	52	1475	28	4.08	10	< 1	< 0.01	< 10	8.25	1125
D-98-13-59703	205 226		< 5	< 0.2	1.86	66	< 10	< 0.5	< 2	9.15	< 0.5	44	1060	19	3.45	< 10	< 1	< 0.01	< 10	7.50	1180
D-98-13-59704	205 294		< 5	< 0.2	1.86	684	< 10	< 0.5	< 2	6.42	< 0.5	51	1130	26	4.31	< 10	< 1	< 0.01	< 10	10.10	990
D-98-13-59705	205 226		< 5	< 0.2	2.06	516	< 10	< 0.5	< 2	5.79	< 0.5	48	1090	31	4.33	< 10	< 1	< 0.01	< 10	9.72	980
D-98-13-59706	205 226		< 5	< 0.2	2.14	388	< 10	< 0.5	< 2	8.28	< 0.5	40	1175	33	3.16	< 10	< 1	< 0.01	< 10	6.92	1400
D-98-13-59707	205 226		10	< 0.2	3.21	110	10	< 0.5	< 2	6.50	< 0.5	35	734	20	4.81	< 10	< 1	0.07	< 10	6.39	1260
D-98-13-59708	205 294		< 5	< 0.2	2.78	68	10	< 0.5	< 2	6.20	< 0.5	37	1010	35	3.80	< 10	< 1	0.04	< 10	6.20	990
D-98-13-59709	205 294		< 5	< 0.2	2.58	78	< 10	< 0.5	< 2	8.00	< 0.5	53	1275	28	3.73	< 10	< 1	0.01	< 10	7.12	1365
D-98-13-59710	205 226		5	< 0.2	4.09	92	< 10	< 0.5	< 2	6.42	< 0.5	63	1275	120	5.09	10	< 1	< 0.01	< 10	7.81	1175
D-98-13-59711	205 294		< 5	< 0.2	3.14	12	10	< 0.5	< 2	7.28	< 0.5	26	1230	52	4.38	< 10	< 1	0.01	< 10	6.66	1545
D-98-13-59712	205 294		< 5	< 0.2	2.61	352	10	< 0.5	< 2	7.42	< 0.5	48	1210	30	4.18	< 10	< 1	0.01	< 10	8.03	1310
D-98-13-59713	205 226		< 5	< 0.2	2.62	440	< 10	< 0.5	< 2	6.31	< 0.5	45	1170	36	4.28	< 10	< 1	< 0.01	< 10	7.95	955
D-98-13-59714	205 226		< 5	< 0.2	3.27	200	10	< 0.5	< 2	6.35	< 0.5	43	1050	53	4.73	< 10	< 1	0.03	< 10	7.28	960
D-98-13-59715	205 294		15	< 0.2	2.61	72	< 10	< 0.5	< 2	5.24	< 0.5	39	687	90	4.74	< 10	< 1	< 0.01	< 10	5.43	1045
D-98-13-59716	205 226		< 5	< 0.2	2.56	52	< 10	< 0.5	< 2	6.00	< 0.5	41	1260	38	4.25	< 10	< 1	< 0.01	< 10	8.62	980
D-98-13-59717	205 294		< 5	< 0.2	4.21	92	< 10	< 0.5	< 2	5.75	< 0.5	45	1360	39	5.27	10	< 1	< 0.01	< 10	8.25	1035

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

-*

Page Number :2-B
 Total Pages :4
 Certificate Date: 26-APR-98
 Invoice No.: 19816728
 P.O. Number:
 Account : NMZ

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON

CERTIFICATE OF ANALYSIS

A9816728

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl %	U ppm	V ppm	W ppm	Zn ppm
D-98-10-59638	205	226	< 1 < 0.01	800	40	< 2	10	13	104	< 0.01	< 10	< 10	67	< 10	46	
D-98-10-59639	205	294	< 1 < 0.01	723	190	2	28	10	183	< 0.01	< 10	< 10	39	< 10	24	
D-98-10-59640	205	294	< 1 < 0.01	1090	460	8	12	15	159	< 0.01	< 10	< 10	54	< 10	16	
D-98-10-59641	205	226	< 1 < 0.01	719	40	2	< 2	14	193	< 0.01	< 10	< 10	78	< 10	44	
D-98-10-59642	205	294	< 1 < 0.01	770	40	6	< 2	13	162	< 0.01	< 10	< 10	73	< 10	44	
D-98-10-59643	205	294	< 1 < 0.01	840	40	2	< 2	14	167	< 0.01	< 10	< 10	80	< 10	42	
D-98-10-59644	205	226	< 1 < 0.01	781	40	2	< 2	14	165	< 0.01	< 10	< 10	76	< 10	44	
D-98-10-59645	205	226	< 1 < 0.01	770	40	< 2	< 2	14	178	< 0.01	< 10	< 10	73	< 10	46	
D-98-10-59646	205	226	< 1 < 0.01	787	30	28	10	14	149	< 0.01	< 10	< 10	71	< 10	38	
D-98-10-59647	205	226	< 1 < 0.01	548	120	4	< 2	12	107	< 0.01	< 10	< 10	62	< 10	66	
D-98-10-59648	205	226	< 1 < 0.01	748	30	< 2	6	11	149	< 0.01	< 10	< 10	58	< 10	34	
D-98-10-59649	205	226	< 1 < 0.01	766	10	2	8	12	88	< 0.01	< 10	< 10	61	< 10	40	
D-98-10-59650	205	226	< 1 < 0.01	846	60	< 2	6	13	149	< 0.01	< 10	< 10	64	< 10	34	
D-98-10-59651	205	226	< 1 < 0.01	854	20	2	6	12	91	< 0.01	< 10	< 10	67	< 10	48	
D-98-10-59652	205	226	< 1 < 0.01	1050	< 10	12	2	12	153	< 0.01	< 10	< 10	60	< 10	32	
D-98-10-59653	205	226	< 1 < 0.01	804	10	2	2	11	100	< 0.01	< 10	< 10	62	< 10	36	
D-98-10-59654	205	226	< 1 < 0.01	780	< 10	2	14	13	216	< 0.01	< 10	< 10	61	< 10	46	
D-98-10-59655	205	294	< 1 < 0.01	464	< 10	2	8	10	469	< 0.01	< 10	< 10	38	< 10	30	
D-98-10-59656	205	294	< 1 < 0.01	718	20	2	6	13	140	< 0.01	< 10	< 10	59	< 10	44	
D-98-10-59657	205	294	< 1 < 0.01	589	< 10	4	14	11	529	< 0.01	< 10	< 10	44	< 10	30	
D-98-10-59658	205	294	< 1 < 0.01	863	10	< 2	16	11	124	< 0.01	< 10	< 10	55	< 10	30	
D-98-10-59659	205	294	< 1 < 0.01	710	< 10	< 2	12	12	155	< 0.01	< 10	< 10	58	< 10	38	
D-98-10-59660	205	226	< 1 < 0.01	726	10	2	6	13	201	< 0.01	< 10	< 10	68	< 10	38	
D-98-10-59661	205	226	< 1 < 0.01	703	10	< 2	30	13	194	< 0.01	< 10	< 10	59	< 10	60	
D-98-10-59662	205	226	1 0.03	219	310	2	8	5	171	< 0.01	< 10	< 10	20	< 10	38	
D-98-10-59663	205	226	1 0.06	74	290	2	2	3	97	< 0.01	< 10	< 10	8	< 10	26	
D-98-10-59664	205	226	1 0.06	111	430	10	< 2	4	97	< 0.01	< 10	< 10	11	< 10	30	
D-98-10-59665	205	226	1 0.08	66	520	4	< 2	3	143	< 0.01	< 10	< 10	9	< 10	26	
D-98-10-59666	205	226	1 0.08	35	1210	2	< 2	2	183	< 0.01	< 10	< 10	9	< 10	24	
D-98-10-59667	205	226	1 0.06	91	400	2	< 2	3	65	< 0.01	< 10	< 10	7	< 10	24	
D-98-10-59668	205	226	1 0.06	94	450	2	< 2	4	92	< 0.01	< 10	< 10	8	< 10	56	
D-98-10-59669	205	226	1 0.07	88	470	2	< 2	4	120	< 0.01	< 10	< 10	8	< 10	82	
D-98-10-59670	205	226	1 0.07	94	480	2	< 2	4	102	< 0.01	< 10	< 10	9	< 10	66	
D-98-10-59671	205	226	1 0.07	105	490	18	< 2	4	97	< 0.01	< 10	< 10	10	< 10	90	
D-98-10-59672	205	226	1 0.07	97	470	2	< 2	5	96	< 0.01	< 10	< 10	10	< 10	150	
D-98-10-59673	205	226	1 0.07	102	440	6	< 2	4	116	< 0.01	< 10	< 10	10	< 10	126	
D-98-10-59674	205	226	2 0.10	88	430	6	< 2	4	130	< 0.01	< 10	< 10	11	< 10	82	
D-98-10-59675	205	226	2 0.09	72	450	2	< 2	4	166	< 0.01	< 10	< 10	10	< 10	78	
D-98-10-59676	205	226	1 0.12	70	1050	6	< 2	4	184	< 0.01	< 10	< 10	13	< 10	28	
D-98-10-59677	205	226	1 0.09	18	1770	8	< 2	3	187	< 0.01	< 10	< 10	11	< 10	20	

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Page Number : 2-A
 Total Pages : 4
 Certificate Date: 26-APR-98
 Invoice No. : I9816728
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN: BOB MIDDLETON

CERTIFICATE OF ANALYSIS A9816728

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D-98-10-59638	205 226	15 < 0.2	2.09	540	< 10	< 0.5	< 2	3.25	< 0.5	48	1200	36	4.63	< 10	< 1 < 0.01	< 10	10.25	855		
D-98-10-59639	205 294	425 0.2	0.92	846	10	< 0.5	< 2	7.25	< 0.5	44	625	89	4.26	< 10	< 1 < 0.01	< 10	7.26	1410		
D-98-10-59640	205 294	715 < 0.2	1.57	1445	10	< 0.5	< 2	7.58	< 0.5	74	751	59	5.84	< 10	< 1 < 0.01	< 10	5.79	1555		
D-98-10-59641	205 226	< 5 < 0.2	2.59	70	< 10	< 0.5	< 2	3.98	< 0.5	45	1315	49	4.81	< 10	< 1 < 0.01	< 10	10.00	905		
D-98-10-59642	205 294	15 < 0.2	2.38	10	< 10	< 0.5	< 2	3.37	< 0.5	45	1315	29	4.63	< 10	< 1 < 0.01	< 10	10.05	865		
D-98-10-59643	205 294	15 < 0.2	2.61	214	< 10	< 0.5	< 2	3.53	< 0.5	49	1450	56	4.70	< 10	< 1 < 0.01	< 10	10.00	865		
D-98-10-59644	205 226	< 5 < 0.2	2.56	44	< 10	< 0.5	< 2	3.08	< 0.5	48	1320	31	4.76	< 10	< 1 < 0.01	< 10	10.30	850		
D-98-10-59645	205 226	10 < 0.2	2.41	46	< 10	< 0.5	< 2	3.53	< 0.5	46	1295	32	4.74	< 10	< 1 < 0.01	< 10	10.45	895		
D-98-10-59646	205 226	10 < 0.2	2.37	446	< 10	< 0.5	< 2	3.65	< 0.5	48	1215	40	4.81	< 10	< 1 < 0.01	< 10	10.20	955		
D-98-10-59647	205 226	40 < 0.2	3.08	92	10	< 0.5	< 2	5.12	< 0.5	46	710	87	5.22	< 10	< 1 0.05	< 10	6.84	965		
D-98-10-59648	205 226	15 0.2	2.08	56	< 10	< 0.5	< 2	4.01	< 0.5	45	1055	39	4.48	< 10	< 1 0.01	< 10	9.44	905		
D-98-10-59649	205 226	5 < 0.2	1.93	26	< 10	< 0.5	< 2	2.99	< 0.5	47	1165	38	4.55	< 10	< 1 0.01	< 10	9.94	865		
D-98-10-59650	205 226	< 5 < 0.2	2.06	32	< 10	< 0.5	< 2	4.70	< 0.5	54	1110	42	4.93	< 10	< 1 0.01	< 10	9.63	1095		
D-98-10-59651	205 226	< 5 < 0.2	2.16	34	< 10	< 0.5	< 2	3.42	< 0.5	48	1310	37	4.71	< 10	< 1 < 0.01	< 10	10.50	860		
D-98-10-59652	205 226	< 5 < 0.2	1.70	34	< 10	< 0.5	< 2	4.31	< 0.5	52	1160	28	4.61	< 10	< 1 < 0.01	< 10	11.00	905		
D-98-10-59653	205 226	10 < 0.2	1.88	42	< 10	< 0.5	< 2	3.14	< 0.5	48	1230	32	4.19	< 10	< 1 < 0.01	< 10	9.43	765		
D-98-10-59654	205 226	10 < 0.2	1.43	44	< 10	< 0.5	< 2	5.57	< 0.5	52	895	33	4.24	< 10	< 1 < 0.01	< 10	8.82	805		
D-98-10-59655	205 294	5 < 0.2	0.65	28	< 10	< 0.5	< 2	8.56	< 0.5	30	448	16	3.59	< 10	< 1 < 0.01	< 10	9.14	840		
D-98-10-59656	205 294	10 < 0.2	1.58	52	< 10	< 0.5	< 2	4.08	< 0.5	48	968	38	4.71	< 10	< 1 0.01	< 10	9.53	870		
D-98-10-59657	205 294	5 < 0.2	0.83	136	< 10	< 0.5	< 2	6.72	< 0.5	38	537	24	4.16	< 10	< 1 0.01	< 10	9.45	880		
D-98-10-59658	205 294	< 5 < 0.2	1.50	272	< 10	< 0.5	< 2	3.65	< 0.5	49	926	25	4.51	< 10	< 1 0.01	< 10	10.35	810		
D-98-10-59659	205 294	5 0.2	1.75	272	< 10	< 0.5	< 2	3.25	< 0.5	45	996	33	4.67	< 10	< 1 0.01	< 10	9.82	810		
D-98-10-59660	205 226	5 < 0.2	1.93	202	< 10	< 0.5	< 2	3.85	< 0.5	47	1145	21	4.75	< 10	< 1 < 0.01	< 10	10.45	840		
D-98-10-59661	205 226	10 0.2	1.72	246	< 10	< 0.5	< 2	3.20	< 0.5	49	1020	60	4.69	< 10	< 1 0.01	< 10	9.46	815		
D-98-10-59662	205 226	15 < 0.2	0.70	64	30	< 0.5	< 2	2.90	< 0.5	21	218	30	3.27	< 10	< 1 0.08	< 10	3.87	535		
D-98-10-59663	205 226	35 < 0.2	0.51	32	40	< 0.5	< 2	1.34	< 0.5	15	48	47	2.61	< 10	< 1 0.11	< 10	1.54	345		
D-98-10-59664	205 226	20 < 0.2	0.53	30	50	< 0.5	< 2	1.31	< 0.5	21	44	46	3.83	< 10	< 1 0.12	< 10	1.86	580		
D-98-10-59665	205 226	15 < 0.2	0.59	32	50	< 0.5	< 2	2.22	< 0.5	14	47	32	2.91	< 10	< 1 0.13	< 10	1.49	415		
D-98-10-59666	205 226	5 < 0.2	0.63	18	50	< 0.5	< 2	3.40	< 0.5	10	47	21	2.66	< 10	< 1 0.14	< 10	1.52	380		
D-98-10-59667	205 226	< 5 < 0.2	0.48	20	50	< 0.5	< 2	0.93	< 0.5	14	30	41	3.04	< 10	< 1 0.13	< 10	1.02	350		
D-98-10-59668	205 226	15 < 0.2	0.48	42	40	< 0.5	< 2	1.48	< 0.5	19	34	46	3.43	< 10	< 1 0.12	< 10	1.29	375		
D-98-10-59669	205 226	< 5 < 0.2	0.50	44	40	< 0.5	< 2	1.83	< 0.5	16	34	42	3.39	< 10	< 1 0.12	< 10	1.40	425		
D-98-10-59670	205 226	165 < 0.2	0.53	52	40	< 0.5	< 2	1.42	< 0.5	19	36	63	3.97	< 10	< 1 0.13	< 10	1.43	510		
D-98-10-59671	205 226	10 < 0.2	0.55	52	40	< 0.5	< 2	1.39	< 0.5	22	34	56	4.10	< 10	< 1 0.13	< 10	1.39	520		
D-98-10-59672	205 226	< 5 < 0.2	0.52	44	40	< 0.5	< 2	1.26	< 0.5	22	30	60	3.92	< 10	< 1 0.13	< 10	1.33	485		
D-98-10-59673	205 226	< 5 < 0.2	0.51	36	40	< 0.5	< 2	1.67	< 0.5	21	34	52	4.14	< 10	< 1 0.12	< 10	1.51	525		
D-98-10-59674	205 226	< 5 < 0.2	0.77	30	50	< 0.5	< 2	1.45	< 0.5	16	46	44	3.53	< 10	< 1 0.18	< 10	1.35	435		
D-98-10-59675	205 226	< 5 < 0.2	0.70	32	50	< 0.5	< 2	1.85	< 0.5	16	49	44	3.47	< 10	< 1 0.17	< 10	1.45	410		
D-98-10-59676	205 226	< 5 < 0.2	0.94	22	170	< 0.5	< 2	3.49	< 0.5	14	38	32	2.74	< 10	< 1 0.21	< 10	1.35	355		
D-98-10-59677	205 226	< 5 < 0.2	0.71	8	160	< 0.5	< 2	4.09	< 0.5	9	40	1	2.31	< 10	< 1 0.20	< 20	1.48	505		

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

*

Page Number : 1-B
 Total Pages : 4
 Certificate Date: 26-APR-98
 Invoice No. : I9816728
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN: BOB MIDDLETON

CERTIFICATE OF ANALYSIS

A9816728

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
D-98-10-59598	205 226	2	0.05	120	240	6	< 2	3	33 < 0.01	< 10	< 10	25	< 10	58	
D-98-10-59599	205 226	1	0.05	124	270	4	< 2	3	30 < 0.01	< 10	< 10	25	< 10	82	
D-98-10-59600	205 226	2	0.06	106	220	4	< 2	3	38 < 0.01	< 10	< 10	23	< 10	74	
D-98-10-59601	205 226	2	0.06	104	230	4	< 2	3	45 < 0.01	< 10	< 10	24	< 10	78	
D-98-10-59602	205 226	2	0.06	81	190	6	< 2	2	47 < 0.01	< 10	< 10	18	< 10	62	
D-98-10-59603	205 226	2	0.05	111	230	6	< 2	3	36 < 0.01	< 10	< 10	20	< 10	70	
D-98-10-59604	205 294	2	0.06	102	210	4	< 2	3	34 < 0.01	< 10	< 10	21	< 10	70	
D-98-10-59605	205 226	2	0.07	128	280	6	< 2	3	41 < 0.01	< 10	< 10	22	< 10	84	
D-98-10-59606	205 226	1	0.06	101	220	6	< 2	3	36 < 0.01	< 10	< 10	16	< 10	72	
D-98-10-59607	205 226	2	0.05	115	250	10	< 2	3	39 < 0.01	< 10	< 10	19	< 10	82	
D-98-10-59608	205 226	2	0.06	109	220	6	< 2	3	49 < 0.01	< 10	< 10	19	< 10	76	
D-98-10-59609	205 226	1	0.07	115	260	6	< 2	3	68 < 0.01	< 10	< 10	17	< 10	82	
D-98-10-59610	205 294	3	0.07	129	270	4	< 2	4	63 < 0.01	< 10	< 10	22	< 10	94	
D-98-10-59611	205 226	3	0.07	88	200	6	< 2	3	51 < 0.01	< 10	< 10	16	< 10	66	
D-98-10-59612	205 226	2	0.07	88	220	2	< 2	3	71 < 0.01	< 10	< 10	13	< 10	68	
D-98-10-59613	205 226	2	0.06	108	220	2	< 2	3	75 < 0.01	< 10	< 10	13	< 10	76	
D-98-10-59614	205 226	1	0.06	50	340	4	< 2	2	91 < 0.01	< 10	< 10	9	< 10	64	
D-98-10-59615	205 226	1	0.04	79	490	4	< 2	2	102 < 0.01	< 10	< 10	11	< 10	32	
D-98-10-59616	205 226	1 < 0.01	506	240	8	8	10	190 < 0.01	< 10	< 10	41	< 10	28		
D-98-10-59617	205 294	< 1 < 0.01	442	100	2	< 2	16	116 < 0.01	< 10	< 10	92	< 10	52		
D-98-10-59618	205 294	< 1 < 0.01	938	30	2	< 2	12	143 < 0.01	< 10	< 10	64	< 10	58		
D-98-10-59619	205 294	< 1 < 0.01	844	20	2	< 2	12	186 < 0.01	< 10	< 10	65	< 10	98		
D-98-10-59620	205 294	< 1 < 0.01	954	20	< 2	< 2	11	109 < 0.01	< 10	< 10	58	< 10	62		
D-98-10-59621	205 294	< 1 < 0.01	723	40	8	< 2	13	183 < 0.01	< 10	< 10	66	< 10	42		
D-98-10-59622	205 294	< 1 < 0.01	797	40	< 2	< 2	14	156 < 0.01	< 10	< 10	78	< 10	46		
D-98-10-59623	205 294	< 1 < 0.01	836	30	< 2	< 2	13	137 < 0.01	< 10	< 10	73	< 10	42		
D-98-10-59624	205 226	< 1 < 0.01	717	40	4	< 2	12	160 < 0.01	< 10	< 10	69	< 10	44		
D-98-10-59625	205 226	2	0.01	114	350	2	< 2	3	34 < 0.01	< 10	< 10	15	< 10	44	
D-98-10-59626	205 294	7	0.02	277	260	2	6	4	40 < 0.01	< 10	< 10	23	< 10	48	
D-98-10-59627	205 226	< 1 < 0.01	1265	30	2	6	11	131 < 0.01	< 10	< 10	63	< 10	42		
D-98-10-59628	205 226	< 1 < 0.01	733	30	2	< 2	15	148 < 0.01	< 10	< 10	72	< 10	46		
D-98-10-59629	205 294	< 1 0.01	402	100	2	< 2	17	82 < 0.01	< 10	< 10	122	< 10	50		
D-98-10-59630	205 294	< 1 < 0.01	803	40	2	< 2	14	113 < 0.01	< 10	< 10	79	< 10	46		
D-98-10-59631	205 226	< 1 < 0.01	795	40	6	< 2	14	113 < 0.01	< 10	< 10	74	< 10	48		
D-98-10-59632	205 226	< 1 < 0.01	814	30	2	< 2	13	115 < 0.01	< 10	< 10	70	< 10	44		
D-98-10-59633	205 226	< 1 < 0.01	723	70	6	2	13	117 < 0.01	< 10	< 10	68	< 10	48		
D-98-10-59634	205 294	1 0.03	104	1220	6	< 2	9	69 < 0.01	< 10	< 10	76	< 10	36		
D-98-10-59635	205 294	1 0.04	68	1320	12	< 2	9	77 < 0.01	< 10	< 10	70	< 10	54		
D-98-10-59636	205 226	< 1 < 0.01	757	90	8	6	13	130 < 0.01	< 10	< 10	68	< 10	54		
D-98-10-59637	205 226	< 1 < 0.01	737	70	8	12	13	110 < 0.01	< 10	< 10	68	< 10	78		

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP. ~*

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON

Page Number : 1-A
 Total Pages : 4
 Certificate Date: 26-APR-98
 Invoice No.: 19816728
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS A9816728

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D-98-10-59598	205 226	< 5 < 0.2	2.52	8	40 < 0.5	< 2	0.92 < 0.5	18	160	41	2.91 < 10	< 10	< 1	0.16	10	1.39	310			
D-98-10-59599	205 226	< 5 < 0.2	2.55	6	40 < 0.5	< 2	0.74 < 0.5	19	154	45	2.89 < 10	< 10	< 1	0.17	10	1.40	295			
D-98-10-59600	205 226	< 5 < 0.2	2.48	6	40 < 0.5	< 2	1.14 < 0.5	16	165	34	2.76 < 10	< 10	< 1	0.16	10	1.35	325			
D-98-10-59601	205 226	< 5 < 0.2	2.49	6	30 < 0.5	< 2	1.46 < 0.5	16	176	42	2.78 < 10	< 10	< 1	0.15	10	1.36	375			
D-98-10-59602	205 226	< 5 < 0.2	1.91	2	30 < 0.5	< 2	1.75 < 0.5	12	164	32	2.09 < 10	< 10	< 1	0.13	< 10	1.02	345			
D-98-10-59603	205 226	< 5 < 0.2	2.17	8	30 < 0.5	< 2	1.12 < 0.5	16	147	41	2.64 < 10	< 10	< 1	0.13	< 10	1.30	310			
D-98-10-59604	205 294	< 5 < 0.2	2.10	< 2	30 < 0.5	< 2	1.17 < 0.5	15	128	36	2.68 < 10	< 10	< 1	0.13	< 10	1.30	335			
D-98-10-59605	205 226	< 5 < 0.2	2.37	6	40 < 0.5	< 2	1.18 < 0.5	19	129	40	3.19 < 10	< 10	< 1	0.15	10	1.55	360			
D-98-10-59606	205 226	< 5 < 0.2	1.80	8	40 < 0.5	< 2	1.08 < 0.5	15	136	37	2.52 < 10	< 10	< 1	0.15	10	1.21	325			
D-98-10-59607	205 226	< 5 < 0.2	1.99	10	40 < 0.5	< 2	1.12 < 0.5	17	120	40	2.83 < 10	< 10	< 1	0.15	10	1.35	350			
D-98-10-59608	205 226	< 5 < 0.2	2.00	10	30 < 0.5	< 2	1.38 < 0.5	16	115	37	2.95 < 10	< 10	< 1	0.14	10	1.41	390			
D-98-10-59609	205 226	20 < 0.2	1.37	30	40 < 0.5	< 2	1.72 < 0.5	17	91	42	2.88 < 10	< 10	< 1	0.15	< 10	1.35	430			
D-98-10-59610	205 294	< 5 < 0.2	2.20	28	40 < 0.5	< 2	1.48 < 0.5	18	100	45	3.20 < 10	< 10	< 1	0.17	10	1.49	380			
D-98-10-59611	205 226	< 5 < 0.2	1.66	20	30 < 0.5	< 2	1.30 < 0.5	13	162	41	2.51 < 10	< 10	< 1	0.12	< 10	1.20	320			
D-98-10-59612	205 226	< 5 < 0.2	1.38	28	30 < 0.5	< 2	1.75 < 0.5	13	111	33	2.30 < 10	< 10	< 1	0.14	< 10	1.19	435			
D-98-10-59613	205 226	15 < 0.2	1.26	82	40 < 0.5	< 2	1.50 < 0.5	16	91	42	2.82 < 10	< 10	< 1	0.14	< 10	1.34	365			
D-98-10-59614	205 226	35 < 0.2	1.06	44	50 < 0.5	< 2	2.04 < 0.5	9	58	18	2.14 < 10	< 10	< 1	0.16	< 10	1.30	320			
D-98-10-59615	205 226	110 < 0.2	1.18	98	50 < 0.5	< 2	2.22 < 0.5	11	65	25	2.39 < 10	< 10	< 1	0.17	10	1.64	325			
D-98-10-59616	205 226	100 < 0.2	1.42	592	20 < 0.5	< 2	4.07 < 0.5	34	541	50	3.88 < 10	< 10	< 1	0.07	< 10	6.97	715			
D-98-10-59617	205 294	10 < 0.2	2.74	8	< 10 < 0.5	< 2	3.82 < 0.5	37	938	46	4.74 < 10	< 10	< 1	< 0.01	< 10	7.76	860			
D-98-10-59618	205 294	< 5 < 0.2	2.11	< 2	< 10 < 0.5	< 2	3.69 < 0.5	52	1240	43	4.26 < 10	< 10	< 1	< 0.01	< 10	10.55	825			
D-98-10-59619	205 294	< 5 < 0.2	2.10	2	< 10 < 0.5	< 2	3.58 < 0.5	48	1175	24	4.50 < 10	< 10	< 1	< 0.01	< 10	10.60	840			
D-98-10-59620	205 294	< 5 < 0.2	1.90	46	< 10 < 0.5	< 2	2.77 < 0.5	50	1170	30	4.33 < 10	< 10	< 1	< 0.01	< 10	11.00	750			
D-98-10-59621	205 294	< 5 < 0.2	2.09	102	< 10 < 0.5	< 2	3.97 < 0.5	47	1230	37	4.49 < 10	< 10	< 1	< 0.01	< 10	10.15	940			
D-98-10-59622	205 294	< 5 < 0.2	2.53	82	< 10 < 0.5	< 2	3.64 < 0.5	47	1325	32	4.82 < 10	< 10	< 1	< 0.01	< 10	10.80	945			
D-98-10-59623	205 294	10 < 0.2	2.37	84	< 10 < 0.5	< 2	3.47 < 0.5	48	1350	32	4.65 < 10	< 10	< 1	< 0.01	< 10	10.80	895			
D-98-10-59624	205 226	5 < 0.2	2.43	168	< 10 < 0.5	< 2	3.87 < 0.5	46	1230	29	4.51 < 10	< 10	< 1	0.01	< 10	9.36	875			
D-98-10-59625	205 226	90 < 0.2	1.78	56	100 < 0.5	< 2	0.99 < 0.5	19	92	43	3.63 < 10	< 10	< 1	0.29	10	1.56	265			
D-98-10-59626	205 294	10 < 0.2	1.81	108	60 < 0.5	< 2	0.87 < 0.5	23	207	23	3.03 < 10	< 10	< 1	0.19	10	2.93	340			
D-98-10-59627	205 226	15 < 0.2	2.02	56	< 10 < 0.5	< 2	3.15 < 0.5	53	1120	87	4.29 < 10	< 10	< 1	< 0.01	< 10	10.15	745			
D-98-10-59628	205 226	< 5 < 0.2	2.30	44	< 10 < 0.5	< 2	3.96 < 0.5	46	1205	28	4.71 < 10	< 10	< 1	< 0.01	< 10	9.95	885			
D-98-10-59629	205 294	80 < 0.2	2.22	28	< 10 < 0.5	< 2	3.26 < 0.5	37	679	38	4.62 < 10	< 10	< 1	< 0.01	< 10	6.60	895			
D-98-10-59630	205 294	< 5 < 0.2	2.37	38	< 10 < 0.5	< 2	4.09 < 0.5	48	1360	38	4.83 < 10	< 10	< 1	< 0.01	< 10	10.25	920			
D-98-10-59631	205 226	< 5 < 0.2	2.38	34	< 10 < 0.5	< 2	3.51 < 0.5	48	1300	36	4.85 < 10	< 10	< 1	< 0.01	< 10	10.60	925			
D-98-10-59632	205 226	5 < 0.2	2.10	68	< 10 < 0.5	< 2	3.66 < 0.5	47	1260	34	4.62 < 10	< 10	< 1	< 0.01	< 10	10.65	875			
D-98-10-59633	205 226	< 5 < 0.2	2.12	502	< 10 < 0.5	< 2	3.39 < 0.5	46	1160	34	4.57 < 10	< 10	< 1	< 0.01	< 10	9.86	850			
D-98-10-59634	205 294	10 < 0.2	2.67	48	< 10 < 0.5	< 2	1.52 < 0.5	19	169	25	3.94 < 10	< 10	< 1	< 0.01	20	5.31	430			
D-98-10-59635	205 294	30 < 0.2	1.83	26	< 10 < 0.5	< 2	1.53 < 0.5	17	112	41	3.64 < 10	< 10	< 1	< 0.01	20	4.72	425			
D-98-10-59636	205 226	25 < 0.2	2.19	552	< 10 < 0.5	< 2	3.14 < 0.5	46	1195	37	4.52 < 10	< 10	< 1	< 0.01	< 10	9.67	865			
D-98-10-59637	205 226	30 < 0.2	2.14	166	< 10 < 0.5	< 2	3.32 < 0.5	48	1200	47	4.73 < 10	< 10	< 1	< 0.01	< 10	9.74	835			

CERTIFICATION: *Hans Biehler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP. ~*

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN: BOB MIDDLETON

Page Number : 3-B
 Total Pages : 4
 Certificate Date: 26-APR
 Invoice No. : 198167
 P.O. Number : NMZ
 Account : NMZ

CERTIFICATE OF ANALYSIS

A9816728

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
D-98-10-59678	205 226	1	0.10	43	1340	14	< 2	4	129 < 0.01	< 10	< 10	13	< 10	10	
D-98-10-59679	205 226	1	0.10	42	1330	18	< 2	4	180 < 0.01	< 10	< 10	14	< 10	16	
D-98-10-59680	205 294	2	0.10	92	450	2	< 2	5	140 < 0.01	< 10	< 10	13	< 10	16	
D-98-10-59681	205 294	1	0.09	76	400	6	< 2	4	205 < 0.01	< 10	< 10	9	< 10	62	
D-98-10-59682	205 226	1	0.10	58	1190	8	< 2	3	218 < 0.01	< 10	< 10	11	< 10	36	
D-98-10-59683	205 226	1	0.10	39	1050	8	< 2	3	216 < 0.01	< 10	< 10	8	< 10	42	
D-98-11-59684	205 294	2	0.09	103	240	10	< 2	3	46 < 0.01	< 10	< 10	22	< 10	66	
D-98-11-59685	205 226	1	0.08	36	280	8	< 2	2	29 < 0.01	< 10	< 10	16	< 10	68	
D-98-11-59686	205 294	1	0.09	24	250	6	< 2	2	13 < 0.01	< 10	< 10	19	< 10	46	
D-98-12-59687	205 226	< 1 < 0.01	726	30	2	24	12	197 < 0.01	< 10	< 10	< 10	61	< 10	36	
D-98-12-59688	205 226	1	0.03	384	230	6	2	8	165 < 0.01	< 10	< 10	49	< 10	54	
D-98-12-59689	205 226	< 1	0.08	20	1130	2	< 2	1	128 < 0.01	< 10	< 10	9	< 10	14	
D-98-12-59690	205 226	2	0.05	62	400	4	< 2	2	110 < 0.01	< 10	< 10	11	< 10	42	
D-98-12-59691	205 226	1	0.05	102	1610	2	< 2	1	204 < 0.01	< 10	< 10	6	< 10	20	
D-98-12-59692	205 226	1	0.06	66	1620	< 2	< 2	1	218 < 0.01	< 10	< 10	6	< 10	16	
D-98-13-59693	205 226	1	0.09	32	360	< 2	< 2	1	51 < 0.01	< 10	< 10	7	< 10	6	
D-98-13-59694	205 226	1	0.07	67	330	2	< 2	3	88 < 0.01	< 10	< 10	9	< 10	8	
D-98-13-59695	205 226	2	0.08	94	460	2	< 2	4	144 < 0.01	< 10	< 10	12	< 10	18	
D-98-13-59696	205 226	1	0.09	76	640	4	< 2	3	160 < 0.01	< 10	< 10	13	< 10	30	
D-98-13-59697	205 226	2	0.07	90	1220	8	< 2	3	256 < 0.01	< 10	< 10	14	< 10	42	
D-98-13-59698	205 226	1	0.06	177	370	2	< 2	4	233 < 0.01	< 10	< 10	22	< 10	28	
D-98-13-59699	205 294	2	0.06	135	470	8	< 2	5	179 < 0.01	< 10	< 10	25	< 10	36	
D-98-13-59700	205 226	< 1 < 0.01	779	10	< 2	< 2	12	302 < 0.01	< 10	< 10	66	< 10	26		
D-98-13-59701	205 294	< 1 < 0.01	833	20	2	< 2	13	277 < 0.01	< 10	< 10	68	< 10	28		
D-98-13-59702	205 226	< 1 < 0.01	654	30	2	< 2	16	219 < 0.01	< 10	< 10	86	< 10	34		
D-98-13-59703	205 226	< 1 < 0.01	632	< 10	2	< 2	11	236 < 0.01	< 10	< 10	59	< 10	20		
D-98-13-59704	205 294	< 1 < 0.01	1010	10	2	20	11	158 < 0.01	< 10	< 10	57	< 10	22		
D-98-13-59705	205 226	< 1 < 0.01	872	< 10	6	16	12	137 < 0.01	< 10	< 10	60	< 10	26		
D-98-13-59706	205 226	< 1 < 0.01	685	70	2	< 2	11	228 < 0.01	< 10	< 10	59	< 10	26		
D-98-13-59707	205 226	< 1 < 0.01	531	120	4	< 2	14	145 < 0.01	< 10	< 10	74	< 10	44		
D-98-13-59708	205 294	< 1 < 0.01	513	40	6	< 2	13	119 < 0.01	< 10	< 10	73	< 10	44		
D-98-13-59709	205 294	< 1 < 0.01	609	50	< 2	< 2	14	173 < 0.01	< 10	< 10	76	< 10	40		
D-98-13-59710	205 226	< 1 < 0.01	741	30	8	< 2	16	138 < 0.01	< 10	< 10	97	< 10	132		
D-98-13-59711	205 294	< 1 < 0.01	582	30	10	< 2	19	227 < 0.01	< 10	< 10	94	< 10	146		
D-98-13-59712	205 294	< 1 < 0.01	733	10	4	4	13	189 < 0.01	< 10	< 10	72	< 10	34		
D-98-13-59713	205 226	< 1 < 0.01	706	10	2	2	13	162 < 0.01	< 10	< 10	74	< 10	32		
D-98-13-59714	205 226	< 1 < 0.01	547	80	2	< 2	15	132 < 0.01	< 10	< 10	82	< 10	50		
D-98-13-59715	205 294	< 1 < 0.01	349	80	4	< 2	18	87 < 0.01	< 10	< 10	134	< 10	52		
D-98-13-59716	205 226	< 1 < 0.01	671	20	2	< 2	13	170 < 0.01	< 10	< 10	73	< 10	38		
D-98-13-59717	205 294	< 1 < 0.01	562	40	10	< 2	18	98 < 0.01	< 10	< 10	111	< 10	68		

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN:BOB MIDDLETON

Page Number :1-A
 Total Pages :2
 Certificate Date: 18-APR
 Invoice No.: 198162
 P.O. Number:
 Account :NMZ


CERTIFICATE OF ANALYSIS

A9816217

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	N ¹ %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
59546	205 294	< 5 < 0.2	0.63 ¹	6	60 < 0.5	< 2	4.01 < 0.5	12	49	4	2.78	< 10	< 1	0.15	10	1.51	390			
59547	205 294	< 5 < 0.2	0.63	6	70 < 0.5	< 2	4.61 < 0.5	13	44	25	3.00	< 10	< 1	0.16	10	1.57	390			
59548	205 294	< 5 < 0.2	0.64	10	60 < 0.5	< 2	2.20 < 0.5	15	43	34	2.89	< 10	< 1	0.16	10	1.31	370			
59549	205 294	< 5 < 0.2	0.63	16	60 < 0.5	< 2	2.03 < 0.5	24	51	49	3.60	< 10	< 1	0.16	10	1.25	430			
59550	205 294	< 5 < 0.2	0.69	20	70 < 0.5	< 2	3.27 < 0.5	19	44	30	3.61	< 10	< 1	0.17	10	1.49	440			
59551	205 294	10 < 0.2	0.57	30	60 < 0.5	< 2	4.18 < 0.5	26	43	39	4.24	< 10	< 1	0.14	< 10	1.86	630			
59552	205 294	< 5 < 0.2	0.44	20	50 < 0.5	< 2	1.80 < 0.5	25	29	46	3.61	< 10	< 1	0.11	10	1.22	445			
59553	205 294	< 5 < 0.2	0.54	20	60 < 0.5	< 2	1.65 < 0.5	25	35	55	3.55	< 10	< 1	0.13	10	1.11	450			
59554	205 294	< 5 < 0.2	0.54	18	60 < 0.5	< 2	2.36 < 0.5	24	45	42	4.02	< 10	< 1	0.14	10	1.41	555			
59555	205 294	< 5 < 0.2	0.53	26	60 < 0.5	< 2	1.48 < 0.5	32	39	60	3.80	< 10	< 1	0.14	< 10	0.94	375			
59556	205 294	< 5 < 0.2	0.60	26	70 < 0.5	< 2	1.91 < 0.5	24	47	55	3.86	< 10	< 1	0.15	< 10	1.08	395			
59557	205 294	< 5 < 0.2	0.69	28	70 < 0.5	< 2	3.23 < 0.5	21	45	33	3.00	< 10	< 1	0.17	10	1.16	350			
59558	205 294	< 5 < 0.2	0.54	34	60 < 0.5	< 2	2.60 < 0.5	26	41	52	3.32	< 10	< 1	0.14	< 10	1.14	465			
59559	205 294	< 5 < 0.2	0.51	26	50 < 0.5	< 2	4.83 < 0.5	17	41	28	3.09	< 10	< 1	0.12	< 10	1.83	865			
59560	205 294	< 5 < 0.2	0.51	32	40 < 0.5	< 2	1.84 < 0.5	25	40	46	3.56	< 10	< 1	0.12	10	1.12	420			
59561	205 294	< 5 < 0.2	0.56	28	40 < 0.5	< 2	2.03 < 0.5	25	40	52	3.41	< 10	< 1	0.13	10	1.22	405			
59562	205 294	< 5 < 0.2	0.55	22	40 < 0.5	< 2	2.92 < 0.5	19	38	36	3.44	< 10	< 1	0.13	10	1.51	455			
59563	205 294	< 5 < 0.2	0.49	24	60 < 0.5	< 2	1.83 < 0.5	20	31	41	3.21	< 10	< 1	0.13	10	1.28	415			
59564	205 294	< 5 < 0.2	0.49	18	70 < 0.5	< 2	2.28 < 0.5	22	37	45	3.80	< 10	< 1	0.17	10	1.73	535			
59565	205 294	< 5 < 0.2	0.68	24	100 < 0.5	< 2	1.47 < 0.5	24	39	49	3.97	< 10	< 1	0.19	10	1.54	405			
59566	205 294	< 5 < 0.2	0.71	18	90 < 0.5	< 2	2.94 < 0.5	19	34	34	3.41	< 10	< 1	0.20	10	1.71	410			
59567	205 294	< 5 < 0.2	0.58	22	50 < 0.5	< 2	1.86 < 0.5	18	48	35	2.57	< 10	< 1	0.13	< 10	1.03	300			
59568	205 294	< 5 < 0.2	0.62	20	50 < 0.5	< 2	2.05 < 0.5	17	51	37	3.38	< 10	< 1	0.14	10	1.32	410			
59569	205 294	< 5 < 0.2	0.55	34	40 < 0.5	< 2	2.42 < 0.5	21	60	45	3.64	< 10	< 1	0.13	< 10	1.59	545			
59570	205 294	< 5 < 0.2	0.42	22	30 < 0.5	< 2	2.47 < 0.5	20	41	41	3.60	< 10	< 1	0.11	< 10	1.61	565			
59571	205 294	< 5 < 0.2	0.45	24	30 < 0.5	< 2	2.01 < 0.5	19	39	41	3.57	< 10	< 1	0.11	< 10	1.52	465			
59572	205 294	< 5 < 0.2	0.39	64	30 < 0.5	< 2	2.12 < 0.5	23	51	43	3.84	< 10	< 1	0.09	< 10	1.48	470			
59573	205 294	< 5 < 0.2	0.38	140	30 < 0.5	< 2	1.69 < 0.5	30	42	53	4.35	< 10	< 1	0.10	< 10	1.59	605			
59574	205 294	100 < 0.2	0.39	128	30 < 0.5	< 2	1.68 < 0.5	25	49	47	3.45	< 10	< 1	0.10	< 10	1.29	450			
59575	205 294	5 < 0.2	0.50	162	40 < 0.5	< 2	1.39 < 0.5	27	46	47	3.80	< 10	< 1	0.12	< 10	1.38	505			
59576	205 294	10 < 0.2	0.39	128	30 < 0.5	< 2	2.16 < 0.5	15	147	60	3.02	< 10	< 1	0.10	< 10	1.30	435			
59577	205 294	< 5 < 0.2	0.52	192	40 < 0.5	< 2	2.02 < 0.5	26	98	47	4.02	< 10	< 1	0.14	< 10	1.54	550			
59578	205 294	10 < 0.2	0.63	172	50 < 0.5	< 2	1.66 < 0.5	27	56	49	3.84	< 10	< 1	0.16	< 10	1.36	515			
59579	205 294	10 < 0.2	0.63	166	50 < 0.5	< 2	2.12 < 0.5	25	56	41	3.39	< 10	< 1	0.17	< 10	1.42	480			
59580	205 294	< 5 < 0.2	0.53	168	50 < 0.5	< 2	1.16 < 0.5	23	77	40	3.48	< 10	< 1	0.15	< 10	1.08	410			
59581	205 294	< 5 < 0.2	0.48	90	40 < 0.5	< 2	1.82 < 0.5	14	125	34	2.59	< 10	< 1	0.12	< 10	1.02	340			
59582	205 294	< 5 < 0.2	0.45	162	40 < 0.5	< 2	1.95 < 0.5	23	89	23	3.10	< 10	< 1	0.13	< 10	1.27	440			
59583	205 294	< 5 < 0.2	0.54	110	40 < 0.5	< 2	1.67 < 0.5	19	102	28	2.90	< 10	< 1	0.15	< 10	1.16	390			
59584	205 294	< 5 < 0.2	1.50	10	50 < 0.5	< 2	1.96 < 0.5	18	107	28	3.26	< 10	< 1	0.15	10	1.55	535			
59585	205 294	< 5 < 0.2	2.3	10	50 < 0.5	< 2	1.65 < 0.5	29	106	58	4.45	< 10	< 1	0.17	< 10	1.64	515			

CERTIFICATION:

Hank Bickle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

~*


Page Number : 4-A
 Total Pages : 4
 Certificate Date: 26-APR
 Invoice No. : 198167
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN: BOB MIDDLETON

CERTIFICATE OF ANALYSIS A9816728

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D-98-13-59718	205	294	< 5	< 0.2	1.78	28	< 10	< 0.5	< 2	1.92	< 0.5	16	356	12	2.56	< 10	< 1 < 0.01	< 10	2.77	420
D-98-13-59719	205	226	< 5	< 0.2	0.70	10	< 10	< 0.5	< 2	1.23	< 0.5	7	117	12	1.18	< 10	< 1 < 0.01	< 10	1.12	245
D-98-13-59720	205	226	< 5	< 0.2	1.63	14	10	< 0.5	< 2	1.89	< 0.5	10	136	19	2.21	< 10	< 1 0.01	10	2.19	490

CERTIFICATION: Hans Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP. ~*

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project : DESANTIS
 Comments: ATTN: BOB MIDDLETON

Page Number : 4-B
 Total Pages : 4
 Certificate Date: 26-APR
 Invoice No. : I98167
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS A9816728

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
D-98-13-59718	205	294	1	0.03	173	450	2	< 2	7	29 < 0.01	< 10	< 10	44	< 10	44	
D-98-13-59719	205	226	1	0.08	36	250	< 2	< 2	4	14 < 0.01	< 10	< 10	25	< 10	22	
D-98-13-59720	205	226	1	0.06	59	300	< 2	< 2	6	16 < 0.01	< 10	< 10	38	< 10	44	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 18-APR
 Invoice No. : I98162
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN:BOB MIDDLETON

CERTIFICATE OF ANALYSIS

A9816217

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
59546	205 294	< 1	0.10	14	2060	< 2	< 2	2	194	< 0.01	< 10	< 10	6	< 10	40
59547	205 294	< 1	0.11	15	2000	< 2	< 2	3	227	< 0.01	< 10	< 10	7	< 10	48
59548	205 294	< 1	0.11	60	430	2	2	3	135	< 0.01	< 10	< 10	7	< 10	70
59549	205 294	1	0.10	93	530	8	2	4	120	< 0.01	< 10	< 10	9	< 10	108
59550	205 294	1	0.11	65	1020	2	< 2	4	172	< 0.01	< 10	< 10	9	< 10	50
59551	205 294	1	0.10	93	560	18	2	4	207	< 0.01	< 10	< 10	9	< 10	124
59552	205 294	1	0.08	101	510	2	< 2	4	109	< 0.01	< 10	< 10	7	< 10	88
59553	205 294	1	0.10	114	490	4	< 2	4	110	< 0.01	< 10	< 10	8	< 10	58
59554	205 294	1	0.09	103	410	2	2	4	133	< 0.01	< 10	< 10	8	< 10	78
59555	205 294	1	0.09	119	550	2	2	3	96	< 0.01	< 10	< 10	8	< 10	48
59556	205 294	1	0.10	112	490	4	< 2	4	117	< 0.01	< 10	< 10	10	< 10	26
59557	205 294	< 1	0.10	68	1180	6	2	4	162	< 0.01	< 10	< 10	10	< 10	26
59558	205 294	1	0.08	112	460	2	< 2	4	124	< 0.01	< 10	< 10	11	< 10	22
59559	205 294	< 1	0.08	71	740	2	< 2	5	182	< 0.01	< 10	< 10	11	< 10	18
59560	205 294	1	0.10	106	480	6	< 2	3	99	< 0.01	< 10	< 10	7	< 10	92
59561	205 294	1	0.10	114	520	2	6	4	110	< 0.01	< 10	< 10	8	< 10	90
59562	205 294	1	0.11	72	530	< 2	2	4	131	< 0.01	< 10	< 10	8	< 10	44
59563	205 294	1	0.09	69	520	6	6	3	111	< 0.01	< 10	< 10	7	< 10	94
59564	205 294	1	0.10	70	500	6	6	4	143	< 0.01	< 10	< 10	8	< 10	94
59565	205 294	1	0.11	75	520	6	< 2	4	108	< 0.01	< 10	< 10	10	< 10	88
59566	205 294	< 1	0.11	55	990	6	2	4	165	< 0.01	< 10	< 10	10	< 10	66
59567	205 294	1	0.11	66	500	6	"4	2	139	< 0.01	< 10	< 10	6	< 10	72
59568	205 294	< 1	0.12	71	430	< 2	2	3	158	< 0.01	< 10	< 10	8	< 10	86
59569	205 294	1	0.11	73	470	4	< 2	4	129	< 0.01	< 10	< 10	9	< 10	96
59570	205 294	< 1	0.09	73	430	2	< 2	4	125	< 0.01	< 10	< 10	6	< 10	82
59571	205 294	1	0.09	74	460	6	< 2	4	130	< 0.01	< 10	< 10	7	< 10	76
59572	205 294	< 1	0.08	93	360	2	6	4	101	< 0.01	< 10	< 10	7	< 10	84
59573	205 294	1	0.08	127	440	4	10	4	91	< 0.01	< 10	< 10	6	< 10	70
59574	205 294	1	0.08	106	350	2	4	3	83	< 0.01	< 10	< 10	6	< 10	84
59575	205 294	1	0.09	120	370	2	6	4	80	< 0.01	< 10	< 10	7	< 10	86
59576	205 294	1	0.08	69	230	< 2	6	3	97	< 0.01	< 10	< 10	6	< 10	96
59577	205 294	1	0.09	106	410	2	8	5	115	< 0.01	< 10	< 10	8	< 10	86
59578	205 294	1	0.11	118	430	4	2	4	102	< 0.01	< 10	< 10	10	< 10	50
59579	205 294	1	0.11	115	360	2	4	4	124	< 0.01	< 10	< 10	9	< 10	60
59580	205 294	1	0.09	107	460	6	2	3	79	< 0.01	< 10	< 10	7	< 10	68
59581	205 294	< 1	0.09	46	310	2	2	2	101	< 0.01	< 10	< 10	6	< 10	146
59582	205 294	1	0.09	79	310	6	2	3	111	< 0.01	< 10	< 10	5	< 10	46
59583	205 294	< 1	0.10	70	370	< 2	< 2	2	84	< 0.01	< 10	< 10	6	< 10	44
59584	205 294	1	0.05	59	400	18	2	3	124	< 0.01	< 10	< 10	14	< 10	64
59585	205 294	1	0.08	94	460	8	2	5	92	< 0.01	< 10	< 10	34	< 10	100

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP. ~*

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

Project: DESANTIS
 Comments: ATTN:BOB MIDDLETON

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 18-APR
 Invoice No. : I98162
 P.O. Number :
 Account : NMZ

CERTIFICATE OF ANALYSIS A9816217

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
59586	205 294	5 0.2	0.48	88	40 < 0.5	< 2	3.03	< 0.5	17	88	39	2.98	< 10	< 1	0.12	< 10	1.54	475		
59587	205 294	< 5 < 0.2	0.50	178	40 < 0.5	< 2	2.79	< 0.5	24	66	44	3.69	< 10	< 1	0.12	< 10	1.56	610		
59588	205 294	10 < 0.2	0.45	22	30 < 0.5	< 2	2.16	< 0.5	12	56	30	2.41	< 10	< 1	0.12	< 10	0.88	405		
59589	205 294	< 5 < 0.2	0.86	34	30 < 0.5	< 2	2.31	< 0.5	14	62	34	2.39	< 10	< 1	0.11	< 10	1.06	385		
59590	205 294	< 5 < 0.2	0.61	10	30 < 0.5	< 2	2.18	< 0.5	10	47	19	2.02	< 10	< 1	0.11	< 10	0.80	345		
59591	205 294	5 < 0.2	0.87	10	30 < 0.5	< 2	2.26	< 0.5	12	51	25	2.50	< 10	< 1	0.12	< 10	0.89	425		
59592	205 294	10 < 0.2	1.44	32	30 < 0.5	< 2	1.46	< 0.5	30	48	60	3.28	< 10	< 1	0.10	< 10	0.83	295		
59593	205 294	50 < 0.2	0.66	44	30 < 0.5	< 2	3.57	< 0.5	17	114	31	3.17	< 10	< 1	0.11	< 10	1.21	750		
59594	205 294	40 < 0.2	0.75	18	40 < 0.5	< 2	3.03	< 0.5	16	100	31	2.86	< 10	< 1	0.14	< 10	1.02	540		
59595	205 294	< 5 < 0.2	1.51	18	50 < 0.5	< 2	3.02	< 0.5	25	123	51	3.76	< 10	< 1	0.22	< 10	1.53	790		
59596	205 294	< 5 < 0.2	0.94	16	40 < 0.5	< 2	2.75	< 0.5	17	193	33	2.85	< 10	< 1	0.19	< 10	1.20	650		
59597	205 294	< 5 < 0.2	2.00	18	50 < 0.5	< 2	2.63	< 0.5	23	90	40	3.87	< 10	< 1	0.21	< 10	1.80	610		
27925	205 294	< 5 < 0.2	0.53	50	40 < 0.5	< 2	2.21	< 0.5	16	82	43	2.81	< 10	< 1	0.13	< 10	0.97	425		

CERTIFICATION: *Mark Bickle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EAST WEST RESOURCE CORP.

201 - 960 RICHARDS ST.
 VANCOUVER, BC
 V6B 3C1

-*

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 18-APR-
 Invoice No. : 1981621
 P.O. Number :
 Account : NMZ

Project : DESANTIS
 Comments: ATTN:BOB MIDDLETON

CERTIFICATE OF ANALYSIS

A9816217

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
59586	205 294	< 1	0.09	60	350	12	2	3	158	< 0.01	< 10	< 10	6	< 10	82
59587	205 294	1	0.10	94	570	4	4	4	137	< 0.01	< 10	< 10	7	< 10	52
59588	205 294	< 1	0.10	36	290	4	2	2	75	< 0.01	< 10	< 10	5	< 10	84
59589	205 294	1	0.08	40	350	6	2	1	75	< 0.01	< 10	< 10	8	< 10	86
59590	205 294	< 1	0.09	24	290	2	2	1	59	< 0.01	< 10	< 10	6	< 10	50
59591	205 294	< 1	0.10	31	320	< 2	< 2	1	65	< 0.01	< 10	< 10	7	< 10	70
59592	205 294	1	0.08	81	460	2	< 2	3	52	< 0.01	< 10	< 10	17	< 10	96
59593	205 294	< 1	0.08	47	340	6	< 2	3	104	< 0.01	< 10	< 10	8	< 10	80
59594	205 294	< 1	0.09	47	320	8	< 2	2	71	< 0.01	< 10	< 10	9	< 10	56
59595	205 294	< 1	0.06	87	540	2	2	4	144	< 0.01	< 10	< 10	24	< 10	74
59596	205 294	< 1	0.04	59	340	2	< 2	3	149	< 0.01	< 10	< 10	14	< 10	42
59597	205 294	< 1	0.04	77	660	< 2	< 2	4	149	< 0.01	< 10	< 10	26	< 10	54
27925	205 294	1	0.10	41	360	8	2	3	90	< 0.01	< 10	< 10	6	< 10	86

CERTIFICATION:

Hank Biddle



Declaration of Assessment Work Performed on Mining Land

..... 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)

W9960.00062
Assessment Files Research Imaging



42A06NW2013 2.19235 OGDEN

900

ction 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, this
ment work and correspond with the mining land holder. Questions about this
Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario,

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.
- Please type or print in ink.

2.19235

1. Recorded holder(s) (Attach a list if necessary)

Name	R BRUCE DURHAM	Client Number	128340
Address	Box 1330 1176 DELNITE RD. TIMMINS ONT P4N 7J8	Telephone Number	705-264-2144
Name	ROBERT DUSS	Fax Number	705-264-6354
Address	62 KENWOODS CIRCLE KINGSTON ONT. K7K 6Y1	Client Number	127657
		Telephone Number	613-542-8822
		Fax Number	613-542-0784

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys,
assays and work under section 18 (regs) Physical: drilling stripping,
trenching and associated assays Rehabilitation

Work Type	Diamond Drilling	Office Use
		Commodity
		Total \$ Value of Work Claimed 122 700
Date Work Performed	From 17 Day 02 Month Year 98 To 23 Day 03 Month Year 98	NTS Reference
Global Positioning System Data (if available)	Township/Area OGDEN TP.	Mining Division Porcupine
	M or G-Plan Number G-3979	Resident Geologist District Porcupine Timmins

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required;

- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

Name	Bruce Durham	Telephone Number	705-264-2144
Address	Box 1330 TIMMINS RECEIVED P4N 7J8	Fax Number	705-264-6354
Name		Telephone Number	
Address	FEB 3 1 1999 9:47 AM GEOSCIENCE SEGGMENT OFFICE	Fax Number	
Name		Telephone Number	
Address		Fax Number	

4. Certification by Recorded Holder or Agent

I, R Bruce Durham, do hereby certify that I have personal knowledge of the facts set forth in
(Print Name)

this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent R Bruce Durham

Agent's Address Box 1330 TIMMINS


Telephone Number

705-264-2144

Date

JAN 28 1999

Fax Number



Deemed Apr. 29/99

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W996C.COC102.

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1181462	1		800		
2 1181463	6		4800		
3 1203839	7		5600		
4 1189545-✓	10	47853	8000	39853	0
5 1189551	8		6400		
6 1201615	6		4800		
7 1203850	1		800		
8 1203879	4		3200		
9 1203880	9		7200		
10 1207390	2		1600		
11					
12					
13 1213598	1		800		
14 1213600	16		12800		
15 1213836	1		800		

Column Totals

Continued

I, _____, do hereby certify that the above work credits are eligible under

(Print Full Name)

subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing

Date

6. Instruction for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp

0241 (03/97)

Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

RECEIVED

FEB 01 1999
P: 4768
GEOSCIENCE ASSESSMENT OFFICE

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W9960.00062

2 10235

Mining Claim Number, Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1228865	6		4800		
2 1228866	2		1600		
3 1228867✓	9	34356	7200		34356
4					
5 Patent 19872✓	16	20491	0	20491	
6 18121✓	16.	20000	0	10856	9144
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals		122700	71200	71200	43500

I, Robert Bruce Durkass, do hereby certify that the above work credits are eligible under

(Print Full Name)

subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing

Date

Jan 29/99.

6. Instruction for cutting back credits that are not approved.


Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp



0241 (03/97)


Deemed Approved Date

Date Notification Sent

Date Approved

Total Value of Credit Approved

Approved for Recording by Mining Recorder (Signature)



Personal information collected on this form is obtained under the authority of subsection 8 (1) of the Assessment Work Regulation 656. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B6.

2.19235

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
 2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = **Total \$ value of worked claimed**

Note:

- Note:**

 - Work older than 5 years is not eligible for credit.
 - A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

Bruce Durham do hereby certify, that the amounts shown are as accurate as may reasonably

Declaration of Work form as agent. I am authorized to make this certification.

883 888

Bruce Flanigan Feb 3/99.

**Ministry of
Northern Development
and Mines**

**Ministère du
Développement du Nord
et des Mines**

March 23, 1999

ROBERT BRUCE DURHAM
BOX 1330,
1176 DELNITE ROAD
Timmins, Ontario
P4N-7J8



Ontario

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (877) 670-1555

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Dear Sir or Madam:

Submission Number: 2.19235

Status

Subject: Transaction Number(s): W9960.00062 Deemed Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Lucille Jerome by e-mail at lucille.jerome@ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,

A handwritten signature in black ink, appearing to read "Blair Kite".

ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.19235

Date Correspondence Sent: March 23, 1999

Assessor: Lucille Jerome

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9960.00062	1228867	OGDEN	Deemed Approval	March 18, 1999

Section:
16 Drilling PDRILL


Correspondence to:
Resident Geologist
South Porcupine, ON

Recorded Holder(s) and/or Agent(s):
ROBERT BRUCE DURHAM
Timmins, Ontario

Assessment Files Library
Sudbury, ON

ROBERT LEO DUESS
KINGSTON, Ontario

EAST WEST RESOURCE CORPORATION
VANCOUVER, BC



210

536100N

466000E, 467000E, 468000E, 469000E

536200N

536300N

536400N

536500N

536600N

536700N

536800N

536900N

537000N

537100N

537200N

537300N

537400N

537500N

537600N

537700N

537800N

537900N

538000N

538100N

538200N

538300N

538400N

538500N

538600N

538700N

538800N

538900N

539000N

539100N

539200N

539300N

539400N

539500N

539600N

539700N

539800N

539900N

540000N

540100N

540200N

540300N

540400N

540500N

540600N

540700N

540800N

540900N

541000N

541100N

541200N

541300N

541400N

541500N

541600N

541700N

541800N

541900N

542000N

542100N

542200N

542300N

542400N

542500N

542600N

542700N

542800N

542900N

543000N

543100N

543200N

543300N

543400N

543500N

543600N

543700N

543800N

543900N

544000N

544100N

544200N

544300N

544400N

544500N

544600N

544700N

544800N

544900N

545000N

545100N

545200N

545300N

545400N

545500N

545600N

545700N

545800N

545900N

546000N

546100N

546200N

546300N

546400N

546500N

546600N

546700N

546800N

546900N

547000N

547100N

547200N

547300N

547400N

547500N

547600N

547700N

547800N

547900N

548000N

548100N

548200N

548300N

548400N

548500N

548600N

548700N

548800N

548900N

549000N

549100N

549200N

549300N

549400N

549500N

549600N

549700N

549800N

549900N

550000N

