



42A06SE0029 42 LANGMUIR

010

Diamond Drilling

Township OF LANGMUIR

Report N^o: 42

Work performed by: Mining Corporation of Canada Ltd.

Claim N ^o	Hole N ^o	Footage	Date	Note
P 70597	1-65	307'	July/65	
P 70838	4-65	380'	July/65	
P 70829	5-65	440'	July/65	

Notes:

40
86
114

DIAMOND DRILL RECORD

COLLAR:—

NORTH

IT

ELEVATION _____

DIP _____

LOCATION _____

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

PROPERTY _____

CORE SIZE _____

COMMENCED _____

FINISHED _____

PURPOSE OF HOLE _____

HOLE NO. 61 #1-15

SHEET NO. 1

LENGTH _____

LOGGED BY _____

[illegible]

DIAMOND DRILL RECORD

COLLAR:—

NORTH _____

ELEVATION _____

DIP _____

LOCATION _____

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

PROPERTY _____

Figure 1 | Schematic representation of the experimental design. The subjects were divided into two groups: control group (CG) and intervention group (IG). The CG received standard care, while the IG received a combination of standard care and a new intervention. The study was conducted over a period of 12 weeks.

CORE SIZE _____

COMMENCED _____

FINISHED _____

PURPOSE OF HOLE_____


HOLE NO. 11-1-60

SHEET NO. _____

LENGTH _____

LOGGED BY _____

[illegible]




P. 70597.

Location Plan of D.D.H. L. 1-65

1" = 400'

Handwritten signature

MINING CORPORATION OF CANADA (1964) LTD
LOCATION MAP
DDH NOS 4 & 5
SCALE 1" = 400'



GEC. 3/12/65

DIAMOND DRILL RECORD

COLLAR:—

NORTH _____
 ELEVATION _____
 DIP 40°
 LOCATION 68+85N
 34+00E

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
200	38½	137			
400	38				

PROPERTY Langmuir No. 1
 Timmins, Area

CORE SIZE AXT
 COMMENCED July 17/65
 FINISHED July 21/65
 PURPOSE OF HOLE to test mag. anomaly
 HOLE NO. 5-65
 SHEET NO. 1
 LOGGED BY W. L. Brown &
 L. L. Light

FOOTAGE		DESCRIPTION	NUMBER	CORE SAMPLE		OZ/TON Au	OZ/TON Ag	ASSAYS			ANALYSIS			
FROM	TO			FROM	TO			% Cu.	% Zn.	% Ni.	AuxW	AgxW	CuW	ZnW
0	4	Casing	268	4	10	6								
0	440	Peridotite - diss. magnetite	269	10	15	5								
		260 - 365 - platy pyrite or marcasite on slips	270	15	20	5								
			271	20	25	5								
		365 - 440 - more feldspar present	272	25	30	5								
			273	30	35	5								
		End	274	35	40	5								
			275	40	45	5								
			276	45	50	5								
			277	50	55	5								
			278	55	60	5								
			279	60	65	5								
			281	65	70	5								
			280	70	75	5								
			282	75	80	5								
			283	80	85	5								
			284	85	90	5								
			285	90	95	5								

W. L. Brown

MINING CORPORATION OF CANADA (1964) LTD
LOCATION MAP
DDN NOS 4 & 5
SCALE 1" = 400'

