

Figure 1 - Location of Thorneloe Property.

(Modified from Polk, 1998)




Figure 2 - Thorneloe Property Claim Group and location of diamond drill hole BKPT-16

(Modified from Polk, 1998)

CLAIM MAP	
Wawattin & Pistol Groups	
Thorneloe Twp., ON	
Figure 2	
Polk Geological Services	

Comaplex Minerals Corp  
Lithogeochemical Report  
For DDH BKPT-16  
Thorneloe Township Property  
Timmins Area

### General Statement

The Thorneloe property of Comaplex Minerals Corp comprises 17 claims (29 claim units), located 16 km SW of the city of Timmins in northeast Thorneloe Township (Figures 1 and 2). The property was formerly under option to Black Pearl Minerals Inc during the period 1996-99. At that time, interest in the area was sparked by the discovery of significant gold mineralization reported from diamond drilling by Band Ore Resources Ltd approximately 3 km west of and along strike from the Comaplex property. Black Pearl subsequently drilled 18 diamond drill holes on the Comaplex claim group during 1996-97, totalling approximately 5500 meters. Although a few assays returned values in the range of 0.1 – 0.2 opt/1 m, and one assay of 4.5 opt/0.4m was obtained, overall assay results were disappointing.

The Destor Porcupine Fault (DPF) is interpreted to traverse the south margin of the property, thus warranting a more detailed study of the geology. Intense alteration and deformation has inhibited reliable identification of lithologies based on a cursory examination of outcrop and in particular drill core.

This report is a preliminary examination of the lithogeochemistry of one small segment of the property. Further analyses are foreseen for the remainder of the property, in order to provide a more comprehensive understanding of the lithologies and alteration, with the aim to better discriminate areas for further drilling.

### Present Program

A total of 13 drill core samples were selected for chemical analysis from diamond drill hole BKP-T-16 located on claim P1189258 in the southern portion of the property. Each sample was analysed for 11 major and 6 “standard” minor elements (Rb, Sr, Y, Zr, Nb, Ba), as well as an additional 17 minor elements and 14 rare earth elements (REE). The chemical analyses were done by XRAL Laboratories in Don Mills, Ontario.

A summary log of the drill hole, taken from Polk (1999), is attached to the report.

A section of the drill hole with sample locations is shown in Figure 3.

## Geochemistry

The ultramafic rocks (those samples at meterages 27, 50, 71, 96, 145) are readily identified geochemically; high MgO, high Cr<sub>2</sub>O<sub>3</sub>, high Ni and flat, chondrite normalized REE (rare earth element) patterns (Figure 4), with strongly depleted LREE (light rare earth elements). The ultramafic rocks are interpreted to be ~~of~~ komatiitic flows, although no definitive volcanic textures or structures were observed (ie.-spinifex or flow contacts).

The remaining samples are all interpreted to be of sedimentary origin. Collectively, the chondrite normalized REE patterns are distinct from the ultramafic rocks in that they are characterized by more elevated and steeper chondrite normalized REE distribution patterns, particularly as exemplified by enrichment in the LREE.

Three sedimentary samples (120, 191 and 203) are anomalously high in Ni and Cr<sub>2</sub>O<sub>3</sub> (Figure 5). This may in part reflect an ultramafic source rock and be indicative of some of the early clastic sedimentation within the Porcupine Group sediments (ie. – sedimentation occurring concomitantly with ultramafic volcanism of the lower Tisdale Group rocks.

A variety of general rock-type geochemical plots are presented, ie – Jensen Cation plot (Figure 6), AFM diagram (Figure 7), Y vs Zr(Figure 8).


Further geochemical analyses are planned, together with petrographic studies to more confidently define the stratigraphy within the Thorneloe claim group.

## References

Polk, B. K.

- 1998: Report on exploration 1996-1997, Black Pearl Minerals Inc., Wawaitin and Pistol Group Properties, Thorneloe Township: unpublished internal report, 48p.

Nov 12/02  
Date

  
Dale R. Pyke

HOLE NO: BKP-T-16

SECTION:

GRID:WAWAITIN

PROJECT CODE : BLACK PEARL MINERALS INC.  
 TENEMENT :  
 PROSPECT : WAWAITIN  
 GRID : WAWAITIN  
 MAP REFERENCE:  
 LOCATION : THORNELOE TWP  
 HOLE TYPE : DDH

## \*\*\* DRILLING SUMMARY \*\*\*

DDH	0.00	323.00	BQ
Drill contractor:	NOREX		
Drill rig:			
Date started:	3/10/96		
Date finished:	6/10/96		
Logged by:	D ARDEN		
Relogged by:			
Sampled by:			

## \*\*\* COLLAR COORDINATES AND RL \*\*\*

NOMINAL -225.00mN -99.80mE 311.40RL

Pre-collar depth: 323 Final depth: 323.00

Purpose of hole:

Hole status: COMPLETE

Comments: POLK GEOLOGICAL SERVICES

Material left in hole:

Base of complete oxidation:

Top of fresh rock:

Water first encountered:

Water inflow estimate:

## \*\*\* SURVEY DATA \*\*\*

Survey Method: SPERRY SUN

Depth	Azimuth	Inclination
0.00	176.00	-45.00
50.00	182.00	-46.50
100.00	185.50	-45.50
150.00	185.50	-45.00
200.00	189.00	-44.50
250.00	191.50	-44.00
300.00	193.50	-44.00
323.00	193.50	-44.00

## \*\*\* SIGNIFICANT ASSAYS \*\*\*

From	To	Width	AU_OF	AS_PP	CU_PP
131.70	132.70	1.00	0.04	1,180.00	
136.30	136.90	0.60	0.01	22.00	

## \*\*\* SUMMARY LOG \*\*\*

0.00	11.00	OVERBURDEN
11.00	11.80	SILTSTONE/MUDSTONE WEAK
11.80	16.30	WEAK STRONG
16.30	17.10	QUARTZ CARBONATE VEIN BRECCIA
17.10	75.40	ULTRAMAFIC KOMATIITIC FLOWS
75.40	88.30	SEDIMENTS UNDIFFERENTIATED STRONG
88.30	89.80	SEDIMENTS UNDIFFERENTIATED STRONG
89.80	92.00	GREYWACKES MODERATE
92.00	101.30	ULTRAMAFIC KOMATIITIC FLOWS
101.30	112.90	SILTSTONE/MUDSTONE, GREYWACKES WEAK
112.90	115.60	GREYWACKES MODERATE
115.60	131.40	SILTSTONE/MUDSTONE, GREYWACKES STRONG

## SUMMARY LOG OF DIAMOND DRILL HOLE

BKPT-16. TAKEN FROM POLK (1998).

Checked and signed: \_\_\_\_\_

Date: \_\_\_\_\_


HOLE NO: BKP-T-16

SECTION:

GRID:WAWAITIN

131.40	140.00	SEDIMENTS UNDIFFERENTIATED STRONG
140.00	149.20	ULTRAMAFIC VOLCANICS UNDIFFERENTIATED
149.20	166.60	SEDIMENTS UNDIFFERENTIATED STRONG
166.60	172.40	ULTRAMAFIC VOLCANICS UNDIFFERENTIATED
172.40	182.20	SEDIMENTS UNDIFFERENTIATED STRONG
182.20	250.10	CONGLOMERATE
250.10	270.00	SILTSTONE/MUDSTONE, GREYWACKES STRONG
270.00	279.00	MAFIC VOLCANICS UNDIFFERENTIATED STRONG
279.00	313.50	SEDIMENTS UNDIFFERENTIATED STRONG
313.50	323.00	SEDIMENTS UNDIFFERENTIATED STRONG
323.00		END OF HOLE

Checked and signed: \_\_\_\_\_ Date: \_\_\_\_\_



Scale - 1: 2000



Figure 3 - Section Diamond Drill Hole - BKPT-16, Thorneloe Township  
Showing location of lithogeochemical samples.




Figure 4 - Chondrite normalized REE abundances of analyses from diamond drill hole BKPT-16, Thorneloe Township




Figure 5 - Cr<sub>2</sub>O<sub>3</sub> (weight percent) vs Ni (ppm) of analyses from diamond drill hole BKPT-16, Thorneloe Township




Figure 6 - Jensen cation plot of whole rock analyses from diamond drill hole BKPT-16, Thorneloe Township




Figure 7 - AFM diagram of whole rock analyses from diamond drill hole BKPT-16, Thorneloe Township




Figure 8 - Y (ppm) vs Zr (ppm) from whole rock analyses from diamond drill hole BKPT-16, Thorneloe Township

(Fields after Barrett and MacLean (1994))



**XRAL Laboratories**  
A Division of SGS Canada Inc.

## INVOICE

**Invoice To/Facture A:**

D.R. Pyke and Associates  
Attn: Dale Pyke  
31 Delair Crescent

THORNHILL  
ONTARIO L3T 2M3

Work Order: 069659  
Invoice Date: 27/09/02  
Date Submitted: 29/08/02  
Shipped Via: Self

**Submitted By/Soumettez Par:**

D.R. Pyke and Associates  
Attn: Dale Pyke  
31 Delair Crescent

THORNHILL  
ONTARIO L3T 2M3

Customer No.: 020906  
Your P.O. No.:  
Your Project No.:  
Waybill No. :

Qty	Code	Description	# Ele	Unit Cost	Amt/Montant
13	PC02	Crushing entire sample		\$3.20	\$41.60
13	PP01A	Pulverize, Agate		\$6.05	\$78.65
13	XRF103	Whole rock analysis (majors + traces)	1	\$38.10	\$495.30
13	XRF103	XRF103 small smp# schg	20	\$6.55	\$85.15
13	MS95	MS95		\$33.00	\$429.00
1	AD27	Shipping		\$10.00	\$10.00
1	AD29	Floppy		\$7.50	\$7.50
Total					\$1147.20
GST		7% GST Reg No. R105082572			\$80.30
TOTAL IN CANADIAN FUNDS / TOTAL EN DOLLARS CANADIEN					\$1227.50

Subject to SGS General Terms and Conditions

Please remit to / S.V.P. envoyer votre paiement à:  
P.O. Box 9581  
Station 'A'  
Toronto, ON  
Canada  
M5W 2K3

Please courier to / S.V.P. envoyer par courrier à:  
1885 Leslie Street  
Don Mills, ON  
Canada M3B 3J4  
Tel: (416) 445-5755  
Fax: (416) 445-4152

**Please Quote Invoice Number / S.V.P. Spécifier le numéro de facture 081:00045433**

Note/N.B.: 1.5% per month interest on Overdue Accounts / Intérêt de sur Comptes Arriérés de 1.5% Par Mois: Terms Net 30 days

---

**PAYMENT COPY**



**XRAL Laboratories**  
A Division of SGS Canada Inc.

1885 Leslie Street  
Don Mills, Ontario  
Canada M3B 3J4  
Telephone (416) 445-5755  
Fax (416) 445-4152

## CERTIFICATE OF ANALYSIS

Work Order: 069659

To: D.R. Pyke and Associates  
Attn: Dale Pyke  
31 Delair Crescent

Date : 30/09/02

THORNHILL  
ONTARIO L3T 2M3


Copy 1 to :

P.O. No. :  
Project No. :  
No. of Samples : 13 Core  
Date Submitted : 29/08/02  
Report Comprises : Cover Sheet plus  
Pages 1 to 5

### Distribution of unused material:

P脉: Return  
Rejects: Return

Certified By :

  
Dr. Hugh de Souza, General Manager  
XRAL Laboratories

ISO 9002 REGISTERED

ISO 17025 Accredited for Specific Tests. S.C.C. No. 456

---

Subject to SGS General Terms and Conditions

Report Footer: L.N.R. = Listed not received I.S. = Insufficient Sample  
n.a. = Not applicable -- = No result  
\*INF = Composition of this sample makes detection impossible by this method  
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069659

Date: 30/09/02

**FINAL**

Page 1 of 5

Element.	SiO <sub>2</sub>	Al <sub>2</sub> O <sub>3</sub>	CaO	MgO	Na <sub>2</sub> O	K <sub>2</sub> O	Fe <sub>2</sub> O <sub>3</sub>	MnO	TiO <sub>2</sub>	P <sub>2</sub> O <sub>5</sub>	Cr <sub>2</sub> O <sub>3</sub>	LOI	Sum	Rb	Sr	Y	
Method.	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	XRF103	
Det.Lim.	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	2	2	2
Units.	%	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	
*Std XRAL04	48.70	14.91	11.02	11.75	1.35	0.41	9.30	0.16	0.38	0.03	0.06	2.30	100.4	13	106	10	
BKPT-16-13	49.11	12.44	6.62	6.99	2.94	1.37	6.52	0.12	0.72	0.52	0.07	12.70	100.3	38	463	19	
BKPT-16-27	33.41	4.63	5.62	21.29	<0.01	0.03	8.65	0.14	0.26	<0.01	0.30	26.35	100.7	<2	123	8	
BKPT-16-50	30.11	5.40	5.96	20.78	0.85	0.25	8.61	0.15	0.29	0.02	0.28	27.65	100.4	8	130	7	
BKPT-16-71	33.00	4.84	6.24	21.27	<0.01	0.02	8.75	0.14	0.28	<0.01	0.31	25.60	100.5	2	83	8	
BKPT-16-96	32.13	5.44	6.22	20.40	0.47	0.48	9.90	0.16	0.28	<0.01	0.28	24.75	100.5	13	96	7	
BKPT-16-120	50.90	13.11	4.09	8.05	1.88	1.21	8.82	0.17	0.56	0.07	0.23	11.10	100.3	28	257	10	
BKPT-16-145	41.30	7.81	3.04	25.33	<0.01	0.03	11.06	0.09	0.42	0.02	0.45	10.75	100.3	2	72	7	
BKPT-16-163	67.59	13.53	6.03	0.41	4.06	1.93	0.71	0.07	0.17	0.04	<0.01	5.55	100.2	39	225	8	
BKPT-16-191	53.91	13.59	3.86	7.57	1.70	0.58	10.53	0.14	0.67	0.14	0.11	7.45	100.3	21	98	14	
BKPT-16-203	44.13	11.82	9.62	6.31	2.12	0.80	9.86	0.22	0.66	0.06	0.15	14.55	100.3	27	161	13	
BKPT-16-260	49.19	14.37	8.36	4.46	4.38	0.03	9.34	0.15	0.79	0.36	0.02	8.80	100.4	2	822	15	
BKPT-16-303	52.19	15.19	7.19	5.58	2.92	1.17	7.69	0.11	0.81	0.18	0.02	7.10	100.3	33	335	13	
BKPT-16-320	61.41	15.48	4.22	4.00	4.00	0.93	4.38	0.06	0.46	0.11	0.02	4.90	100.0	33	312	10	
*Dup BKPT-16-13	49.35	12.43	6.60	6.99	2.95	1.37	6.49	0.12	0.72	0.52	0.07	12.70	100.5	38	465	18	
*Dup BKPT-16-320	61.36	15.46	4.20	3.97	3.98	0.93	4.37	0.05	0.46	0.11	0.02	4.95	99.9	33	311	10	



XRAL Laboratories  
A Division of SGS Canada Inc.

Work Order: 069659

Date: 30/09/02

FINAL

Page 2 of 5

Element.	Zr	Nb	Ba
Method.	XRF103	XRF103	XRF103
Det.Lim.	2	2	20
Units.	ppm	ppm	ppm
*Std XRAL04	32	3	84
BKPT-16-13	203	10	655
BKPT-16-27	20	<2	29
BKPT-16-50	25	2	151
BKPT-16-71	21	2	38
BKPT-16-96	21	<2	157
BKPT-16-120	90	2	345
BKPT-16-145	23	2	20
BKPT-16-163	78	<2	519
BKPT-16-191	86	3	346
BKPT-16-203	50	2	201
BKPT-16-260	163	5	57
BKPT-16-303	113	6	604
BKPT-16-320	115	6	230
*Dup BKPT-16-13	204	9	655
*Dup BKPT-16-320	114	6	232



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069659

Date: 30/09/02

**FINAL**

Page 3 of 5

Element.	Ag MS95	Ba MS95	Ce MS95	Co MS95	Cs MS95	Cu MS95	Dy MS95	Er MS95	Eu MS95	Ga MS95	Gd MS95	Hf MS95	Ho MS95	La MS95	Lu MS95	Mo MS95
Method.	1	0.5	0.1	0.5	0.1	5	0.05	0.05	0.05	1	0.05	1	0.05	0.1	0.05	2
Det.Lim.																
Units.	ppm															
BKPT-16-13	<1	535	138	38.3	3.1	48	3.38	1.47	2.73	13	8.45	5	0.59	62.0	0.19	2
BKPT-16-27	<1	4.7	1.0	76.9	0.2	20	0.89	0.58	0.19	5	0.73	<1	0.21	0.3	0.10	<2
BKPT-16-50	<1	117	2.4	74.3	0.7	33	0.94	0.68	0.24	5	0.85	<1	0.23	1.1	0.10	<2
BKPT-16-71	<1	30.9	0.8	79.8	0.2	41	0.93	0.71	0.19	4	0.69	<1	0.21	0.3	0.10	<2
BKPT-16-96	<1	103	1.4	75.8	1.1	33	0.96	0.70	0.18	5	0.76	<1	0.21	0.5	0.11	<2
BKPT-16-120	<1	271	20.8	66.2	1.6	46	1.84	1.19	0.63	13	2.06	2	0.36	9.5	0.17	<2
BKPT-16-145	<1	1.8	1.3	98.6	0.4	96	1.36	1.00	0.16	7	1.02	<1	0.31	0.4	0.14	<2
BKPT-16-163	<1	433	12.4	2.7	1.0	22	0.53	0.27	0.27	14	0.96	2	0.10	6.0	<0.05	<2
BKPT-16-191	1	268	23.3	53.3	1.3	69	2.10	1.36	0.85	12	2.63	2	0.43	10.4	0.20	<2
BKPT-16-203	<1	135	7.7	56.2	1.6	65	2.11	1.48	0.52	10	1.88	1	0.47	3.3	0.22	<2
BKPT-16-260	<1	42.1	88.6	32.4	0.1	62	3.36	1.74	2.14	14	6.70	3	0.63	42.2	0.24	<2
BKPT-16-303	<1	528	34.4	30.8	1.4	48	2.37	1.32	1.08	15	3.28	3	0.46	15.7	0.19	<2
BKPT-16-320	<1	185	28.4	18.3	0.8	9	1.48	0.79	0.78	14	2.37	3	0.28	13.0	0.12	<2
*Dup BKPT-16-13	<1	548	139	36.4	3.3	51	3.44	1.44	2.79	13	8.65	5	0.57	62.5	0.17	2
*Dup BKPT-16-320	<1	186	27.7	18.5	0.8	12	1.50	0.83	0.77	14	2.30	3	0.27	12.9	0.12	<2
*Blk BLANK	<1	<0.5	<0.1	<0.5	<0.1	<5	<0.05	<0.05	<0.05	<1	<0.05	<1	<0.05	<0.1	<0.05	<2
*Std SO3	<1	286	32.9	5.5	1.1	17	2.72	1.71	0.75	6	3.23	4	0.56	15.6	0.27	<2



**XRAL**  
A Division of SGS Canada Inc.

Work Order: 069659

Date: 30/09/02

**FINAL**

Page 4 of 5

Element.	Nb MS95	Nd MS95	Ni MS95	Pb MS95	Pr MS95	Rb MS95	Sm MS95	Sn MS95	Sr MS95	Ta MS95	Tb MS95	Th MS95	Tl MS95	Tm MS95	U MS95	V MS95
Method.	1	0.1	5	5	0.05	0.2	0.1	1	0.1	0.5	0.05	0.1	0.5	0.05	0.05	
Det.Lim.	<1	1.2	1130	<5	0.19	0.6	0.5	<1	122	<0.5	0.14	<0.1	<0.5	0.09	<0.05	71
Units.	ppm	ppm	ppm													
BKPT-16-13	9	68.5	284	6	17.6	35.7	11.1	<1	485	0.6	0.99	7.1	<0.5	0.16	2.01	100
BKPT-16-27	<1	1.2	1130	<5	0.19	0.6	0.5	<1	122	<0.5	0.14	<0.1	<0.5	0.09	<0.05	71
BKPT-16-50	<1	1.7	1060	<5	0.34	5.8	0.6	<1	135	<0.5	0.15	0.2	<0.5	0.09	0.07	85
BKPT-16-71	<1	1.0	1140	<5	0.15	0.3	0.4	<1	82.0	<0.5	0.13	<0.1	<0.5	0.09	<0.05	74
BKPT-16-96	<1	1.3	868	<5	0.21	13.5	0.5	<1	103	<0.5	0.16	<0.1	<0.5	0.10	<0.05	90
BKPT-16-120	3	10.5	794	6	2.61	28.0	2.1	<1	274	<0.5	0.33	1.7	<0.5	0.16	0.53	116
BKPT-16-145	<1	1.5	1360	<5	0.24	0.7	0.6	<1	71.9	<0.5	0.20	<0.1	<0.5	0.14	<0.05	22
BKPT-16-163	2	6.0	14	<5	1.55	36.6	1.2	<1	230	<0.5	0.11	1.0	<0.5	<0.05	0.48	37
BKPT-16-191	3	12.9	493	<5	3.11	18.9	2.7	<1	99.0	<0.5	0.38	1.7	<0.5	0.17	0.57	146
BKPT-16-203	2	5.1	507	<5	1.12	26.4	1.4	1	170	<0.5	0.32	0.5	<0.5	0.21	0.20	181
BKPT-16-260	5	45.1	80	9	11.4	0.3	8.4	<1	870	<0.5	0.84	5.9	<0.5	0.22	1.39	162
BKPT-16-303	5	18.1	104	<5	4.40	31.5	3.6	<1	355	<0.5	0.47	2.1	<0.5	0.19	0.62	139
BKPT-16-320	4	14.1	105	<5	3.51	28.9	2.7	<1	323	<0.5	0.35	2.2	<0.5	0.11	0.88	61
*Dup BKPT-16-13	9	69.6	282	8	18.1	37.6	11.5	<1	491	0.5	0.94	7.0	<0.5	0.17	2.05	94
*Dup BKPT-16-320	4	13.6	107	5	3.52	28.4	2.6	<1	322	<0.5	0.33	2.1	<0.5	0.11	0.84	63
*Blk BLANK	<1	<0.1	<5	<5	<0.05	<0.2	<0.1	<1	<0.1	<0.5	<0.05	<0.1	<0.5	<0.05	<0.05	<5
*Std SO3	6	15.8	12	11	4.11	35.7	3.3	1	242	<0.5	0.49	3.5	<0.5	0.23	1.17	33



XRAL Laboratories  
A Division of SGS Canada Inc.

Work Order: 069659

Date: 30/09/02

FINAL

Page 5 of 5

Element.	W	Y	Yb	Zn	Zr
Method.	MS95	MS95	MS95	MS95	MS95
Det.Lim.	1	0.5	0.1	5	0.5
Units.	ppm	ppm	ppm	ppm	ppm
BKPT-16-13	3	14.6	1.2	56	165
BKPT-16-27	2	5.0	0.5	42	9.6
BKPT-16-50	6	5.5	0.6	19	13.4
BKPT-16-71	<1	5.1	0.6	27	9.3
BKPT-16-96	2	5.4	0.6	20	10.6
BKPT-16-120	1	9.5	1.1	85	71.7
BKPT-16-145	<1	7.7	0.9	38	15.8
BKPT-16-163	4	2.5	0.2	<5	66.2
BKPT-16-191	<1	10.3	1.1	59	71.1
BKPT-16-203	<1	11.7	1.3	46	38.5
BKPT-16-260	<1	16.3	1.5	53	103
BKPT-16-303	<1	11.5	1.2	54	93.8
BKPT-16-320	<1	7.4	0.7	31	90.6
*Dup BKPT-16-13	2	15.0	1.1	44	169
*Dup BKPT-16-320	<1	7.2	0.7	34	89.6
*Blk BLANK	<1	<0.5	<0.1	<5	<0.5
*Std SO3	<1	15.3	1.5	55	153



Member of the SGS Group (Société Générale de Surveillance)

Work Report Summary

Transaction No: W0260.01725      Status: APPROVED  
Recording Date: 2002-NOV-14      Work Done from: 2002-JUL-31  
Approval Date: 2002-NOV-15      to: 2002-NOV-13

## Client(s):

301519      D.R. PYKE & ASSOCIATES INC.  
302304      COMAPLEX MINERALS CORP.

## Survey Type(s):

ASSAY

Work Report Details:

Claim#	Perform	Approve	Applied	Applied	Assign	Assign	Reserve	Reserve	Due Date
	Perform	Approve	Applied	Approve	Assign	Approve	Reserve	Approve	
P 1189258	\$2,016	\$2,016	\$0	\$0	\$2,016	2,016	\$0	\$0	2006-AUG-31
P 1236827	\$0	\$0	\$2,016	\$2,016	\$0	0	\$0	\$0	2004-NOV-17
	\$2,016	\$2,016	\$2,016	\$2,016	\$2,016	\$2,016	\$0	\$0	

External Credits: \$0

Reserve: \$0      Reserve of Work Report#: W0260.01725

---

\$0      Total Remaining

Status of claim is based on information currently on record.



42A06SW2014 2.24503 THORNELOE

900

Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines

Date: 2002-NOV-19



GEOSCIENCE ASSESSMENT OFFICE  
933 RAMSEY LAKE ROAD, 6th FLOOR  
SUDBURY, ONTARIO  
P3E 6B5

COMAPLEX MINERALS CORP.  
SUITE 901, 1015 FOURTH ST. S.W.  
CALGARY, ALBERTA  
T2R 1J4 CANADA

Tel: (888) 415-9845  
Fax:(877) 670-1555

Dear Sir or Madam

**Submission Number:** 2.24503  
**Transaction Number(s):** W0260.01725

**Subject: Approval of Assessment Work**

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,

A handwritten signature in black ink, appearing to read "Ron Gashinski".

Ron Gashinski  
Senior Manager, Mining Lands Section

**Cc:** Resident Geologist

Assessment File Library

D.R. Pyke & Associates Inc.  
(Claim Holder)

Comaplex Minerals Corp.  
(Claim Holder)

Comaplex Minerals Corp.  
(Assessment Office)