



42A07NW0117 13 SHERATON

010

Diamond Drilling

Township of Sheraton

Report NO: 13

Work performed by: Cominco Ltd.

| Claim NO | Hole NO | Footage | Date | Note |
|----------|---------|---------|---------|------|
| P 320549 | R-1 | 505' | July/71 | (1) |

Notes:

(1) 87/72

Scale

Colour Plot
& Dips

Drill Hole Record



| | | | | | |
|--------------|----------------|-----------|-----------|-----------|----------------|
| Property | RADISSON | District | Porcupine | Hole No. | R-1 |
| Commenced | July 30, 1971 | Location | Grid 1 | Tests at | 200', 400' |
| Completed | August 9, 1971 | Core Size | AQ | Corr. Dip | 45°, 39° |
| Co-ordinates | L2E, 10+30S | | | True Brg. | 360° |
| Objective | EM Conductor | | | % Recov. | 100% |
| | | | | Date | August 9, 1971 |

Claim
320549T Brg.
360°Collar Dip
-53°

Elev.

Length
505'

Hole No. R-1 Sheet 1

| Footage From | To | Description | Sample No. | Length | Analysis |
|-----------------|------|--|---------------|--------|----------|
| 0 | 188 | <u>OVERBURDEN</u> | | | |
| 188 | 195 | <u>WEATHERED ACID BRECCIA</u> Pale grey, very soft, 50 - 75% light coloured fragments, 1/16" to 1½", average size ½". 10 - 15% py as rounded frags. | | | |
| 195 | 210½ | <u>PYRITE - ARGILLITE</u> 60 - 80% massive pyrite. 20 - 30% graphitic argillite. Graphite forms 10 - 20% of the argillite. | | | |
| 210½ | 280½ | <u>ARGILLITE/TUFFACEOUS GREYWACKE</u> Interbedded sequence, argillite predominates. Greywacke beds range in width from 1/8" to 2'. Argillite is black, fine grained, massive to vaguely laminated, slightly graphitic. 1 - 2 mm beds of pyrite are common throughout the argillite occurring with thin laminations of siliceous rounded fragments. Greywacke is medium grey, medium grained, composed of 15 - 20% argillite fragments, 1 - 2 mm, 10 - 20% feldspar laths, 30 - 40% siliceous grains, 3 - 10% disseminated pyrite, in an argillaceous matrix. Bedding angles: 211' - 60°; 234' - 50°; 265' - 60°. | | | |

87/72

C. J. Waller

Scale

Colour Plot
& Dips

Drill Hole Record



| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------------|-----------|--------------|--|---------|-------------|------------|--------|------------|------|-------|--|---------|------|--------------|---------|--|--|----------|---|--|--|--|--|--|--|---------|--|--|--|--|--|--|--|---------|---|--|--|--|--|--|--|--------------|--|--|--|--|--|
| Property | RADISSON | | District | Hole No. R-1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Commenced | Location | | Tests at | Hor. Comp. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Completed | Core Size | | Corr. Dip | Vert. Comp. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Co-ordinates | True Brg. | | Logged by | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Objective | % Recov. | | Date | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Footage</td> <td rowspan="2">Description</td> <td rowspan="2">Sample No.</td> <td rowspan="2">Length</td> <td colspan="4">Analysis</td> </tr> <tr> <td>From To</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>280½ 293</td> <td> <u>ACID LAPILLI TUFF</u> Dark grey, probably due to argillaceous matrix. 20 - 30% light coloured fragments, 1/8" - 1/4". 3 - 10% disseminated pyrite, occasional fragments. 289' - 290' Argillite, as previous. </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>293 423</td> <td> <u>ACID LAPILLI TUFF/TUFF BRECCIA</u> Light grey to greenish grey, 50 - 75% mainly light coloured rhyolitic fragments ¼ - 6". Pyrite 5 - 10%, disseminated. Up to 1 - 2% pyrrhotite. 318' - 377' Well mineralized breccia with py. frags. up to 1½" composing 10 - 20% of the rock. </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>423 505</td> <td> <u>ACID TUFF/LAPILLI TUFF</u> Gradational contact with above unit. Light coloured fragments range in size from 1/16" - 1/4", occasionally to 1". 50% of frags. are 1/16". Light grey matrix, similar to matrix of above unit, 293' - 423'. 1 - 2% disseminated py. </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6" style="text-align: center;">END OF HOLE.</td> </tr> </table> | | | | | | Footage | Description | Sample No. | Length | Analysis | | | | From To | | | | | | 280½ 293 | <u>ACID LAPILLI TUFF</u> Dark grey, probably due to argillaceous matrix. 20 - 30% light coloured fragments, 1/8" - 1/4". 3 - 10% disseminated pyrite, occasional fragments. 289' - 290' Argillite, as previous. | | | | | | | 293 423 | <u>ACID LAPILLI TUFF/TUFF BRECCIA</u> Light grey to greenish grey, 50 - 75% mainly light coloured rhyolitic fragments ¼ - 6". Pyrite 5 - 10%, disseminated. Up to 1 - 2% pyrrhotite. 318' - 377' Well mineralized breccia with py. frags. up to 1½" composing 10 - 20% of the rock. | | | | | | | 423 505 | <u>ACID TUFF/LAPILLI TUFF</u> Gradational contact with above unit. Light coloured fragments range in size from 1/16" - 1/4", occasionally to 1". 50% of frags. are 1/16". Light grey matrix, similar to matrix of above unit, 293' - 423'. 1 - 2% disseminated py. | | | | | | | END OF HOLE. | | | | | |
| Footage | Description | Sample No. | Length | Analysis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| From To | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280½ 293 | <u>ACID LAPILLI TUFF</u> Dark grey, probably due to argillaceous matrix. 20 - 30% light coloured fragments, 1/8" - 1/4". 3 - 10% disseminated pyrite, occasional fragments. 289' - 290' Argillite, as previous. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 293 423 | <u>ACID LAPILLI TUFF/TUFF BRECCIA</u> Light grey to greenish grey, 50 - 75% mainly light coloured rhyolitic fragments ¼ - 6". Pyrite 5 - 10%, disseminated. Up to 1 - 2% pyrrhotite. 318' - 377' Well mineralized breccia with py. frags. up to 1½" composing 10 - 20% of the rock. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 423 505 | <u>ACID TUFF/LAPILLI TUFF</u> Gradational contact with above unit. Light coloured fragments range in size from 1/16" - 1/4", occasionally to 1". 50% of frags. are 1/16". Light grey matrix, similar to matrix of above unit, 293' - 423'. 1 - 2% disseminated py. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| END OF HOLE. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Claim</td> <td>320549</td> </tr> <tr> <td>T Brg.</td> <td>360°</td> </tr> <tr> <td>Collar Dip</td> <td>-53°</td> </tr> <tr> <td>Elev.</td> <td></td> </tr> <tr> <td>Length</td> <td>505'</td> </tr> <tr> <td>Hole No. R-1</td> <td>Sheet 2</td> </tr> </table> | | | | | | Claim | 320549 | T Brg. | 360° | Collar Dip | -53° | Elev. | | Length | 505' | Hole No. R-1 | Sheet 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Claim | 320549 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| T Brg. | 360° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Dip | -53° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Elev. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Length | 505' | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hole No. R-1 | Sheet 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

P 320548

P 320547


P 256254

P 320549

800'

630'

DDH R-1



Smith





| | | | |
|------------|------|------------|------|
| Drawn by: | | Traced by: | |
| Revised by | Date | Revised by | Date |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

LOCATION MAP
 COMINCO DDH R-1
 SHERATON TWP.

Scale: 1" = 400'


Date: 17/5/72

Plate:



LOCATION MAP

A
N



es Wallis



| | |
|---------------------|-------------|
| Drawn by <i>CSW</i> | Traced by: |
| Revised by: _____ | Date: _____ |
| Revised by: _____ | Date: _____ |

COMINCO DDH R-1 L2E 101305
GRID 1 RADISSON PROPERTY

Scale: 1" = 100'

Date: 30/8/71

Plate: