



42A07SW0053 18 LANGMUIR

010

Diamond Drilling

Township of LANGMUIR

Report NO: 18

Work performed by: Silverplace Mines Ltd.

Claim NO	Hole NO	Footage	Date	Note
P 85791	66-1	350'	June/66	
	66-2	354'	June/66	

Notes:

DIAMOND DRILL RECORD

PROPERTY SILVERPLACE MINES LIMITED HOLE NO. 66-1

TOWNSHIP Langmuir Township PAGE NO. 1

LOCATION Line 4 South CORE LOCATION drill site STARTED June 11, 1966

Station 10 & 50 East DATUM COMPLETED June 17, 1966

BEARING West DEPTH 350 feet

ELEVATION DIP 50°

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	Au OZ	Ag OZ		
0 - 43	Casing.						
43 - 153	<u>Serpentinite</u> : fine grained, dark blue, moderately hard, with numerous carbonate and serpentine seams 125.5 few pink carbonate seams indicate fault.						
153 - 175.7	<u>Granite</u> : very fine grained, very hard, pink, slight pyrite dissemination. 164 - 165 core ground. 166 - 170 " " 171.2 - 172.5 core ground.						
175.7 - 179.7	<u>Carbonatized Greenstone Breccia</u> :						
179.7 - 186	<u>Granite</u> : as above.						
186 - 187.2	<u>Carbonatized Greenstone Breccia</u> :						
187.2 - 190.5	<u>Granite</u> : as above.						
190.5 - 194.0	<u>Carbonatized Greenstone Breccia</u> :						
194 - 195	<u>Granite</u> : as above.						
195 - 199	<u>Carbonatized Greenstone Breccia</u> :						
199 - 274.7	<u>Granite</u> : as above.						
274.7 - 279.0	<u>Granite</u> : slightly coarser grained, with 5 - 10% disseminated pyrite. 274.7 - 279.0 representative grab sample.	1-1	4.3	.01	.02		

Drilled By Bradley Bros.

Signed [Signature]

DIAMOND DRILL RECORD

PROPERTY HOLE NO. 66-1

TOWNSHIP PAGE NO. 2

LOCATION CORE LOCATION STARTED
 DATUM COMPLETED
 BEARING DEPTH
 ELEVATION DIP

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	Au OZ	Ag OZ
279 - 290	<u>Carbonatized Greenstone:</u> chloritized, schistose at 45° to c.a., very soft, approx. 2% disseminated pyrite.				
290 - 294.3	<u>Granite:</u> as above with 5 - 10% disseminated py. 290 - 294.3 representative grab sample.	1-2	4.3	tr	0.01
294.3 - 297.3	<u>Carbonatized Greenstone:</u> as above.				
297.3 - 299.5	<u>Granite:</u> slight pyrite.				
299.5 - 303.0	<u>Carbonatized Greenstone:</u> 301 - 303 core ground.				
303 - 304	<u>Granite:</u> 5% pyrite. 304 - 305 core ground.				
	305 - 308.2 pyrite in granite.				
308.2 - 350.0	<u>Carbonatized Greenstone:</u> highly schistose and chloritized, schistosity at 35° to c.a., slight pyrite. 327 - 329 pink granitic material.				
350.0	END.				
	DIP TEST AT 350' - 47°				

Drilled By Bradley Bros.

Signed

DIAMOND DRILL RECORD

PROPERTY SILVERPLACE MINES LIMITED HOLE NO. 66-2

TOWNSHIP Langmuir Township PAGE NO. 1

LOCATION Line 12 South CORE LOCATION drill site STARTED June 21, 1966

Station 1+00 East DATUM _____ COMPLETED June 28, 1966

BEARING East DEPTH 354 feet

ELEVATION _____ DIP 50°

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE				
0 - 43	Casing.						
	<u>Chlorite Schist: dark blue-green, very fine</u>						
	<u>grained, very soft, many carbonate seams, much</u>						
	<u>chlorite, some talc, probably altered equivalent</u>						
	<u>of ultrabasic intrusive.</u>						
	<u>165.5 - 166.8 core lost.</u>						
	<u>168 - 169.0 core lost.</u>						
	<u>173.7 - 174.6 core lost.</u>						
	<u>207 - 209.0 core lost.</u>						
	<u>220 - 222.5 core lost.</u>						
	<u>226 - 227 core lost.</u>						
	<u>231 - 231.5 core lost.</u>						
	<u>236.5 - 237 core lost.</u>						
	<u>From 250 more massive, less schistose, definite</u>						
	<u>ultrabasic type.</u>						
	<u>278 - 279 core lost.</u>						
	<u>285 - 286.3 core lost.</u>						
	<u>291.7 - 292.4 core lost.</u>						
	<u>293.0 - 294.0 core lost.</u>						
	<u>296 - 297 core lost.</u>						

Drilled By Bradley Bros.


Signed T. B. Shaw

L0

L45

L85

L125



N.B. Drill holes projected vertically

P 85791

ultrabasic rock
altered to
chlorite schist

Magnetic

High

66-2

146'
50'

354'

5000 cps

1000 cps

granite
granite

granite (pyrite)

serpentinite

66-1
50'

St. Peter's Bay

DRILL HOLE LOCATIONS SILVERPLACE MINES LIMITED

Langmuir Township

1" = 200'