



42A07SW1826 10 BLACKSTOCK

Diamond Drill...

010


Township OF BLACKSTOCK

Report NQ 10

Work performed by: Leonard Hill

Claim NQ	Hole NQ	Footage	Date	Note
P. 98371	1	123.0'	May 1970	
P. 98370	2	103.0'	May 1970	

Notes:



WHITEFISH RIVER

CLAIM NO.  
98371

CLAIM NO.  
98372

CLAIM NO.  
98370

PICKET LINES

D.D.#1  
123'  
48'  
D.D.#2  
103'

360'  
340'

CLAIM NO.  
98373

↑  
NORTH

↓  
S

RECORDED  
MAY 28 1970  
AN 77 128 128 128

DIAMOND DRILLING  
ASSESSMENT WORK  
DONE BY L.E. HILL  
BLACKSTOCK TWSB,  
OCT. 18, 19, 20, 21, 22 &  
OCT 23 1969  
MAY 18, 19, 20 & MAY 21, 1970

105/70 Leonard Hill  
Blackstock Twp



THE MINING ACT - DEPARTMENT OF MINES  
**DIAMOND DRILLING LOG**


Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. 2 PAGE NO. 1

DRILLING COMPANY		COLLAR ELEVATION	BEARING OF HOLE FROM TRUE NORTH	TOTAL FOOTAGE	DIP OF HOLE AT collar	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM <i>On Picket line 340' Due W P1 claim No. 98370</i>	MAP REFERENCE NO.	CLAIM NO.
DATE HOLE STARTED	DATE COMPLETED	DATE LOGGED	LOGGED BY		ft		M 263	98370
EXPLORATION CO., OWNER OR OPTIONEE		DATE SUBMITTED	SUBMITTED BY (Signature)		ft		LOCATION (Twp., Lot, Cgn. OR Lat. and Long.) <i>Blackstock Twp. Claims Nos. 98370-71-72 &amp; 73 incl.</i>	
<i>Leonard E. Hill</i>		<i>May 28/70</i>	<i>L.E. Hill</i>		ft		PROPERTY NAME <i>L.E. Hill Claims</i>	

FOOTAGE		ROCK TYPE	DESCRIPTION <small>Colour, grain size, texture, minerals, alteration, etc.</small>	PLANAR FEATURE ANGLE *	CORE SPECIMEN FOOTAGE †	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE		SAMPLE LENGTH	ASSAYS †	
FROM	TO						FROM	TO			
0	7	Hard Clay	1 1/4" casing 9 ft.								
7	67	Feldspar granite	Pink to Brown, Grey green 1/8" to 1/2" grains, coarse texture Fine Pyrites		8'	#4					
					49'	#5					
67	75	Quartzite	White to Brown - fine pyrites		100'	#6					
75	103	Feldspar granite	Pink Brown greenish grey 1/8" to 1/2" grain size Coarse texture - fine Pyrites								



\* For features such as foliation, bedding, schistosity, measured from the long axis of the core.

† Additional credit available. See Assessment Work Regulations.



THE MINING ACT - DEPARTMENT OF MINES  
**DIAMOND DRILLING LOG**

Start a new page for every new hole, but fill in top portion of form only on first page for each hole.

FILL IN ON EVERY PAGE

HOLE NO. 1  
PAGE NO. 1

DRILLING COMPANY		COLLAR ELEVATION	BEARING OF HOLE FROM TRUE NORTH DUE S	TOTAL FOOTAGE 123'	DIP OF HOLE AT collar -40	LOCATION OF HOLE IN RELATION TO A FIXED POINT ON THE CLAIM Picket line 360' W of P2 claim No 98371 & 48' Due N to collar of hole	MAP REFERENCE NO. M 2.63	CLAIM NO. 98371
DATE HOLE STARTED Oct. 18 1969	DATE COMPLETED Oct. 23 1969	DATE LOGGED May 11/70	LOGGED BY L.E. Hill				LOCATION (Tp., Lot, Con. OR Lat. and Long.) Blackstock Twp. Claims Nos. 98370 - 71 - 72 - 73 dnd.	PROPERTY NAME L.E. HILL CLAIMS
EXPLORATION CO., OWNER OR OPTIONEE Leonard Edward Hill		DATE SUBMITTED May 28/70	SUBMITTED BY (Signature) L.E. Hill					

FOOTAGE FROM TO		ROCK TYPE	DESCRIPTION Colour, grain size, texture, minerals, alteration, etc.	PLANAR FEATURE ANGLE	CORE SPECIMEN FOOTAGE +	YOUR SAMPLE NUMBER	SAMPLE FOOTAGE FROM TO		SAMPLE LENGTH	ASSAYS +	
0	29		1 1/4" casing 29' 0 to 20' Hard clay - 20 to 27' sand		30'	#1				MOs2	AA
			27 to 29 Feldspar granite - pink to gray 1/4" to 1/2" grain size - coarse texture - fine specks Pyrites		65'	#2					
29	50	Feldspar granite	Pink to gray 1/4" to 1/2" grain size - coarse texture - fine specks Pyrites & fine specks MOs2 from 48 1/2' to 49'		104'	#3					
50	60	" "	Pink to gray 1/4" to 1/2" grain size coarse texture - fine specks Pyrites & at 59' a 3" blue quartz vein with specks MOs2								
60	70	" "	Brownish pink to gray & green 1/4" to 1/2" gr. size - fine specks Pyrites at 67' a 1" quartz vein with specks MOs2								
70	80	" "	greenish gray to pink 1/4" to 1/2" gr. size - fine specks Pyrites at 74' a 6" quartz vein with specks MOs2 from 76 1/2' to 77 1/2' fine specks MOs2 in cracks & seams.								
80	84	" "	gray to light brown 1/4" to 1/2" gr. size - fine Pyrites								
84	92	Feldspar quartz Porphyry	White to brownish 1/4" to 1/2" to solid white - fine Pyrites & specks MOs2				83'	88'	5'	0.09	TR.
92	96	quartz	White to blue streaks pyrites & MOs2 specks.				88'	93'	5'	TR.	TR.
96	103	Feld. quartz Porphyry	White to brownish green 1/4" to 1/2" grain size				93'	98'	5'	0.05	TR.
103	123	Feldspar granite	pink to gray 1/4" to 1/2" gr. size - specks pyrites.				98'	103'	5'	TR.	TR.

MINING DIVISION  
**RECEIVED**  
MAY 28 1970

\* For features such as foliation, bedding, schistosity, measured from the long axis of the core.

+ Additional credit available. See Assessment Work Regulations.