



42A10NW2004 2.21040

010

**Report of Diamond Core Drilling
Nickel Island Project**

For

AQUILINE RESOURCES INC

2. 210 40

**April, 2001
Toronto, Ont.**

Nickel Island Project Summary
Diamond Core Drilling of drill holes Ni 01 & Ni 02.


Ironbark International Limited completed for Aquiline Resources Inc during the months of March and April 2001 the diamond core drill twinning of two previouslf drill core holes located on four continuous claims in the Timmins region of Ontario, Dundonald Township.

Claims numbers are : 1219078, 1219079, 1219080 & 1219081.

The Nickel Island Ni deposit was of interest and is located North East of Timmins, on the South East corner of Fredrick-House Lake. This area was previously explored by Falconbridge Inc. for nickel where an estimated 180,000 tonnes at 0.38% Ni was identified but was never assayed for platinum group elements. It was hoped that the significant nickel content with the gabbro and mafic rock units may be host to Platinum group elements (PGE's). Nickel Island (locally termed "Swiss Cheese Island") had been drilled at 50 foot spacings. Two of these drill holes containing high sulfide content were chosen for twinning in this drilling program. The original vertical holes are referred to as DH-5A and DH-2 and their twinned holes were labelled Ni-01 and Ni-02, respectively. Since the sulfides were only found at shallow depths, only the top portions of the holes were twinned i.e. the first 75m on Ni-01, and 50m on Ni-02.

The work was carried out between the dates of Monday, March 19th through to Saturday, March 31st. Drilling was completed by Norex Drilling Limited. of Timmins, Ontario. Drill hole Ni-01 was started on the 27th, and completed on the 28th. Ni-02 was started and finished on the 29th. The drill core was logged and split by Dave Scott, geologist in Timmins and was as submitted to Swastika Laboratories of Swastika, Ontario. The drill core was assayed for gold, copper, nickel, platinum and palladium.

No significant assays of platinum or palladium were interest~~ed~~ed in the drilling.



**Frederick House
Lake**

Dave Meunier
 Area Location Map
 Frederick House Lake Project

Figure 1

APPENDIX A

Location of Drill hole Ni 01 & Ni02


Geological Drill hole Sections

Geological Core Logs

Assay Certificates

LOCATION OF D.DH'S N11 AND N12 DUNOONALD TOWNSHIP

CLAIM - 1219081



CLAIM - 1219080



SCALE 1:1200

Mining Lands - Mining Claims Client Report

Porcupine - Division 60

CLIENT: 169976 - MEUNIER DAVID

<u>TOWNSHIP / AREA</u>	<u>Claim Number</u>	<u>Recording Date</u>	<u>Claim Due Date</u>	<u>Status</u>	<u>Percent Option</u>	<u>Work Required</u>	<u>Total Applied</u>	<u>Total Reserve</u>	<u>Claim Bank</u>
DUNDONALD	P 1219078	1999-APR-09	2001-APR-09	A	100.00 % N	3600	0	0	0
DUNDONALD	P 1219079	1999-APR-09	2001-APR-09	A	100.00 % N	4000	0	0	0
DUNDONALD	P 1219080	1999-APR-09	2001-APR-09	A	100.00 % N	5200	0	0	0
DUNDONALD	P 1219081	1999-APR-09	2001-APR-09	A	100.00 % N	6400	0	0	0
GERMAN	P 1219078	1999-APR-09	2001-APR-09	A	100.00 % N	3600	0	0	0
GERMAN	P 1219079	1999-APR-09	2001-APR-09	A	100.00 % N	4000	0	0	0

DIAMOND DRILL LOG

Aquiline Resources Inc

Page 1 of 4

Hole Number: Ni 1
Project: 1025

Collar coordinates (UTM) 508500 E, 5387200 N
Collar coordinates (Local): 18+50 W, 150 S
Dip: 90 Azimuth: 0 Final Depth: 75

Drill size: NQ
Casing Details: Pulled
Drilled By: Norex

Started: March 27th, 2001
Completed: March 28th, 2001
Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays						
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu	
0	2.3		Gabbro: Highly Fractured, Altered (silicified), grey in colour Medium to Coarse Grained, 10 to 15% veining Lath shaped plag up to 1cm long, pyroxenes psuedomorphed by serpentine. Some mineralization (up to 2%), mostly in veins, and consisting of po, with minor py and trace cpy and pentlandite veins of 2 types: 1: dark blue-grey, fine grained (10-20% of rock) , 2: coarse quartz and calcite veining (<5%). Fresher fractures contain serpentine.												
2.3	4.35		Gabbro: Medium grained, 15-20% veining, 5% po some small qtz veins at 45 degrees to core, cross cutting dark grey veining that contains the sulfides												
4.35	4.45		Fault: Highly fractured, some talc, mostly serpentine, calcite, quartz												
4.45	6.35		Gabbro: medium grained, 10% veining, minor mineralization (<2% po) in veins												
6.35	6.4		Fault Mostly serpentine, some quartz and calcite. 45 degrees to core.												

DIAMOND DRILL LOG

Aquiline Resources Inc

Page 2 of 4

Hole Number: Ni 1
Project: 1025

Collar coordinates (UTM): 508500 E, 5387200 N
Collar coordinates (Local): 18+50 W, 150 S
Dip: 90 Azimuth: 0 Final Depth: 75

Drill size: NQ
Casing Details: Pulled
Drilled By: Norex

Started: March 27th, 2001
Completed: March 28th, 2001
Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays										
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu					
6.40	7.80		Gabbro: medium grained, 2 sets of fractures - 45 and perpendicular to core. all major breaks contain serpentine, 10 % dark grey veining some trace po and py in grey veins																
7.80	8.00		Gabbro: Coarse grained, horizontal top contact 45% plag, 45% serpentine pseudomorphing pyroxene 10% veining, mostly the dark grey type. Basal fault contact at 45 degrees to core																
8.00	12.40		Gabbro: medium grained, 15% veining, 2 small zones of jig-saw breccia poorly mineralized - < 1% po + py Again, veining is of both the dark grey and the calcite/qtz types																
12.40	18.30		Breccia: variable brecciation - from jig-saw to well milled. Well milled sections have round clasts of variable grain sizes. metasomatism evident around clast edges, usually as a darkening effect except in one zone containing serpentine and talc, where rims are lighter some minor mineralization in veins, <3%																

DIAMOND DRILL LOG

Aquiline Resources Inc

Page 3 of 4

Hole Number: Ni 1
Project: 1025

Collar coordinates (UTM) 508500 E, 5387200 N
Collar coordinates (Local): 18+50 W, 150 S
Dip: 90 Azimuth: 0 Final Depth: 75

Drill size: NQ
Casing Details: Pulled
Drilled By: Norex

Started: March 27th, 2001
Completed: March 28th, 2001
Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays									
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu				
18.30	18.55		Basalt: Silicified section -50% qtz veins up to 0.5 cm thick, and host rock is bleached to light grey. minor calcite in qtz veins															
18.55	20.85		Gabbro: medium to coarse grained with some serpentine metasomatic haloes around fractures. 10% dark grey veining															
20.85	22.35		Basalt: fine grained, some small brecciation zones cut by later qtz/calcite veining (10%) and sepentine (5%)															
22.35	35.75		Gabbro: medium grained, with some brecciated zones up to 15 cm wide, the usual 10% dark grey veining, and <1% po in veins															
35.75	36.00		Fault: Serpentine, calcite and quartz. at 30 degrees to core															
36.00	38.05		Gabbro: med-coarse, containing 10% dark grey veining															
38.05	39.10		Breccia: well milled, 1% po, matrix is dark green to black, some calcite veins															

DIAMOND DRILL LOG

Aquiline Resources Inc

Page 4 of 4

Hole Number: Ni 1
Project: 1025

Collar coordinates (UTM) 508500 E, 5387200 N
Collar coordinates (Local): 18+50 W, 150 S
Dip: 90 Azimuth: 0 Final Depth: 75

Drill size: NQ
Casing Details: Pulled
Drilled By: Norex

Started: March 27th, 2001
Completed: March 28th, 2001
Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays									
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu				
39.10	40.20		Gabbro: medium grained, brown metasomatic haloes around fractures (sphalerite?). 10% dark grey veining															
40.20	42.35		Breccia: well milled, poorly mineralized (<1% po)															
42.35	59.55		Gabbro: Medium to coarse grained, 10% dark grey veining, with some mineralization in these veins (po and py) also calcite veins up to 2 cm wide minor zones of brecciation 10 to 20 cm wide at 46.25, 47.65, 52.40 and 58.10 some sulfides in veins (mostly po, but some py), at 48.80, 57.10, 56.30, and 58.90															
59.55	65.60		Breccia: from jig-saw breccia to well milled matrix varies from blue-black to light grey															
65.60	75.00		Basalt: Fine grained, with some smaller breccia zones up to 25 cm long <1% po in veins															
EOH			end of hole															

DIAMOND DRILL LOG

Aquiline Resources Inc

Hole Number: Ni 2
 Project: 1025

Collar coordinates (UTM) 508500 E, 5387200 N
 Collar coordinates (Local): 17+60 W, 0 S
 Dip: 90 Azimuth: 0 Final Depth: 50

Drill size: NQ
 Casing Details: Pulled
 Drilled By: Norex

Started: March 29th, 2001
 Completed: March 29th, 2001
 Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays										
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu					
0.00	2.15		Casing																
2.15	3.55		Basalt: Fine grained, light grey (silicified), with dark blue-grey veining up to 1cm thick, very fine grained. Also some coarse calcite/quartz veins up to 1.5cm wide, cross-cutting grey veins. Dark veins make up to 15% of rock. Qtz/calc veins <5% of rock. no mineralization visible.																
3.55	3.75		Fault: serpentine, calcite, quartz, with minor amounts of grey veining and a few clasts of host rock. up to 2% of po in matrix																
3.75	11.30		Gabbro: Chill margin at top, coarsening downwards - at base, plag laths up to 1 cm, serpentine psuedomorphing pxroxenes. disseminated sulfides in both veins and host rock (po and py), <2% grey veins 10% of rock, some serpentine in fractures,																
11.30	14.15		Gabbro: medium coarse grained, uniform grain size, no mineralization																
14.15	14.65		Fault: subparallel to core, serp, calc, qtz, and some grey veins																

DIAMOND DRILL LOG

Aquiline Resources Inc

Page 2 of 2

Hole Number: Ni 2

Collar coordinates (UTM) 508500 E, 5387200 N

Drill size: NQ

Started: March 29th, 2001

Project: 1025

Collar coordinates (Local): 17+60 W, 0 S

Casing Details: Pulled

Completed: March 29th, 2001

Dip: 90 Azimuth: 0 Final Depth: 50

Drilled By: Norex

Logged By: D.S.

From (m)	To (m)	Graphic	Geological Description	Sample Details			Rec	% Rec	Assays									
				Number	From	To			Com	Pt	Pd	Au	Ni	Cu				
14.65	32.00		Gabbro: Medium grained, very little grey veining, little mineralization (<1% po)															
32.00	36.70		Gabbro: Coarse grained, light grey, veining less than 5%															
36.70	37.50		Fault: 50% host rock material (gabbro), 50% veining (qtz, calc, serp)															
37.50	41.00		Gabbro: Coarse grained, 10% dark veining															
41.00	49.00		Gabbro: Medium grained															
49.00	50.00		Gabbro: Highly silicified (light grey), coarse grained, almost looking like a rhyolite tuff															
EOH			End Of Hole															

DRILL HOLE NI-1.

SURFACE

-25m.





-50m.

-75m.


E.O.H. 76m.

-100m.

LEGEND

-  GABBRO 0.32 - % Nickel (ABOVE 0.1%)
-  BASALT
-  BRECCIA
-  FAULT

AQUILINE RESOURCES INC		
NICKEL ISLAND PROJECT.		
DRILLHOLE SECTION - NI1		
DRAWN:	DATE:	SCALE:
M.W.	7/4/01	



DRILL HOLE: N12


SURFACE

-25m

-50m

-75m

-100m



E.O.M. 50m.

LEGEND



GABBRO

0.42 Nickel % Above 1%.



BASALT



FAULT

AQUILINE RESOURCES INC

NICKEL ISLAND PROJECT

DRILL HOLE SECTION - N12

DRAWN:

M.W.

DATE:

6/4/01

SCALE:



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

Geochemical Analysis Certificate

1W-0601-RG1

Company: **AQUILINE RESOURCES INC**
Project: **Nickel Island**
Analyst: **M. Walters**

Date: APR-05-01

We hereby certify the following Geochemical Analysis of 35 Core samples submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
1100	2	-	58	1620	U	15
1101	Nil	-	56	1090	U	12
1102	Nil	-	58	1700	U	12
1103	5	-	63	3170	U	10
1104	2	-	56	2250	U	9
1105	3	Nil	49	1740	U	14
1106	Nil	-	50	2210	U	14
1107	Nil	-	44	2550	U	10
1108	Nil	-	45	1720	U	12
1109	Nil	-	33	1220	U	10
1110	Nil	-	92	3690	U	7
1111	Nil	-	60	2290	U	17
1112	3	5	48	2400	U	17
1113	2	-	45	5230	U	9
1114	Nil	-	34	3190	U	14
1115	Nil	-	71	6260	U	12
1116	Nil	-	47	4750	U	14
1117	3	-	70	2890	U	12
1118	5	-	81	1010	U	10
1119	7	-	41	672	U	14
1120	3	2	42	2280	U	14
1121	5	-	44	793	U	9
1122	Nil	-	32	636	U	7
1123	Nil	-	33	833	U	14
1124	2	-	45	1600	U	9
1125	Nil	-	42	1410	U	14
1126	2	3	51	1930	U	15
1127	3	-	43	1610	U	10
1128	Nil	-	42	1050	U	15
1129	Nil	-	43	1520	U	12

1 g assay ton used for Au Pt Pd.

Certified by



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

Geochemical Analysis Certificate

1W-0601-RG1

Company: **AQUILINE RESOURCES INC**

Project: **Nickel Island**

Attn: **M. Walters**

Date: **APR-05-01**

We hereby certify the following Geochemical Analysis of 35 Core samples submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
Ni1 30	Nil	-	39	1050	≤	15
Ni1 31	Nil	-	40	911	≤	9
Ni1 32	Nil	-	51	1010	≤	14
Ni1 33	Nil	-	44	1410	≤	14
Ni1 34	Nil	-	49	1060	≤	10

One assay ton used for Au Pt Pd.

Certified by _____

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

1W-0602-RG1

Date: APR-05-01

Geochemical Analysis Certificate

Company: **AQUILINE RESOURCES INC**
 Project: Nickel Island
 Attn: M. Walter

We hereby certify the following Geochemical Analysis of 40 Core samples submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
Ni 1 35	Ni 1	-	48	2280	5	10
Ni 1 36	2	-	54	3070	5	10
Ni 1 37	2	-	57	3080	5	12
Ni 1 38	Ni 1	3	129	1500	7	10
Ni 1 39	Ni 1	-	73	4460	5	9
Ni 1 40	2	-	67	3870	9	14
Ni 1 41	5	7	121	1750	3	12
Ni 1 42	2	-	59	3150	5	10
Ni 1 43	Ni 1	-	52	1400	10	15
Ni 1 44	Ni 1	-	54	1100	5	14
Ni 1 45	Ni 1	-	66	1010	5	12
Ni 1 46	Ni 1	-	63	621	5	14
Ni 1 47	Ni 1	-	58	847	10	14
Ni 1 48	7	5	70	684	7	12
Ni 1 49	3	-	65	620	5	12
Ni 1 50	2	-	66	600	7	17
Ni 1 51	2	-	64	1110	5	14
Ni 1 52	Ni 1	-	61	1290	5	12
Ni 1 53	5	-	55	852	5	14
Ni 1 54	2	-	51	717	5	12
Ni 1 55	Ni 1	-	69	720	5	7
Ni 1 56	3	-	66	783	5	10
Ni 1 57	5	-	71	804	5	9
Ni 1 58	3	-	87	654	5	10
Ni 1 59	Ni 1	-	83	628	5	12
Ni 1 60	7	3	93	566	5	14
Ni 1 61	7	-	90	493	5	14
Ni 1 62	9	-	89	1160	5	10
Ni 1 63	Ni 1	-	81	1460	5	14
Ni 1 64	Ni 1	-	78	980	5	12

One assay ton used for Au Pt Pd.

Certified by 



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

Geochemical Analysis Certificate

1W-0602-RG1

Company: **AQUILINE RESOURCES INC**

Date: APR-05-01


Project: **Nickel Island**

Client: **M. Walter**

We hereby certify the following Geochemical Analysis of 40 Core samples submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
165	9	-	54	1330	<5	12
166	2	-	58	873	<5	17
167	5	-	54	928	<5	14
168	2	-	55	907	<5	10
169	2	-	53	640	<5	10
170	5	-	62	1110	<5	9
171	3	5	58	888	<5	12
172	5	-	61	691	<5	12
173	2	-	60	548	<5	14
174	3	-	54	508	<5	9

One assay ton used for Au Pt Pd.

Certified by 

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

1W-0603-RG1

Date: APR-05-01


Geochemical Analysis Certificate

Company: **AQUILINE RESOURCES INC**
Location: **Nickel Island**
Analyst: **M. Walters**

We hereby certify the following Geochemical Analysis of 48 Core samples submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
2 32	Ni1	-	38	1570	5	7
2 33	Ni1	-	39	820	5	7
2 34	Ni1	-	37	641	5	5
2 35	Ni1	-	38	621	5	5
2 36	Ni1	-	28	594	5	9
2 37	2	-	29	621	5	12
2 38	Ni1	2	25	764	5	10
2 39	Ni1	-	33	692	5	12
2 40	Ni1	-	32	624	5	14
2 41	2	-	38	736	5	5
2 42	Ni1	-	37	732	5	12
2 43	Ni1	-	41	636	5	10
2 44	2	-	38	644	5	7
2 45	Ni1	-	36	731	5	14
2 46	Ni1	-	41	712	5	8
2 47	Ni1	-	31	572	5	14
2 48	Ni1	Ni1	39	623	5	9
2 49	Ni1	-	34	694	5	12

One assay ton used for Au Pt Pd.

Certified by 

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

Geochemical Analysis Certificate

1W-0603-RG1

Company: **AQUILINE RESOURCES INC**
 Project: **Nickel Island**
 Client: **M. Walters**

Date: APR-05-01

We hereby certify the following Geochemical Analysis of 48 Core samples
 submitted MAR-30-01 by .

Sample Number	Au PPB	Au Check PPB	Cu PPM	Ni PPM	Pt PPB	Pd PPB
Ni 2 02	Nil	-	48	735	5	7
Ni 2 03	Nil	-	79	696	5	9
Ni 2 04	Nil	-	60	660	5	7
Ni 2 05	Nil	2	51	571	5	12
Ni 2 06	Nil	-	43	955	5	5
Ni 2 07	Nil	-	49	1320	5	12
Ni 2 08	Nil	-	56	1020	5	9
Ni 2 09	5	-	54	800	5	9
Ni 2 10	Nil	-	55	948	5	10
Ni 2 11	3	-	52	1090	5	5
Ni 2 12	Nil	-	53	1650	5	5
Ni 2 13	3	2	51	1870	5	10
Ni 2 14	Nil	-	48	1500	5	9
Ni 2 15	Nil	-	47	3790	5	10
Ni 2 16	Nil	-	49	2210	5	9
Ni 2 17	Nil	-	74	988	5	5
Ni 2 18	Nil	-	43	1540	5	7
Ni 2 19	Nil	-	43	1450	5	9
Ni 2 20	Nil	-	46	1700	5	10
Ni 2 21	3	Nil	44	1150	5	9
Ni 2 22	Nil	-	41	2250	5	5
Ni 2 23	Nil	-	39	1560	5	5
Ni 2 24	Nil	-	36	1220	5	3
Ni 2 25	Nil	-	35	3050	5	3
Ni 2 26	Nil	-	37	1430	5	10
Ni 2 27	Nil	-	38	1600	5	7
Ni 2 28	Nil	-	35	1540	5	5
Ni 2 29	Nil	-	36	2340	5	5
Ni 2 30	Nil	Nil	34	3230	7	12
Ni 2 31	2	-	37	1280	5	7

One assay ton used for Au Pt Pd.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0
 Telephone (705) 642-3244 Fax (705) 642-3300

Date: 2001-MAY-22

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

DAVID MEUNIER
P.O. BOX 1624
403 DOME STREET
SOUTH PORCUPINE, ONTARIO
P0N 1H0 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.21040
Transaction Number(s): W0160.00137

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,



Ron Gashinski
Supervisor, Geoscience Assessment Office

Cc: Resident Geologist

David Meunier
(Claim Holder)

Martin John Walter
(Agent)

Assessment File Library

David Meunier
(Assessment Office)



42A10NW2004 2.21040

900

Work Report Summary

Transaction No: W0160.00137

Status: APPROVED

Recording Date: 2001-APR-09

Work Done from: 2001-MAR-19

Approval Date: 2001-MAY-01

to: 2001-MAR-31

Client(s):

169976 MEUNIER, DAVID

Survey Type(s):

ASSAY

PDRILL

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
P 1219078	\$0	\$0	\$3,600	\$3,600	\$0	0	\$0	\$0	2002-APR-09
P 1219079	\$0	\$0	\$4,000	\$4,000	\$0	0	\$0	\$0	2002-APR-09
P 1219080	\$19,401	\$19,401	\$5,200	\$5,200	\$14,000	14,000	\$201	\$201	2002-APR-09
P 1219081	\$0	\$0	\$6,400	\$6,400	\$0	0	\$0	\$0	2002-APR-09
	<u>\$19,401</u>	<u>\$19,401</u>	<u>\$19,200</u>	<u>\$19,200</u>	<u>\$14,000</u>	<u>\$14,000</u>	<u>\$201</u>	<u>\$201</u>	

External Credits: \$0

Reserve:

\$201 Reserve of Work Report#: W0160.00137

\$201 Total Remaining

Status of claim is based on information currently on record.

