

Diamond Drilling

1

A.L.

•.

.

Township KIDD


Report NO 26

Work performed by:

KIDD CREEK MINE

Claim NQ	Hole NQ	Footage	Date	Note
P 634361	к 54-24	601.7m	Sept-OCT/83	(1) (2)
	к 54 -2 5	596.2m.	Sept-Oct/83	(1) (2)
P 649913	K 64 - 7	579.4m.	Oct-Nov/83	(1) (2)
	к 54-28	674m.	July-Aug/84	(1) (2)

Notes: (1) #98-85 (2) #98a-85 CARNEGIE TWP - M.441



State of the second

DRILL HOLE REC	ORD			eek Mines Ltd.				
HOLE NO	PROPER	TY Greek. Bed. Cl. P-649913	aim PROJE	ECT NO	CONTRACT	OR Bradle		ART .October.26 IISH .November.7.
COORDINATES Gri	d Location: Lat	itude . 108, + 90	N UT	M:Lat. 5393709.7mN	* Surveved	d: Lat. 10890	OmN. Mir	ne Grid: Lat.
		parture 89. +. 73.			•			Dep
	00		L, , ,	Dep. 471095.7mE (Estimated Location) Location	Elevation	3320m Annuav	imatelyElev. 33
COLLAR ATTITUDE A	imuth	Dip ⁻ 55° Acid Te		+ . <u>579,4 m</u> . CORE SI	ze . <u>BQ</u>		Compass Tests	
	Depth	Dip	Depth	Dip	Depth	Dip	Azimuth	True Azimu
					98.45m	51°	16 SW	187 "
					128.93m	48°	17 SW	188*
	-		·		165.51m	44°	15 SW	186*
					232.56m	41.5	20 SW	191
					293.52m	39	23 SW	194 *
			<u></u>		351.43m	36	25.5 SW	196.5
	<u></u>	<u> </u>			412.39m	32 *	27 SW	198*
					473.35m	28.5	32 SW	203
REMARKS : K64-7 drill	ed under the	original flood p	lain of Kid	ld Creek or	<u>534.31m</u>	22°	34 SW	205
alaim D CAO	ara ou Novemp	er 3 to 5, 1983	from 410 to	505 m downhole.	570.89m	20 "	36 SW	207
claim P-649								

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
0.0	410.Om	Not applicab	le for assessm	ent.					
410.0	412.3m		Uniform pale buff color.	Lapilli up to 5 cm		Subrounded buff lapilli with little neterolithic variety. Clast-supported. Some clasts are vesicular, all are aphyric. No graphitic clasts occur nor are there any with leucoxene. Matrix is pale buff colored throughout. Lower contact is a granular carbonate	Varies from weak to strong pervasive carbonatization	Rare pyrrhotite clast up to 1cm diameter.	Upper contact is faulted Differs from adjacent volcaniclastics in having very little color contrast between clasts and matrix.
412.3		PILLOWED MAFIC VOLCA- NICS (with in situ brecciation that mimics volcani- clastic textures)	Light green overall.	Very fine	Aphyric	vein at 40°. Best example of extreme in situ brecciation where uniformly altered clasts are either supported by a pale buff matrix or are self- supporting. Recognizable chert beds occur locally at 60°. Pyrrhotitic hyaloclastite occurs every 0.5 to 1 m.	Moderately to strong in situ brecciation with negligible movement and a light buff matrix which has almost destroyed all primary textures. Key to recoginzing pillowed nature is broken clasts have almost uniform alteration with the only variety being due to bleached pillow rims and "normal" variation.	overall as clasts clots and replacing hyaloclastite between pillows.	Pillowed mafic volcanics host 3 creamy siliceous laminated exhalite beds at 416.1 to 416.3, 420.1 to 420.2, and 424.53 to 424.87m.

•

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
442.6	468.2m	MAFIC VOLCANIC (flow?)	Medium to dark grey	Fine	Aphyric	Moderate to strong in situ brecciation with black matrix and dark grey penetrative staining of clasts from 442.6 to 461.3m, <u>No</u> in situ brecciation from 461.3 to 468.2m. No foliation until about 464 m where a weak foliation at 50° is developed. No volcanic flow features such as amygdules, selvedges or phenocrysts are present. No sedimentary features such as bedding developed. Uniform massive mafic from 461.3 to 468.2 is medium grey stained by carbon. Matrix to in situ brecciation is black due to carbon.		Nil overall Very very rare pyrite plated on carbonate fractures.	Dramatic end of in situ e brecciation occurs at 461.3m.

.

Page3.....

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
468.2	475.8m	MAFIC VOLCANIC (flow)	Buff	Fine	Aphyric	Mafic flow with amygdules most concentrated near 468.2m but being fairly common down to 471.6m. A 1 cm thick carbonate laminate at 50° occurs at upper contact. Only minor carbo- nate veins. No foliation or evidence of faulting Lower contact at 45° is confomable. Minor basal chill brecciation to flow. Vein breccia at 474.8 to 475.1m.		Nil within flow overall. Trace pyrite cubes near lower contact from 474.3 to 475.8m.	Dramatic change in colors are definitely unit specific. Flow morphology indicates uphole tops.
475.8	481.2m	GRAPHITE ZONE	Black	Fine	Thickly bedded	Bedding at 45 ⁰ defined by thin (1 to 10 mm) very fine tuffs which locally are folded (fold nose at 476.7m Boudinaged pyrr- hotite beds up to 1 cm thick occur throughout. Only pyrrhotite concretions occur at 475.8 and 479.2m.		About 1% pyrrhotite overall containing very rare trace chalcopyrite. Most of pyrrhotite was as laminated beds up to 1 cm thick that have been boudinaged. Concretions only occur at 475.8 and 479.2m. Only pyrite present are late grown	conductive graphite zone.

.

÷

K64-07

Page4......

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
475.8	481.2m	continued				Upper and lower contacts conform- able at 45 to 60 ⁰ Almost pure graphite with less than 10% detrital ash from 475.8 to 480.8m No evidence of faulting.		cubic agglomerations from 475.95 to 476.1m. Pyrrhotite may be a primary mineral in these beds	Thick and strongly conductive graphite zone.
481.2	494.8m	FELSIC ASH TO LAPILLI TUFFS WITH MINOR GRAPHITIC ARGILLITE	Light grey to black	Very fine ash to lapilli	1 to 2 mm) and feldspar (trace, 1mm)	Thickly bedded at 60 to 65° with a major fault zone from 484.7 to 485.0 m marked by gouge, strong foliation and broken veining. Foliation in fault is at 55°. Subunits as follows: 481.2 to 482.0m= quartz porphyritic (5-7%; 1 to 2mm) felsic ash tuff with 1% pyrite cubes (3 to 5 mm). 482.0 to 482.14m= graphite bed with 2% pyrrhotite 482.14 to 484.70m= very fine felsic ash with 0.3% fine quartz phenocrysts and 1% graphitic		Overall nil. Only sulphides are pyrite cubes deve- loped in some fine felsic ash beds as noted at left. Most units are sulphide- free. A cavity filled with broken pyrrhotite beds occurs at 494.7m	

FROM TO ROCK TYPE COLOUR GRAIN SIZE TEXTURE STRUCTURE ALTERATION SULPHIDES REMARKS 481.2 494.8m FELSIC TUFFS (Continued) Iminae to fine beds, 485.00 to 485,00m fault; graphitic, sheared 485.00 to 486.73m carbonaceous felsic tuffs and argilite Iminae to fine beds, 486.73 to 487.73 to 486.73 to 487.73 to 70 mm Iminae to fine beds, 486.73 to 487.73 to 70 mm Iminae to fine beds, 486.73 to 487.73 to 70 mm 481.2 494.8m FELSIC TUFFS (Continued) Iminae to fine beds, 486.73 to 487.73 to 70 mm Iminae to fine beds, 486.73 to 488.20m Iminae to fine beds, 487.73 to 488.20m Iminae to fine beds, 488.20 mm Iminae to fine beds, 488.20 to 494.8mm Iminae to fine be		•							
(Continued) 484.70 to 485.00m [±] fault; graphitic, sheared 485.00 to 486.73m [±] carbonaceous felsic tuffs and argillite 486.73 to 487.35 m [±] Normally graded felsic lapllit uff with 1% quartz and 3% feldspar pheno- crysts indicates up- holes tops. Bedding at 60°. Trace pyrite cubes in top 10 cm. 487.35 to 488.20m [±] very fine felsic ash tuffs with interbeds of graphite (lmm to 4 cm) 488.20 to 494.8m [±] medium grey-green	FROM	то	ROCK TYPE	COLOUR	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
	481.2	494.8m	FELSIC TUFFS (Continued)			484.70 to 485.00m= fault; graphitic, sheared 485.00 to 486.73m= carbonaceous felsic tuffs and argillite 486.73 to 487.35 m= Normally graded felsic lapilli tuff with 1% quartz and 3% feldspar pheno- crysts indicates up- holes tops. Bedding at 60°. Trace pyrite cubes in top 10 cm. 487.35 to 488.20m= very fine felsic ash tuffs with interbeds of graphite (1mm to 4 cm) 488.20 to 494.8m= medium grey-green very fine grained			

÷

K64-07 Hole No.

Page<u>6</u>.....

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
494.8		and pillows)	grey & medium	Very fine		Mafic flows, massive non-amygdaloidal with shear zones and in situ brecciation and grey staining adjacent shear zones. Subunits as follows: 494.8 to 495.8m= medium grey in situ brecciated mafic volcanic. 495.8 to 496.45m= strongly foliated (60°) shear zone. 496.45 to 500.2m= in situ brecciated massive mafic grading from medium grey near 496.45 to buff near 500.2m. 500.2 to 505.0m= buff poorly pillowed mafic volcanics with a minor grey ir situ breccia zone from 503.3 to 504.8m.	carbonatization throughout with grey zones related to in situ brecciation caused by carbon.	Nil sulphides overall.	
		End of hole							

÷

K64-07 Hole No. .

ŕ

					J.		EK MIN)	RECOR	DRILL HOLE R
t. 20/63 . 12/83			ġġļęy į	FOR Brad	CONTRACT		CT NO74	PROJE	bed claim 4361	TY Creekl #P-634	PROPER	ł	HOLE NO
nt ep ev. 3319.3m				d: Lat Dep Elevatior	•	20.3N 15E	1: Lat. 5392 Dep. 4709		3+80N 38+00E			Grid Loc	COORDINATES
				••••	eBQ	CORE SIZ	601,7m	LENGTH	. 55 ⁰	Dip.	0300	Azimuth	COLLAR ATTITUDE
		mpass Tests	Co						Acid Tests				INCLINATION TESTS
e Azimuth	Т	Azimuth	b	Dip	Depth		Dip	Depth		Dip	Depth		
	0	38 NE	50	57.5 ⁰	138.1m			<u>_</u>	·			-	
.5 ⁰		40.5 NE		57 ⁰	<u>168.6m</u>							_	1
	0	41 NE		56 ⁰ 54 ⁰	202.1m				· <u> </u>			-	
	0	<u>44 NE</u> 47 NE		52 ⁰	<u>264.9m</u> 324.0m							-	
	04	49 NE	50	55.5 ⁰	386.8m				·				
	04	53 NE		56 ⁰	447.8m							_	
)	04	56 NE		56 ⁰	500.8m								
.50	0	59.5 NE		53 ⁰	561.7m		of Kidd	ood plair	or the fl	P-634361	low claim	passed be	REMARKS : K54-24
1.20 198	Ma	Star +	6 +	\mathbb{P}^{I}			lownhole.	to 400m c	from 275m	30, 1983	er 28 to	on Septemb	Creek o
-		Hewa t	but :		FTAXIADIS O	Property	lownhole.	to 400m c	from 275m	30, 1983 	er 28 to Date	on Septembe	Creek o , R. Stewart

. . . . -----.

.

<u> </u>	r - I		•		1	Г	· · · · · · · · · · · · · · · · · · ·		T
FROM	_ то	ROCK · TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
0.0	275.Om	Not applicabl	e for assessme	nt.					
275.0	300.Om	ARGILLITE	Medium grey to dark grey.	Very fine	Laminated and bedded	Bedding and lamin- atjons are at 0 - 15 ⁰ with 0 to 5 ⁰ being most common. Some slump style folds.	Rare carbonate veinlets and single quartz- carbonate-margarite (?) vein at 277.5m. Weakly carbonaceous overall.	Very rare (0.1%) medium grained pyrite cubes.	
						Bed rich in car- bonaceous chips at 287.3 to 287.6m. Minor fault at 500 to core axis at 287.9m. Lower contact is indistinct. Bedding at 300.0m is at 200. Contact is based on loss of common medium grey argillaceous laminae. This loss is gradational from 290.4 to 300.0m.			
300.0	314.4m	ARGILLITE	Back	Very fine grained	Bedded, uniform	argillite with only	Minor calcite veinlets, moderate non-conductive carbonated content.	Very, very rare, very coarse pyrite (1cm) cubes with thin calcite pressure shadows.	

÷

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
314.4	339.2m	LAMINATED ARGILLITE	Medium grey to black laminae	Very fine to fine grained	Laminated	Finely laminated from 314.4 to $332.5m$ at 20 to 25° then bedded and laminated at 20° to 339.2m. Strong foliation at 90° to bedding.	Rare calcite veinlets, weak carbonaceous.	Very rare, very coarse pyrite cubes.	
339.2	400.Om	ARGILLITE	Black	Very fine	Laminated and bedded	Contains about 10% dark grey lamina- tions down to 362m then it is uniformly black and thickly bedded. Bedding is at a uniform 20 to 25° core axis. Cleavage is well developed at a very high angle to bedding. Blocky core occurs in a zone of common milky quartz veins from 373 to 400.0m. Quartz veins are 20 to 30cm thick and occur about once every 1.5m.	Minor calcite veinlets overall. Weakly to moderately carbonaceous and locally weakly conductive.	Very, very rare, very coarse pyrite cube in argillite and rarely in quartz veins.	
400.0	601.74m	Not applicabl	e for assessme	nt.					
	601.74m	END OF HOLE							

K54-24 Hole No.

8 Page

.

KIDD CREEK MINES LTD. DRILL HOLE RECORD EXPLORATION DIVISION PROPERTY Creekbed claim # 'P-634361' CONTRACTOR Bradley Brothers START September 25, 1983 FINISH October 12, 1983 COORDINATES UTM: Lat. 5392066N Surveyed: Lat. Mine Grid: Lat. Departure L86E Dep. 470719E Dep. Dep. Elevation Approximate Elev. 3318.8m. Azimuth 030⁰ Dip -55⁰ LENGTH 596.2m COLLAR ATTITUDE CORE SIZE BQ INCLINATION TESTS Acid Tests **Compass Tests** Depth Dip Depth Dip Depth Dip Azimuth True Azimuth 55.5⁰ 38.5⁰ NE 107.6m 29.5⁰ 55.5⁰ 40.5° NE 171.6m 31.5⁰ 56.0⁰ 42.5⁰ NE 33.5⁰ 229.5m 56.0⁰ 44.0⁰ NE 35.00 290.5m 52.5⁰ 47.5° NE 38.5⁰ 349.6m 51.0⁰ 50.0⁰ NE 41.00 410.6m 49.5⁰ 54.0⁰ NE 45.00 471.5m 57.5° NE 44.00 592.2m 48.5⁰ REMARKS: K54-25 passed below claim P-634361 or the flood plain of Kidd Creek on October 4, 1985 from 450m to 596.2m downhole. Robert Stewart March 20, 1985

R. Stewart

Date October, 1983

Property Eftaxiadis Option

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
0.0	450.0 m	Not applicabl	e for assessme	nt.					
450.0	453.0 m	PSAMMITE AND CONGLOMERATE	Medium to dark grey	Fine to medium grained, pebbles average 2cm in conglom- erates.	Bedded	Interbedded psammite and conglomerate with quartz-carbon- ate veins at 450.0m and 452.5m.	Weakly carbonatized overall.	Essentially nil.	
453.0	553.5 m	ARGILLITE AND GRAPHITIC ARGILLITE	Medium to dark grey, black	Fine to very fine grained	Bedded	Bedding at 30 ⁰ to core axis. Cleav- age and hairline quartz-carbonate veinlets are parallel to bedding.	Weakly conductive graphitic argillites from 453 to 497m with a strongly conductive graphitic argillite zone from 461.0 to 481.0m. From 497 to 553.5m the argillites are weakly carbon- aceous and non- conductive.	About 0.1% pyrite as cubes and boudin- aged laminae. Where the pyrite forms beds the content locally reaches 1% overall. From 453.0 to 497.0m the beds are pyritic and contain con- ductive graphitic argillite.	Gritty argillite beds account for 5% of total core at top of the unit and this com- ponent increases gradually to about 25% by 541.0m. Gritty argillite beds are well developed at: 500.2 to 500.7m 502.4 to 503.8m 507.3 to 507.8m 519.2 to 519.7m and 526.4 to 527.4m. The beds locally contain black argillite rip-ups.
553.5	579.4 m	PSAMMITE AND ARGILLITE	Light grey to dark grey	Fine to medium	Bedded	Bedding 30 to 40 ⁰	Weakly carbonaceous overall with about 2 to 5% quartz-carbonate tension gashes overall. Thick (1m) quartz veins occur at 553.5 and 579.4m	About 0.1% pyrite overall.	

FROM	то	ROCK TYPE	COLOUR	GRAIN SIZE	TEXTURE	STRUCTURE	ALTERATION	SULPHIDES	REMARKS
579.4	596.2 m	ARGILLITE	Dark grey	Fine grained	Bedded	Bedded at 20 ⁰ to 40 ⁰ to core axis. About 1% quartz- carbonate veinlets.	Weakly carbonaceous overall with minor quartz-carbon.	About 0.1% pyrite as coarse (2cm) cubes.	
596.2m		End of Hole.							
								5	
	:								
	Ĩ								

Hole No. K54-25

Exploration's Metric Grid - 103+99.0 m N 9-478.6 m E Kidd Creek Mines Ltd. K54-28 IMPERIAL MINE GRID 674 m (2,211') D.D. HOLE NO. LENGTH. 213,888.87 2010 -65 DIP COLLAR Azimuth CO-ORD COMP. NO. VERT. DEPTH OVBDN 210,521.63 -610 125 m 2090 MACH. NO. Mobile BQ CORE SIZE 899.70 -47.5 382 m 223.5 COLLAB FLEV P. Coad RIG LOGGED BY -36.5 229.5 BOTTOM ELEV 517 m D. Gagnon SAMPLED BY. July 8, 1984 -250 BEGAN . 659 m 235.5 CHECKED BY August 2, 1984 FINISHED. Stratigraphic Drilling PURPOSE ____ **METRIC LOG** METRAGE METRES CORE DESCRIPTION FROM то NOTE - a mistake was made by drillers converting feet to metres when calculating length of casing in start of hole. Initial coring is indicated to start at 58 m. It should be 54 m. Four metres should be subtracted from all metrage markers in core boxes to get exact position in hole. Metrage indicated in log does however represent true position in hole. Ó 340 m Not filed for assessment 340 385 m MAFIC VOLCANICLASTIC - DEBRIS FLOW Mixed variety of lapilli to block sized clasts of andesite/diorite, mafic volcanic, fuchsite - altered ultramafic, black argillite, pyrrhotite-rich argillaceous clasts (<2% of unit), rare rhyolite clasts. Clast/matrix ratio is high (ie. clasts tightly packed in carbonaceous matrix). Sulphides (340 - 385 m) - <1% pyrrhotite (magnetic) primarily in argillaceous clasts. 385 674 m 289 Not filed for assessment. 674 m E. O. H. 1985

Geology M01 - Typo-Press Timmins #911

CURRICULUM VITAE


PAUL COAD


I hereby certify that I graduated from the University of Western Ontario with an Honours B.Sc. in geology in 1974 and from the University of Toronto with a M.Sc. in economic geology in 1976. I have worked several field seasons with the Ontario Geological Survey, completing field mapping and mineral deposit research on nickel sulphide deposits in the Abitibi Belt. Additional survey work has included one season in the Roberts Arm Group, Newfoundland, with the Geological Survey of Canada, and base metal and carbonatite exploration with Riocanex Inc. in Quebec and Ontario. In January 1977, I joined Texasgulf Canada Ltd. as research geologist and I am currently employed as senior research geologist with Kidd Creek Mines Ltd. I am a member of the CIM, the Prospectors and Developers Association, the Porcupine Geological Discussion Group, and a Fellow of the Geological Association of Canada.


Paul Corpt March 21, 1985


Noturol	eport Work	-+*	. 098,		1NW0553 26 KIDD			9		
Name and Posta ddress of F	Recorded Holde	r	The [Prospector's L			
Kidd Creek Mine	Kidd Creek Mines Ltd. " Kudd Durp 7 T-1848									
P.O. Box 1140, Summary of Work Perform	P.O. Box 1140, 571 Moneta Avenue, Timmins, Ontario P4N 7H9									
Total Work Days Cr. claimed	Prefix	1ining Claim Number	Work Days Cr.	N Prefix	Aining Claim Number	Work Days Cr.	Mining) Claim Number	Work Days Cr.	
1348.4 for Performance of the follow		634361	448.4							
work. (Check one only)		634362	200			·			-	
Shaft Sinking Drifting o		649913	700	- kt		11 SU20				
other Lateral Work. Compressed Air, other Power driven or mechanical equip.					Í					
Power Stripping					<u>(1997)</u>				-	
Diamond or other Core drilling					Provide the second s	ר ד				
							ж. Т			
All the work was performed o	n Mining Clain	n(s): P= 630	4361	a.	nd P-64;	9913				
Required Information eg:	type of equi	pment, Names, A	ddresses, e	tc. (See	e Table Below)					
All work was carried out on claims P-634361 and P-649913 during the periods of September 28 to 30, October 4 to 12, and November 3 to 5, 1983 plus July 18 to 19, 1984.										
Diamond drilling was carried out by Bradley Brothers Ltd. of Highway 101 West, Timmins, Ontario (705) 268-1456. A Boyles Type 35A rig was the principal equipment used.										
The work was can	rried as	follows:								
	CLAIM P-	634361								
		4-24 125r 4-25 146r	n of dr	illing	g filed = 410. g filed = 479.	1 days	s credit			
مردوم معرفها هو المردوم معرفها معرفها معرفها والمردوم المردوم المردوم المردوم المردوم المردوم المردوم المردوم ا المردوم المردوم	CLAIM P-	649913			g 111eu - 479.	U uay:				
	_	K64-0795m of drilling filed = 311.7 days creditK54-2845m of drilling filed = 147.6 days credit								
MAR 2 - SO	TOTALS	K54-2845m of drilling filed = 147.6 days creditOTALS411m of drilling filed=1348.4 days credit								
<u></u>		March 21, 1985 Recorded Holder or Agent (Sign								
Certification Verifying Rep	oort of Work				······		·····			
I hareby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true. Name and Postal Address of Person Certifying										
Robert Stewart, 571 Moneta Avenue, Box 1140, Timmins, Ontario P4N 7H9										
Table of Information/Attachments Required by the Mining Recorder										
Table of Information/Atta	[uired by the Mini		1	her information (Con	men to 3		Attachr	ments	
Manual Work										
Shaft Sinking, Drifting or ther Lateral Work		Nil			Names and addresses of men who performed manual work/operated equipment, together with dates and hours of employment.			Work Sketch: these are required to show the location and extent of work in relation to the		
Compressed air, other power driven or mechanical equip.	pment	it ^u								
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording. Names and addresses of owner or operator together with dates when drilling/stripping						m post.			
Diamond or other core Signed core log showing; footage, diameter of done. done. done. done.				-				Work Sketch (as above) in duplicate		
Land Survey	Name and ac	idress of Ontario lan	id surveyer.			Nil		Ni	1	
768 (81/3)										

Ontario Natural Resources of	port Work		* 098/ AD The N	85		type of v For Geo-t	vork to be reco echnical work us Geological, Geop tres)".	orded (see tab e form no. 136 hysical, Geoch	ble below). 52 "Report
							Prospector's Lic		
P.O. Box 1140.	Kidd Creek Mines Ltd. "Kudd Cupp T-1848 P.O. Box 1140, 571 Moneta Avenue, Timmins, Ontario P4N 7H9 Summary of Work Performance and Distribution of Credits								
Total Work Days Cr. claimed	h	lining Claim	Work		Vining Claim	Work	Mining		Work
1348.4 for Performance of the follow	Prefix	Number	Days Cr.	Prefix	Number	Days Cr.	Prefix	Number	Days Cr.
work. (Check one only)	ing P	634361	448,4						
Manual Work		634362	200		. B.S. 22				
Shaft Sinking Drifting o other Lateral Work.	er Station Stations of Stations Stations of Stations	649913	700	• .	ONTARIO GEOLO ASSESSME RESEARCI	VT FILE	8		
mechanical equip.					APR 2	5 1985		· · ·	
Diamond or other Core drilling Land Survey		·			RECE	IVE			
All the work was performed o	on Mining Clair	n(s): P.63	4361	ġ	nd P-64	9913.	Rodand Hinto 🗣		L
Required Information eg:	type of equi	pment, Names, A	Addresses, e	etc. (Se	e Table Below)				
All work was ca September 28 to 18 to 19, 1984.	All work was carried out on claims P-634361 and P-649913 during the periods of September 28 to 30, October 4 to 12, and November 3 to 5, 1983 plus July								
Diamond drilling was carried out by Bradley Brothers Ltd. of Highway 101 West, Timmins, Ontario (705) 268-1456. A Boyles Type 35A rig was the principal equipment used.									
The work was ca	rried as	follows:							
101479 FOL AVA -	$\frac{\text{CLAIM P-634361}}{\text{K54-24}}$ K54-24 125m of drilling filed = 410.1 days credit K54-25 146m of drilling filed = 479.0 days credit								
MAR 2 1985	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$								
							er or Agent (Signature)		
Certification Verifying Rep	Certification Verifying Report of Work								
	I hareby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.								
Name and Postal Address of Person Certifying Robert Stewart, 571 Moneta Avenue, Box 1140, Timmins, Ontario P4N 7H9									
			٠	•	Date Certified March 21	, 1985	Certified by (Si		
Table of Information/Atta	chments Red	uired by the Mi	ning Record	der					
Type of Work		cific Information p	ber type		her information (Cor	nmon to 2	or more types)	Attachm	nents
Manual Work									
Shaft Sinking, Drifting or ther Lateral Work	Names and addresses of men who performed manual work/operated equipment, together with dates and hours of employment. Work Sketch: these are required to sho the location and						to show and		
Compressed air, other power driven or mechanical equip.	Type of equ	ipment ****						extent of we relation to t nearest clair	he
Power Stripping	wer Stripping Type of equipment and amount expended. Wer Stripping Note: Proof of actual cost must be submitted within 30 days of recording. Names and addresses of owner or operator together with dates when drilling/stripping							-	
Diamond or other core drilling		aned core log showing; footage, diameter of re, number and angles of holes. Work Sketch (as above) in duplicate							
Land Survey Name and address of Ontario land surveyer, Nil Nil									









•



220

ł

•

*

.

	KIDD TP. DDR #26						
	KIDD CREEK MINES LTD.						
	KIDD 54						
	KIDD Twp						
Robert Stewart March 20,1985	SECTION B-B'						
\mathcal{D}	LOOKING 325°						
Paul (0AB March 21, 1985	SCALE I 5,000 0 100 200 300 400 500						
• •	Date of Survey 14/03/85 Drawn by Milene Survey by Stewart N T S 42-A/11						