


2.20805

DIAMOND DRILL CORE LOG-SUMMARY SHEET



Project: Enid Creek -Loveland Township  
Date: December 3 to 12, 2000  
Logged by: Robert Calhoun  
Drilling Co: Colbert Drilling

DDH: EL25-09

Claim Number: P. 1037162

COLLAR LOCATION: L50510N/10180E

SURVEYS: Acid Test

UTM COORDINATES

GRID COORDINATES

	<u>Depth</u>	<u>Azimuth</u>	<u>Dip</u>
Setup:	<u>0.0m</u>	<u>330°</u>	<u>-65°</u>
	<u>117.0m</u>		<u>-62°</u>
	<u>204.0m</u>		<u>-62°</u>

Northing:	5389120N	50510N
Easting:	454314E	10180E
Elevation:	0.0 meters	
TD:	279.0 meters	

DRILLING DATES

Started: December 3, 2000  
Finished: December 12, 2000

42A12NE2021 2.20805 LOVELAND



010

DIAMOND DRILL SUMMARY LOG

Project: Enid Creek -Loveland Township  
 Date: December 3, 2000  
 Logged By: R. F. Calhoun

DDH: EL25-09

GEOLOGIC SUMMARY

FROM		TO	DESCRIPTION	INTERVAL			SIGNIFICANT ASSAY AVERAGES						
(m)	(m)			From (m)	To (m)	Width (m)	Cu ppm	Ni ppm	Co ppm	Pt ppb	Pd ppb	Rh ppb	Au ppb
0.0	24.5		Overburden										
24.5	104.3		Gabbro										
104.3	110.2		Gabbro										
110.2	140.6		Gabbro										
140.6	148.2		Andesite										
148.2	168.8		Gabbro										
168.8	185.2		Andesite										
185.2	233.2		Gabbro										
233.2	235.6		Andesite										
235.6	272.3		Gabbro	243.6	245.6	2.0	2245	1799	131	42	233	n/a	14
272.3	279.0		Andesite	250.1	251.7	1.6	3310	3370	198	48	266	n/a	106
	279.0		End of Hole										

COMMENTS

# Diamond Drill Log

2. 1. 03

Property: Enid Creek Loveland Township

Hole Number: EL25-09

Claim Number: P 1037162

Location: L50510N/10180E

Final Depth: 279 meters

Logged By: Robert Calhoun

Azimuth: 330°

Dates Drilled: December 3 to 12, 2000

Drilled By: Colbert Drilling

Dip: -65°

Dates Logged: December 4 to 13, 2000

Signature:  P GEN

Assays													
From	To	Description	Sample #	From	To	Length (meter)	Cu ppm	Ni ppm	Co ppm	Pt ppb	Pd ppb	Rh ppb	Au ppb
0.0	24.5	Overburden											
24.5	104.3	Gabbro -medium to coarse grained, medium to locally dark grey green, massive. Unit is quite competent with only minor fractured sections. There are only small sections of weak bleaching <10 cm in length. The crystals are diffuse with rare feldspars with well defined edges. 54.0-67.9m -feldspars are more developed, unit has a mottled appearance, there are small epidotitic silica veins and small carbonate veins at high angles to core axis 75-85°. Sulfides are trace pyrite, possible pyrrhotite. This maybe a quartz gabbro. 101.2-101.3m -minor grains of chalcopyrite, pyrrhotite 103.0-104.3m -fine grained, possible andesite "layer", massive with minor feldspars. Upper contact gradational. Lower contact fairly sharp at 35° to core axis. There is minor pyrrhotite associated with the andesite especially near upper contact.											
104.3	110.2	Gabbro -fine to coarse grained, dark grey green to whitish in feldspar accumulates. This section is disrupted with a crude layering as feldspar accumulates and dark green finer layers possible chlorite and medium green fine layers andesitic in appearance. There are minor sulfides associated with the contacts there are nodule like quartz, white milky to <0.5 cm.											
110.2	140.6	Gabbro -fine to medium grained, medium to dark grey green with finer feldspars <1 mm in size but abundant. There are minor fine grained sections <10 cm in size with minor feldspar. Sulfides of pyrrhotite and minor chalcopyrite were noted from 111.2-112.0m. There are minor quartz veins, milky white 5 cm wide at 40° to core axis. There is a band of andesite											

## Diamond Drill Log

Hole # EL25-09

From	To	Description	Sample #	Assays									
				From	To	Length (meter)	Cu ppm	Ni ppm	Co ppm	Pt ppb	Pd ppb	Rh ppb	Au ppb
		<p>from 118.45-118.75m with contacts 90° to core axis, sericitic green. Fragments of andesite were noted 119.6m, 2cm x 1cm, porphyritic.</p> <p>120.9-122.7m -Gabbro becomes finer grained, feldspars are smaller but abundant.</p> <p>122.7-123.9m -Andesite -fine grained, pale green grey with amygdules of feldspar and dark quartz(silica). Feldspars are small but the silica can be up to 2mm in diameter. There are also dark silica filled fractures towards the end of the unit. Upper contact 44° to core axis, fairly sharp, lower is 85°, sharp, with feldspar accumulate in gabbro at contact.</p> <p>125.5-127.2m -Andesite -similar to above. Upper and lower contacts 38° to core axis, feldspars in gabbro as accumulates at both contacts.</p> <p>130.4-134.7m Andesite -fine to medium grained, local gabbro in bands, medium to dark green with white feldspars to pale green saussauritized, minor pale green epidote coloured sections. There is a grey siliceous section at upper contact to 131.0m with contact 40° to core axis.</p> <p>136.0-138.1m -Andesite as above with gabbroic appearance locally.</p>											
140.6	148.2	<p>Andesite</p> <p>-fine to medium grained, medium to dark green as above. There maybe some crude layering in the unit with feldspar poor and feldspar rich sections, There is patchy alteration as bleaching and probable epidote in veins. The unit maybe a finer gabbro.</p>											
148.2	168.8	<p>Gabbro</p> <p>medium grained becoming coarser down section, medium grey to grey green with local feldspar accumulates. The unit is massive except as noted below.</p> <p>149.7-150.3m -quartz veining and graphite. Milky white quartz veins and calcite "interbedded" with graphite, highly conductive. Upper contact 50° and lower at 40° to core axis. There is some graphite staining in the gabbro for &lt;0.5cm at each contact.</p> <p>157.5-18-58.9m -fine grained, medium green grey possible andesite with gabbroic sections.</p> <p>161.1-161.9m -fine grained, medium to dark grey andesite with minor quartz carbonate veins. Upper and lower contacts at 45° to core axis.</p> <p>There are pink feldspathic sections from 165.5-167.2m as grains and small fracture fillings. The lower contact of the gabbro at 168.8m has a feldspar vein accumulate &lt;0.5cm wide, white. Lower contact 53° to core axis.</p>											
168.8	185.2	<p>Andesite</p> <p>-fine to medium grained. Medium to dark green grey to mottled with feldspar, possible gabbroic sections. Gabbro sections range from 10cm to 1m, medium to coarse grained, grey green in colour. The andesite is moderately siliceous.</p> <p>168.8-174.0m -upper part of the unit has variable alteration or is brecciated with paler green "fragments" to 3cm and local mottled textures.</p>	52520	174.25	174.6	0.35	17	52	5	<5	<5		29

## Diamond Drill Log

Hole # EL25-09

From	To	Description	Sample #	From	To	Length (meter)	Assays						
							Cu ppm	Ni ppm	Co ppm	Pt ppb	Pd ppb	Rh ppb	Au ppb
185.2	233.2	<p>174.25-174.6m -black layer of andesite with minor carbonate veining. This section has a tan brown mineral which is as grains and one fine laminae. The laminae is conductive. This mineral appears like honey sphalerite but should not be conductive.</p> <p>174.6-181.6m -andesite mixed with gabbro with some sections of the andesite having a mottled appearance with feldspars maybe porphyritic or re-crystallized. There is variable alteration in the lower part of the unit giving a fragmental appearance as above.</p> <p>181.6-182.9m -Gabbro -forms contacts 75° upper and 85° lower to core axis.</p> <p><b>Gabbro</b> -medium to coarse grained, medium grey green, massive. Unit has mottled appearance in areas of feldspar accumulations. There are small &lt;5cm wide fine grained "veins", infrequent. There is more abundant quartz in this unit, maybe a quartz gabbro. Near upper contact there are minor carbonate veins and minor pink feldspars locally associated with carbonate veining.</p> <p>194.9-198.3m -Andesite -fine grained, medium to dark green massive. The contacts are at low angles to the core axis 15° with quartz/feldspar in veins &lt;0.4cm wide. The upper contact has a silicified zone 5cm wide, light to medium grey, hard, very fine grained. Lower contact is bleached and weakly siliceous. The main unit is weakly siliceous.</p> <p>198.3-204.8m -there are several quartz filled laminae veins in this section, light grey, hard, sub-parallel to core axis and 60° to core axis.</p> <p>204.8-207.4m -gabbro becomes finer grained, medium grey to grey green with saussauritized feldspars. This section contains a mustard yellow "silicate" mineral which is abundant from 205.2-205.9, 3-5%. Remainder of section &lt;1%. Upper and lower contacts are gradational.</p> <p>207.4-233.2m -Gabbro -medium green grey, massive coarse grained mainly. There are local quartz veins especially between 221.7-228.3m. Quartz occurs as "flooded" areas and as veins &lt;1cm wide, sub-parallel to core axis. There is minor chalcopyrite associated with the quartz at 228.3 and 229, minor chlorite.</p>											
233.2	235.6	<p><b>Andesite</b> -fine grained, medium green, moderately siliceous forms low angles to core axis 20° upper and lower. There is a chilled margin at the upper contact. Chilled margin is less pronounced at lower contact.</p>											
235.6	272.3	<p><b>Gabbro</b> -altered, mineralized, the gabbro in this section is highly variable in grain size and colour. The unit varies from fine grained dark green to coarser grained bleached whitish with local areas of feldspar accumulates.</p> <p>235.6-238.0m -section starts with coarse gabbro becoming finer grained to medium grained, dark green, possibly chloritic. Very minor sulfides.</p>											

# Diamond Drill Log

Hole # EL25-09

From	To	Description	Sample #	Assays									
				From	To	Length (meter)	Cu ppm	Ni ppm	Co ppm	Pt ppb	Pd ppb	Rh ppb	Au ppb
		238.0-240.6m -dark green with feldspar patches, chloritic, weakly mineralized.	52521	238.0	239.2	1.2	30	83	13	<5	<5		10
		240.6-243.6m -light grey, whitish with local fine grained, medium grey sections.	52522	239.2	240.6	1.4	269	161	64	<5	<5		15
		Sulfides of pyrrhotite and chalcopyrite, 3% to local 5% as clots and fine disseminations.	52523	240.6	241.8	1.2	1480	1210	73	27	75		31
		Chalcopyrite <1% as exsolutions in pyrrhotite and as individual grains.	52524	241.8	243.6	1.8	98	212	30	14	27		15
		243.6-245.6m -similar to above except the sulfides increase to 5-8%, possible 10% locally as large clots to 1cm pyrrhotite with chalcopyrite <1% as grains and exsolutions.	52525	243.6	244.6	1.0	2580	1540	115	29	194		17
		245.6-147.8m -gabbro -medium grained, defined feldspars and 1-3% sulfides of pyrrhotite, minor pyrite and chalcopyrite <0-5%.	52526	244.6	245.6	1.0	1910	2050	146	55	271		10
			52527	245.6	246.8	1.2	541	1170	84	27	171		3
		247.8-249.3m -fine grained, medium to dark grey with fine disseminations of pyrrhotite. Lesser pyrite and <0.5% chalcopyrite. Total sulfides 5%.	52528	246.8	247.8	1.0	380	561	72	27	62		7
			52529	247.8	249.3	1.5	2770	1890	141	29	175		14
		249.3-250.1m -Gabbro -medium to coarse grained, medium grey green, feldspar saussauritized, <1% sulfides.	52530	249.3	250.1	0.8	614	462	51	<5	41		2
		250.1-251.7m -Gabbro as above but sulfides of pyrrhotite, pyrite and chalcopyrite total 10% plus. The pyrrhotite is most abundant with pyrite occurring mainly as fracture fillings to form laminae to 3mm wide. Chalcopyrite <1% as exsolutions and individual grains.	52531	250.1	251.7	1.6	3810	3370	198	48	266		106
		251.7-261.2m -medium grained gabbro with white feldspars abundant but smaller than normal 1-3mm in size. The unit is quite dark, green grey to medium grey green.	52532	251.7	253.1	1.4	697	952	90	22	117		10
		Sulfides are minor pyrrhotite near upper contact mainly.	52533	253.1	254.5	1.4	111	356	41	<5	36		10
			52534	258.0	259.5	1.5	64	163	33	<5	<5		nil
		261.2-270.7m -medium to coarse grained, darker green with increased mafic component approaching pyroxenite. There are minor quartz veins white to grey. There is minor mineralization around 265.0m and the core is broken to crushed from 265.6-267.6m.											
		270.7-272.3m -as above with 1-3% sulfides of pyrrhotite, pyrite, chalcopyrite. Sulfides are up to 5% towards lower contact.	52535	270.7	272.3	1.6	731	1230	103	15	106		nil
272.3	279.0	Andesite -fine grained, light to medium green grey, amygduloidal to porphyritic with white feldspars to 2mm in size. There is minor pink feldspar associated with some quartz veining. Quartz carbonate veining is minor. There is weak mineralization to 273.2m.	52536	272.3	273.3	1.0	630	248	64	43	51		nil
	279.0	End of Hole  Acid Tests  117m -62° 204m -62°											



# Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)

W0060.00498

Assessment Files Research Imaging



Sections 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, this work and correspond with the mining land holder. Questions about this collection should be directed to the Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

42A12NE2021 2.20805 LOVELAND 900

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.  
- Please type or print in ink.

2.20805

### 1. Recorded holder(s) (Attach a list if necessary)

Name <i>Explorers Alliance Corporation</i>	Client Number <i>303065</i>
Address <i>168 Algonquin Blvd East Timmins Ontario P4N 1A9</i>	Telephone Number <i>705 267-3511</i>
	Fax Number <i>705 267-3121</i>
Name	Client Number
Address	Telephone Number
	Fax Number

### 2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs)
  Physical: drilling stripping, trenching and associated assays
  Rehabilitation

Work Type <i>Diamond Drilling</i>	Office Use
	Commodity
	Total \$ Value of Work Claimed <i>15,561</i>
Dates Work Performed From <i>03 12 2000</i> To <i>12 12 2000</i>	NTS Reference
Global Positioning System Data (if available)	Mining Division <i>Porcupine</i>
Township/Area <i>Loveland</i>	Resident Geologist District <i>Timmins</i>
M or G-Plan Number <i>M293</i>	

Please remember to:

- obtain a work permit from the Ministry of Natural Resources as required;
- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

### 3. Person or companies who prepared the technical report (Attach a list if necessary)

Name <i>Geocal Exploration Services</i>	Telephone Number <i>705-267-3511</i>
Address <i>168 Algonquin Blvd East Timmins Ontario P4N 1A9</i>	Fax Number <i>705 267-3121</i>
Name	Telephone Number
Address	Fax Number
Name	Telephone Number
Address	Fax Number

**RECEIVED**  
 DEC 27 2000  
 GEOSCIENCE ASSESSMENT OFFICE

**RECEIVED**  
 DEC 28 2000  
 11:45 AM  
 PORCUPINE MINING DIVISION

### 4. Certification by Recorded Holder or Agent

I, *Lionel Bonhomme* (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.


Signature of Recorded Holder or Agent 	Date <i>Dec 21, 2000</i>
Agent's Address <i>168 Algonquin Blvd East Timmins</i>	Telephone Number <i>705-267-3511</i>
	Fax Number <i>705-267-3121</i>

work to be recorded and distributed. work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W0060, 00198

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$28,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1037162	1	15561		10400	5161
2 1229194	16		6400		
3 1229193	8		3200		
4 1235936	2		800		
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
<b>Column Totals</b>		15561	10400	10400	5161

I, Lionel Bonhomme Beut (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing  Date Dec 21, 2000

**6. Instructions for cutting back credits that are not approved.**

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

**For Office Use Only**

Received Stamp

**RECEIVED**  
JEC 22 2000  
11:45 AM  
MINING DIVISION

Deemed Approved Date	Date Notification Sent
Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)	

**RECEIVED**  
DEC 27 2000  
GEOSCIENCE ASSESSMENT  
OFFICE



Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of Work <small>Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.</small>	Cost Per Unit of work	Total Cost
EL 25-00-09	279 meters	34	9486.
CASING LEFT WHOLE			1524
Geologist.	10 DAYS	300	3000.
ASSAYS -	17 Samples	25.50	433
TYPING + SECTION			100.
Associated Costs (e.g. supplies, mobilization and demobilization).			
Transportation Costs			
Food and Lodging Costs			
			14543
		657	1018
<b>Total Value of Assessment Work</b>			<b>15,561</b>

**RECEIVED**  
DEC 27 2000  
GEOSCIENCE ASSESSMENT OFFICE


**RECEIVED**  
DEC 22 2000  
DIVISION OF MINING  
MINISTRY OF NORTHERN DEVELOPMENT AND MINES

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Value of Assessment Work. If this situation applies to your claim, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK

**Note:**  
- Work older than 5 years is not eligible for credit.  
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

**Certification verifying costs:**  
I, Lionel Bourneau Agent, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as Agent I am authorized to make this certification.  
(recorded holder, agent, or state company position with signing authority)

Signature:   
Date: Dec 21, 2000

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (888) 415-9845  
Fax: (877) 670-1555

January 18, 2001

FALCONBRIDGE LIMITED  
SUITE 1200, 95 WELLINGTON STREET WEST  
TORONTO, ONTARIO  
M5J-2V4

Visit our website at:  
[www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm](http://www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm)

Dear Sir or Madam:

**Submission Number:** 2.20805

**Status**

**Subject: Transaction Number(s):** W0060.00498 Approval

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact JIM MCAULEY by e-mail at [james.mcauley@ndm.gov.on.ca](mailto:james.mcauley@ndm.gov.on.ca) or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY  
Lucille Jerome  
Acting Supervisor, Geoscience Assessment Office  
Mining Lands Section

# Work Report Assessment Results

---

**Submission Number:** 2.20805

**Date Correspondence Sent:** January 18, 2001

**Assessor:** JIM MCAULEY

---

<b>Transaction Number</b>	<b>First Claim Number</b>	<b>Township(s) / Area(s)</b>	<b>Status</b>	<b>Approval Date</b>
W0060.00498	1037162	LOVELAND	Approval	January 17, 2001

**Section:**

16 Drilling PDRILL

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

**Correspondence to:**

Resident Geologist  
South Porcupine, ON

Assessment Files Library  
Sudbury, ON

**Recorded Holder(s) and/or Agent(s):**

FALCONBRIDGE LIMITED  
TORONTO, ONTARIO

Lionel Bonhomme  
EXPLORERS ALLIANCE CORPORATION  
TIMMINS, ONTARIO

A. MAUREEN ROUSSEAU  
TIMMINS, ONTARIO

VITAL JOSEPH LARCHE  
TIMMINS, ON

ROBERT ROGER ROUSSEAU  
TIMMINS, ONTARIO

---

Thorburn Twp. (M.60I)

THE TOWNSHIP OF  
LOVELAND

DISTRICT OF  
COCHRANE

PORCUPINE  
MINING DIVISION

SCALE: 1-INCH = 40 CHAINS

LEGEND

- PATENTED LAND Ⓟ
- CROWN LAND SALE C.S.
- LEASES Ⓛ
- LOCATED LAND Loc.
- LICENSE OF OCCUPATION L.O.
- MINING RIGHTS ONLY M.R.O.
- SURFACE RIGHTS ONLY S.R.O.
- ROADS —
- IMPROVED ROADS —
- KING'S HIGHWAYS —
- RAILWAYS —
- POWER LINES —
- MARSH OR MUSKEG —
- MINES \*
- CANCELLED C.

NOTES


400' Surface Rights Reservation along  
the shores of all lakes and rivers

PLAN NO. M-293


ONTARIO  
MINISTRY OF NATURAL RESOURCES  
SURVEYS AND MAPPING BRANCH


Byers Twp. (M.265)

Macciarini Twp. (M.294)



Robb Twp. (M.309)





L 50625 N

P 1037149

454000mE

278.00 m  
EL25-08

Enid

P 1037163

P 1037162

L 50500 N

EL25-09  
L 50510 N, 101850mE  
Az. 330°, Dip. -65°

5389000mN

P 1037161

Creek

5389000mN

L 50375 N

P 1037154

P 1037164

L 50250 N



L 50125 N

P 1037155

BL 10000 E


P 1037160

L 50000 N

454000mE

EXPLORERS ALLIANCE CORPORATION  
 Exploration Timmins ONTARIO  
 EAC / FAL JV PROJECT  
 LOVELAND TOWNSHIP  
 DIAMOND DRILL PLAN  
 EL25-09


TRACED:	DATE:	NTS: 42-A/12	PROJECT: 8142
DRAWN: del DRAFTING	DATE: 21/12/2000	MAP No:	FILE: H11ng7
SUPERVISED: R Colthoun	DATE: 21/11/2000	SCALE 1:2 500 (metres)	
REVISED:	DATE:	0 20 40 80	



1037162

Az. 330°

EL25-09  
L 50510 N, 101850mE  
Az 330°, Dip -65°



220

42A12NE2021 2.20805 LOVELAND



**EXPLORERS ALLIANCE CORPORATION**

Exploration Timmins, ONTARIO

**EAC / FAL JV PROJECT**  
**HOLLINGER OLD GRID PROJECT**  
 LOVELAND TOWNSHIP

**SECTION 50510 N**  
**DDH EL25-09**

Assays Cu, Ni ppm; Pt, Pd ppb

TRACED:	DATE:	NTS: 42-A/12	PROJECT: 6142
DRAWN AND CHECKED:	DATE: 21/12/2000	MAP No:	FILE: EL2509
REVIEWED BY: C. Gibson	DATE: 20/12/2000	SCALE 1:2 000 (metres)	
REVISED:	DATE:	0 10 20 30 40	

SCALE