

OM85-5-C-4
* 63.4658




42A12SW0201 63.4658 COTE

010

~~Geophysical Surveys~~ previously submitted
and Diamond Drilling
The Cote Township Property
Porcupine Mining Division
Ontario

by: Wayne E. Holmstead
November 30, 1985



42A125W0201 63.4658 COTE

010C

Table of Contents

Introduction..... 1 *previously submitted*

Property Description and Accessibility.... 2

History and Previous Work..... 3

Geology..... 6

~~Surveys..... 7~~

Diamond Drilling..... 7

Results..... 8

~~Recommendations..... 8~~

Table I: Summary of Previous Work on the Lusikauf
Gold Property..... 5

Figure I: Diamond Drill Plan

Appendix I: Diamond Drill Core Logs

Maps

- Map 1: Magnetometer Survey *previously submitted*
- Map 2: VLF-EM Survey, NSS
- ~~Map 3: VLF-EM Survey, NAA~~

Surveys

previously
submitted

A magnetic survey and VLF-EM survey were completed on the property from March 1 to 18, 1985. The work was done by;

Geocom Consulting
116 Niagara St.
Kirkland, PQ

A total of 12 miles of line was surveyed at a line spacing of 400 ft and station intervals of 50 ft.


The magnetometer survey was done with a Scintrex MP-2 Proton Magnetometer which has a reported accuracy of 1 gamma. Base stations were established along the base-line and the readings were corrected for diurnal variation. The results were plotted and contoured on Map #1.

The VLF-EM survey was done with a Geonics EM-16 using two frequencies, NSS Annapolis, Maryland with frequency 21.4 kHz and NAA Cutler, Maine with frequency 24.0 kHz. The results of the inphase and outphase readings were plotted and profiled on Map #2 for NSS and Map #3 for NAA.


Diamond Drilling

A total of 607 meters of diamond drilling in 11 holes was completed on the property from June 15 to June 23, 1985. For the results of the diamond drilling see Appendix I.

Appendix I
Diamond Drill
Core Logs



HOLE No. 9 IS 85 M. WEST AND 255 M. SOUTH
OF CLAIM POST 804581-1



1 : 800

How tied to main grid?

**MOUNTAIN FRONTIER EXPLORATION
DIAMOND DRILL PLAN**

DRAWN BY W. HOLMSTEAD Dec. 1985

DRAFTED BY A. FERLAND Jan. 1986

SCALE 1 cm. = 8 m.

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 16, 1985
Core: see note

Hole 1 Page 1
Location: 38W, 21N
Started: June 15, 1985
Completed: June 16, 1985
Dip: -45 Bearing: 160
Diameter: BQ
Length: 59 m

0 - 3m	Overburden
3.0 - 22.0	Gabbro -medium to coarse grained 6.8-7.5 quartz, granitic in places
22.0 - 26.9	Sheared Gabbro -foliation 45 deg. CA
26.9 - 48.5	Felsic Volcanic 48.0-48.5 30% qtz., 2% sulphide
48.5 - 59.0	Sheared Felsic Volcanic 48.5-49.0, 5% qtz, 1% sulphide

Note: 3.0-31.4, 54.5-59.0 stored on site
31.4-54.5 stored at Core Storage Library, Timmins

<u>Sample No.</u>	<u>Interval (m)</u>	<u>Gold (g/t)</u>
101	22.5-23.0	nil
102	-23.5	nil
103	-24.0	nil
104	-24.5	nil
105	-25.0	nil
106	-25.5	nil
107	-26.0	nil
108	-26.5	nil
109	-27.0	0.08 av.
110	-27.5	0.03
111	-28.0	0.07
112	-28.5	0.01
113	-29.0	0.03
114	-29.5	nil
115	-30.0	nil
116	-30.5	nil
117	-31.0	nil
118	-31.5	0.03 av.
119	-32.0	nil
120	-32.5	nil
121	22.0-22.5	nil
121A	48.0-48.5	0.78 av.
122	48.5-49.0	0.03

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 17, 1985
Core: see note

Hole 2 Page 1
Location: 29W, 8N
Started: June 16, 1985
Completed: June 17, 1985
Dip: -45 Bearing: 140
Diameter: BQ
Length: 57 m

- 0 - 1.5m Overburden
- 1.5 - 5.5 Gabbro
-1% quartz veining
-1% carbonate, **reacts** with acid
-1% sulphides, mostly pyrite
- 5.5 - 11.5 Sheared Gabbro
-5-10% quartz veining
10-10.5, 80% quartz veining
carbonate present, about 1%
1-2% sulphides, mostly pyrite
- 11.5 - 21.0 Felsic Volcanic
50-95% felsic
11.5-19.0, carbonate present
1-3% sulphides
- 21.0 - 25.3 Granodiorite
-may be recrystallized felsic volcanic
- 25.3 - 30.5 Felsic Volcanic
-as above
30.2-30.5, 10-15% pyrite
rest of unit, 1% pyrite
5-10% vein quartz

30.5 - 39.3 Sheared Intermediate Volcanic
-5-10% vein quartz
-1-5% pyrite
32-32.5, 10% pyrite

39.3 - 57.0 Granitic Rock

Note: 18.8 - 57.0 stored at core storage library
-rest of core on site

<u>Sample No.</u>	<u>Interval (m)</u>	<u>Gold (g/t)</u>
201	5.0-5.5	nil
202	-6.0	nil
203	-6.5	nil
204	-7.0	nil
205	-7.5	nil
206	-8.0	nil
207	-8.5	nil
208	-9.0	0.13
209	-9.5	nil
210	-10.0	0.01
211	-10.5	0.05
212	-11.0	nil
213	-11.5	nil
214	-12.0	0.71 av.
215	-12.5	0.03
216	-13.0	0.06
217	-13.5	0.01
218	-14.0	nil
219	-14.5	0.03
220	-15.0	0.03
221	-15.5	0.01
222	-16.0	0.01
223	-16.5	0.02
224	-17.0	0.04
225	-17.5	0.41
226	-18.0	1.39 av.
227	-18.5	nil
228	-19.0	0.04
229	-19.5	nil
230	-20.0	0.01
231	-20.5	nil
232	-21.0	0.01
233	29.0-29.5	0.02
234	-30.0	0.05
235	-30.5	1.21 av.
236	-31.0	0.17
237	-31.5	0.10
238	-32.0	nil
239	-32.5	0.07
240	-33.0	0.02
241	41.0-41.5	0.03
242	46.5-47.0	0.01
243	56.0-56.5	0.02

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 19, 1985
Core: on site

Hole 3 Page 1
Location: 8W, 10.5N
Started: June 17, 1985
Completed: June 18, 1985
Dip: -45 Bearing 150
Diameter: BQ
Length: 60 m

0 - 2.0 m	Overburden
2.0 - 9.2	Gabbro -medium grained 1% pyrite massive, no fracturing
9.2 - 10.2	Gabbro, Strongly Sheared 20% quartz foliation 45 deg. CA moderately fractured trace carbonate
10.2 - 12.4	Quartz Veining 50% quartz, 10% pyrite 11.7-12.2, 1% carbonate
12.4 - 14.2	Gabbro, Strongly Sheared as above
14.2 - 32.2	Gabbro as above
32.2 - 33.8	Sheared Gabbro 1% pyrite 32.2 - 32.7, 30% quartz

- 33.8 - 34.4 Strongly Sheared Gabbro
20% quartz-carbonate
2% disseminated pyrite
- 34.4 - 50.2 Felsic Volcanic
quartz rich
5-10% pyrite
sharp contact with above unit
- 50.2 - 60.0 Sheared Gabbro or Greenstone
carbonate veining and disseminated carbonate

<u>Sample No.</u>	<u>Interval (m)</u>	<u>Gold (g/t)</u>
301	8.7-9.2	nil
302	-9.7	nil
303	-10.2	nil
304	-10.7	0.03
305	-11.2	0.07 av.
306	-11.7	nil
307	-12.2	0.03
308	-12.4	0.02
309	-12.9	0.01
310	-13.4	nil
311	-13.9	0.01
312	-14.2	nil
313	-14.7	0.03 av.
314	31.7-32.2	nil
315	-32.7	nil
316	-33.2	nil
317	-33.8	nil
318	-34.4	0.01
319	-34.9	0.03
320	-35.4	0.01
321	-35.9	0.03 av.
322	-36.4	nil
323	38.0-38.5	nil
324	44.0-44.5	nil
325	49.5-50.0	nil
326	50.0-50.5	nil

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 19, 1985
Core: see note

Hole 4 Page 1
Location: 55W, 25N
Started: June 18, 1985
Completed: June 18, 1985
Dip: -45 Bearing 150
Diameter: BQ
Length: 60 m

0 - 2.0	Overburden
2.0 - 15.7	Gabbro 5% quartz veining, 1% pyrite
15.7 - 16.9	Sheared Gabbro 5% quartz veining, 3% pyrite
16.9 - 18.0	Quartz Veining intruding sheared gabbro 50% quartz, 3% pyrite
18.0 - 18.7	Sheared Gabbro as above
18.7 - 19.6	Quartz Veining 60-80% quartz, 1% pyrite intruding sheared gabbro
19.6 - 21.2	Sheared Gabbro as above
21.2 - 22.4	Quartz Veining 80% quartz, 5% pyrite
22.4 - 30.8	Felsic Volcanic foliation 45 deg. 1% pyrite

30.8 - 38.8 Quartz Veins
intruding felsic volcanic
50% quartz, 5-10% pyrite, 1% chalcopyrite

33.8 - 50.4 Felsic Volcanic
5-10% quartz veins, 1% pyrite
43-49 m salmon colour

50.4 - 54.8 Sheared Granodiorite
1% pyrite

54.8 - 60.0 Granodiorite
1% pyrite

Note: 19.5 - 47.8 in Core Storage Library, Timmins
rest of core on site

<u>Sample no.</u>	<u>Interval (m)</u>	<u>Gold(g/t)</u>	<u>Silver(g/t)</u>
401	15.2-15.7	nil	
402	-16.2	nil	
403	-16.9	nil	
404	-17.4	nil	
405	-18.0	nil	
406	-18.7	nil	
407	-19.2	nil	
408	-19.6	nil	
409	-20.1	nil	
410	-20.6	nil	
411	-21.2	nil	
412	-21.8	0.44	
413	-22.4	0.73	
414	-22.9	0.01	
423	25.8-26.3	nil	
424	-26.8	nil	
425	-27.3	0.01	
426	-27.8	0.01	
427	-28.3	nil	
428	-28.8	nil	
429	-29.3	0.02 av.	
430	-29.8	0.02	
431	-30.3	nil	
415	30.3-30.8	0.03	
416	-31.3	3.16 av.	12.2
417	-31.8	0.07	
418	-32.3	1.92	
419	-32.8	0.22	
420	-33.3	2.61	
421	-33.8	0.70	
422	-34.3	8.93 av.	45.3
432	34.3-34.8	0.01	
433	-35.3	nil	
434	-35.8	nil	
435	-36.3	nil	
436	-36.8	nil	
437	-37.3	nil	
438	-37.8	nil	
439	-38.3	nil	
440	-38.8	nil	
441	-39.3	nil	
442	-39.8	nil	
443	-40.3	nil	
444	-40.8	nil	

$\frac{2.29m}{4.0m} \approx \frac{106}{12} \text{ ppt}$

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by Wayne Holmstead
Date: June 20, 1985
Core: Core Storage Library

Hole 5 Page 1
Location: 83W, 26.5 N
Started: June 19, 1985
Completed: June 19, 1985
Dip: -45 Bearing: 130
Diameter: BQ
Length: 47 m

0 - 2.0 Overburden

2.0 - 44.0 Felsic Volcanic
13.2, 2-3 cm massive pyrite
11.5-11.7, quartz vein, 1% pyrite
20-20.5, 50% quartz, 2% pyrite
rest of interval, 5% quartz, 1-3% pyrite
some carbonate present
43.5-44 tourmaline

44.0 - 47.0 Granodiorite
5% quartz, 1% pyrite

<u>Sample No.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>
515	8.5-9.0	0.09 av.
516	-9.5	nil
517	-10.0	nil
518	-10.5	nil
519	-11.0	0.03
520	-11.5	nil
521	-11.7	nil
522	-12.4	0.01
523	-13.0	nil
501	-13.5	4.22 av.
502	-14.0	0.33
524	-14.5	nil
525	-15.0	0.03 av.
526	-15.5	nil
506	20.0-20.5	0.03
507	-21.0	nil
508	-21.5	0.01
509	-22.0	0.01
510	-22.5	0.02
503	31.5-32.0	0.10
504	34.0-34.5	0.02
530	42.5-43.0	nil
531	43.0-43.5	nil
505	43.5-44.0	0.88
532	-44.5	nil
533	-45.0	nil

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 21, 1985
Core: on site

Hole 6 Page 1
Location: 83W, 26.5N
Started: June 19, 1985
Completed: June 20, 1985
Dip: -45 Bearing: North
Diameter: BQ
Length: 52 m

0 - 2.0	Overburden
2.0 - 37.5	Felsic Volcanic fine grained 1% pyrite
37.5 - 41.6	Sheared Gabbro 5-20% quartz, 1-2% pyrite 37.5-39.6, carbonate
41.6 - 46.2	Gabbro 5% quartz, 1% pyrite
46.2 - 49.5	Sheared Gabbro foliation 70 deg. CA quartz 5-20%, pyrite 1%
49.5 - 52.0	Gabbro

<u>Sample No.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>
601	36.6-37.1	0.01
602	-37.6	0.03
603	-38.1	nil
604	-38.6	nil
605	-39.1	nil
606	-39.6	0.01 av.
607	-40.1	nil
608	-40.4	nil .
609	-40.9	nil
610	45.8-46.3	nil
611	-46.8	nil
612	-47.3	0.02 av.
613	-47.8	nil
614	-48.3	nil
615	-48.8	nil
616	-49.3	nil
617	-49.8	nil
618	-50.3	0.01

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 22, 1985
Core: on site

Hole 7 Page 1
Location: 9E, 26.5N
Started: June 20, 1985
Completed: June 21, 1985
Dip: -45 Bearing: 145
Diameter: BQ
Length: 68.0 m

0 - 3.0	Overburden
3.0 - 9.4	Gabbro
9.4 - 15.7	Sheared Gabbro 11.0-12.8, 40-60% quartz veining, 5-10% pyrite 12.8-13.4, 30% quartz, talcy texture, 1% pyrite 13.4-14.0, brown weathered carbonate rock rest of unit, 5% quartz, 1% pyrite
15.7 - 23.3	Gabbro
23.3 - 31.0	Sheared Gabbro 5-30% quartz, 1-3% pyrite 25.1-25.8, quartz with 15-20% pyrite
31.0 - 56.9	Gabbro
56.9 - 57.5	Sheared Gabbro
57.5 - 60.0	Gabbro
60.0 - 63.6	Sheared Gabbro
63.6 - 68.0	Felsic Volcanic grades to Granodiorite

<u>Sample No.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>	<u>Silver(g/t)</u>
701	10.0-10.5	0.13	
702	-11.0	0.08	
703	-11.6	0.25	
704	-12.2	0.45	
705	-12.8	0.77 av.	
706	-13.4	0.01	
707	-14.0	nil	
708	-14.5	nil	
709	-15.0	nil	
710	-15.5	nil	
711	24.2-24.7	nil	
712	-25.2	0.05	
713	-25.8	8.96 av.	38.5
714	-26.3	0.08	
715	-26.8	nil	

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804540
Logged by: Wayne Holmstead
Date: June 22, 1985
Core: on site

Hole 8 Page 1
Location: 32E, 33N
Started: June 21, 1985
Completed: June 21, 1985
Dip: -45 Bearing 145
Diameter: BQ
Length: 60 m

0 - 2.0	Overburden
2.0 - 19.6	Meta-andesite gneissic texture not schist as mapped 10-30% quartz, 1% pyrite
19.6 - 30.0	Gabbro 5% quartz, 1% pyrite
30.0 - 41.0	Sheared Gabbro 5-10% quartz, 1% pyrite 38.5-41.0, core ground
41.0 - 58.0	Gabbro 51.7-51.8, white quartz, 1% pyrite
58.0 - 60.0	Sheared Gabbro 5% quartz, 1% pyrite

<u>Sample no.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>	<u>Silver(g/t)</u>
801	14.0-14.5	nil	
802	-15.0	nil	
803	-15.5	nil	
804	-16.0	0.01	
805	-16.5	nil	
806	-17.0	nil	
807	-17.5	nil	
808	-18.0	0.01 av.	
809	-18.5	nil	
810	-19.0	nil	
811	-19.5	nil	
812	-20.0	nil	
813	32.5-33.0	nil	
814	-33.5	nil	
815	-34.0	nil	
816	-34.5	nil	
817	-35.0	0.01	
818	-35.5	nil	
819	-36.0	0.02 av.	
820	-36.5	nil	
821	59.0-59.5	nil	
822	-60.0	nil	

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804581
Logged by: Wayne Holmstead
Date: June 23, 1985
Core: on site

Hole 9 Page 1
Location: 85W, 255S, 804581-1
Started: June 22, 1985
Completed: June 22, 1985
Dip: -45 Bearing: 180
Diameter: BQ
Length: 50 m

0 - 30.5	Intermediate Metasediments 14.5-15.5, 40% quartz, 2-3% pyrite, some carbonate rest of unit 5-10% quartz, 1% pyrite
30.5 - 31.7	Transition Zone carbonate-rich weathered to brown 5-10% quartz, 1% pyrite
31.7 - 37.6	Felsic Metasediments or Metavolcanics 5% quartz, 1% pyrite, some carbonate
37.6 - 49.6	Intermediate Metasediments 5% quartz, 1% pyrite, some carbonate 38.2, 5 cm carbonate rich band weathered brown 47.4-48.4, carbonate rich as above
49.6 - 50.0	Quartz Vein 15% pyrite

<u>Sample no.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>
901	4.0-5.0	nil
902	12.5-13.5	nil
903	14.5-15.5	nil
904	23.0-24.0	nil
905	30.0-30.5	0.02
906	-31.0	0.03
907	-31.5	nil
908	-32.0	0.01
909	-32.5	nil
910	41.0-41.5	0.13 av.
911	-42.0	nil
912	-42.5	0.02
913	-43.0	nil
914	-43.5	nil
915	-44.0	0.02
916	47.0-47.5	nil
917	-48.0	nil
918	-48.5	nil
919	-49.0	0.05
920	-49.5	nil
921	-50.0	0.03

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804581
Logged by: Wayne Holmstead
Date: June 24, 1985
Core: on site

Hole 10 Page 1
Location: 14m W of hole 9
Started: June 22, 1985
Completed: June 23, 1985
Dip: -45 Bearing: 180
Diameter: BQ
Length: 50 m

0 - 50.0 Intermediate Metasediments
0-0.3, quartz carbonate vein, 1% pyrite
11.5-12.5, 5% quartz, 1% pyrite
16.0-17.0, 10% quartz, 1% pyrite
22.0-23.0, 5% quartz, 1% pyrite
29.5-30.5, 5% quartz, 1% pyrite

<u>Sample no.</u>	<u>Interval(m)</u>	<u>Gold(g/t)</u>
1001	0-0.5	0.18 av.
1002	11.5-12.5	0.01
1003	16.0-17.0	nil
1004	22.0-23.0	0.02
1005	29.5-30.5	0.01

Mountain Frontier Explorations
Bradley Bros. Diamond Drilling
Cote Township Property
Claim: 804581
Logged by: Wayne Holmstead
Date: June 24, 1985
Core: on site

Hole 11 Page 1
Location: 20m E of hole 9
Started: June 23, 1985
Completed: June 23, 1985
Dip: -45 Bearing: 180
Diameter: BQ
Length: 44 m

0 - 2.0	Overburden
2.0 - 12.0	Intermediate Tuffaceous Metasediments
12.0 - 44.0	Intermediate to Felsic Metasediments 12.0-14.2, 5-10% pyrite 28.9-29.3, carbonate rich weathered brown 42.5-44.0, same as above felsic rock talcy in places

No Samples



OM85-5-C-4

THIS SUBMITTAL CONSISTED OF VARIOUS REPORTS,
SOME OF WHICH HAVE BEEN CULLED FROM THIS FILE.
THE CULLED MATERIAL HAD BEEN PREVIOUSLY SUBMITTED
UNDER THE FOLLOWING RECORD SERIES.
(THE DOCUMENTS CAN BE VIEWED IN THESE SERIES) :



COMPARISONS:

TORONTO FILE :

- ① Report on GEOPHYSICAL SURVEY along with
3 geophysical maps :
1. MAGNETOMETER
 2. ULF-EM SURVEY (N.A.A. PROFILES)
 3. " " " (N.S.S. ")

MOUNTAIN FRONTIER
HOLMSTEAD, W.E.
NOV. 1985

→ # 2.8252



LEGEND

STATION: N.S.S., Annapolis, Maryland. FREQ: 21.4 MHz.

NE.

DIRECTION OF READINGS.



FRASER FILTER DATA.

FRASER FILTER CONTOURS.

□ CLAIM POST.

— CLAIM LINE.


804 538 CLAIM NUMBER.



MOUNTAIN FRONTIER EXPLORATIONS LTD
Côté Township Property
VLF-EM SURVEY (N.S.S.-FRASER)


COMPILATION: WAYNE HOLMSTEAD DATE: 03/1985 INTS: 424
DRAFTING: YVES BOUCHER DATE: 05/1985 File No:
REFERENCE: REV.: MAP No: 3



GEOCOM Consulting
116 Niagara St. Kirkland, Quebec
H9J 3B6 - Tel: (514) -



ONS 5-5-C-4
63-4453

L. 12+00 E
L. 8+00 E
L. 4+00 E
L. 0+00
L. 4+00 W
L. 8+00 W
L. 12+00 W
L. 16+00 W
L. 20+00 W
L. 24+00 W
L. 28+00 W
L. 32+00 W
L. 36+00 W
L. 40+00 W
L. 18+00 N
L. 16+00 N
L. 14+00 N
L. 12+00 N
L. 10+00 N
L. 8+00 N
L. 6+00 N
L. 4+00 N
L. 2+00 N
B.L. - 0
2+00 S
4+00 S
6+00 S
8+00 S
10+00 S
12+00 S
14+00 S





LEGEND

STATION: N.A.A., Cutler, Maine. FREQ: 240 kHz.

NE. DIRECTION OF READINGS.


FRASER FILTER DATA.

FRASER FILTER CONTOURS.

□ CLAIM POST.

— CLAIM LINE.

804 533 CLAIM NUMBER.



SCALE: 1:1800

Feet 200 0 200 400 600 Feet


MOUNTAIN FRONTIER EXPLORATIONS LTD

Cote Township Property


VLF-EM SURVEY (N.A.A.-FILTER)

COMPILATION: WAYNE HOLMSTEAD DATE: 03/1985 INTS: 424
 DRAFTING: ANDRE FERLAND, Y.R. DATE: 05/1985 FILE NO:
 REFERENCE: REV.: MAP NO: 5



GEOCOM Consulting 116 Niagara St., Kirkland, Quebec H9J 3B6 - Tel: (514)



OMBS - S-C-4
 * 63-4658



- GEOLOGY**
- 4 DINGITE
 - 3 GRANITE
 - 2 GABBRO
 - 1 BASIC VOLCANIC
 - IF IRON FERRUGINOUS
- PIT** ○
- DRILL HOLE** ○
- MAGNETIC ANOMALY** —
- CLAIM POST.** □
- CLAIM LINE.** —
- 804 538 CLAIM NUMBER.**



MOUNTAIN FRONTIER EXPLORATIONS LTD
Côté Township Property
GEOLOGICAL COMPILATION

COMPILATION: WAYNE HOLMSTEAD DATE: 03/1995 INTS: 424
DRAFTING: Y.B. DATE: 09/1995 FILE NO:
REFERENCE: REV.: MAP No: 6

GEOCOM Consulting 116 Niagara St. Kirkland, Quebec H9J 3B6 - Tel: (514)

OMNS-5-C-4
63-4658

