

FALCONBRIDGE LIMITED
DRILL HOLE RECORD

HOLE NUMBER: DUF63-01

DATE: 03/20/1996

IMPERIAL UNITS: METRIC UNITS: X

PROJECT NAME: 8269 PLOTTING COORDS GRID: ALTERNATE COORDS GRID: DUF96-03 COLLAR DIP: -45° 0' 0"
 PROJECT NUMBER: 8269 NORTH: 0.00N NORTH: 8+25S LENGTH OF THE HOLE: 152.00M
 CLAIM NUMBER: P1201957 100% FI. EAST: 0.00E EAST: 5+ 0W START DEPTH: 0.00M
 LOCATION: Duff Twp. ELEV: 280.00 ELEV: 280.00 FINAL DEPTH: 152.00M

COLLAR ASTRONOMIC AZIMUTH: 0° 0' 0" GRID ASTRONOMIC AZIMUTH: 0° 0' 0"

DATE STARTED: 02/25/1996 COLLAR SURVEY: NO PULSE EM SURVEY: NO CONTRACTOR: Norex Drilling Ltd.
 DATE COMPLETED: 02/27/1996 RQD LOG: NO PLUGGED: NO CASING: Removed
 DATE LOGGED: 02/28/1996 HOLE MAKES WATER: NO HOLE SIZE: BQ CORE STORAGE: Kidd Mine Site
 UTM COORD.:

COMMENTS : Test 14mho HLEM and north flanking 500nT TFM. Intersected thick graphitic shale. No mag id.
 WEDGES AT:

DIRECTIONAL DATA:

Depth (M)	Astronomic Azimuth	Dip degrees	Type of Test	FLAG	Comments	Depth (M)	Astronomic Azimuth	Dip degrees	Type of Test	FLAG	Comments
0.00	0° 0' 0"	-45° 0' 0"	A	OK		-	-	-	-	-	
75.00	0° 0' 0"	-46° 0' 0"	A	OK		-	-	-	-	-	
120.00	0° 0' 0"	-44° 0' 0"	A	OK		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	
-	-	-	-	-		-	-	-	-	-	

Paul Nagerl



010

FROM TO	ROCK TYPE	TEXTURE AND STRUCTURE	ANGLE TO CA	ALTERATION	MINERALIZATION	REMARKS
0.00 TO 71.00	Overburden «{ob}»					
71.00 TO 152.00	Graphitic Sediment «5g» «{FAI}»	<p>Light and dark grey; black over strongly graphitic portions. Fine-grained. Foliated. Crosscut by 1-2% white carbonate veinlets commonly <2mm wide. Core is pervasively fractured and locally rubbly. Poor core recovery.</p> <p>71m-72m weathered zone. Pitted and leached core.</p> <p>Foliation: 0° (74m), 35° (107m), 10° (117m), 25° (126m), 7° (138m)</p> <p>Rubble: 71m-74m 84m-86m (1m ground core) 88m-91m 112m-116m 117m-118m 130m-136m 140m-142m 149m-152m</p> <p>83.4m-91.9m Grey, medium-grained, homogeneous intermediate intrusive. Weathered/faulted. Fine-grained contacts with sediments and some entrained fragments of sediment at contacts. 1% dark (altered) phenocrysts. Due to faulting and weathering it is difficult to determine textures; may represent coarser clastic but no sedimentary features.</p> <p>109.3m-112.7m White massive carbonate vein with 1% quartz.</p> <p>130m-141m 1-2% graphite 140.4-142 «50% Gf» 148-149 «sms Gf»</p> <p>Locally massive graphite over decameter</p> <p>Hole abandoned at 152m due to caving in fault zone.</p>		<p>Carbonate alteration of matrix restricted to narrow <1m intervals. Sediments are very silicious in composition and may be locally silicified only.</p> <p>No VMS hydrothermal style alteration detected.</p>	<p>Trace pyrite overall as locally disseminated cubes <2mm in size or more commonly remobilized in narrow 1mm size veinlets/fractures.</p> <p>Locally 1% elongate pyritic "concretions" associated with graphitic horizons. Up to 1x3cm size with carbonate halos. Possible boudins.</p>	<p>Narrow sequence of graphitic shales with local massive graphite.</p> <p>WR AT03367 Intermediate dyke</p> <p>WR AT03368 Sediment F-mg, 2% pyrite, grey, trace carb. veining</p>

HOLE NUMBER : DUF63-01

ASSAYS SHEET

DATE: 19/04/1996

Sample	From (M)	To (M)	Leng. (M)	Cu ppm	Zn ppm	Au ppb	Ag ppm	Pb ppm	Co ppm	Cu/Zn	Ni ppm	Est. Ni †	Est. Po †	Est. Py †	Est. Cp †	Est. Sp †	Est. Gn †	ROCK TYPE	Comments
AT03276	122.00	125.00	3.00	47	170	<2	0.2	8			23								
AT03277	125.00	128.00	3.00	64	255	7	0.2	16			81								
AT03278	128.00	131.00	3.00	80	219	<2	0.2	8			74								
AT03279	131.00	134.00	3.00	179	400	<2	0.3	12			54								
AT03280	134.00	137.00	3.00	200	870	31	0.4	19			170								
AT03281	137.00	140.00	3.00	69	265	<2	0.2	5			141								

HOLE NUMBER: DUF63-01

ASSAYS SHEET

PAGE: 2

HOLE NUMBER : DUF63-01

GEOCHEMICAL ASSAY

DATE: 19/04/1996

Sample	From (M)	To (M)	leng. (M)	SiO2 %	Al2O3 %	CaO %	MgO %	Na2O %	K2O %	Fe2O3 %	TiO2 %	P2O5 %	MnO %	Cr2O3 %	LOI %	SUM %	Y PPM	Zr PPM	BA PPM	CU PPM	ZN PPM	NI PPM	CR PPM	FIELD NAME	CHEM ID	ALUM
AT03367	87.00	87.20	0.20	65.18	13.53	0.78	4.70	3.47	1.04	7.44	0.59	0.20	0.09	0.07	2.97	100.06	12	120		55	155	40			3.8j	256
AT03368	122.00	122.20	0.20	58.63	18.93	4.17	1.58	3.03	5.08	3.02	0.67	0.18	0.08	0.03	4.71	100.11	14	160		25	185	55			3.8i\$	154

HOLE NUMBER: DUF63-01

GEOCHEMICAL ASSAY

PAGE: 5

HOLE NUMBER : DUF63-01

GEOCHEMICAL ASSAYS

DATE: 19/04/1996

Sample	From (M)	To (M)	Leng. (M)	RB PPM	SR PPM	CO2 %	AG PPM	AU PPB	CO PPM	PB PPM	S PPM	V PPM	AS PPM	SN PPM	CD PPM	SB PPM	BI PPM	SE PPM	HF PPM	TA PPM	W PPM	MO PPM	TH PPM	U PPM	B PPM	CS PPM	LA PPM	CE PPM	ND PPM	
AT03367	87.00	87.20	0.20						25		3700	90																		
AT03368	122.00	122.20	0.20						20		19900	125																		

1204691


(6 UNITS)

1201995

(6 UNITS)

REAUME Twp.

DUFF Twp.



1200935 (12 UNITS)

1201957 (6 Units)

1200934 (15 Units)

JW-S-2
 1964
 40.9mOvb
 2f.<AND>.g.Sr.4.5.g.+t
 minor Py
 NA

DUF63-01 (L 500 W, 825mS; Az 000°, Dip -45°)

D. GAMBLE/S. GAMBLE
 1203218 (2 UNITS)

1965
 57 4mOvb
 3.2.<AND>.Cb.5g.<ARS>
 <5% Py
 0.25% Cu/1.2m


1965
 41 2mOvb
 Lost in Ovb

FALCONBRIDGE LIMITED
 Exploration Division Timmins ONTARIO

MANN BELT PROJECT
 GRID DUF96-03
 DUFF TOWNSHIP

DIAMOND DRILL PLAN

TRACED	EXSICS	DATE	02/96	NTS	42-A/15	PROJECT	#269
DRAWN	P Gauthier	DATE	02/96	MAP No		FILE	DUF9603-
SUPERVISED	P J Nagel	DATE	20/03/96	SCALE	1:5 000 (metres)	0 40 80 120 160	
REVISED	d e l	DATE	16/04/96				



LEGEND

Geology

MAJOR ROCK DIVISIONS

- 15 TO BE ANNOUNCED
- 14 HURONIAN SUPERGROUP
- 13 METAMORPHIC (Unknown)
- 12 GNEISS
- 11 SCHIST
- 10 DIABASE
- 9 FELSIC INTRUSIVE ROCKS
- 8 INTERMEDIATE INTRUSIVE ROCKS
- 7 MAFIC INTRUSIVE ROCKS
- 6 ULTRAMAFIC INTRUSIVE ROCKS
- 5 SEDIMENTARY ROCKS
 - 5,s SULPHIDE (>40%)
- 4 FELSIC VOLCANIC ROCKS
- 3 INTERMEDIATE VOLCANIC ROCKS
 - 3,C HETEROLITHIC VOLCANIC ROCKS
- 2 MAFIC VOLCANIC ROCKS
- 1 ULTRAMAFIC VOLCANIC ROCKS

TEXTURAL/GEOCHEMICAL MODIFIERS

- a Fine Grained
- b Medium Grained
- bx Breccia
- c Coarse Grained
- d Quartz-Feldspar Phyrlic
- e Amygdaloidal/Vesicular
- f Primary Fragmentals
- g Graphitic/Argillaceous
- h Tholeiitic
- i Alkalic
- j Calc- Alkalic
- k Komatiitic
- l Flows
- m Massive
- n Variolitic/Spherulitic
- p Pillowed
- q Quartz Phyrlic
- r Oxide Iron Formation
- s Sulphides, Exhalites
- t Pyroclastic
- u High Mg
- v High Fe
- w High Al
- x Andesite
- y Icelandite
- z Highly Evolved (Y>60)

ALTERATION MODIFIERS

- <Ab> Albitization
- <Bl> Bleached
- <C>> Carbonaceous
- <Cb> Carbonatization
- <Ch> Chloritization
- <Ep> Epidotization
- <FCb> Iron Carbonatization
- <He> Hematization
- <K>> Potassic Alteration
- <Rs> Rust Stained
- <Se> Sericitization
- <Si> Silicification
- <Sr> Serpentinization
- <Tc> Talc-Carbonatized
- <Tk> Talc

TEXTURAL/STRUCTURAL MODIFIERS

- a Tuff(67%<2mm)
- b Lapilli(2-64mm)
- c Lapillistone(76%<264mm)
- d Block(>64mm)
- e Autoclastic
- f Thickly Laminated
- g Thinly Laminated
- h Clast Supported
- i Matrix Supported
- j Granule(grit 2-4mm)
- k Pebble(4-64mm)
- l Cobble(64-256mm)
- m Boulder(>256mm)
- n Graded Bedding
- o Cross Bedding
- p Fault Gouge
- q Augen
- r Porphyroblastic
- s Hornfels
- t foliated/sheared
- u folded
- v boudinage
- w fragmental(felsic>mafic)
- x fragmental(mafic>felsic)
- y Crystal Tuff(>50% of frags)
- z Lithic Tuff(>50% of frags)

ROCK TYPE

- <QFP> Quartzofeldspathic
- <QTZ> Quartzite
- <MAR> Marble
- <SKA> Skarn(Calc-Silicate)
- <PHY> Phyllite
- <TON> Tonalite
- <SYN> Syenite
- <GRA> Granite
- <MON> Monzonite
- <GRD> Granodiorite
- <APL> Aplite
- <ILL> Felsite
- <QDI> Quartz Diorite
- <GAB> Gabbro
- <NOR> Norite

MINERALOGICAL NAMES

- Ak Actinolite
- Alb Albite
- Al Almandine
- Am Amphibolite
- Ah Anhydrite
- Ad Andalusite
- Ay Anthophyllite
- Ap Apatite
- Ar Argenite
- Asp Arsenopyrite
- Asb Asbestos
- Aug Augite
- Az Azurite
- Bo Barite
- Bi Bismuthite
- Bi Biotite
- Bo Bornite
- Ca Calcite
- Cri Chalcedony
- Cc Chalcocite
- Cp Chalcopyrite
- Chl Chlorite
- Ch> Chloritoid
- Cr Chromite
- Cpx Clinopyroxene
- Co Cobalt Minerals
- Cv Covellite
- Ct Cordierite
- Dp Diopside
- Dol Dolomite
- Epi Epidote
- Fel Feldspar
- Fl Fluorite
- Fc Fuchsite
- Gn Galena
- Gt Garnet
- VG Gold
- Gf Graphite
- GS Gravel & Sand
- Gyp Gypsum
- Hem Hematite
- Hb Hornblende
- Hy Hypersthene
- Il Ilmenite
- I-F Iron Formation
- Jr Jarosite
- Ky Kyanite
- ls Limestone
- Lm Limonite
- Mag Magnetite
- Mc Malachite
- Ma Marcasite
- Mi Mica
- Mk Microcline
- Mi Millerite
- Mo Molybdenite
- Mu Muscovite
- Ne Nepheline
- Nc Niccolite
- Ni Nickel Minerals
- Ov Olivine
- Or Orthoclase
- Opx Orthopyroxene
- Pl Phlogopite
- Pg Plagioclase
- Pn Pentlandite
- Py Pyrite
- Px Pyroxene
- Po Pyrrhotite
- Ot Quartz
- Ro Rhodochrosite
- Ru Rutile
- Sur Serpentine
- Sc Sericite
- Sh Scheelite
- Sid Siderite
- Sil Silica
- SIm Silliminite
- Sps Spessarite
- Sph Sphalerite
- li Sphene (Titanite)
- Ag Silver
- Sp Spinel
- Spd Spodumene
- St Staurolite
- Sb Stibnite
- Sul Sulphides
- S M Mass. Sulphides
- S-D Diss. Sulphides
- Tk Talc
- Te Telluride
- Tt Tetrahedrite
- Ta-Ci Tantalite-Columbite
- Tl Tourmaline
- Tr Tremolite
- Wo Wollastonite
- Zr Zircon

- <OIF> Oxide IF
- <SIF> Sulphide IF
- <CIF> Carbonate IF
- <SHA> Shale
- <LST> Limestone
- <CHM> Chem Precip.
- <SLA> Slate
- <KIM> Kimberlite
- <CAR> Carbonate
- <AMP> Amphibolite
- <MIG> Migmatite
- <PEG> Pegmatite
- <LEU> Leucocratic
- <MCL> Melanocratic
- <UNK> Unknown Protolith
- <UMF> Ultramafic
- <MAF> Mafic
- <AND> Andesite
- <DAC> Dacite
- <RYD> Rhyodacite
- <RHY> Rhyolite
- <SCL> Sulphide Clasts
- <RWV> Reworked Volcanic Debris

1204691

(6 UNITS)

1201995

(6 UNITS)

REAUME Twp.

DUFF Twp.

1200935 (12 UNITS)

1201957 (6 Units)

1200934 (15 Units)

200 SOUTH

400 SOUTH

600 SOUTH

800 SOUTH

1000 SOUTH

ROAD

Lake

Lake

Lake

52.00m

DUF63-01 (1 500 W., 825m S., Az. 000°, Dip -45°)

5g/fffff

D. GAMBLE/S. GAMBLE


1203218 (2 UNITS)


800 WEST 700 WEST 600 WEST 500 WEST 400 WEST 300 WEST 200 WEST 100 WEST 0 100 EAST 200 EAST 300 EAST 400 EAST 500 EAST 600 EAST 800 EAST

ASTRONOMIC



FALCONBRIDGE LIMITED		
Exploration Division	Timmins, ONTARIO	
MANN BELT PROJECT		
GRID DUF96-03		
DUFF TOWNSHIP		
DIAMOND DRILL PLAN		
TRACED	EXHIBITS	DATE 02/96
NTS 42-A/15	PROJECT A260	







Norex Drilling Limited

P.O. Box 88 - Porcupine, Ontario P0N 1C0

Telephone (705) 235-2222
Fax (705) 235-2806

March 4, 1996

Invoice #F96304

FALCONBRIDGE LIMITED
P.O. BOX 1140
TIMMINS, ONTARIO
P4N 7H9

LENOX AREA
DRILLING PERIOD - FEBRUARY 16-29/96

Mob Charge	1,000.00
<u>HOLE #LEN-56-02, Casing 16m</u>	
150 x \$44.00	6,600.00
150 to 248 = 98 x \$45.75	4,483.50
16m BW Casing x \$40.00	640.00
1 BW Shoe x \$154.00	154.00
<u>HOLE #LEN-56-03, Casing 20m</u>	
15 x \$44.00	660.00
05 x \$52.00	260.00
20 to 150 = 130 x \$44.00	5,720.00
150 to 179 = 29 x \$45.75	1,326.75
20m BW Casing x \$40.00	800.00
1 BW Shoe x \$154.00	154.00
<u>HOLE #DUF-63-01, Casing 72m</u>	
15 x \$44.00	660.00
15 x \$52.00	780.00
15 x \$61.00	915.00
15 x \$70.00	1,050.00
12 x \$80.00	960.00
72 to 150 = 78 x \$44.00	3,432.00
150 to 152 = 2 x \$45.75	91.50
Pull All Casing Out: 2 hr x \$75.00	150.00
<u>HOLE #REA-24-01, Casing 18m</u>	
15 x \$44.00	660.00
03 x \$52.00	156.00
 Road Plowing in Lenox Twp: Dozer - 20 hrs x \$60.00	 1,200.00
 84 BQ Core Trays x \$5.25	 441.00
-----	-----
Sub total:	32,293.75
GST #R103904504	2,260.56
 <u>INVOICE TOTAL:</u>	 <u>\$ 34,554.31</u>

THANK YOU

C. Petter P.N. 8269

Mar 5, 1996

OASIS PARK MOTEL

Hwy. 11,
Tunis, Ont.
P.O. Box 640,
Iroquois Falls, Ont.
POK 1G0

Feb. 16, 1996.

Falconbridge Exploration Ltd.,
P.O. Box 1140,
Timmins, Ont. P4N 7H9

re - Rental - 2 Motel Rooms,
Month of February/96,
& Lobby Facilities

2 @ \$800.00.....\$1600.00

Thank You!

P. Tessier
OASIS PARK MOTEL
Phil Tessier, Owner

C. Petel
PN# 8269
Feb. 20, 1996



Ministry of
Northern Development
and Mines

Ontario

Report of Work Conducted After Recording Claim

Transaction Number
W9660.00318

Mining Act

DDH DUF63-01

Grid DUF96-03

Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used for correspondence. Questions about this collection should be directed to the Provincial Manager, Mining Lands, Ministry of Northern Development and Mines, Fourth Floor, 150 Cedar Street, Sudbury, Ontario, P3E 6A5, telephone (705) 670-7264.

Instructions: - Please type or print and submit in dupl
- Refer to the Mining Act and Regulation Recorder.



42A14NE0093 W9660-00318 DUFF


- A separate copy of this form must be completed for each claim group.
- Technical reports and maps must accompany this form in duplicate.
- A sketch, showing the claims the work is assigned to, must accompany this form.

900

Recorded Holder(s) FALCONBRIDGE LIMITED		Client No. 130679
Address 571 Moneta Ave. P.O. Box 1140 Timmins, Ont. P4N 7H9		Telephone No. (705) 267-1188
Mining Division Porcupine	Township/Area DUFF	M or G Plan No.
Dates Work Performed From: FEB 24, 1996		To: FEB 27, 1996

Work Performed (Check One Work Group Only)

Work Group	Type
Geotechnical Survey	
Physical Work, Including Drilling	Diamond drill hole(s) DUF63-01 (152m)
Rehabilitation	
Other Authorized Work	
Assays	
Assignment from Reserve	



Total Assessment Work Claimed on the Attached Statement of Costs \$ **9991**

Note: The Minister may reject for assessment work credit all or part of the assessment work submitted if the recorded holder cannot verify expenditures claimed in the statement of costs within 30 days of a request for verification.

Persons and Survey Company Who Performed the Work (Give Name and Address of Author of Report)

Name	Address
Norex Drilling Ltd.	Hwy 101 East Porcupine Ont. (705) 235-2222

(attach a schedule if necessary)

Certification of Beneficial Interest * See Note No. 1 on reverse side

I certify that at the time the work was performed, the claims covered in this work report were recorded in the current holder's name or held under a beneficial interest by the current recorded holder.	Date April 19/96	Recorded Holder or Agent (Signature) C. Petch
--	----------------------------	---

Certification of Work Report

I certify that I have a personal knowledge of the facts set forth in this Work report, having performed the work or witnessed same during and/or after its completion and annexed report is true.		
Name and Address of Person Certifying CHRISTINE PETCH 571 Moneta Ave. P.O. Box 1140 Timmins Ont. P4N 7H9		
Telephone No. (705) 267-1188	Date April 19/96	Certified By (Signature) Christine Petch

For Office Use Only

Total Value Cr. Recorded 9991.	Date Recorded	Mining Recorder	Received Stamp APR 25 1996 TB 1100 PORCUPINE MINING DIVISION
	Deemed Approval Date July 24/96	Date Approved July 24/96	
	Date Notice for Amendments Sent		

Work Report Number for Applying Reserve	Claim Number (see Note 2)	Number of Claim Units
	P1201957	6
Total Number of Claims		
		1

Value of Assessment Work Done on this Claim	Value Applied to this Claim
9991	9991 C.F.
Total Value Work Done	
9991	9991 C.F.
Total Value Work Applied	

Value Assigned from this Claim	Reserve: Work to be Claimed at a Future Date
0	9991
Total Assigned From	
0	9991
Total Reserve	

Credits you are claiming in this report may be cut back. In order to minimize the adverse effects of such deletions, please indicate from which claims you wish to prioritize the deletion of credits. Please mark (✓) one of the following:

- Credits are to be cut back starting with the claim listed last, working backwards.
- Credits are to be cut back equally over all claims contained in this report of work.
- Credits are to be cut back as prioritized on the attached appendix. P1201957

In the event that you have not specified your choice of priority, option one will be implemented.

Note 1: Examples of beneficial interest are unrecorded transfers, option agreements, memorandum of agreements, etc., with respect to the mining claims.

Note 2: If work has been performed on patented or leased land, please complete the following:

I certify that the recorded holder had a beneficial interest in the patented or leased land at the time the work was performed.	Signature	Date
---	-----------	------



Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used to maintain a record and ongoing status of the mining claim(s). Questions about this collection should be directed to the Provincial Manager, Minings Lands, Ministry of Northern Development and Mines, 4th Floor, 159 Cedar Street, Sudbury, Ontario P3E 6A5, telephone (705) 670-7264.

Les renseignements personnels contenus dans la présente formule sont recueillis en vertu de la Loi sur les mines et serviront à tenir à jour un registre des concessions minières. Adresser toute question sur la collecte de ces renseignements au chef provincial des terrains miniers, ministère du Développement du Nord et des Mines, 159, rue Cedar, 4^e étage, Sudbury (Ontario) P3E 6A5, téléphone (705) 670-7264.

1. Direct Costs/Coûts directs

Type	Description	Amount Montant	Totals Total global
Wages Salaires	Labour Main-d'oeuvre	600	
	Field Supervision Supervision sur le terrain	450	1050
Contractor's and Consultant's Fees Droits de l'entrepreneur et de l'expert-conseil	Type Drilling		Invoice # F96304
	DUF63-01	8691	8691
Supplies Used Fournitures utilisées	Type		
Equipment Rental Location de matériel	Type Truck	100	
	Snowmobile	—	
Total Direct Costs Total des coûts directs			9841

2. Indirect Costs/Coûts Indirects

Note: When claiming Rehabilitation work Indirect costs are not allowable as assessment work. Pour le remboursement des travaux de réhabilitation, les coûts indirects ne sont pas admissibles en tant que travaux d'évaluation.

Type	Description	Amount Montant	Totals Total global
Transportation Transport	Type Gasoline	50	
			50
Food and Lodging Nourriture et hébergement	Oasis Motel	100	100
Mobilization and Demobilization Mobilisation et démoblisation			
Sub Total of Indirect Costs Total partiel des coûts indirects			150
Amount Allowable (not greater than 20% of Direct Costs) Montant admissible (n'excédant pas 20 % des coûts directs)			9841
Total Value of Assessment Credit (Total of Direct and Allowable indirect costs) Valeur totale du crédit d'évaluation (Total des coûts directs et indirects admissibles)			9991

Note: The recorded holder will be required to verify expenditures claimed in this statement of costs within 30 days of a request for verification. If verification is not made, the Minister may reject for assessment work all or part of the assessment work submitted.

Note: Le titulaire enregistré sera tenu de vérifier les dépenses demandées dans le présent état des coûts dans les 30 jours suivant une demande à cet effet. Si la vérification n'est pas effectuée, le ministre peut rejeter tout ou une partie des travaux d'évaluation présentés.

Filing Discounts

- Work filed within two years of completion is claimed at 100% of the above Total Value of Assessment Credit.
- Work filed three, four or five years after completion is claimed at 50% of the above Total Value of Assessment Credit. See calculations below:

Total Value of Assessment Credit	Total Assessment Claimed
	x 0.50 =

Remises pour dépôt

- Les travaux déposés dans les deux ans suivant leur achèvement sont remboursés à 100 % de la valeur totale susmentionnée du crédit d'évaluation.
- Les travaux déposés trois, quatre ou cinq ans après leur achèvement sont remboursés à 50 % de la valeur totale du crédit d'évaluation susmentionné. Voir les calculs ci-dessous.

Valeur totale du crédit d'évaluation	Evaluation totale demandée
	x 0,50 =

Certification Verifying Statement of Costs

I hereby certify: that the amounts shown are as accurate as possible and these costs were incurred while conducting assessment work on the lands shown on the accompanying Report of Work form.

that as C. Petch I am authorized (Recorded Holder, Agent, Position in Company)

to make this certification

Attestation de l'état des coûts

J'atteste par la présente : que les montants indiqués sont le plus exact possible et que ces dépenses ont été engagées pour effectuer les travaux d'évaluation sur les terrains indiqués dans la formule de rapport de travail ci-joint.

Et qu'à titre de _____ je suis autorisé (titulaire enregistré, représentant, poste occupé dans la compagnie)

à faire cette attestation.

Signature <u>C. Petch</u>	Date <u>April 16</u>
------------------------------	-------------------------

REFERENCES

AREAS WITHDRAWN FROM DISPOSITION

- M.R.O. — MINING RIGHTS ONLY
- S.R.O. — SURFACE RIGHTS ONLY
- M. + S. — MINING AND SURFACE RIGHTS

Description	Order No.	Date	Disposition	File
SEC 36/80	W 1/80	8/8/80	M + S	

MINING & SURFACE RIGHTS WITHDRAWN UNDER SECTION 26 OF THE MINING ACT, R.S.O. 1980, ORDER W-16/87-IR DATED MARCH 6, 1987

REOPENED FEBRUARY 3, 1989
ORDER NO. O-P 2/89 NR

F-1 THIS TWP SUBJECT TO FOREST ACTIVITY IN 1991/92.
FURTHER INFORMATION ON FILE.

F-2 SUBJECT TO FOREST ACTIVITY IN 1992/93

ST SNOWMOBILE TRAIL
NOTICE RECEIVED 22-Dec-89

Subdivision of this township into lots and concessions was annulled May 10, 1963.

SAND and GRAVEL

Q QUARRY PERMIT

THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.



42A14NE0093 W9660-00318 DUFF

J.S.H.

REAUME TP.

LUCAS TP.

TULLY TP.

MANN TP.

