

LA SOCIETE DE GESTION MASKOURS INC.

RS-98-1

Page 1 of 3

TOWNSHIP: Penhorwood

CLAIM: P-994260

DIRECTIONAL INFORMATION

LOCATION: Grid - 5+00E, 1+35N; 675' North and 275' East of #3 post of P-994260

DEPTH	AZIMUTH	DIP
Collar	141°	-59.5°
95'		-61°
197'		-60.5°
252.6'		-61°

LENGTH: 252.6 Feet

CORE SIZE:BQ

DATE DRILLED: April 21-22, 1998

DRILLED BY: Dominik Drilling Inc.

LOGGED BY: M. F. Stalker

COMMENTS: Core stored at property.

LOGGED ON: April 23 and 30, 1998

SUMMARY LOG

FROM	TO	DESCRIPTION
0	24.1	OVERBURDEN
24.1	37.9	CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
37.9	45.0	ALTERED, SILICIFIED TO QUARTZ FLOODED MAFIC OR ULTRAMAFIC METAVOLCANIC
45.0	51.5	SHEARED MAFIC OR ULTRAMAFIC METAVOLCANIC
51.5	58.0	QUARTZ VEIN
58.0	61.7	ALTERED, SILICIFIED TO QUARTZ FLOODED MAFIC OR ULTRAMAFIC METAVOLCANIC WITH QUARTZ VEINS
61.7	72.9	DEFORMED, CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
72.9	202.3	QUARTZ VEIN
202.3	210.9	MAFIC OR ULTRAMAFIC METAVOLCANIC
210.9	218.5	QUARTZ VEIN
218.5	252.6	MAFIC OR ULTRAMAFIC METAVOLCANIC
252.6		END OF HOLE

2 . 19621

RECEIVED

JUL 22 1999
9:45am

GEOSCIENCE ASSESSMENT
OFFICE

RECEIVED
JUL 21 1999



42B01SE2002 2.19621 PENHORWOOD

010

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
11.55	12.80	1.25	3511			<5	<0.2
12.80	13.72	0.91	3512			<5	<0.2
14.63	15.70	1.07	3513			<5	<0.2
15.70	16.31	0.61	3514	91.15	92.15	<5	<0.2
16.31	17.68	1.37	3515	96.31	97.14		
17.68	18.81	1.13	3516			10	<0.2
18.81	20.33	1.52	3517			<5	<0.2
22.22	22.56	0.34	3518	78.17	78.52		
22.56	24.08	1.52	3519	97.71	98.40		
24.08	25.60	1.52	3520	97.32	98.10		
25.60	27.13	1.52	3521	97.44	97.58		
27.13	28.65	1.52	3522	96.81	98.26		
28.65	30.18	1.52	3523	98.80	98.85		
30.18	31.70	1.52	3524	97.89	99.19		
31.70	33.22	1.52	3525	98.24	99.20		
33.22	34.75	1.52	3526	98.01	99.27		
34.75	36.27	1.52	3527	97.88	98.99		
36.27	37.80	1.52	3528	98.31	99.30		
37.80	39.32	1.52	3529	93.34	94.64		
39.32	40.84	1.52	3530	99.11	99.33		
40.84	42.37	1.52	3531	98.94	99.10		
42.37	43.74	1.37	3532	99.07	99.32		
43.74	44.20	0.46	3533	64.14	64.55		
44.20	45.72	1.52	3534	98.61	98.87		
45.72	47.24	1.52	3535	98.46	99.14		
47.24	48.77	1.52	3536	98.94	99.27		
48.77	50.29	1.52	3537	98.71	99.33		
50.29	51.82	1.52	3538	99.26	99.38		
51.82	53.34	1.52	3539	98.97	99.25		
53.34	54.86	1.52	3540	99.15	99.32		
54.86	56.39	1.52	3541	99.13	99.15		
56.39	57.91	1.52	3542	98.15	98.99		
57.91	59.44	1.52	3543	98.31	99.25		
59.44	60.96	1.52	3544	98.63	99.31		
60.96	61.45	0.49	3545	98.30	98.98		

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.

ASSAYS

From	To	Width	Sample #	SiO₂ (%)	Corrected SiO₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
61.45	61.66	0.21	3546	86.38	87.46		
64.28	65.53	1.25	3547	95.25	95.61		
65.93	66.60	0.67	3548	89.40	89.69		
69.46	70.99	1.52	3549	64.01	64.82	<5	0.2


* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.

TOWNSHIP: Penhorwood	CLAIM: P-994260	
LOCATION: Grid - 4+50E, 2+15N; 705' North and 185' East of the #3 post of P-994260		
LENGTH: 341.2 Feet	CORE SIZE: BQ	DATE DRILLED: April 23-24, 1998
DRILLED BY: Dominik Drilling Inc.	LOGGED BY: M. F. Stalker	
COMMENTS: Core stored at property.	LOGGED ON: May 14 & 26, 1998	

DIRECTIONAL INFORMATION		
DEPTH	AZIMUTH	DIP
Collar	141°	-51°
105'		-51°
200'		-49.5°
300'		-50°
341.2'		-50°

SUMMARY LOG

FROM	TO	DESCRIPTION
0	21.0	OVERBURDEN
21.0	43.8	QUARTZ VEIN AND CHLORITIC, CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
43.8	119.8	ALTERED, SILICIFIED TO QUARTZ FLOODED MAFIC OR ULTRAMAFIC METAVOLCANIC WITH QUARTZ VEINS
119.8	127.8	QUARTZ VEIN WITH ALTERED, SILICIFIED MAFIC OR ULTRAMAFIC METAVOLCANIC
127.8	134.4	QUARTZ VEIN
134.4	135.8	FAULT AND LOST CORE
135.8	144.0	DEFORMED CHLORITIC MAFIC OR ULTRAMAFIC METAVOLCANIC WITH QUARTZ
144.0	167.0	QUARTZ VEIN
167.0	174.5	MAFIC OR ULTRAMAFIC METAVOLCANIC
174.5	253.2	QUARTZ VEIN
253.2	341.2	MAFIC OR ULTRAMAFIC METAVOLCANIC
341.2		END OF HOLE



ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
6.40	7.16	0.76	3550	94.56	95.37	<5	<0.2
7.16	8.78	1.62	3551	47.42	47.73	5	<0.2
8.78	9.54	0.76	3552	96.58	96.96		
9.54	10.18	0.64	3553	58.69	58.89	30	<0.2
10.18	11.13	0.94	3554	91.03	91.81	<5	<0.2
11.13	12.34	1.22	3555	47.67	48.22	<5	<0.2
12.34	13.35	1.01	3556	83.91	84.72	<5	<0.2
13.35	14.87	1.52	3557			20	<0.2
24.84	26.37	1.52	3558			15	<0.2
30.33	30.63	0.30	3559			20	0.2
32.03	33.19	1.16	3560	92.60	93.30	<5	<0.2
33.86	34.69	0.82	3561	97.67	98.67		
36.52	37.28	0.76	3562	96.22	97.06		
37.28	38.95	1.68	3563	88.59	89.49	<5	<0.2
38.95	40.17	1.22	3564	97.37	97.81		
40.17	40.97	0.79	3565	96.47	97.26		
41.39	42.31	0.91	3566			25	<0.2
43.89	45.23	1.34	3567	94.46	94.76		
45.54	47.24	1.71	3568	87.84	88.15		
47.46	47.95	0.49	3569	94.84	95.62		
48.10	49.62	1.52	3570	98.09	98.76		
49.62	50.90	1.28	3571	89.35	89.76		
53.19	53.98	0.79	3572	97.78	98.59		
54.16	55.69	1.52	3573	83.50	84.01		
55.69	56.91	1.22	3574	83.27	83.71		
57.33	58.55	1.22	3575	97.97	98.70		
58.55	59.89	1.34	3576	97.92	98.86		
59.89	60.20	0.30	3577	97.01	97.43		
60.41	61.02	0.61	3578	98.24	98.86		
61.02	62.54	1.52	3579	99.07	99.18		
62.54	64.07	1.52	3580	98.25	99.35		
64.07	65.59	1.52	3581	98.76	99.28		
65.59	67.12	1.52	3582	98.68	99.22		
67.12	68.64	1.52	3583	98.26	99.28		
68.64	69.83	1.19	3584	98.94	99.17		

* Corrected SiO₂ is the value recalculated for a whole rock analysis totaling 100%.

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
69.83	70.74	0.91	3585	97.58	97.76		
71.41	71.93	0.52	3586	93.89	94.84		
71.93	73.15	1.22	3587	98.21	99.09		
73.15	73.97	0.82	3588	98.24	99.21		
73.97	74.28	0.30	3589	71.96	72.32		
74.28	75.80	1.52	3590	98.35	99.24		
75.80	77.18	1.37	3591	97.95	98.57		
90.46	91.10	0.64	3592	92.89	93.55	<5	<0.2
92.08	92.99	0.91	3593	96.42	97.39		
96.32	97.99	1.68	3594			<5	<0.2

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.

LA SOCIETE DE GESTION MASKOURS INC.

RS-98-3

Page 1 of 3

TOWNSHIP: Penhorwood

CLAIM: P-994260

DIRECTIONAL INFORMATION

LOCATION: Grid - 3+50E, 1+90N; 630' North and 125' East of the #3 post of P-994260

DEPTH

AZIMUTH

DIP

Collar

141°

-51°

LENGTH: 377.3 Feet

CORE SIZE:BQ

DATE DRILLED: April 24-26, 1998

100'

Bad Test

194'

-50.5°

DRILLED BY: Dominik Drilling Inc.

LOGGED BY: M. F. Stalker

292'

-49.5°

COMMENTS: Core stored at property.


LOGGED ON: May 26,27,29 & 30, 1998

371'

-49°

SUMMARY LOG

FROM	TO	DESCRIPTION
0	16.4	OVERBURDEN
16.4	24.5	QUARTZ VEIN
24.5	108.2	ALTERED, SILICIFIED TO QUARTZ FLOODED MAFIC OR ULTRAMAFIC METAVOLCANIC WITH QUARTZ VEINS
108.2	120.6	QUARTZ VEIN
120.6	128.8	CHLORITIC, SHEARED MAFIC OR ULTRAMAFIC METAVOLCANIC
128.8	141.8	QUARTZ VEIN
141.8	190.2	CHLORITIC, SHEARED ULTRAMAFIC METAVOLCANIC
190.2	206.5	QUARTZ VEIN WITH METAVOLCANIC INCLUSIONS
206.5	242.8	QUARTZ VEIN
242.8	249.0	QUARTZ VEIN WITH METAVOLCANIC INCLUSIONS
249.0	267.3	CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
267.3	294.4	QUARTZ VEIN
294.4	377.3	CHLORITE SCHIST
377.3		END OF HOLE



42B01SE2002 2.19621 PENHORWOOD

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
5.55	6.61	1.07	3595	97.91	98.44		
6.61	7.47	0.85	3596	92.18	93.11		
7.47	7.80	0.34	3597			15	0.6
10.06	10.42	0.37	3598			10	<0.2
16.79	18.01	1.22	3599			<5	<0.2
20.27	21.09	0.82	3600	88.49	89.23	35	<0.2
32.98	33.89	0.91	6401	97.75	98.36		
33.89	35.39	1.49	6402	85.95	86.48		
35.66	36.76	1.10	6403	89.25	89.86	<5	<0.2
37.64	38.28	0.64	6404	77.21	77.49		
39.35	40.08	0.73	6405	96.98	97.66		
40.45	41.51	1.07	6406	98.60	98.92		
41.51	42.40	0.88	6407	87.18	87.74		
42.64	43.22	0.58	6408	87.01	88.37		
46.12	46.42	0.30	6409			<5	<0.2
47.79	49.01	1.22	6410	76.00	76.78		
49.47	50.90	1.43	6411			<5	<0.2
51.60	52.24	0.64	6412			15	2.8
52.24	52.67	0.43	6413			25	0.2
52.67	53.74	1.07	6414			<5	<0.2
57.97	59.34	1.37	6415	86.51	86.94		
59.34	60.66	1.31	6416	91.20	91.86		
60.66	61.30	0.64	6417	71.84	72.20		
61.94	62.94	1.01	6418	67.10	67.59		
62.94	64.47	1.52	6419	98.76	99.13		
64.47	65.99	1.52	6420	98.53	99.16		
65.99	67.48	1.49	6421	98.80	99.12		
67.82	68.12	0.30	6422	96.43	97.27	35	0.4
68.12	69.34	1.22	6423	98.81	99.04		
69.34	70.87	1.52	6424	98.74	99.06		
70.87	72.39	1.52	6425	98.65	99.39		
72.39	72.94	0.55	6426	99.24	99.27		
72.94	74.01	1.07	6427	98.87	98.98		
74.16	75.90	1.74	6428	79.89	80.21		
76.69	77.11	0.43	6429	87.85	88.06		

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
81.47	82.17	0.70	6430	84.08	84.51		
82.57	83.94	1.37	6431	87.23	87.91	<5	<0.2
83.94	84.40	0.46	6432	98.04	98.57		
84.61	86.14	1.52	6433	92.04	92.38		
86.26	87.93	1.68	6434	98.65	98.90		
88.09	89.00	0.91	6435	97.70	98.38		
89.00	89.73	0.73	6436	92.44	92.48		
89.92	90.68	0.76	6437	64.02	64.19		
92.51	92.93	0.43	6438			<5	<0.2
112.50	113.08	0.58	6439			<5	<0.2

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.

LA SOCIETE DE GESTION MASKOURS INC.

RS-98-4

Page 1 of 3

TOWNSHIP: Penhorwood

CLAIM: P-994260

LOCATION: Grid - 5+00E, 2+10N; 745' North and 220 East of the #3 post of P-994260

LENGTH: 341.2 Feet

CORE SIZE:BQ

DATE DRILLED: April 26-28, 1998

DRILLED BY: Dominik Drilling Inc.

LOGGED BY: M. F. Stalker

COMMENTS: Core stored at property.

LOGGED ON: May 6 & 12, 1998

DEPTH

AZIMUTH

DIP

Collar

141°

-62°

95'

-61°

200'

-60.5°

295'


-61°

341.2'

-61.5°

SUMMARY LOG

FROM	TO	DESCRIPTION
0	23.0	OVERBURDEN
23.0	34.5	CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
34.5	50.5	QUARTZ VEIN
50.5	58.6	CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
58.6	133.5	ALTERED, SILICIFIED TO QUARTZ FLOODED MAFIC OR ULTRAMAFIC METAVOLCANIC
133.5	259.5	QUARTZ VEIN
259.5	267.8	CARBONATIZED MAFIC OR ULTRAMAFIC METAVOLCANIC
267.8	276.3	QUARTZ VEIN
276.3	318.2	CARBONATIZED ULTRAMAFIC OR MAFIC METAVOLCANIC
318.2	341.2	DEFORMED MAFIC OR ULTRAMAFIC METAVOLCANIC
341.2		END OF HOLE



42B01SE2002 2.19621 PENHORWOOD

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
7.01	8.53	1.52	6440			<5	<0.2
10.52	12.04	1.52	6441	98.06	99.05	<5	<0.2
12.04	13.11	1.07	6442	98.14	98.87		
13.11	14.63	1.52	6443	61.38	62.11	<5	<0.2
14.63	15.39	0.76	6444	96.49	96.54		
17.86	18.78	0.91	6445			35	<0.2
18.78	19.54	0.76	6446	96.94	97.22		
19.54	21.06	1.52	6447			<5	<0.2
24.72	26.58	1.86	6448	91.10	91.93	<5	<0.2
28.47	29.26	0.79	6449	97.79	99.12		
40.69	41.33	0.64	6450	93.03	94.27	<5	<0.2
41.33	42.55	1.22	6451	97.80	98.30		
42.55	44.07	1.52	6452	94.21	95.14	30	<0.2
44.07	45.57	1.49	6453	94.65	95.55	20	<0.2
45.57	46.33	0.76	6454	96.89	98.42		
46.33	47.24	0.91	6455	72.18	72.72		
47.24	48.77	1.52	6456	98.14	98.46		
48.77	49.53	0.76	6457	98.10	98.77		
49.53	50.05	0.52	6458	79.24	79.44		
50.05	51.88	1.83	6459	98.27	98.86		
51.88	52.70	0.82	6460	77.35	78.05	<5	<0.2
53.04	54.86	1.83	6461	92.34	92.79		
54.86	56.39	1.52	6462	98.68	98.75		
56.39	57.91	1.52	6463	99.08	99.26		
57.91	59.44	1.52	6464	98.33	99.24		
59.44	60.96	1.52	6465	98.93	99.15		
60.96	62.48	1.52	6466	99.18	99.35		
62.48	64.01	1.52	6467	98.74	99.29		
64.01	65.53	1.52	6468	98.90	99.23		
65.53	67.06	1.52	6469	98.76	99.14		
67.06	68.58	1.52	6470	98.92	99.35		
68.58	70.10	1.52	6471	98.46	99.28		
70.10	71.63	1.52	6472	99.35	99.36		
71.63	73.15	1.52	6473	98.71	99.12		
73.15	74.83	1.68	6474	98.14	99.06		

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%

ASSAYS

From	To	Width	Sample #	SiO ₂ (%)	Corrected SiO ₂ (%) *	Au (ppb)	Ag (ppm)
(m)	(m)	(m)					
74.83	75.53	0.70	6475	90.81	91.29		
75.53	76.96	1.43	6476	62.40	62.59		
76.96	78.03	1.07	6477	78.42	79.23	<5	<0.2
78.03	79.10	1.07	6478	77.13	77.25		
81.63	82.84	1.22	6479	97.92	98.29		
82.84	84.22	1.37	6480	96.80	97.40		
87.17	87.78	0.61	6481	90.05	90.94	<5	<0.2
88.48	89.76	1.28	6482	87.12	87.59		
101.80	103.02	1.22	6483			<5	<0.2

* Corrected SiO₂ is the value recalculated for a whole rock analysis totalling 100%.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: STALKER, MARY


BOX 664
 SCHUMACHER, ON
 P0N 1G0

Project: RS
 Comments: CC: GAETAN LAVALLEE

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 26-APR-199
 Invoice No. : 19915768
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915768

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
	FA+AA																				
3511	205	226	< 5	< 0.2	0.20	< 2	< 10	30	< 0.5	< 2	0.91	< 0.5	8	89	23	1.10	< 10	< 1	0.07	< 10	0.52
3512	205	226	< 5	< 0.2	0.31	2	< 10	50	< 0.5	< 2	0.55	< 0.5	6	112	27	0.76	< 10	< 1	0.15	< 10	0.36
3513	205	226	< 5	< 0.2	2.17	< 2	< 10	10	< 0.5	< 2	4.28	< 0.5	39	1050	19	3.98	< 10	< 1	< 0.01	< 10	7.38
3516	205	226	10	< 0.2	0.35	< 2	< 10	40	< 0.5	< 2	0.47	< 0.5	5	169	8	0.70	< 10	< 1	0.11	< 10	0.47
3517	205	226	< 5	< 0.2	2.05	< 2	< 10	< 10	< 0.5	< 2	3.47	< 0.5	31	975	5	3.71	< 10	< 1	< 0.01	< 10	5.67
3557	205	226	20	< 0.2	0.35	< 2	< 10	80	< 0.5	< 2	0.87	< 0.5	5	93	60	0.78	< 10	< 1	0.18	< 10	0.47
3558	205	226	15	< 0.2	0.28	< 2	< 10	100	< 0.5	< 2	0.59	< 0.5	4	131	69	0.65	< 10	< 1	0.14	< 10	0.30
3559	205	226	20	0.2	0.38	< 2	< 10	140	< 0.5	< 2	1.00	< 0.5	6	108	31	1.20	< 10	< 1	0.19	< 10	0.43
3566	205	226	25	< 0.2	2.88	< 2	< 10	< 10	< 0.5	< 2	4.61	< 0.5	32	750	28	4.25	10	< 1	0.01	< 10	6.06
3594	205	226	< 5	< 0.2	2.16	< 2	< 10	380	< 0.5	< 2	3.06	< 0.5	44	1075	16	4.24	< 10	< 1	0.01	< 10	7.47
3597	205	226	15	0.6	0.46	< 2	< 10	40	< 0.5	< 2	1.01	< 0.5	7	175	17	1.26	< 10	< 1	0.13	< 10	0.79
3598	205	226	10	< 0.2	0.28	< 2	< 10	80	< 0.5	< 2	0.62	< 0.5	3	104	23	0.65	< 10	< 1	0.12	< 10	0.34
3599	205	226	< 5	< 0.2	0.22	2	< 10	60	< 0.5	< 2	0.54	< 0.5	4	137	50	0.60	< 10	< 1	0.11	< 10	0.26
6409	205	226	< 5	< 0.2	2.34	< 2	< 10	10	< 0.5	< 2	2.29	< 0.5	33	901	11	2.93	10	< 1	< 0.01	< 10	4.54
6411	205	226	< 5	< 0.2	1.20	< 2	< 10	20	< 0.5	< 2	0.67	< 0.5	21	380	66	1.90	< 10	< 1	0.03	< 10	1.92
6412	205	226	15	2.8	3.29	18	< 10	< 10	< 0.5	2	4.39	0.5	64	1335	134	6.26	< 10	< 1	< 0.01	< 10	6.41
6413	205	226	25	0.2	0.75	< 2	< 10	60	< 0.5	< 2	1.89	< 0.5	17	238	44	1.77	< 10	< 1	0.18	< 10	1.47
6414	205	226	< 5	< 0.2	3.21	12	< 10	10	< 0.5	< 2	4.73	< 0.5	52	1120	46	5.06	10	< 1	0.01	< 10	6.26
6438	205	226	< 5	< 0.2	1.37	< 2	< 10	160	< 0.5	< 2	3.90	< 0.5	37	670	25	3.94	< 10	< 1	0.03	30	5.84
6439	205	226	< 5	< 0.2	1.08	< 2	< 10	100	< 0.5	< 2	5.54	< 0.5	30	500	51	2.94	< 10	< 1	0.23	10	1.97
6440	205	226	< 5	< 0.2	1.77	2	< 10	150	< 0.5	< 2	4.03	< 0.5	34	833	9	3.46	< 10	< 1	0.01	< 10	6.35
6445	205	226	35	< 0.2	0.44	< 2	< 10	150	< 0.5	< 2	0.88	< 0.5	6	104	43	0.83	< 10	< 1	0.16	< 10	0.66
6447	205	226	< 5	< 0.2	0.26	< 2	< 10	80	< 0.5	< 2	0.61	< 0.5	5	122	37	0.69	< 10	< 1	0.14	< 10	0.33
6483	205	226	< 5	< 0.2	2.45	< 2	< 10	430	< 0.5	< 2	4.02	< 0.5	32	674	33	3.80	10	< 1	0.12	20	5.26



42B01SE2002 2.19621 PENHORWOOD

050

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: STALKER, MARY

BOX 664
SCHUMACHER, ON
PON 1G0

Project: RS
Comments: CC: GAETAN LAVALLEE

Page Number : 1-B
Total Pages : 1
Certificate Date: 26-APR-1999
Invoice No. : 19915768
P.O. Number :
Account : QZH

CERTIFICATE OF ANALYSIS A9915768

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
3511	205 226	125	19	0.09	11	260	6	0.69	< 2	< 1	55	< 0.01	< 10	< 10	2	< 10	12
3512	205 226	80	1	0.06	10	270	2	0.40	< 2	< 1	38	< 0.01	< 10	< 10	3	< 10	6
3513	205 226	850	< 1	< 0.01	449	30	< 2	0.04	< 2	10	299	< 0.01	< 10	< 10	53	< 10	74
3516	205 226	80	< 1	0.06	12	220	< 2	0.25	< 2	< 1	34	< 0.01	< 10	< 10	4	< 10	8
3517	205 226	680	< 1	< 0.01	374	10	< 2	0.07	< 2	9	215	< 0.01	< 10	< 10	45	< 10	98
3557	205 226	145	10	0.06	7	280	6	0.34	< 2	< 1	57	< 0.01	< 10	< 10	4	< 10	10
3558	205 226	95	< 1	0.05	6	220	< 2	0.26	< 2	< 1	42	< 0.01	< 10	< 10	3	< 10	6
3559	205 226	135	89	0.07	6	560	2	0.61	< 2	< 1	68	< 0.01	< 10	< 10	4	< 10	10
3566	205 226	695	< 1	< 0.01	393	540	< 2	0.18	< 2	9	295	< 0.01	< 10	< 10	48	< 10	148
3594	205 226	755	< 1	0.01	484	100	< 2	0.10	< 2	11	142	< 0.01	< 10	< 10	68	< 10	68
3597	205 226	180	16	0.05	18	120	4	0.46	< 2	< 1	38	< 0.01	< 10	< 10	4	< 10	10
3598	205 226	105	< 1	0.08	9	330	2	0.27	< 2	< 1	32	< 0.01	< 10	< 10	2	< 10	8
3599	205 226	85	1	0.06	5	190	< 2	0.22	< 2	< 1	38	< 0.01	< 10	< 10	2	< 10	4
6409	205 226	400	< 1	< 0.01	282	< 10	< 2	0.10	< 2	8	131	< 0.01	< 10	< 10	44	< 10	104
6411	205 226	135	10	0.04	138	170	< 2	0.52	< 2	3	42	< 0.01	< 10	< 10	18	< 10	56
6412	205 226	1410	< 1	< 0.01	615	80	< 2	1.70	< 2	15	281	< 0.01	< 10	< 10	91	< 10	364
6413	205 226	315	13	0.04	106	750	4	0.67	< 2	2	114	< 0.01	< 10	< 10	11	< 10	38
6414	205 226	890	< 1	< 0.01	459	50	2	0.68	< 2	14	279	< 0.01	< 10	< 10	80	< 10	126
6438	205 226	700	< 1	0.03	351	910	< 2	0.55	< 2	11	140	< 0.01	< 10	< 10	58	< 10	60
6439	205 226	845	40	0.03	119	740	2	1.04	< 2	7	228	0.07	< 10	< 10	58	< 10	18
6440	205 226	660	< 1	0.01	404	90	< 2	0.03	< 2	8	255	< 0.01	< 10	< 10	43	< 10	90
6445	205 226	135	4	0.07	9	180	< 2	0.30	< 2	< 1	57	< 0.01	< 10	< 10	5	< 10	8
6447	205 226	95	3	0.05	7	280	< 2	0.33	< 2	< 1	40	< 0.01	< 10	< 10	2	< 10	6
6483	205 226	595	< 1	0.01	186	1230	< 2	0.35	< 2	12	333	0.01	< 10	< 10	79	< 10	78

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163


To: STALKER, MARY
 BOX 664
 SCHUMACHER, ON
 PON 1G0

Project : RS
 Comments:

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 26-APR-199
 Invoice No. : 19915777
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915777

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
	FA+AA																				
3514	205	226	< 5	< 0.2	0.40	2	< 10	10	< 0.5	< 2	0.20	< 0.5	3	254	8	0.72	< 10	< 1	0.04	< 10	0.52
3549	205	226	< 5	0.2	0.90	6	< 10	< 10	< 0.5	< 2	2.64	< 0.5	28	610	6	2.90	< 10	< 1	0.03	< 10	6.16
3550	205	226	< 5	< 0.2	0.16	2	< 10	< 10	< 0.5	< 2	0.63	< 0.5	2	297	5	0.58	< 10	< 1	0.01	< 10	0.56
3551	205	226	5	< 0.2	2.74	4	< 10	< 10	< 0.5	< 2	6.19	< 0.5	30	1020	25	4.09	< 10	< 1	< 0.01	< 10	6.89
3553	205	226	30	< 0.2	2.38	2	< 10	< 10	< 0.5	< 2	5.12	< 0.5	27	955	1	3.74	< 10	< 1	< 0.01	< 10	5.44
3554	205	226	< 5	< 0.2	0.43	2	< 10	< 10	< 0.5	< 2	1.30	< 0.5	5	329	20	0.98	< 10	< 1	< 0.01	< 10	1.24
3555	205	226	< 5	< 0.2	2.94	6	< 10	< 10	< 0.5	< 2	5.93	< 0.5	33	1180	8	4.37	< 10	< 1	< 0.01	< 10	6.81
3556	205	226	< 5	< 0.2	1.13	2	< 10	10	< 0.5	< 2	1.70	< 0.5	10	519	28	1.97	< 10	< 1	< 0.01	< 10	2.21
3560	205	226	< 5	< 0.2	0.18	< 2	< 10	50	< 0.5	< 2	0.27	< 0.5	1	229	6	0.45	< 10	< 1	0.08	< 10	0.16
3563	205	226	< 5	< 0.2	0.26	2	< 10	40	< 0.5	< 2	0.24	< 0.5	2	191	25	0.52	< 10	< 1	0.12	< 10	0.18
3592	205	226	< 5	< 0.2	0.05	< 2	< 10	220	< 0.5	< 2	1.07	< 0.5	1	286	6	0.53	< 10	< 1	0.01	< 10	0.72
3600	205	226	35	< 0.2	0.18	4	< 10	40	< 0.5	< 2	0.38	< 0.5	1	146	37	0.48	< 10	< 1	0.09	< 10	0.19
6403	205	226	< 5	< 0.2	0.46	< 2	< 10	20	< 0.5	< 2	1.04	< 0.5	6	352	4	0.99	< 10	< 1	< 0.01	< 10	1.60
6422	205	226	35	0.4	0.08	6	< 10	20	< 0.5	< 2	0.26	< 0.5	3	264	3790	0.81	< 10	< 1	< 0.01	< 10	0.23
6431	205	226	< 5	< 0.2	0.75	2	10	< 10	< 0.5	< 2	1.15	< 0.5	11	358	6	1.31	< 10	< 1	0.03	10	1.67
6441	205	226	< 5	< 0.2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	0.07	< 0.5	< 1	218	7	0.26	< 10	< 1	< 0.01	< 10	0.04
6443	205	226	< 5	< 0.2	1.74	2	< 10	< 10	< 0.5	< 2	4.60	< 0.5	23	736	56	3.03	< 10	< 1	0.01	< 10	5.19
6448	205	226	< 5	< 0.2	0.15	2	10	50	< 0.5	< 2	0.35	< 0.5	1	181	21	0.46	< 10	< 1	0.08	< 10	0.17
6450	205	226	< 5	< 0.2	0.13	2	< 10	10	< 0.5	< 2	0.33	< 0.5	< 1	198	18	0.38	< 10	< 1	0.06	< 10	0.22
6452	205	226	30	< 0.2	0.30	6	< 10	10	< 0.5	< 2	0.40	< 0.5	3	247	21	0.67	< 10	< 1	0.02	< 10	0.57
6453	205	226	20	< 0.2	0.18	6	< 10	< 10	< 0.5	< 2	0.53	< 0.5	3	215	49	0.55	< 10	< 1	< 0.01	< 10	0.56
6460	205	226	< 5	< 0.2	0.84	4	< 10	< 10	< 0.5	< 2	1.64	< 0.5	12	522	3	1.91	< 10	< 1	< 0.01	< 10	3.01
6477	205	226	< 5	< 0.2	0.45	< 2	< 10	< 10	< 0.5	< 2	2.07	< 0.5	13	338	< 1	1.99	< 10	< 1	0.03	< 10	2.90
6481	205	226	< 5	< 0.2	0.27	2	< 10	< 10	< 0.5	< 2	1.26	< 0.5	6	298	< 1	1.04	< 10	< 1	0.01	< 10	1.44

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163


To: STALKER, MARY
 BOX 664
 SCHUMACHER, ON
 PON 1G0

Project: RS
 Comments:

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 26-APR-1999
 Invoice No. : 19915777
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915777

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
3514	205	226	45	1	0.02	28	20	< 2	0.11	< 2	< 1	13	< 0.01	< 10	< 10	5	< 10	18
3549	205	226	590	1	< 0.01	466	< 10	< 2	< 0.01	< 2	5	101	< 0.01	< 10	< 10	22	< 10	72
3550	205	226	90	3	< 0.01	33	< 10	< 2	0.03	< 2	< 1	35	< 0.01	< 10	< 10	4	< 10	12
3551	205	226	830	< 1	< 0.01	514	< 10	< 2	0.10	< 2	10	420	< 0.01	< 10	< 10	45	< 10	138
3553	205	226	735	3	< 0.01	380	< 10	< 2	0.25	< 2	8	347	< 0.01	< 10	< 10	37	< 10	130
3554	205	226	195	1	< 0.01	68	< 10	< 2	0.04	< 2	1	79	< 0.01	< 10	< 10	7	< 10	28
3555	205	226	850	1	< 0.01	447	< 10	< 2	0.11	2	12	387	< 0.01	< 10	< 10	58	< 10	142
3556	205	226	295	3	< 0.01	125	< 10	< 2	0.15	< 2	3	107	< 0.01	< 10	< 10	16	< 10	62
3560	205	226	45	2	0.02	9	150	< 2	0.11	< 2	< 1	21	< 0.01	< 10	< 10	2	< 10	8
3563	205	226	40	1	0.03	6	90	< 2	0.19	< 2	< 1	24	< 0.01	< 10	< 10	2	< 10	8
3592	205	226	110	1	< 0.01	12	180	< 2	< 0.01	< 2	1	55	< 0.01	< 10	< 10	2	< 10	12
3600	205	226	55	1	0.03	5	40	< 2	0.18	< 2	< 1	28	< 0.01	< 10	< 10	1	< 10	8
6403	205	226	165	1	< 0.01	88	10	< 2	< 0.01	< 2	2	58	< 0.01	< 10	< 10	12	< 10	22
6422	205	226	40	1	< 0.01	33	< 10	< 2	0.25	< 2	< 1	9	< 0.01	< 10	< 10	3	< 10	6
6431	205	226	185	2	< 0.01	90	40	< 2	0.08	< 2	3	52	< 0.01	< 10	< 10	15	< 10	44
6441	205	226	20	2	< 0.01	5	< 10	< 2	< 0.01	< 2	< 1	3	< 0.01	< 10	< 10	< 1	< 10	< 2
6443	205	226	600	3	< 0.01	397	< 10	< 2	0.19	< 2	7	322	< 0.01	< 10	< 10	31	< 10	102
6448	205	226	55	1	0.03	4	110	< 2	0.13	< 2	< 1	27	< 0.01	< 10	< 10	1	< 10	2
6450	205	226	45	1	0.01	7	< 10	< 2	0.05	< 2	< 1	28	< 0.01	< 10	< 10	2	< 10	6
6452	205	226	65	4	0.01	28	< 10	< 2	0.10	< 2	< 1	29	< 0.01	< 10	< 10	5	< 10	16
6453	205	226	70	1	< 0.01	39	< 10	< 2	0.01	< 2	< 1	31	< 0.01	< 10	< 10	4	< 10	10
6460	205	226	415	< 1	< 0.01	174	< 10	< 2	< 0.01	< 2	5	82	< 0.01	< 10	< 10	20	< 10	44
6477	205	226	435	1	< 0.01	157	70	< 2	< 0.01	< 2	4	91	< 0.01	< 10	< 10	12	< 10	34
6481	205	226	205	3	< 0.01	84	< 10	< 2	0.07	< 2	2	53	< 0.01	< 10	< 10	7	< 10	20

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: STALKER, MARY **

BOX 664
 SCHUMACHER, ON
 P0N 1G0

Project: RS
 Comments: ATTN: MARY STALKER CC: GAETAN LAVALLEE

Page Number : 1
 Total Pages : 4
 Certificate Date: 29-APR-1999
 Invoice No. : 19915938
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915938

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
3515	205 226	1.11	0.15	0.04	0.67	0.16	0.17	0.01	0.14	< 0.01	96.31	0.03	0.36	99.15
3518	205 226	0.76	4.82	0.09	2.58	0.06	4.25	0.07	< 0.01	0.01	78.17	0.04	8.71	99.56
3519	205 226	0.36	0.20	0.03	0.64	0.03	0.03	0.01	< 0.01	0.01	97.71	0.02	0.26	99.30
3520	205 226	0.34	0.29	0.03	0.59	0.04	0.14	0.01	< 0.01	0.02	97.32	0.02	0.40	99.20
3521	205 226	0.46	0.39	0.04	0.56	0.04	0.28	0.01	< 0.01	< 0.01	97.44	0.02	0.62	99.86
3522	205 226	0.51	0.19	0.04	0.57	0.06	0.08	0.01	< 0.01	0.02	96.81	0.03	0.20	98.52
3523	205 226	0.21	0.16	0.03	0.39	0.02	0.03	0.01	< 0.01	0.01	98.80	0.01	0.28	99.95
3524	205 226	0.21	0.03	0.03	0.35	0.03	0.10	0.01	< 0.01	0.01	97.89	< 0.01	0.03	98.69
3525	205 226	0.22	0.03	0.06	0.40	0.02	< 0.01	0.01	< 0.01	< 0.01	98.24	< 0.01	0.05	99.03
3526	205 226	0.21	0.04	0.03	0.31	0.02	< 0.01	0.01	< 0.01	< 0.01	98.01	0.01	0.09	98.73
3527	205 226	0.27	0.09	0.04	0.40	0.04	< 0.01	0.01	< 0.01	0.01	97.88	0.01	0.13	98.88
3528	205 226	0.22	0.04	0.03	0.29	0.03	< 0.01	0.01	< 0.01	0.01	98.31	0.01	0.05	99.00
3529	205 226	0.39	1.24	0.03	0.81	0.04	0.87	0.03	< 0.01	0.01	93.34	0.02	1.85	98.63
3530	205 226	0.19	0.02	0.02	0.35	0.03	< 0.01	0.01	< 0.01	0.01	99.11	0.01	0.03	99.78
3531	205 226	0.20	0.10	0.03	0.37	0.02	< 0.01	0.01	< 0.01	0.03	98.94	0.01	0.13	99.84
3532	205 226	0.20	0.03	0.03	0.36	0.02	< 0.01	0.01	< 0.01	< 0.01	99.07	< 0.01	0.03	99.75
3533	205 226	3.51	5.21	0.10	5.56	0.03	8.69	0.11	< 0.01	< 0.01	64.14	0.15	11.87	99.37
3534	205 226	0.23	0.13	0.02	0.41	0.03	0.07	0.01	< 0.01	0.01	98.61	< 0.01	0.22	99.74
3535	205 226	0.22	0.05	0.04	0.39	0.03	< 0.01	0.01	< 0.01	0.03	98.46	0.01	0.07	99.31
3536	205 226	0.22	< 0.01	0.05	0.38	0.03	< 0.01	0.01	< 0.01	0.01	98.94	0.01	0.02	99.67
3537	205 226	0.19	0.01	0.04	0.35	0.03	< 0.01	< 0.01	< 0.01	0.03	98.71	0.01	0.01	99.38
3538	205 226	0.16	0.01	0.03	0.37	0.03	< 0.01	0.01	< 0.01	< 0.01	99.26	< 0.01	0.01	99.88
3539	205 226	0.22	0.03	0.03	0.40	0.03	< 0.01	0.01	< 0.01	< 0.01	98.97	0.01	0.02	99.72
3540	205 226	0.21	0.01	0.04	0.36	0.03	< 0.01	0.01	< 0.01	< 0.01	99.15	0.01	0.01	99.83
3541	205 226	0.31	0.03	0.06	0.39	0.03	< 0.01	0.01	< 0.01	0.01	99.13	< 0.01	0.01	99.98
3542	205 226	0.24	0.06	0.05	0.48	0.03	< 0.01	0.01	< 0.01	0.04	98.15	0.01	0.08	99.15
3543	205 226	0.21	0.01	0.05	0.39	0.03	< 0.01	< 0.01	< 0.01	0.03	98.31	0.01	0.01	99.05
3544	205 226	0.22	0.02	0.03	0.33	0.03	< 0.01	0.01	< 0.01	< 0.01	98.63	0.01	0.04	99.32
3545	205 226	0.21	0.08	0.06	0.52	0.03	< 0.01	0.01	< 0.01	0.01	98.30	0.01	0.08	99.31
3546	205 226	1.02	2.54	0.07	1.61	0.06	2.56	0.04	< 0.01	0.01	86.38	0.04	4.44	98.77
3547	205 226	0.50	0.71	0.07	0.82	0.06	0.76	0.02	< 0.01	< 0.01	95.25	0.03	1.40	99.62
3548	205 226	1.03	1.55	0.08	1.73	0.09	2.27	0.03	< 0.01	< 0.01	89.40	0.05	3.45	99.68
3552	205 226	0.36	0.57	0.05	0.65	0.05	0.40	0.01	< 0.01	0.02	96.58	0.01	0.91	99.61
3561	205 226	0.45	0.13	0.03	0.44	0.05	< 0.01	0.01	0.01	< 0.01	97.67	0.03	0.17	98.99
3562	205 226	1.29	0.15	0.04	0.56	0.40	0.06	0.01	0.05	0.01	96.22	0.03	0.31	99.13
3564	205 226	0.49	0.19	0.04	0.73	0.07	0.29	0.01	< 0.01	< 0.01	97.37	0.02	0.34	99.55
3565	205 226	0.56	0.41	0.05	0.53	0.08	0.34	0.01	0.01	0.02	96.47	0.02	0.69	99.19
3567	205 226	0.25	1.36	0.04	0.65	0.02	0.80	0.03	< 0.01	< 0.01	94.46	< 0.01	2.07	99.68
3568	205 226	0.78	2.73	0.05	1.28	0.02	2.41	0.04	< 0.01	< 0.01	87.84	0.04	4.46	99.65
3569	205 226	0.26	1.05	0.04	0.65	0.02	0.66	0.02	< 0.01	< 0.01	94.84	0.01	1.63	99.18

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: STALKER, MARY

BOX 664
 SCHUMACHER, ON
 PON 1G0

Project: RS
 Comments: ATTN: MARY STALKER CC: GAETAN LAVALLEE

Page Number : 2
 Total Pages : 4
 Certificate Date: 29-APR-1999
 Invoice No. : I9915938
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915938

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
3570	205 226	0.26	0.14	0.04	0.44	0.03	0.07	0.01	< 0.01	0.01	98.09	0.02	0.21	99.32
3571	205 226	1.12	1.34	0.05	1.76	0.03	2.50	0.04	< 0.01	0.01	89.35	0.05	3.29	99.54
3572	205 226	0.22	0.22	0.05	0.47	0.03	0.08	0.01	< 0.01	< 0.01	97.78	0.01	0.31	99.18
3573	205 226	1.14	2.63	0.06	2.20	0.03	3.86	0.05	< 0.01	< 0.01	83.50	0.06	5.86	99.39
3574	205 226	1.35	2.13	0.08	2.51	0.03	4.28	0.06	< 0.01	0.01	83.27	0.06	5.70	99.48
3575	205 226	0.30	0.19	0.04	0.51	0.04	0.01	0.01	< 0.01	0.02	97.97	0.03	0.14	99.26
3576	205 226	0.20	0.19	0.04	0.44	0.03	< 0.01	0.01	< 0.01	< 0.01	97.92	0.01	0.21	99.05
3577	205 226	0.24	0.56	0.04	0.50	0.03	0.32	0.01	< 0.01	0.02	97.01	< 0.01	0.84	99.57
3578	205 226	0.21	0.30	0.04	0.41	0.03	< 0.01	0.01	< 0.01	0.02	98.24	0.01	0.10	99.37
3579	205 226	0.20	0.07	0.06	0.39	0.02	< 0.01	0.01	< 0.01	0.01	99.07	0.01	0.05	99.89
3580	205 226	0.19	0.03	0.03	0.33	0.03	< 0.01	0.01	< 0.01	< 0.01	98.25	< 0.01	0.02	98.89
3581	205 226	0.21	0.05	0.03	0.32	0.04	< 0.01	0.01	< 0.01	0.01	98.76	0.01	0.04	99.48
3582	205 226	0.23	0.04	0.05	0.37	0.04	< 0.01	0.01	< 0.01	0.01	98.68	0.01	0.02	99.46
3583	205 226	0.17	0.02	0.07	0.40	0.02	< 0.01	0.01	< 0.01	< 0.01	98.26	0.01	0.01	98.97
3584	205 226	0.20	0.03	0.05	0.47	0.02	< 0.01	0.01	< 0.01	0.03	98.94	0.01	0.01	99.77
3585	205 226	0.38	0.30	0.05	0.54	0.03	0.36	0.01	< 0.01	< 0.01	97.58	0.01	0.56	99.82
3586	205 226	0.66	0.82	0.05	0.94	0.08	0.94	0.02	< 0.01	< 0.01	93.89	0.04	1.56	99.00
3587	205 226	0.28	0.04	0.04	0.45	0.04	< 0.01	0.01	< 0.01	< 0.01	98.21	< 0.01	0.04	99.11
3588	205 226	0.21	0.01	0.06	0.42	0.03	< 0.01	0.01	< 0.01	0.02	98.24	0.01	0.01	99.02
3589	205 226	2.87	2.73	0.10	4.50	0.28	7.27	0.07	< 0.01	0.01	71.96	0.15	9.56	99.50
3590	205 226	0.20	0.07	0.01	0.33	0.03	< 0.01	0.01	< 0.01	0.01	98.35	0.01	0.08	99.10
3591	205 226	0.22	0.23	0.06	0.46	0.03	0.04	0.01	< 0.01	0.02	97.95	0.01	0.34	99.37
3593	205 226	0.34	0.49	0.07	0.52	0.05	0.32	0.01	< 0.01	< 0.01	96.42	0.03	0.75	99.00
3595	205 226	0.21	0.25	0.07	0.47	0.03	0.11	0.01	< 0.01	< 0.01	97.91	0.01	0.39	99.46
3596	205 226	0.96	1.37	0.07	1.09	0.14	0.93	0.04	< 0.01	0.01	92.18	0.03	2.18	99.00
6401	205 226	0.73	0.08	0.03	0.38	0.21	< 0.01	< 0.01	< 0.01	< 0.01	97.75	0.03	0.17	99.38
6402	205 226	0.97	3.11	0.07	1.65	0.11	2.49	0.05	< 0.01	< 0.01	85.95	0.04	4.95	99.39
6404	205 226	2.18	2.87	0.09	3.28	0.04	6.33	0.06	< 0.01	0.01	77.21	0.08	7.49	99.64
6405	205 226	0.29	0.41	0.04	0.56	0.02	0.30	0.01	< 0.01	0.01	96.98	0.01	0.67	99.30
6406	205 226	0.21	0.15	0.03	0.36	0.02	0.07	0.01	< 0.01	0.01	98.60	0.01	0.21	99.68
6407	205 226	1.05	2.39	0.07	1.69	0.02	2.71	0.04	< 0.01	0.01	87.18	0.04	4.16	99.36
6408	205 226	1.26	1.65	0.06	1.75	0.03	3.00	0.03	< 0.01	0.01	87.01	0.04	3.62	98.46
6410	205 226	3.30	3.01	0.07	3.66	0.03	5.99	0.05	< 0.01	0.01	76.00	0.09	6.77	98.98
6415	205 226	1.53	1.98	0.06	2.00	0.04	3.14	0.04	< 0.01	0.01	86.51	0.07	4.12	99.50
6416	205 226	0.79	1.51	0.05	1.21	0.10	1.65	0.03	< 0.01	< 0.01	91.20	0.03	2.71	99.28
6417	205 226	3.53	2.77	0.10	4.59	0.04	7.72	0.07	< 0.01	< 0.01	71.84	0.14	8.70	99.50
6418	205 226	3.69	3.69	0.10	5.27	0.08	8.61	0.09	< 0.01	0.01	67.10	0.16	10.47	99.27
6419	205 226	0.21	0.09	0.03	0.36	0.03	< 0.01	0.01	< 0.01	0.01	98.76	0.01	0.12	99.63
6420	205 226	0.21	0.05	0.03	0.36	0.03	0.03	0.01	< 0.01	< 0.01	98.53	< 0.01	0.11	99.36
6421	205 226	0.21	0.09	0.03	0.41	0.04	< 0.01	0.01	< 0.01	< 0.01	98.80	0.01	0.08	99.68

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: STALKER, MARY **

BOX 664
 SCHUMACHER, ON
 P0N 1G0

Page Number : 3
 Total Pages : 4
 Certificate Date: 29-APR-1999
 Invoice No. : I9915938
 P.O. Number :
 Account : QZH

Project : RS
 Comments: ATTN: MARY STALKER CC: GAETAN LAVALLEE

CERTIFICATE OF ANALYSIS A9915938

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
6423	205 226	0.20	0.12	0.02	0.40	0.03	0.06	0.01	< 0.01	< 0.01	98.81	< 0.01	0.12	99.77
6424	205 226	0.27	0.07	0.03	0.45	0.05	0.03	0.01	< 0.01	< 0.01	98.74	0.01	0.02	99.68
6425	205 226	0.17	0.03	0.02	0.31	0.03	< 0.01	0.01	< 0.01	0.01	98.65	< 0.01	0.03	99.26
6426	205 226	0.19	0.06	0.02	0.37	0.02	< 0.01	0.01	< 0.01	0.01	99.24	< 0.01	0.05	99.97
6427	205 226	0.22	0.11	0.04	0.47	0.04	< 0.01	0.01	< 0.01	< 0.01	98.87	0.01	0.12	99.89
6428	205 226	2.78	2.68	0.05	3.17	0.07	4.76	0.05	< 0.01	0.01	79.89	0.12	6.02	99.60
6429	205 226	1.62	1.85	0.08	1.88	0.04	2.66	0.03	< 0.01	0.01	87.85	0.06	3.68	99.76
6430	205 226	2.55	1.69	0.08	2.66	0.13	3.83	0.04	< 0.01	0.01	84.08	0.13	4.29	99.49
6432	205 226	0.20	0.26	0.02	0.35	0.04	0.10	0.01	< 0.01	0.01	98.04	0.01	0.42	99.46
6433	205 226	0.82	1.22	0.05	1.14	0.10	1.61	0.03	< 0.01	< 0.01	92.04	0.03	2.59	99.63
6434	205 226	0.21	0.15	0.03	0.38	0.03	0.06	0.01	< 0.01	0.01	98.65	0.01	0.21	99.75
6435	205 226	0.24	0.29	0.05	0.47	0.03	0.13	0.01	< 0.01	< 0.01	97.70	0.01	0.38	99.31
6436	205 226	0.58	1.50	0.06	1.04	0.10	1.40	0.03	< 0.01	0.01	92.44	0.03	2.77	99.96
6437	205 226	3.77	3.60	0.15	5.79	0.09	10.01	0.09	< 0.01	< 0.01	64.02	0.21	12.00	99.73
6442	205 226	0.23	0.14	0.03	0.38	0.04	< 0.01	0.01	< 0.01	0.01	98.14	0.01	0.27	99.26
6444	205 226	0.57	0.47	0.04	0.74	0.04	0.62	0.01	< 0.01	< 0.01	96.49	0.03	0.94	99.95
6446	205 226	1.26	0.10	0.05	0.50	0.23	< 0.01	0.01	0.34	0.03	96.94	0.05	0.20	99.71
6449	205 226	0.31	0.03	0.06	0.39	0.03	< 0.01	< 0.01	< 0.01	< 0.01	97.79	0.01	0.04	98.66
6451	205 226	0.45	0.20	0.08	0.44	0.09	0.08	0.01	< 0.01	0.02	97.80	0.01	0.31	99.49
6454	205 226	0.27	0.20	0.04	0.49	0.03	0.19	0.01	< 0.01	< 0.01	96.89	0.01	0.32	98.45
6455	205 226	1.84	3.96	0.08	3.60	0.03	7.43	0.08	< 0.01	0.01	72.18	0.08	9.97	99.26
6456	205 226	0.23	0.19	0.07	0.48	0.02	0.18	0.01	< 0.01	0.01	98.14	0.01	0.34	99.68
6457	205 226	0.21	0.17	0.05	0.45	0.01	0.07	0.01	< 0.01	< 0.01	98.10	0.01	0.24	99.32
6458	205 226	1.85	3.58	0.10	2.94	0.03	4.87	0.07	< 0.01	< 0.01	79.24	0.08	6.99	99.75
6459	205 226	0.33	0.14	0.05	0.39	0.02	0.01	< 0.01	< 0.01	0.02	98.27	0.01	0.16	99.40
6461	205 226	0.81	1.02	0.07	1.29	0.02	1.60	0.03	< 0.01	< 0.01	92.34	0.03	2.30	99.51
6462	205 226	0.22	0.20	0.04	0.39	0.03	0.12	0.01	< 0.01	0.02	98.68	0.01	0.21	99.93
6463	205 226	0.19	0.04	0.05	0.34	0.02	< 0.01	0.01	< 0.01	0.03	99.08	0.01	0.05	99.82
6464	205 226	0.18	0.04	0.06	0.38	0.02	< 0.01	0.01	< 0.01	< 0.01	98.33	0.01	0.05	99.08
6465	205 226	0.23	0.07	0.05	0.39	0.02	0.03	0.01	< 0.01	0.03	98.93	0.01	0.01	99.78
6466	205 226	0.22	0.01	0.03	0.34	0.03	< 0.01	0.01	< 0.01	< 0.01	99.18	< 0.01	0.01	99.83
6467	205 226	0.19	0.03	0.03	0.38	0.03	< 0.01	0.01	< 0.01	0.02	98.74	< 0.01	0.02	99.45
6468	205 226	0.21	0.07	0.02	0.33	0.02	< 0.01	0.01	< 0.01	0.01	98.90	< 0.01	0.10	99.67
6469	205 226	0.23	0.04	0.03	0.36	0.03	< 0.01	0.01	< 0.01	< 0.01	98.76	< 0.01	0.16	99.62
6470	205 226	0.19	0.02	0.03	0.33	0.02	< 0.01	0.01	< 0.01	< 0.01	98.92	0.01	0.04	99.57
6471	205 226	0.18	0.04	0.03	0.37	0.02	< 0.01	0.01	< 0.01	< 0.01	98.46	< 0.01	0.06	99.17
6472	205 226	0.20	< 0.01	0.02	0.32	0.03	< 0.01	0.01	< 0.01	0.01	99.35	0.01	0.04	99.99
6473	205 226	0.20	0.11	0.01	0.35	0.03	< 0.01	0.01	< 0.01	< 0.01	98.71	< 0.01	0.17	99.59
6474	205 226	0.19	0.13	0.02	0.33	0.03	< 0.01	< 0.01	< 0.01	0.02	98.14	< 0.01	0.21	99.07
6475	205 226	0.95	1.54	0.06	1.25	0.03	1.87	0.03	< 0.01	0.02	90.81	0.04	2.87	99.47

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
5175 Timberlea Blvd., Mississauga
Ontario, Canada L4W 2S3
PHONE: 905-624-2806 FAX: 905-624-6163

To: STALKER, MARY **

BOX 664
SCHUMACHER, ON
P0N 1G0

Project: RS
Comments: ATTN: MARY STALKER CC: GAETAN LAVALLEE

Page Number : 4
Total Pages : 4
Certificate Date: 29-APR-1999
Invoice No. : I9915938
P.O. Number :
Account : QZH

CERTIFICATE OF ANALYSIS A9915938

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
6476	205 226	4.28	4.26	0.15	6.08	0.09	9.75	0.10	< 0.01	0.04	62.40	0.22	12.33	99.70
6478	205 226	1.96	3.38	0.11	3.15	0.05	5.63	0.07	< 0.01	0.01	77.13	0.10	8.25	99.84
6479	205 226	0.31	0.27	0.03	0.42	0.05	0.12	0.01	< 0.01	< 0.01	97.92	0.01	0.48	99.62
6480	205 226	0.18	0.60	0.04	0.47	0.02	0.26	0.01	< 0.01	0.02	96.80	< 0.01	0.98	99.38
6482	205 226	1.27	1.32	0.09	2.03	0.18	3.00	0.04	< 0.01	0.01	87.12	0.08	4.32	99.46

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga
 Ontario, Canada L4W 2S3
 PHONE: 905-624-2806 FAX: 905-624-6163

To: STALKER, MARY

BOX 664
 SCHUMACHER, ON
 P0N 1G0

Project: RS
 Comments:

Page Number : 1
 Total Pages : 1
 Certificate Date: 26-APR-1999
 Invoice No. : 19915949
 P.O. Number :
 Account : QZH

CERTIFICATE OF ANALYSIS A9915949

SAMPLE	PREP CODE	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %
3514	299 --	3.26	0.32	0.01	1.15	0.37	0.82	0.01	0.90	0.02	91.15	0.08	0.82	98.91
3549	299 --	2.23	3.80	0.10	4.45	0.23	10.02	0.08	< 0.01	0.01	64.01	0.10	13.72	98.75
3550	299 --	0.74	0.87	0.02	0.81	0.13	0.74	0.02	< 0.01	0.01	94.56	0.03	1.22	99.15
3551	299 --	4.90	9.72	0.14	6.77	0.06	12.18	0.12	< 0.01	0.03	47.42	0.18	17.84	99.36
3553	299 --	4.20	7.77	0.11	5.98	0.07	9.29	0.11	< 0.01	< 0.01	58.69	0.16	13.28	99.66
3554	299 --	0.90	1.66	0.01	1.29	0.08	1.69	0.03	< 0.01	0.01	91.03	0.03	2.42	99.15
3555	299 --	5.09	9.36	0.15	7.21	0.04	12.10	0.13	< 0.01	0.02	47.67	0.23	16.86	98.86
3556	299 --	2.11	2.38	0.06	2.87	0.07	3.40	0.05	< 0.01	0.01	83.91	0.09	4.09	99.04
3560	299 --	3.09	0.37	0.02	0.75	0.53	0.24	0.01	0.76	0.04	92.60	0.07	0.77	99.25
3563	299 --	5.13	0.37	0.02	0.85	0.88	0.37	0.01	1.72	0.03	88.59	0.13	0.89	98.99
3592	299 --	0.80	1.42	0.03	0.70	0.41	0.99	0.01	< 0.01	0.06	92.89	0.03	1.95	99.29
3600	299 --	5.17	0.54	< 0.01	0.87	0.92	0.29	0.01	1.61	0.02	88.49	0.14	1.11	99.17
6403	299 --	1.06	1.55	0.05	1.52	0.04	2.78	0.03	< 0.01	0.01	89.25	0.04	2.99	99.32
6422	299 --	0.33	0.35	0.03	1.04	0.06	0.26	0.01	< 0.01	< 0.01	96.43	0.02	0.61	99.14
6431	299 --	2.11	1.61	0.06	2.01	0.26	2.63	0.03	< 0.01	0.01	87.23	0.12	3.16	99.23
6441	299 --	0.29	0.11	0.01	0.34	0.06	0.03	0.01	< 0.01	0.01	98.06	0.01	0.07	99.00
6443	299 --	3.47	6.90	0.12	4.90	0.10	9.16	0.09	< 0.01	0.01	61.38	0.12	12.57	98.82
6448	299 --	3.81	0.47	0.01	0.72	0.56	0.21	0.01	1.20	0.04	91.10	0.10	0.87	99.10
6450	299 --	2.42	0.47	0.01	0.68	0.46	0.35	0.01	0.40	< 0.01	93.03	0.06	0.79	98.68
6452	299 --	1.29	0.55	0.03	0.87	0.15	0.75	0.01	0.21	< 0.01	94.21	0.05	0.90	99.02
6453	299 --	0.66	0.77	0.03	0.83	0.07	0.92	0.01	< 0.01	0.01	94.65	0.02	1.09	99.06
6460	299 --	2.05	2.57	0.10	3.52	0.05	6.54	0.07	< 0.01	< 0.01	77.35	0.09	6.76	99.10
6477	299 --	1.73	2.94	0.08	3.09	0.32	4.67	0.07	< 0.01	0.02	78.42	0.09	7.55	98.98
6481	299 --	0.99	1.75	0.05	1.54	0.16	2.12	0.04	< 0.01	0.01	90.05	0.05	2.26	99.02

CERTIFICATION:



Ontario

Ministry of Northern Development and Mines


Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsections 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)

W9960.00314

Assessment Files Research Imaging



42B01SE2002 2.19621 PENHORWOOD 900

sections 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, the applicant must work and correspond with the mining land holder. Questions about this collection should be directed to the Assessment Files Research Imaging Unit, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240. - Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

Form with fields for Name, Address, Client Number, Telephone Number, and Fax Number for 'La Societe De Gestion Maskours Inc.' and 'Boucherville, Quebec J4B 2J2'.

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs) [] Physical: drilling stripping, trenching and associated assays [x] Rehabilitation []

Form with fields for Work Type (Sampling & Analysis of Drill Core), Office Use, Dates Work Performed (21 02 1999 to 29 04 1999), Township/Area (Penhorwood Tp.), Mining Division (Porcupine), and Resident Geologist (Timmins).

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; - provide proper notice to surface rights holders before starting work; - complete and attach a Statement of Costs, form 0212; - provide a map showing contiguous mining lands that are linked for assigning work; - include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

Form with fields for Name, Address, Telephone Number, and Fax Number for 'M F. Stalker' at 'Box 664, Schumacher ON P0N 1G0'.

4. Certification by Recorded Holder or Agent

I, KIAN A. JENSEN, do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Form with fields for Signature of Recorded Holder or Agent (Kian A. Jensen), Date (July 20/99), Agent's Address (P.O. Box 37, South Porcupine P0N 1H0), Telephone Number (705-268-0111), and Fax Number (705-268-0111).

0241 (03/97)

RECEIVED JUL 21 1999 RR 1:50 PORCUPINE MINING DIVISION

Deemed October 19, 1999

RECEIVED JUL 22 1999 GEOSCIENCE ASSESSMENT OFFICE

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjointing) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany the form.

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 See other sheet					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals					

I, KIAN A. JENSEN (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: Kian Jensen (Agent) Date: July 20/99

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:


- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp	Deemed Approved Date	Date Notification Sent
	Date Approved	Total Value of Credit Approved
Approved for Recording by Mining Recorder (Signature)		

0241 (03/97)



9 1052 1



Statement of Costs for Assessment Credit

Transaction Number (office use)

W9960.00314

Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of work Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.	Cost Per Unit of work	Total Cost
Sample Analysis	173 Samples	\$ 28.3851	\$ 4910.63
Core Splitting	173 Samples	\$ 19.3280	\$ 3343.75
Associated Costs (e.g. supplies, mobilization and demobilization).			
Core Splitter Rental			\$ 60.00
Sample Bags			\$ 80.50
Transportation Costs			
Food and Lodging Costs			
Total Value of Assessment Work			\$ 8,394.88

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.



Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, KIAN A. JENSEN, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as AGENT I am authorized to make this certification.
(recorded holder, agent, or state company position with signing authority)



2.19621

August 16, 1999

LA SOCIETE DE GESTION MASKOURS INC.
150 DE BRULLON
BOUCHERVILLE, QUEBEC
J4B-2J2

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (877) 670-1555

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Dear Sir or Madam:

Submission Number: 2.19621

Status

Subject: Transaction Number(s): W9960.00314 Deemed Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Lucille Jerome by e-mail at lucille.jerome@ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.19621

Date Correspondence Sent: August 16, 1999

Assessor: Lucille Jerome

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9960.00314	1207767	PENHORWOOD	Deemed Approval	August 16, 1999

Section:
17 Assays ASSAY

Correspondence to:

Resident Geologist
South Porcupine, ON

Assessment Files Library
Sudbury, ON

Recorded Holder(s) and/or Agent(s):

Kian A. Jenson
SOUTH PORCUPINE, ONTARIO, CANADA

LA SOCIETE DE GESTION MASKOURS INC.
BOUCHERVILLE, QUEBEC



NAT RIVER - WEST BRANCH

JUL 21 1998
PENHORWOOD MINING DISTRICT

P-994260

RS-98-4

Sample # 6440-6483

RS-98-2

Sample # 3550-3594

275 EAST

RS-98-1

Sample # 3511-3549

RS-98-3

Sample # 3595-3600

6401-6439

PIT #3

P-994261


675 NORTH

#3 - P-994260

P-1114596

P-984380

SCALE IN METRES



ROAD

ROAD

ROAD