

TECK COMINCO LIMITED

MARATHON, ONTARIO

**ASSESSMENT REPORT ON
THE 2001 EXPLORATION PROGRAM
ON THE
WHITE RIVER PROPERTY
BOMBY, BROTHERS AND LABERGE TOWNSHIPS
ONTARIO**

by

J. Paakki



2 . 2001 01

Report No. 0108A

NTS 42 C/12

04-19-02



42C12NE2005 2.25751 LABERGE

010

SUMMARY

The White River property consists of 709 claims (11,344 ha) located approximately 3 kilometres east of the Hemlo mines. The property covers Hemlo stratigraphy and structures, including the eastern extension of the Hemlo Shear Zone and the Gouda Lake Shear Zone. Both structural zones host felsic lithologies, important geochemical pathfinder elements and anomalous gold mineralization. Teck Cominco is currently exploring these areas of the property in an effort to locate a gold deposit that can serve as mill feed for Teck's existing operations at Hemlo under the terms of an option agreement between Teck Cominco Limited and Lac Exploration Inc., a subsidiary of Barrick Gold Corporation.

The 2001 exploration program on the White River property focused on two areas: 1. the Gouda Lake Shear Zone in the south-central part of the property (Gouda Lake area); and 2. the eastern most strike extent of the Hemlo Shear Zone in the northeast part of the property (Python area). The program consisted of diamond drilling ten holes (WR01-01 to WR01-10) totaling 2,463 metres and excavation of six trenches for a total of approximately 1,100 metres. Expenditures amounted to \$340,703.

In the Gouda Lake area, diamond drilling tested the Gouda Lake horizon, a quartz eye porphyry and schist similar to host rocks at the Hemlo mines. Drilling evaluated areas down-plunge to the east of the Gouda Lake prospect (167, 769 tonnes @ 3.5 g/t Au) and selected areas to the west. Only local weakly anomalous gold values were returned in this round of drilling; however, several of the holes encountered well altered schist with local anomalous base metals, including molybdenum. Based on these results, the alteration and mineralization trend within the Gouda Lake horizon appears to be northwesterly and its extent covering a strike length of 3 kilometres. Excluding drilling in the immediate area of the Gouda Lake prospect, most of altered and mineralized portion of this horizon has only been drilled with broadly spaced holes to shallow depths. In the Python area, no favourable geology, alteration or gold values were encountered in excavated trenches.

The White River property covers some 20 kilometres of the eastern strike continuation of Hemlo deposit geology and structures constituting nearly one-third of the favourable trend in the Hemlo-Heron Bay greenstone belt. Although exploration efforts to date have had only limited success, including the 2001 program, two areas of the property remain prospective and require further work to complete exploration: the western extension of the Gouda Lake horizon (northwest of the Gouda Lake prospect) and the eastern portion of the Egg Lake horizon which covers the immediate eastern extension of the Hemlo Shear Zone. It is recommended horizons in both of these areas be drilled to deeper levels with broadly spaced holes.

TABLE OF CONTENTS

	<u>Page</u>
<u>INTRODUCTION</u>	1
<u>LOCATION, ACCESS AND TOPOGRAPHY</u>	1
<u>CLAIM STATUS</u>	2
<u>PREVIOUS WORK</u>	2
<u>GEOLOGY AND MINERALIZATION</u>	4
<u>2001 EXPLORATION PROGRAM</u>	6
Diamond Drilling	7
Trenching	7
<u>RESULTS</u>	8
<u>CONCLUSIONS AND RECOMMENDATIONS</u>	10
<u>REFERENCES</u>	11

APPENDICES

APPENDIX I	Claim List and Status
APPENDIX II	Diamond Drill Logs
APPENDIX III	Assay Certificates

TABLES

<u>Table</u>		<u>Page</u>
1	Summary of 2001 Expenditures	6
2	2001 Drill Hole Summary	9

FIGURES

<u>Figure</u>		<u>After Page</u>
1	Location Map @ 1" = 32 miles	1
2	Geology of the Hemlo-Heron Bay Greenstone Belt @ 1:250,000	5
3	2001 Diamond Drilling and Trenching Areas	6

ILLUSTRATIONSDrawings

8021	Drill Hole Location Map, Gouda Lake Area (1:5000)	Pocket
8010	Drill Section WR01-01 (1:500)	Pocket
8011	Drill Section WR01-02 (1:1000)	Pocket
8012	Drill Section WR01-03 (1:500)	Pocket
8013	Drill Section WR01-04 (1:500)	Pocket
8014	Drill Section WR01-05 (1:500)	Pocket
8015	Drill Section WR01-06 (1:500)	Pocket
8016	Drill Section WR01-07 (1:1000)	Pocket
8017	Drill Section WR01-08 (1:1000)	Pocket
8018	Drill Section WR01-09 (1:1000)	Pocket

8019	Drill Section WR01-10 (1:500)	Pocket
8022	Trench Location Map, Python Area (1:5000)	Pocket
8005	Trench Map PG T1 (1:500)	Pocket
8006	Trench Map MT T1 (1:500)	Pocket
8007	Trench Map MT T3 (1:500)	Pocket
8008	Trench Map MT T4 (1:500)	Pocket
8009	Trench Map “Ni” Trenches (1:500)	Pocket

INTRODUCTION


The White River property is owned by Lac Exploration Inc. and is under option to Teck Cominco Limited. The property is currently being explored by Teck Cominco in an effort to locate a gold deposit that can serve as mill feed for existing operations at Hemlo, located several kilometres to the west. The 2001 exploration program on the property consisted of diamond drilling ten holes (totaling 2,463 metres) testing the Gouda Lake horizon located in the south-central portion of the property (Gouda Lake area), and excavation of several trenches in the northeast part of the property (Python area).

This report summarizes results of the 2001 exploration program. Recommendations for continued exploration are made.

LOCATION, ACCESS AND TOPOGRAPHY

The White River property consists of 709 staked claims located about 50 kilometres east of the town of Marathon, Ontario (Fig. 1). The property extends through portions of Bomby, Brothers, and Laberge Townships and Oskabukuta Lake Area, immediately south of the Trans-Canada Highway 17. The western boundary of the claim group is located two to three kilometres south and east of the Hemlo deposit.

Access to the property varies from good to poor. Gravel roads that degrade into overgrown skidder trails allow ATV access to the western and northeastern portions of the claims, via Highway 17 and the Moberg village road, respectively. The western access road is restricted (gated) as it passes through the Teck-Homestake tailings impoundment areas. Access to the central and south-central parts of the property is either by boat along the White River or new drill access roads from the south via a network of logging roads, 65 kilometres west of the town of White River.



LOCATION MAP

1 inch equals approximately 32 miles




Figure. 1

Topography of the property is typical of the regions bordering Lake Superior and varies from rolling ground moraine and bedrock hills alternating with extensive spruce and alder bogs (northern part), to steep rock-dominated ridges alternating with linear swampy, to lake and creek filled, valleys (southern part). Total relief on the property is about 175 metres, but this is dominated by the lower elevations along the White River and by local cliffs of 10 to 50 metres height.

CLAIM STATUS

A total of 709 staked claims (11,344 ha) comprise the White River property (Appendix I). Most of the claims were staked as single units by Lac Minerals Ltd. between 1980 and 1982, but about 10% of the claims were staked between 1988 and 1991. Two claims were staked by Teck early in 1999 to provide continuity in the western part of the property. All of the claims are held by Lac Exploration Inc. (a subsidiary of Barrick Gold Corporation) and are being explored under an option agreement with Teck Corporation (now Teck Cominco Limited). At the time of writing, most claims are in good standing to 2003; however, there are a few claims which require assessment filing later this year.

PREVIOUS WORK

The White River property has been the subject of intermittent exploration activity since at least the mid-1950's, following the mine developments in the Manitouwadge Cu-Zn-Ag district located about 90 kilometres due north. Only some records of these earlier efforts are available. Diamond drilling and trenching programs were completed in two local areas of the property in 1968 (seven holes) and in 1976 (two holes, plus trenches) by Mattagami Lake Mines.

After the discovery of the Hemlo deposit, Lac Minerals Ltd. staked the White River property and explored it from 1982 to 1991. Early in this period, Lac completed reconnaissance geological surveys and humus + soil sampling covering the entire property along north trending claim lines. Over the next several years, Lac cut grids with 100 metre spaced lines covering about two-thirds of the property and completed extensive programs of geological mapping, geophysical surveys (magnetometer, VLF-EM, and IP), and multi-element humus geochemistry. Local portions of the grids were also tested with soil surveys, basal till geochemistry and Maxi-Probe EM surveys.

Beginning in 1983, Lac also conducted diamond drilling on the property, on immediately adjacent ground in the Molson Lake area (now the tailings basin), and on ground located east along strike of the current property (the White River "tail"). In total, Lac Minerals completed 136 BQ drill holes for about 30,700 metres on and adjacent to the property. The majority of these holes were used to test mineralized and altered zones located in the northwestern part of the property (Egg Lake area, 44 holes totaling 12,897 metres) and near the southern boundary of the claims (Gouda Lake area, 42 holes totaling 7,303 metres).

Other portions of what is now the White River property were once held by a variety of other companies before being acquired/staked by Lac Minerals. These include ground held in the Molson Lake area by Pricemore Resources, Slightham Resources, Rado Reef Resources and local prospectors. Of these properties only geological and geophysical surveys performed by Pricemore Resources from 1983 to 1984 are available. In the south central and southeastern parts of the property, Noranda performed geological and soil geochemical surveys on ground held by Val D'Or Explorations, Standard Gold Mines, Gallant Gold Mines and Del Norte Chrome as part of their Angela Option from 1982 through 1985.

Placer Dome Canada Limited optioned the property, including the eastern "tail" (which was subsequently dropped), in 1993. Placer Dome completed work on the property from 1993 to 1996, including an airborne radiometric survey and re-cutting and

extending the main Lac grid (200 metre line spacing). The refurbished and new grids were explored by geological mapping and humus geochemical surveys, culminating with diamond drilling of 16 NQ holes for a total of 6,096 metres. Placer Dome's exploration was unsuccessful as no significant gold values were obtained (Shevchenko, 1994, 1995a, b; Shevchenko and Lustig, 1994; Talbot, 1997).

During the tenure of Placer's option of the White River property, Lac Minerals Ltd. was acquired (August, 1994) through a hostile takeover by American Barrick (now Barrick Gold Corporation). Barrick completed a limited amount of additional exploration on the property, including a prospecting program along the eastern extension of the Gouda Lake alteration zone (Gauthier, 1996), and a revised compilation plus lithogeochemical sampling program of two of the more prospective mineralized zones (Armstrong and Magnan, 1998). The White River property was again offered for option in 1998 at which time Teck Corporation became involved.

Exploration by Teck Exploration Ltd. during 1999 consisted of geological mapping and sampling, soil and humus sampling, limited line-cutting and logging and sampling of selected Lac diamond drill core (Thompson et al., 1999; Page, 1999). In 2000, continued exploration by Teck consisted of geological mapping and sampling, compilation of all previous geophysical surveys and an initial phase of diamond drilling (8 holes totaling 2,032 metres) testing selected targets in the western half of the property (Thompson and Paakki, 2001).

GEOLOGY AND MINERALIZATION


The White River property covers part of the eastern extension of the Hemlo-Schreiber Greenstone Belt which is in the Wawa Subprovince of the Archean Superior Province (Muir et al. 1999). The greenstone belt extends 150 kilometres from White River in the east to Schreiber in the west. The Coldwell Alkaline Complex (1109 Ma; Corfu and Muir, 1989) intrudes the greenstone belt and separates the belt into two

segments. The White River property occurs within the eastern segment, known as the Hemlo-Heron Bay greenstone belt (Fig. 2).

The Hemlo-Heron Bay greenstone belt is bounded by gneissic to foliated tonalite-granodiorite of the Black Pic Batholith to the north and the Pukaskwa Complex to the south. The major lithological trends within the belt are subparallel to the contacts of the batholiths. A major fault, the Hemlo fault zone subdivides the greenstone belt into two assemblages, the sedimentary-dominant Hemlo-Black River assemblage to the north and the volcanic-dominant Heron Bay assemblage to the south. The Hemlo deposit is situated near the contact between these two assemblages within a folded package of altered felsic volcanic rocks (Moose Lake Porphyry) and the regional-scale structural zone known as the Hemlo-Heron Bay Shear Zone. In addition to the above, gold mineralization at Hemlo is associated with K-alteration, enrichment in a variety of metals including molybdenum, and elevated mercury. A detailed description of the regional geology and the Hemlo deposit is provided in previous reports (see Thompson and Paakki, 2001 and references therein).

The White River property covers both the Hemlo-Black River and Heron Bay assemblages, and importantly the eastern strike continuation of Hemlo deposit structures and stratigraphy. Two major structural zones are recognized: 1. the Hemlo Shear Zone, located in the northern half of the property; and 2. the Gouda Lake Shear Zone situated near the southern boundary of the property (see Fig. 2). Both structural zones host favourable felsic lithologies, important geochemical pathfinder elements and anomalous gold mineralization.

Areas of known anomalous gold mineralization on the property includes: the Egg Lake area which covers the immediate eastern strike extent of the Hemlo Shear Zone in the northwest portion of the property (locally referred to as the Egg Lake horizon) and the Gouda Lake horizon which occurs within the Gouda Lake Shear Zone. The Gouda Lake horizon is well-developed quartz eye muscovite schist hosting anomalous gold mineralization including a small gold prospect (Gouda Lake prospect) which according to




previous calculations by Lac contains 167,769 tonnes at a grade of 3.5 g/t gold and the Thor Lake Showing (up to 8.9 g/t Au). In the northeastern part of the property, referred to as the Python area, several geochemical anomalies and favourable felsic lithologies have been outlined. Although most of the Python area is largely overburden-covered, exposed rock suggests large-scale structural zones, possibly representing the eastern extension of the Hemlo Shear Zone. Work in 2001 focused in the Gouda Lake and Python areas.

2001 EXPLORATION PROGRAM

The 2001 exploration program on the White River property consisted of diamond drilling ten holes (WR01-01 to WR01-10) in the Gouda Lake area totaling 2,463 metres (NQ) and excavation of six trenches in the Python area for a total of approximately 1,100 metres. Location of drilling and trenching is shown in Figure 3. Total expenditures amounted to \$340,703 (see Table 1).

TABLE 1
SUMMARY OF EXPENDITURES
2001 EXPLORATION PROGRAM

Drilling	\$172,656
Trenching	26,233
Geology and Labour	77,280
Assays	10,656
Field Supplies; Maintenance and Rentals	5,653
Maps, Prints and Supplies	1,397
Freight	1,690
Telecommunications	2,002
Travel and Transportation	20,254
Chartered Aircraft	2,205
Accommodations and Meals	<u>20,677</u>
TOTAL	\$340,703



Diamond Drilling

Diamond drilling was completed by Major Dominik Drilling of Val d'Or, Quebec. The program was designed to test: 1. the Gouda Lake horizon down-plunge to the east of the Gouda Lake prospect (drill holes WR01-01 to WR01-07); 2. parallel felsic horizons and IP anomalies north of the Gouda Lake horizon (WR01-08); and 3. an untested portion of the western extension of the Gouda Lake horizon (WR01-09 and 10). Diamond drill logs are appended (Appendix II) and drill data is presented in ten cross-sections (Dwg. No. 8010 to 8019). Drill hole traces and geology are shown in Dwg. No. 8021. Drill core was logged by J. Paakki.

Collars were set at inclinations of 47° to 89° and Sperry-Sun tests were taken at 50 metre intervals down the entire length of each hole. Hole depths ranged from 153 to 394 metres. Most of the holes were set on bedrock and all casings (NW) were left in the ground and capped.

A total of 434 samples of half core, cut by diamond saw, were shipped to TSL Laboratories in Saskatoon, Saskatchewan for gold and additionally, all samples of the Gouda Lake horizon were analyzed for Hg and Ag, As, Bi, Co, Cu, Mn, Mo, Ni, Pb, Sb, V and Zn (see Appendix III).

6 2 3 7 5 1

Trenching

Mechanical trenching was completed by Larchex Inc. of Timmins, Ontario. The trenching program was designed to expose rock in the largely overburden-covered Python area in the northeast portion of the property. As mentioned above, based on earlier work and limited outcrop exposure, this area of the property covers sheared lithologies including geochemically anomalous felsic horizons and it is suggested that this represents the eastern extension of the Hemlo Shear Zone, which hosts the Hemlo mines 16 kilometres to the west. The area also hosts poorly exposed anomalous nickel mineralization (up to 1.2% Ni).

A total of four trenches were newly excavated (PGT1, MTT2, MTT3 and MTT4) and two existing trenches where anomalous Ni values were returned were extended and enlarged. Trench locations are presented in Dwg. No 8022 and more detailed trench geology is shown in Dwg. No. 8005 to 8009. M. Thompson and P. Geddes mapped and sampled trenches. A total of 72 samples were collected from trenches and analyzed for gold and selectively for base metals (see trench maps and Appendix III). All mineralized rock exposed in trenches was channel sawed and sampled in more detail.

RESULTS

In the Gouda Lake area, diamond drilling evaluated areas down-plunge to the east of the Gouda Lake prospect and selected areas to the west (see Dwg. No. 8021). Several of the holes (WR01-01, 02, 03, 04, 09 and 10) encountered well altered schist up to 31.2 metres thick with local anomalous base metals, including molybdenum; however, only local weakly anomalous gold values were returned (Table 2). Three of the drill holes, WR01-05, 06 and 07, which tested the interpreted down-plunge extension of the Gouda Lake prospect to the east, failed to encounter alteration or mineralization. Based on these results, the alteration and mineralization trend within the Gouda Lake horizon appears to be northwesterly and its extent has now been bracketed between holes WR00-02 to the west and WR01-04 to the east, for a strike length of some 3 kilometres (see Dwg. No. 8021). Excluding drilling in the immediate area of the Gouda Lake prospect, most of this altered portion of the horizon has only been drilled with broadly spaced holes to a vertical depth of about 50 to 100 metres below surface. Further deeper drilling to the northwest is required to fully evaluate the Gouda Lake horizon.

In the Python area (see Dwg. No. 8022 and detailed trench maps), samples collected from excavated trenches failed to return any gold values. Most of the rock exposed is unaltered sedimentary and intermediate volcanic rocks. With the exception of a 15 metre interval of mineralized rock consisting of 10-15% pyrite in the southernmost

trench (trench MT T2), the majority of newly exposed rock is not mineralized. Sulphide horizons which returned anomalous nickel (1.2% Ni) appear too narrow and discontinuous to be of interest.

TABLE 2
2001 DRILL HOLE SUMMARY AND RESULTS

Hole #	Length (m)	From (m)	To (m)	Interval (m)	Gouda Lake Horizon Alteration/Mineralization	Results
WR01-01	167	137.0	158.3	21.3	musc-bio schist; tr-3% py, tr sph, moly	weakly anomalous Au (up to 0.2 g/t), Ag and Mo
WR01-02	394	363.4	380.1	16.7	musc schist; tr-2% py, tr gn, moly	anomalous Mo
WR01-03	209	163.9	175.3	11.4	musc schist; 1-3% py, tr sph	weakly anomalous Au (up to 0.25 g/t), Ag and Mo
WR01-04	173	75.2	88.2	13.0	musc schist; tr-3% py	anomalous Ag and Mo
WR01-05	233	177.5	193.7	16.2	no alteration; tr py	very low values
WR01-06	189	152.9	172.1	19.2	no alteration; tr py	weakly anomalous Mo
WR01-07	321	247.1	263.7	16.6	no alteration; tr py	very low values
WR01-08	300				diabase dyke	
WR01-09	324	283.3	307.6	24.3	musc-bio schist; 2-3% py, po	weakly anomalous Mo
WR01-10	153	67.8	99.0	31.2	musc-bio schist; tr-3% py	very low values
Total	2,463					

CONCLUSIONS AND RECOMMENDATIONS

The White River property covers some 20 kilometres of the strike continuation of geology and structures east of the Hemlo mines constituting nearly one-third of the favourable trend in the Hemlo-Heron Bay greenstone belt. Although exploration efforts to date have had only limited success, two areas of the property remain prospective and require further work to complete exploration: the Gouda Lake area in the south-central portion of the property and the Egg Lake area in the northwest part of the property.

The Gouda Lake area is considered most promising. This area of the property hosts the Gouda Lake horizon which is a well-altered schist, similar to host rocks at Hemlo, containing anomalous gold mineralization and geochemical pathfinder elements. Most of this horizon, excluding drilling in the immediate area of the Gouda Lake prospect (167,769 tonnes @ 3.5 g/t Au), has only been drill tested to shallow depths. Several broadly spaced drill holes are recommended to test the western extent of the Gouda Lake horizon (northwest of the Gouda Lake prospect) to deeper levels.

The Egg Lake area hosts the immediate strike extension of Hemlo geology and structure, locally referred to as the Egg Lake horizon. A large portion of the horizon has received considerable drilling in the past; however, the eastern part has not been thoroughly tested at depth. A series of deeper drill holes is recommended.

Respectfully submitted,

TECK COMINCO LIMITED



Jari Paakki

April 29, 2002

REFERENCES

Armstrong, T. and Magnan, M.

1996: Compilation and Lithogeochemical Sampling Program, White River Property, Ontario; Lac Exploration Inc. (Barrick Gold Corp.) internal Report, 28 p.

Corfu, F. and Muir, T.L.

1989: The Hemlo-Heron Bay Greenstone Belt and Hemlo Gold Deposit, Superior Province, Canada; (1) Sequence of igneous activity determined by U-Pb geochronology; and (2) Timing of metamorphism, alteration and gold mineralization from titanite, rutile and monazite U-Pb geochronology; Chemical Geology, vol. 79, p.183-200 and p.201-223.

Gauthier, L

1996: Report on the 1996 Pickeral Bay Extension Block Prospecting Program; Barrick Gold Corporation internal report, 28 p.

Muir, T.L., Jackson, S.L., and Beakhouse, G.P.

1999: The Regional Framework of the Hemlo Gold Deposit; Ontario Geological Survey, Summary of Field Work and Other Activities, Open File Report 6000, p.15-1 to 15-7.

Page, R.

1999: Lithogeochemical Sampling of Archived Drill Core, White River Property; Bomby, Brothers and Laberge Townships, Northern Ontario: Teck Exploration Ltd. Assessment Report No. 1327NB, 9 p.

Shevchenko, G.

- 1995a: Geological Mapping Surveys, White River Property "Main Block", Thunder Bay Mining Division, Ontario; Placer Dome Canada Limited Assessment Report, 36 p.
- 1995b: Diamond Drilling Surveys, White River Property, Thunder Bay Mining Division, Ontario; Placer Dome Canada Limited Assessment Report, 36 p.

Shevchenko, G. and Lustig, G.

- 1994: Humus Geochemical Surveys, White River Property "Main Block", Thunder Bay Mining Division, Ontario; Placer Dome Canada Limited Assessment Report, 29 p.

Talbot, D.A.

- 1997: Diamond Drilling Program, White River Property, Thunder Bay Mining Division, Northern Ontario; Placer Dome Canada Limited Assessment Report, 29 p.

Thompson, M., Galway, C., and Page, R.

- 1999: Geological Report on the 1999 Exploration Program, White River Property, Bomby, Brothers, Laberge Townships: Teck Exploration Ltd., Report No. 1328NB, 31 p.

Thompson, M. and Paakki, J.

- 2001: Report on the 2000 Exploration Program on the White River Property. Bomby, Brothers and Laberge Townships, Ontario: Teck Exploration Ltd., Report No. 1340NB, 35 p.

APPENDIX I

Claim Listing and Status

White River Property Claim List

CLIENT: 301000 - LAC EXPLORATION INC. *Date: February 25, 2002*

<u>TOWNSHIP / AREA</u>	<u>Claim Number</u>	<u>Recording Date</u>	<u>Claim Due Date</u>	<u>Status</u>	<u>Percent Option</u>	<u>Work Required</u>	<u>Total Applied</u>	<u>Total Reserve</u>	<u>Claim Bank</u>
BOMBY	TB 1052883	1988-NOV-22	2002-NOV-22	A	100.00 %	400	5200	0	0
BOMBY	TB 1122888	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	196	0
BOMBY	TB 1122889	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	196	0
BOMBY	TB 1122890	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	848	0
BOMBY	TB 1122891	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	848	0
BOMBY	TB 1122892	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	0	0
BOMBY	TB 1122893	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	0	0
BOMBY	TB 1122894	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	0	0
BOMBY	TB 1122900	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	196	0
BOMBY	TB 1122901	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	196	0
BOMBY	TB 1122902	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	196	0
BOMBY	TB 1122903	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	792	0
BOMBY	TB 1122904	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	792	0
BOMBY	TB 1122905	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	848	0
BOMBY	TB 1122906	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	792	0
BOMBY	TB 1122907	1989-AUG-10	2003-AUG-10	A	100.00 %	400	5200	792	0
BOMBY	TB 1164907	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	0	0
BOMBY	TB 1164908	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	0	0
BOMBY	TB 1164909	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	0	0
BOMBY	TB 1164910	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	0	0
BOMBY	TB 1164911	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	792	0
BOMBY	TB 1164912	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	792	0
BOMBY	TB 1164913	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	848	0
BOMBY	TB 1164914	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	820	0
BOMBY	TB 1164915	1990-AUG-15	2004-AUG-15	A	100.00 %	400	4800	0	0
BOMBY	TB 1216678	1999-JAN-08	2004-JAN-08	A	100.00 %	400	1200	0	0
BOMBY	TB 1216778	1999-JAN-08	2004-JAN-08	A	100.00 %	400	1200	0	0
BOMBY	TB 386679	1982-JUL-13	2003-JUL-13	A	100.00 %	400	8000	224	0
BOMBY	TB 386680	1982-JUL-13	2003-JUL-13	A	100.00 %	400	8000	224	0
BOMBY	TB 386681	1982-JUL-13	2003-JUL-13	A	100.00 %	400	8000	0	0
BOMBY	TB 386682	1982-JUL-13	2003-JUL-13	A	100.00 %	400	8000	247	0
BOMBY	TB 625571	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625572	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625577	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625578	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625581	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625582	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625583	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BOMBY	TB 625584	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	904	0
BROTHERS	TB 1052877	1988-NOV-22	2002-NOV-22	A	100.00 %	400	5200	0	0
BROTHERS	TB 1052878	1988-NOV-22	2002-NOV-22	A	100.00 %	400	5200	0	0
BROTHERS	TB 1052879	1988-NOV-22	2002-NOV-22	A	100.00 %	400	5200	0	0
BROTHERS	TB 1052880	1988-NOV-22	2002-NOV-22	A	100.00 %	309	5291	0	0

BROTHERS	TB 607935	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607936	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607937	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607938	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	280	0
BROTHERS	TB 607939	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607940	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	876	0
BROTHERS	TB 607941	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	837	0
BROTHERS	TB 607942	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	843	0
BROTHERS	TB 607943	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	163	0
BROTHERS	TB 607944	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607945	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607946	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	2047	0
BROTHERS	TB 607947	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	707	0
BROTHERS	TB 607948	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607949	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607950	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607951	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607952	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	308	0
BROTHERS	TB 607953	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	280	0
BROTHERS	TB 607954	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607955	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607956	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607957	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607958	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607959	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607961	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	280	0
BROTHERS	TB 607962	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607963	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607964	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607965	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	246	0
BROTHERS	TB 607966	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	196	0
BROTHERS	TB 607967	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	18	0
BROTHERS	TB 607968	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	820	0
BROTHERS	TB 607969	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
BROTHERS	TB 607970	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	196	0
BROTHERS	TB 607971	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	848	0
BROTHERS	TB 607972	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	653	0
BROTHERS	TB 607973	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	837	0
BROTHERS	TB 608965	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	0	0
BROTHERS	TB 608966	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	0	0
BROTHERS	TB 608967	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	196	0
BROTHERS	TB 608968	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	0	0
BROTHERS	TB 608969	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	0	0
BROTHERS	TB 608970	1982-SEP-10	2003-SEP-10	A	100.00 %	400	8000	0	0
BROTHERS	TB 608971	1982-SEP-10	2002-SEP-10	A	100.00 %	400	7600	196	0
BROTHERS	TB 608972	1982-SEP-10	2002-SEP-10	A	100.00 %	400	7600	196	0
BROTHERS	TB 608973	1982-SEP-10	2002-SEP-10	A	100.00 %	400	7600	0	0
BROTHERS	TB 608974	1982-SEP-10	2002-SEP-10	A	100.00 %	400	7600	0	0
BROTHERS	TB 616424	1981-AUG-31	2003-AUG-31	A	100.00 %	400	8400	212	0
BROTHERS	TB 616425	1981-AUG-31	2003-AUG-31	A	100.00 %	400	8400	314	0
BROTHERS	TB 616426	1981-AUG-31	2003-AUG-31	A	100.00 %	400	8400	0	0
BROTHERS	TB 616427	1981-AUG-31	2003-AUG-31	A	100.00 %	400	8400	393	0
BROTHERS	TB 616428	1981-AUG-31	2003-AUG-31	A	100.00 %	400	8400	0	0

LABERGE	TB 625767	1981-JUN-12	2004-JUN-12	A	100.00 %	400	8800	0	0
LABERGE	TB 625768	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625769	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625770	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625771	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625772	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625773	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625774	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625775	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625776	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625777	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625778	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625779	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625780	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625781	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625782	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625783	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625784	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625785	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625786	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 625787	1981-JUN-12	2003-JUN-12	A	100.00 %	400	8400	0	0
LABERGE	TB 626737	1981-JUL-22	2003-JUL-22	A	100.00 %	400	8400	0	0
LABERGE	TB 626738	1981-JUL-22	2003-JUL-22	A	100.00 %	400	8400	0	0
OSKABUKUTA LAKE	TB 1086639	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086640	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086641	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086642	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086643	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086644	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0
OSKABUKUTA LAKE	TB 1086645	1989-JAN-06	2003-JAN-06	A	100.00 %	247	5353	0	0

APPENDIX II

Diamond Drill Logs

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-01

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Gouda Horizon west of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	160	-75
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	7/31/2001	50	158	-74
<i>Claim Number</i>	607878	<i>Finish Date (m/d/y)</i>	8/2/2001	100	158	-74
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/2/2002	150	158	-73
<i>UTM Easting (m)</i>	593275	<i>Geologist</i>	J. PAAKKI			
<i>UTM Northing (m)</i>	5388046	<i>Hole Length</i>	167			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	500			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	396	<i>Casing Lost</i>	2m NW casing			

Drill Log Summary:

Gouda Horizon at 137-158.3m (21.3m) Z5698 to Z5717 (20)

Total Samples Z5651 to Z5721 (71)

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample</i> <i>No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	2	Overburden and Casina OB							

TECK EXPLORATION LTD.**DIAMOND DRILL LOG****Project Number**

167900

Hole Number

WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
2	137	Gneissic Sediments	Gneissic/well banded to locally possibly bedded sedimentary rock with numerous pegmatitic dykes, intervals noted below; grey to greenish grey banded sedimentary rock consists of intercalated feldspathic, hornblende and biotitic wacke; banding is planer and only locally contorted particularly around irregular and boudinaged quartz veins/"sweats"; numerous feldspar porphyritic granodioritic dykes near upper portion of interval to 25m; a few highly siliceous sedimentary rock with layers up to 30cm wide starting @ 131m plus intercalated mafic wackes or mafic volcanics; nil to traces of pyrite; banding to ca 70 @ 26m, 65 @ 47m, 65 @ 69m, 70 @ 83m, 67 @ 98m, 70 @ 113m and 65 @ 126m	Z5651	2	5	3.00	10	
			23.3 24.6 pegmatite dyke contacts @ 30 to ca	Z5652	5	8	3.00	-5	
			54.8 56 pegmatite dyke contacts to ca upper 45, lower wavy and near parallel to ca	Z5653	8	11	3.00	-5	
			71.2 86.8 pegmatite dykes 50% pegmatitic dykes, contacts ranging from 0-90 degrees to ca with local hematization; occasional feldspar porphyry dykes	Z5654	11	14	3.00	5	
			101.4 102 pegmatite dyke contacts to ca upper 10, lower 20	Z5655	14	17	3.00	5	
			106.8 107.4 pegmatite dyke contacts to ca upper 70, lower 45	Z5656	17	20	3.00	5	
			109.4 110.7 pegmatite dyke contacts to ca upper irregular, lower 20	Z5657	20	23	3.00	5	
			117.4 119.8 pegmatite dyke contacts to ca upper 10, lower 80	Z5658	23	26	3.00	5	
			124.7 125.2 pegmatite dyke contacts to ca upper 45, lower 30	Z5659	26	29	3.00	5	
				Z5660	29	32	3.00	-5	
				Z5661	32	35	3.00	5	
				Z5662	35	38	3.00	-5	
				Z5663	38	41	3.00	-5	
				Z5664	41	44	3.00	-5	
				Z5665	44	47	3.00	-5	
				Z5666	47	50	3.00	-5	
				Z5667	50	53	3.00	-5	
				Z5668	53	56	3.00	-5	
				Z5669	56	59	3.00	-5	
				Z5670	59	62	3.00	-5	
				Z5671	62	65	3.00	5	
				Z5672	65	68	3.00	-5	
				Z5673	68	71	3.00	-5	

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number
Hole Number

167900
WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
				Z5674	71	74	3.00	-5	
				Z5675	74	77	3.00	-5	
				Z5676	77	80	3.00	5	
				Z5677	80	83	3.00	5	
				Z5678	83	86	3.00	5	
				Z5679	86	89	3.00	5	
				Z5680	89	92	3.00	5	
				Z5681	92	95	3.00	-5	
				Z5682	95	98	3.00	-5	
				Z5683	98	101	3.00	-5	
				Z5684	101	104	3.00	5	
				Z5685	104	107	3.00	-5	
				Z5686	107	110	3.00	-5	
				Z5687	110	113	3.00	10	
				Z5688	113	116	3.00	5	
				Z5689	116	119	3.00	5	
				Z5690	119	122	3.00	5	
				Z5691	122	125	3.00	-5	
				Z5692	125	128	3.00	-5	
				Z5693	128	131	3.00	-5	
				Z5694	131	132.5	1.50	10	
				Z5695	132.5	134	1.50	5	
				Z5696	134	135.5	1.50	5	

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
				Z5697	135.5	137	1.50	5	

6j

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
137	158.3	Felsic Volcanics (Gouda Horizon)	Gouda horizon; massive to well foliated highly schistose variable interval consisting of well developed pyritic-muscovite schist, biotite-muscovite schist/sedimentary rock and aphyric to quartz eye bearing felsic volcanics and pegmatite dykes; intervals noted below; trace-3% disseminated pyrite, traces of sphalerite, chalcopyrite, pyrrhotite and molybdenite; well developed schistosites to ca 60 @ 143, 60 @ 149; local kinking and crenulations	Z5698	137	138	1.00	5	
			137 143.9 felsic schist 4f	Z5699	138	139	1.00	10	
			well foliated muscovite-biotite schist to bedded? Biotite-muscovite sediments; local garnets near upper portions; occassional barren quartz veins; trace to locally 2% disseminated pyrite	Z5700	139	140	1.00	-5	
			143.9 146.5 pegmatite dyke 10e	Z5701	140	141	1.00	10	
			muscovite pegmatite dyke; 1% pyrite and possible local traces of bismuthite; upper contact wavy to parallel to ca, lower 65 to ca	Z5702	141	142	1.00	10	
			146.5 150.5 felsic schist 4f	Z5703	142	143	1.00	10	
			well developed muscovite schist; 1-3% disseminated pyrite, traces of sphalerite and chalcopyrite, particularly near lower contact	Z5704	143	143.9	0.90	10	
			150.5 152.7 felsic volcanics 4c	Z5705	143.9	145.2	1.30	20	
			massive aphyric to quartz eye bearing felsic volcanics; traces of pyrite and sphalerite	Z5706	145.2	146.5	1.30	35	
			152.7 155 pegmatite dyke 10e	Z5707	146.5	147.5	1.00	65	
			1% pyrite	Z5708	147.5	148.5	1.00	10	
			155 158.3 felsic volcanics 4c	Z5709	148.5	149.5	1.00	150	
			massive felsic volcanics; 1-3% disseminated and blebby pyrite	Z5710	149.5	150.5	1.00	130	
				Z5711	150.5	151.6	1.10	5	
				Z5712	151.6	152.7	1.10	15	
				Z5713	152.7	153.9	1.20	5	
				Z5714	153.9	155	1.10	-5	
				Z5715	155	156.1	1.10	-5	
				Z5716	156.1	157.2	1.10	5	
				Z5717	157.2	158.3	1.10	10	

4fa/6d

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-01

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
158.3	167	Gneissic Sediments/Intermediat	Well banded, gneissic rock consisting of alternating bands of reddish brown hematitic rock and hornblende and epidote layers; possible sedimentary rock?; nil to traces of pyrite; banding to ca 65 @ 164m (last box = 39 is missing or lost)	Z5718	158.3	159.8	1.50	-5	
				Z5719	159.8	161.3	1.50	-5	
				Z5720	161.3	162.8	1.50	-5	
				Z5721	162.8	164.3	1.50	-5	
			3e/6]						
167	167	End of Hole							
		EOH							

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-02

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Down dip of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	190	-89
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/2/2001	50	189	-89
<i>Claim Number</i>	607873	<i>Finish Date (m/d/y)</i>	8/6/2001	100	187	-88.5
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/6/2001	150	186	-86.5
<i>UTM Easting (m)</i>	593650	<i>Geologist</i>	J. PAAKKI	200	185	-86
<i>UTM Northing (m)</i>	5388450	<i>Hole Length</i>	393.5	250	184	-85
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack	300	184	-85
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	200	350	184	-84
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ	394	184	-84
<i>Elevation:</i>	380	<i>Casing Lost</i>	1m NW casing			

Drill Log Summary:

Gouda Horizon at 363.4 to 380.1m (16.7m) Z5747 to Z5762 (16)

Total Samples Z5722 to Z5764 (43)

TECK EXPLORATION LTD.**DIAMOND DRILL LOG***Project Number*

167900

Hole Number

WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	1	Overburden and Casina OB	bedrock setup						
1	174.4	Mafic Volcanics	broad interval of rather monotonous foliated dark-green fine grained amphibolitic and chloritic mafic volcanics; prominent foliation/banding defined by light greenish-grey to pistachio green epidote rich layers which locally appear to be clasts and are locally boudinaged and dismembered; minor intervals of probable intraflow sediments and coarser grained mafic flows/sills/dykes throughout; larger intervals noted below; no significant mineralization (only rare disseminated pyrite); up to 1-2% pyrite in pegmatite dykes; occasional barren quartz veins; foliations to ca 45 @ 10m, 40 @ 50m, 45 @ 108m, 40 @ 150m and 50 @ 170m	Z5722	1	30	29.00	-5	
				Z5723	30	60	30.00	-5	
				Z5724	60	90	30.00	-5	
				Z5725	90	120	30.00	-5	
				Z5726	120	150	30.00	-5	
				Z5727	150	174.4	24.40	-5	
2a			100.5 104.6 pegmatite dykes 10e 90% pegmatitic dykes; upper and lower contacts @ 10 and 60 to ca						
			118.5 124.8 pegmatite dykes 10e 80% pegmatitic dykes; upper and lower contacts @ 5 and 60 to ca						
			125 129.8 pegmatite dykes 10e 50% pegmatitic dykes; upper and lower contacts @ 45 and 90 to ca; trace-2% pyrite and bismuthanite						
			142.6 146.3 pegmatite dykes 10e 50% pegmatitic dykes; upper and lower contacts @ 45 and 90 to ca; trace-2% pyrite and bismuthanite						
			167 174.4 intermediate-mafic breccia 3/2						

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
								<i>From</i>	<i>To</i>
174.4	214.2	"Poker Chip" Mafic Volcanics	"Pokerchip" unit; foliated to undeformed mafic variolitic flow/lapilli tuff; epidotized variolites/clasts, well flattened, rounded to coalescing masses hosted in fine grained amphibolite; nil to rare disseminated pyrite; fabric to ca 60 @ 186m and 50 @ 203.5m						
	2i/f		179.4 181.8 granodiorite fine grained dyke with contacts to ca upper 45, lower 30 201.4 207 bedded sediments and intermediate dyke with pegmatite dyke	10a	6/7/10e				
214.2	243.3	Mafic Volcanics	Dark green, fine grained foliated amphibolitic mafic volcanics with probable sediments near downhole and uphole contacts; numerous granodiorite and pegmatite dykes (intervals noted below); poorly mineralized with only traces of pyrite; foliations to ca 65 @ 222.5m and 237.5m	Z5729	214.5	243.3	28.80	-5	
	2a		216.6 218.1 granodiorite dyke 225 225.7 granodiorite dyke 227.9 229.1 granodioritic dyke feldspar porphyritic 229.6 232.2 granodiorite and pegmatite d 235 237.3 granodiorite dyke	10a					

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
243.3	265.5	Gneissic Sediments	well to crudely bedded to locally gneissic sedimentary rock; largely horneblende wacke with minor more feldspathic layers; biotite increasing downhole; gneissic appearance sections consist of alternating horneblende rich and epidote layers (calc silicates?); nil to trace disseminated pyrite; largely planar bedded and only minor folding noted; bedding to ca 60 @ 246.5m and 65 @ 258.5m	Z5730	243.3	265.5	22.20	-5	
		6e	244.8 245.9 feldspar porphyry dyke	11b					
			248.3 249 granodiorite dyke	10a					
			249.3 250.2 feldspar (sub)porphyry dyke	11b					
265.5	268.8	Granodiorite	massive feldspar porphyritic granodiorite dyke; contacts to ca upper @ 50 and lower @ 60						
		10a							

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

<i>Project Number</i>	167900
<i>Hole Number</i>	WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
268.8	363.4	Feldspathic Sediments	bedded grey to greenish grey to greyish brown intercalated feldspathic wacke and biotite wacke with very minor gneissic sedimentary sections; feldspathic wacke layers are grey to greenish grey with variable amounts of white detrital feldspar grains; biotitic layers are finer grained and relatively uniform; siliceous sedimentary layers increase towards down hole and along with mafic volcanic/wacke layers; minor garniferous sediments also near down hole contact; occasional feldspar porphyritic granodiorite dyke intervals noted below; Interval is overall poorly mineralized with only rare to traces of pyrite, however up to 1-2% disseminated pyrite locally in more siliceous sedimentary beds near down hole contact with Gouda horizon; bedding to ca 70 @ 278.5m, 65 @ 290m, 68 @ 309.5m, 65 @ 326m and 65 @ 347m	Z5732	298.9	329	30.10	-5	
				Z5733	329	332	3.00	-5	
				Z5734	332	335	3.00	-5	
				Z5735	335	338	3.00	5	
				Z5736	338	341	3.00	-5	
				Z5737	341	344	3.00	-5	
				Z5738	344	347	3.00	-5	
			317 317.8 granodiorite dyke 10a feldspar porphyritic	Z5739	347	350	3.00	-5	
				Z5740	350	353	3.00	-5	
			326.3 327.1 granodiorite dyke 10a feldspar porphyritic	Z5741	353	356	3.00	-5	
				Z5742	356	357.5	1.50	5	
				Z5743	357.5	359	1.50	-5	
				Z5744	359	360.5	1.50	-5	
				Z5745	360.5	362	1.50	-5	
				Z5746	362	363.4	1.40	-5	

6cd

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
363.4	380.1	Felsic Volcanics (Gouda Horizon)	Gouda Horizon; quartz eye phryic felsic volcanics with lesser aphyric felsics and sericite schist sections; details below; massive to weakly foliated schistose and probable bedded sections near upper contact; in comparison to WR01-01 unit is less altered with no well developed muscovite schist; overall traces to locally 2% disseminated pyrite, rare probable galena and molybdenite; schistosity to ca 65 and fabric/foliation 70 @ 378m 363.4 366.5 crudely bedded aphyric felsics/reworked; weakly sericitic; 1% disseminated pyrite 366.5 369.9 well developed sericite schist; 1-2% disseminated pyrite, traces molybdenite 369.9 380.1 massive to foliated quartz felsic volcanics; trace-2% disseminated pyrite, traces galena; 5cm band of semi-massive pyrite @ 374.4m; moderately hematized lower 1m of interval	Z5747	363.4	364.4	1.00	15	
				Z5748	364.4	365.4	1.00	-5	
				Z5749	365.4	366.5	1.10	10	
				Z5750	366.5	367.6	1.10	-5	
				Z5751	367.6	368.7	1.10	-5	
				Z5752	368.7	369.9	1.20	-5	
				Z5753	369.9	370.9	1.00	-5	
				Z5754	370.9	371.9	1.00	-5	
				Z5755	371.9	372.9	1.00	-5	
				Z5756	372.9	373.9	1.00	-5	
				Z5757	373.9	374.9	1.00	5	
				Z5758	374.9	375.9	1.00	-5	
				Z5759	375.9	376.9	1.00	-5	
				Z5760	376.9	377.9	1.00	-5	
				Z5761	377.9	378.9	1.00	-5	
				Z5762	378.9	380.1	1.20	-5	
		4cf							
380.1	384.1	Gneissic Intermediate Volcanics/Sediments	reddish brown hematized banded/gneissic intermediate rock; "footwall gneisses" similar to gneisses at base of the Gouda horizon in WR01-01 with the exception of hematization likely caused by mafic dyke and faulting starting at 384.1m; banding to ca 70; traces of pyrite	Z5763	380.1	382.1	2.00	-5	
				Z5764	382.1	384.1	2.00	5	
		3e,6j							

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-02

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
384.1	393.5	Diabase Dyke	massive equigranular medium grained diabase dyke; numerous irregular carbonate veinlets likely related to faulting (gouge breccia from 384.1 to 384.8m @ 10 to ca) 12a						
393.5	393.5	End of Hole	EOH						

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-03

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Down plunge of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	190	-89
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/6/2001	50	209	-87
<i>Claim Number</i>	607873	<i>Finish Date (m/d/y)</i>	8/8/2001	100	204	-86
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/8/2001	150	207	-85
<i>UTM Easting (m)</i>	593847	<i>Geologist</i>	J. PAAKKI	200	210	-85
<i>UTM Northing (m)</i>	5388175	<i>Hole Length</i>	209			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	300			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	374	<i>Casing Lost</i>	1m NW casing			

Drill Log Summary:

Gouda horizon at 163.9 to 175.3m (11.4m) Z5794 to Z5804

Total Samples Z5765 to Z5819 (55)

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-03

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	1	Overburden and Casing OB	bedrock setup						
1	20.2	"Pokerchip" Mafic Volcanics	well foliated mafic variolitic flow/lapilli tuff; white to locally weakly epidotized varioles/clasts, well flattened hosted in fine and coarser grained amphibolite; minor intercalated sediments; nil to rare disseminated pyrite; numerous pegmatite dykes intervals noted below; fabric to ca 70 @ 7.6m and 65 @ 19m	Z5765	1	20.2	19.20	-5	
	2if		1 2 pegmatite dyke contact to ca lower 30	10e					
			4.2 5.3 pegmatite dyke contacts to ca upper 10, lower 20	10e					
			12.2 14 pegmatite dyke contacts to ca upper 30, lower irregular	10e					
			14.7 15.3 pegmatite dyke contacts to ca upper brecciated, lower 40	10e					

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-03

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
20.2	147.1	Sediments	well bedded hornblende wacke; dark grey to light greenish grey and locally epidotized; distinctly more mafic upper portion to 35m; occassional pegmatitic and feldspar porphyry dykes, intervals noted below; traces of disseminated pyrite; bedding to ca 62 @ 28m, 65 @ 47m, 60 @ 77m, 68 @ 95m, 62 @ 113m and 56 @ 134m	Z5766	20.2	50.2	30.00	-5	
			28.7 29.6 granodiorite dyke	Z5767	50.2	80.2	30.00	5	
			feldspar porphyritic	Z5768	80.2	110	29.80	-5	
			32.9 37.5 pegmatite dykes	Z5769	110	113	3.00	-5	
			80% pegmatite dykes contacts @ 10-50 to ca	Z5770	113	116	3.00	-5	
			41.9 42.3 pegmatite dyke	Z5771	116	119	3.00	-5	
				Z5772	119	122	3.00	-5	
				Z5773	122	125	3.00	-5	
			58.4 65.5 granodiorite dykes	Z5774	125	128	3.00	5	
			60% feldspar porphyritic granodioritic dykes	Z5775	128	131	3.00	-5	
			96.7 97.5 granodiorite dyke	Z5776	131	134	3.00	5	
				Z5777	134	137	3.00	5	
			108.6 110 gabbro dyke/sill	Z5778	137	140	3.00	5	
				Z5779	140	143	3.00	-5	
			115.4 116.4 feldspar porphyry dyke	Z5780	143	145	2.00	-5	
				Z5781	145	147.1	2.10	-5	

6e

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-03

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
147.1	163.9	Sediments/Mafic Volcanics	bedded to gneissic banded horneblende wacke/mafic volcanics with lesser siliceous beds and very local and minor garnets near lower portion of unit; mafic volcanics are foliated to locally gneissic and dark green, consisting of largely horneblende and sediments are bedded to gneissic consisting of horneblende rich beds and more feldspathic beds; traces t 1% disseminated pyrite and local sphalerite in some of the more siliceous beds; bedding/gneissosity to ca 70 @ 149m; foliation to ca 74 @ 152m; bedding to ca 63 @ 161.5m	Z5782	147.1	148.6	1.50	5	
				Z5783	148.6	150.1	1.50	-5	
				Z5784	150.1	151.6	1.50	-5	
				Z5785	151.6	153.1	1.50	-5	
				Z5786	153.1	154.6	1.50	-5	
				Z5787	154.6	156.1	1.50	5	
				Z5788	156.1	157.6	1.50	-5	
				Z5789	157.6	159.1	1.50	-5	
				Z5790	159.1	160.6	1.50	-5	
				Z5791	160.6	162.1	1.50	5	
				Z5792	162.1	163	0.90	-5	
				Z5793	163	163.9	0.90	-5	

6e/21

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-03

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
163.9	175.3	Felsic Volcanics (Gouda Horizon)	well developed muscovite schist, foliated muscovite quartz eye felsic volcanics and bedded/banded muscovite-biotite schist/sediments detailed below; 1-3% disseminated pyrite, 1% pyrrhotite and traces of sphalerite; bedding/schistosity to ca 62 @ 68m, schistosity to ca 58 @ 171.6m 163.9 167.9 bedded to banded biotite-muscovite schist and sediments; bedded and less altered upper portion grading into a well developed schist; traces to 1% pyrite 167.9 172.4 well developed muscovite schist and lesser biotite; minor quartz veins; local crenulations; 1-3% disseminated pyrite 172.4 175.3 aphyric quartz eye volcanics; weakly muscovitic; 1-2% pyrite, 1% pyrrhotite, 1% sphalerite	Z5794 Z5795 Z5796 Z5797 Z5798 Z5799 Z5800 Z5801 Z5802 Z5803 Z5804	163.9 164.9 165.9 166.9 167.9 168.9 169.9 170.9 171.9 172.9 173.9 175.3	164.9 165.9 166.9 167.9 168.9 169.9 170.9 171.9 172.9 173.9 175.3	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.40	-5 -5 -5 -5 -5 5 -5 -5 240 10 -5	
4f									
175.3	186.6	Gneissic Sediments	bedded to gneissic sediments; grey to green grey well banded to bedded gneissic sedimentary rock; alternating beds/bands of hornblende rich layers, feldspathic layers and local biotite; traces to 1% overall disseminated pyrite +/- pyrrhotite, up to 2-3% pyrrhotite/pyrite in crudely banded and disseminated upper 0.5m; banding to ca 60 @ 177.5m and 55 @ 183m	Z5805 Z5806 Z5807 Z5808 Z5809 Z5810 Z5811 Z5812	175.3 176.3 177.8 179.3 180.8 182.3 183.8 185.3	176.3 177.8 179.3 180.8 182.3 183.8 185.3 186.6	1.00 1.50 1.50 1.50 1.50 1.50 1.50 1.30	-5 -5 -5 5 5 -5 -5 -5	

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-03

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
186.6	197.3	Mafic Volcanics	foliated and contorted weakly to well developed hornblende-chlorite-biotite altered mafic volcanics with 15-20% granodioritic Pukaskwa sills up to 30cm thick; poorly mineralized with only rare pyrite; foliation to ca 60 @ 187m and 196m	Z5813	186.6	188.1	1.50	-5	
				Z5814	188.1	189.6	1.50	-5	
				Z5815	189.6	191.1	1.50	-5	
				Z5816	191.1	192.6	1.50	-5	
				Z5817	192.6	194.1	1.50	-5	
				Z5818	194.1	195.6	1.50	-5	
				Z5819	195.6	197.3	1.70	-5	
2k									
197.3	209	Pukaskwa/Mafic Volcanics	70% granodioritic Pukaskwa sills; 30% foliated mafic volcanics; nil mineralization						
7/2									
209	209	End of Hole							
EOH									

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-04

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Down plunge of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	180	-89
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/8/2001	50	180	-88
<i>Claim Number</i>	607872	<i>Finish Date (m/d/y)</i>	8/9/2001	100	179	-87.5
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/9/2001	150	180	-87.5
<i>UTM Easting (m)</i>	594183	<i>Geologist</i>	J. PAAKKI			
<i>UTM Northing (m)</i>	5388154	<i>Hole Length</i>	173			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	300			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	366	<i>Casing Lost</i>	3m NW casing			

Drill Log Summary:

Gouda Horizon at 75.2 to 88.2m (13.0m) Z5839 to Z5851

Total Samples Z5820 to Z5866 (47)

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-04

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	3	Overburden and Casing OB							

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-04

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
3	75.2	Sediments	hornblende wackes as previous holes structural hanging wall to Gouda horizon; monotonous interval of bedded grey hornblende bearing wacke with occasional pegmatite dykes; slightly more hornblende rich towards downhole contact with occasional and random garnets; unit is poorly mineralized with only rare pyrite; blocky and broken core lower 3m of unit; bedding to ca 64 @ 7m, 62 @ 24m, 70 @ 47m and 75 @ 66.5m	Z5820	3	32	29.00	-5	
			58.2 59.6 pegmatite dyke	Z5821	32	35	3.00	-5	
				Z5822	35	38	3.00	-5	
				Z5823	38	41	3.00	-5	
				Z5824	41	44	3.00	-5	
				Z5825	44	47	3.00	10	
				Z5826	47	50	3.00	-5	
				Z5827	50	53	3.00	-5	
				Z5828	53	56	3.00	-5	
				Z5829	56	59	3.00	-5	
				Z5830	59	62	3.00	-5	
				Z5831	62	65	3.00	-5	
				Z5832	65	66.5	1.50	-5	
				Z5833	66.5	68	1.50	-5	
				Z5834	68	69.5	1.50	-5	
				Z5835	69.5	71	1.50	-5	
				Z5836	71	72.5	1.50	-5	
				Z5837	72.5	74	1.50	-5	
				Z5838	74	75.2	1.20	-5	

6e

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-04

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
75.2	88.2	Felsic Volcanics (Gouda Horizon)	foliated aphyric to quartz eye felsic volcanics and well developed muscovite schist; lower portions of interval is weakly biotitic and banded/bedded and grades into downhole unit details below; traces to 3% disseminated pyrite with highest concentrations in muscovite schist sections; rare to only traces of sphalerite and galena, traces of pyrrhotite; schistosity to ca 60 @ 76m and 65 @ 81.5m; banding to ca 65 @ 81.5m 75.2 81.2 moderately to very well developed muscovite schist; traces-3% pyrite; faulting from 77.7 to 78.2m 81.2 84.5 foliated quartz eye felsic volcanics; weakly sericitic; 1% pyrite with traces of galena and sphalerite 84.5 88.2 banded/bedded and aphyric felsic volcanics/siliceous sediments with very local minor biotitic bands; 1% pyrite and traces of pyrrhotite	Z5839 Z5840 Z5841 Z5842 Z5843 Z5844 Z5845 Z5846 Z5847 Z5848 Z5849 Z5850 Z5851	75.2 76.2 77.2 78.2 79.2 80.2 81.2 82.2 83.2 84.2 85.2 86.2 87.2	76.2 77.2 78.2 79.2 80.2 81.2 82.2 83.2 84.2 85.2 86.2 87.2 88.2	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	-5 -5 -5 -5 15 10 -5 -5 -5 -5 -5 -5 -5	
		4f							
88.2	97.1	Gneissic Sediments	well bedded to gneissic sediments; interlayered bedded hornblende rich bands wacke and more feldspathic to weakly biotitic layers; traces of pyrite; bedding to ca 68 @ 90m and gneissic banding to ca 68 @ 78m	Z5852 Z5853 Z5854 Z5855 Z5856 Z5857	88.2 89.7 91.2 92.7 94.2 95.7	89.7 91.2 92.7 94.2 95.7 97.1	1.50 1.50 1.50 1.50 1.50 1.40	-5 -5 -5 -5 -5 -5	
		6j							

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-04

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
97.1	111	Mafic Volcanics	dark green fine grained, foliated to locally contorted moderately to locally well altered chlorite-hornblende-biotite mafic volcanics with increasing Pukaskwa granodiorite dykes down hole; foliation to ca 70 @ 102m and 75 @ 111m	Z5858	97.1	98.6	1.50	-5	
				Z5859	98.6	100.1	1.50	-5	
				Z5860	100.1	101.6	1.50	-5	
				Z5861	101.6	103.1	1.50	-5	
				Z5862	103.1	104.6	1.50	-5	
				Z5863	104.6	106.1	1.50	-5	
				Z5864	106.1	107.6	1.50	-5	
				Z5865	107.6	109.1	1.50	-5	
				Z5866	109.1	111	1.90	-5	
2k									
111	173	Pukaskwa/Pegmatites	Pukaskwa granodiorite with pegmatitic dykes; upper portions consist of numerous dykes/sills and mafics grading downhole into massive granodiorite						
			7(10e)						
173	173	End of Hole							
			EOH						

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-05

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Down plunge of Gouda prospect	<i>Tests</i>		
				<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>NTS</i>	042 C/12					
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	180	-89
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/10/2001	50	177	-87.5
<i>Claim Number</i>	607871	<i>Finish Date (m/d/y)</i>	8/13/2001	100	177	-87.5
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/13/2001	150	177	-86.5
<i>UTM Easting (m)</i>	594400	<i>Geologist</i>	J. PAAKKI	200	177	-86
<i>UTM Northing (m)</i>	5388325	<i>Hole Length</i>	233			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	700			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	388	<i>Casing Lost</i>	1m NW casing			

Drill Log Summary:

Gouda horizon at 177.5 to 193.7m (16.2m)

Total Samples Z5867 to Z5900

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-05

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	1	Overburden and Casina OB	bedrock setup						
1	66.6	"Pokerchip" Mafic Volcanics	atypical variety of pokerchip marker horizon in that it is coarser grained amphibolite; well flattened white to greenish white (weakly epidotized) lapilli/varioles hosted by very coarse grained amphibolite with intercalated hornblende wacke; intervals noted below; traces of pyrite and very local and rare biotite alteration; foliation to ca 80 @ 30.5m, 75 @ 43.5m and 70 @ 66m	Z5867	1	33.3	32.30	-5	
		2c/2f	45.8 46.4 quartz vein traces of chalcopyrite and pyrite	Z5868	33.3	66.6	33.30	-5	
			50.2 50.9 hornblende wacke bedded						
			51.3 62.6 hornblende wacke bedding to ca @ 65-70						

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-05

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
66.6	168.6	Sediments	well bedded light grey to darker greenish grey hornblende wacke with minor feldspathic wacke interbeds; local gneissic appearance particularly towards downhole contact; occasional granodiorite and pegmatite dykes intervals noted below; upper portion to 90.4m is more mafic with local very minor biotite; overall traces disseminated pyrite; bedding is planer and only locally is contorted; bedding to ca 72 @ 83m, 69 @ 102m, 66 @ 117m, 70 @ 134m and 72 @ 152m	Z5869	66.6	91.8	25.20	-5	
			72.1 72.9 granodiorite dyke	Z5870	91.8	91.9	0.10	-5	
			feldspar porphyritic	Z5871	91.9	121.9	30.00	-5	
			91.8 92.1 quartz veins	Z5872	121.9	152	30.10	-5	
			qv 2 quartz veins (2-4cm) @ 40-50 to ca with galena and electrum??	Z5873	152	155	3.00	-5	
			100.8 107.6 granodiorite dykes	Z5874	155	158	3.00	-5	
			90% feldspar porphyritic granodiorite dykes	Z5875	158	161	3.00	-5	
			141 141.7 pegmatite dyke	Z5876	161	164	3.00	-5	
				Z5877	164	165.5	1.50	5	
				Z5878	165.5	167	1.50	-5	
				Z5879	167	168.6	1.60	-5	
			6e						
168.6	177.5	Fault Zone	highly broken core; irregular quartz-carbonate veined; brecciated and epidotized and locally hematized; protolith mafic volcanics and sediments; traces of pyrite	Z5880	168.6	170.1	1.50	-5	
				Z5881	170.1	171.6	1.50	-5	
				Z5882	171.6	173.1	1.50	-5	
				Z5883	173.1	174.6	1.50	-5	
				Z5884	174.6	176.1	1.50	-5	
				Z5885	176.1	177.5	1.40	-5	
			fz						

TECK EXPLORATION LTD.**DIAMOND DRILL LOG****Project Number**

167900

Hole Number

WR01-05

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
177.5	193.7	Felsic Volcanics	Gouda horizon; foliated grey to reddish brown (weakly hematized due to above fault) quartz eye felsic volcanics; relative to previous horizon is poorly altered with the exception of very weak local sericite; nil to only traces of disseminated pyrite; occassional pegmatite dykes and irregular carbonate-quartz veins (likely due to proximity to fault); foliation to ca 73 @ 183.2m and 67 @ 191.5m 179.6 181.8 pegmatite dyke 10e	Z5886 Z5887 Z5888 Z5889 Z5890 Z5891 Z5892 Z5893 Z5894 Z5895 Z5896	177.5 179 180.5 182 183.5 185 186.5 188 189.5 191 192.5	179 180.5 182 183.5 185 186.5 188 189.5 191 192.5 193.7	1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.20	-5 -5 -5 -5 -5 -5 -5 -5 -5 -5 -5	
4c									
193.7	195.8	Gneissic Sediments	gneissic banded/bedded rock consisting of alternating hornblende bearing layers (wacke?) and more feldspathic reddish brown hematized layers; 1% pyrite; banding to ca 70 @ 194.3m	Z5897	193.7	195.8	2.10	-5	
6j									
195.8	201.3	Mafic Volcanics	foliated dark green fine grained and medium grained amphibolite; nil mineralization; foliation @ 60 to ca 195.8 196.3 pegmatite dyke 10e	Z5898 Z5899 Z5900	195.8 197.7 199.5	197.7 199.5 201.3	1.90 1.80 1.80	-5 10 -5	
2a									

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-05

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
201.3	233	Pukaskwa	foliated granite to granodiorite with local pegmatitic dyke sections						
	7		206.2 207.9 mafic volcanics	2					
233	233	End of Hole							
		EOH							

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-06

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Down plunge of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	180	-70
<i>Township/Area</i>	Laberge	<i>Start Date (m/d/y)</i>	8/13/2001	50	183	-70
<i>Claim Number</i>	607871	<i>Finish Date (m/d/y)</i>	8/14/2001	100	186	-69.5
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/14/2001	150	186	-69
<i>UTM Easting (m)</i>	594695	<i>Geologist</i>	J. PAAKKI			
<i>UTM Northing (m)</i>	5388350	<i>Hole Length</i>	189			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	800			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	366	<i>Casing Lost</i>	1m NW casing			

Drill Log Summary:

Gouda Horizon at 152.9 to 172.1m (19.2m) Z5912 to Z5924

Total Samples Z5901 to Z5933 (33)

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-06

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	1	Overburden and Casino OB	bedrock setup						
1	54.6	"Pokerchip" Mafic Volcanics	atypical variety of pokerchip marker horizon in that it is coarse grained amphibolite; well flattened white to greenish white lapilli/varioles hosted in coarse grained amphibolite with intercalated hornblende wackes near lower contact; nil to traces of pyrite; foliation to ca 70 @ 25.5m and 80 @ 42.5m	Z5901	1	27.8	26.80	-5	
			2c/2f	Z5902	27.8	54.6	26.80	15	
54.6	152.9	Sediments	bedded light grey to darker greenish grey hornblende wackes with minor feldspathic wacke interbeds; upper portion to 75.4m is darker green and more hornblende rich as well as towards lower contact from 145.5m; local gneissic appearance particularly towards down hole contact; occasional granodiorite and pegmatite dyke intervals noted below; overall nil to traces of pyrite; bedding is planer and only locally contorted; bedding to ca @ 85 @ 64m, 85 @ 79m, 90 @ 108m and 88 @ 138m	Z5903	54.6	84.6	30.00	10	
			84.1 89.4 granodiorite dykes 10a	Z5904	84.6	114.6	30.00	-5	
			70% feldspar porphyritic granodiorite dykes	Z5905	114.6	144	29.40	-5	
			117.5 120.9 pegmatite dykes 10e	Z5906	144	145.5	1.50	-5	
			80% pegmatite dykes	Z5907	145.5	147	1.50	-5	
				Z5908	147	148.5	1.50	-5	
				Z5909	148.5	150	1.50	-5	
				Z5910	150	151.5	1.50	-5	
				Z5911	151.5	152.9	1.40	-5	

6e

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-06

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
152.9	172.1	Felsic Volcanics		Gouda horizon; massive to foliated grey to light reddish brown quartz eye felsic volcanics/porphyry; relatively uniform interval with little to no alteration; traces to 1% disseminated pyrite (1cm band of pyrite at downhole contact); crudely banded locally near upper contact; fabric to ca 90 @ 156.5 and 80 @ 166m	Z5912	152.9	154.4	1.50	-5	
				160.9 161.2 mafic dyke	Z5913	154.4	155.9	1.50	-5	
					Z5914	155.9	157.4	1.50	-5	
					Z5915	157.4	158.9	1.50	-5	
					Z5916	158.9	160.4	1.50	-5	
				161.7 162.7 intermediate dyke massive	Z5917	160.4	161.9	1.50	-5	
					Z5918	161.9	163.4	1.50	-5	
					Z5919	163.4	164.9	1.50	-5	
					Z5920	164.9	166.4	1.50	-5	
					Z5921	166.4	167.9	1.50	-5	
					Z5922	167.9	169.4	1.50	-5	
					Z5923	169.4	170.9	1.50	-5	
					Z5924	170.9	172.1	1.20	-5	

4c

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-06

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
172.1	189	Mafic Volcanics	foliated dark green finer to medium grained amphibolite; local epidote alteration; gneissic banded sediments at upper contact to 174m; nil mineralization	Z5925	172.1	173.6	1.50	-5	
			185.8 189 Pukaskwa 50% Pukaskwa granodiorite sills	Z5926	173.6	175.1	1.50	-5	
				Z5927	175.1	176.6	1.50	-5	
				Z5928	176.6	178.1	1.50	-5	
				Z5929	178.1	179.6	1.50	5	
				Z5930	179.6	181.1	1.50	-5	
				Z5931	181.1	182.6	1.50	-5	
				Z5932	182.6	184.1	1.50	-5	
				Z5933	184.1	185.6	1.50	-5	
			2a						
189	189	End of Hole							
		EOH							

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-07

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Test more northerly trend for down plunge of Gouda prospect	<i>Tests</i>		
<i>NTS</i>	042 C/12			<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	180	-89
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/14/2001	50	177	-89
<i>Claim Number</i>	607872	<i>Finish Date (m/d/y)</i>	8/17/2001	100	176	-88
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/17/2001	150	175	-86
<i>UTM Easting (m)</i>	594050	<i>Geologist</i>	J. PAAKKI	200	176	-85
<i>UTM Northing (m)</i>	5388437	<i>Hole Length</i>	321	250	176	-85
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack	300	177	-84
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	400			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	381	<i>Casing Lost</i>	1m NW casing			

Drill Log Summary:

Gouda Horizon at 247.1 to 263.7m (16.6m) Z5948 to Z5958

Total Samples Z5934 to Z5971 (38)

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-07

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	1	Overburden and Casing OB	bedrock setup						
1	86.2	Mafic Volcanics	broad interval of rather monotonous foliated dark green fine to medium grained amphibolitic +/- chloritic mafic volcanics; prominent foliation/banding defined by light greenish grey to pistachio green epidote rich layers; minor intervals of intraflow sediments; nil to very locally traces to 1% disseminated pyrite; foliations to ca 50 @ 23m and 44m and 54 @ 66.5m	Z5934	1	29.4	28.40	-5	
				Z5935	29.4	57.8	28.40	-5	
				Z5936	57.8	86.2	28.40	-5	
		2a							
86.2	138.3	"Pokerchip" Mafic Volcanics	foliated mafic variolitic/lapilli flows/tuffs; weakly epidotized flattened to locally only weakly deformed varioles/clasts set in a coarse to fine grained amphibolite; upper portions of unit are coarse grained amphibolite grading into fine grained amphibolite downhole with intercalated hornblende wacke; traces of pyrite; foliation to ca 60 @ 104m, 70 @ 123m and 75 @ 135m	Z5937	86.2	112.3	26.10	-5	
		2f/l	124.8 130.6 pegmatite dyke		10e				
				Z5938	112.3	138.3	26.00	-5	
138.3	163	Mafic Volcanics	dark green fine grained foliated amphibolitic mafic volcanics with lesser intercalated hornblende wacke; numerous pegmatitic dykes, intervals noted below; traces to locally 1% disseminated pyrite; foliation to ca 65 @ 144m and 67 @ 161.5m	Z5939	138.3	163	24.70	-5	
		2a	139.7 140.4 pegmatite dyke		10e				
			147.2 147.9 feldspar porphyry dyke		11b				
			152.5 156 pegmatite dykes 75% pegmatite dykes		10e				

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

<i>Project Number</i>	167900
<i>Hole Number</i>	WR01-07

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
163	247.1	Sediments	bedded dark greenish grey to light hornblende wacke with lesser siliceous beds towards lower contact; interval is relatively uniform however grades into more mafic wacke towards downhole contact; local gneissic appearance; occasional pegmatitic and feldspar porphyritic dykes; bedding to ca 60 @ 177m, 62 @ 201.4m, 63 @ 215.6m, 58 @ 231m	Z5941	163	201.5	38.50	-5	
			163.7 164.7 pegmatite dyke	10e	Z5940	165.2	165.8	0.60	-5
			165.2 165.8 quartz-carbonate veining	qcv	Z5942	201.5	240	38.50	-5
			veining at 25 to ca; 2% galena and chalcopyrite		Z5943	240	241.5	1.50	-5
			170.3 170.7 pegmatite dyke	10e	Z5944	241.5	243	1.50	-5
					Z5945	243	244.5	1.50	-5
					Z5946	244.5	246	1.50	-5
					Z5947	246	247.1	1.10	-5
6e			173.9 178.1 30% feldspar porphyry dykes	11b					
			236.8 238.3 90% pegmatite dykes	10e					

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-07

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
247.1	263.7	Felsic Volcanics	Gouda horizon; banded to weakly foliated grey quartz eye felsic volcanics; upper portions are banded/bedded with biotite layers grading into relatively massive, uniform quartz eye felsics; poorly altered overall with the exception of weakly developed, local muscovite schist near upper portions of interval; lower contact is faulted; 1% disseminated pyrite with rare sphalerite; banding/bedding to ca 65 @ 250m, fabric to ca 56 @ 257.5m	Z5948	247.1	248.6	1.50	5	
			258.6 260.2 pegmatite dyke	10e	Z5949	248.6	250.1	1.50	-5
					Z5950	250.1	251.6	1.50	-5
					Z5951	251.6	253.1	1.50	-5
					Z5952	253.1	254.6	1.50	-5
					Z5953	254.6	256.1	1.50	-5
					Z5954	256.1	257.6	1.50	-5
					Z5955	257.6	259.1	1.50	-5
					Z5956	259.1	260.6	1.50	-5
					Z5957	260.6	262.1	1.50	-5
					Z5958	262.1	263.7	1.60	-5
			4c						
263.7	268.7	Sediments	bedded grey to greenish grey to slightly brown sedimentary rock consisting of largely bedded hornblende wacke with feldspathic wacke and lesser biotite layers; rare disseminated pyrite; bedding to ca 58 @ 263.2m	Z5959	263.7	265.2	1.50	-5	
				Z5960	265.2	266.7	1.50	-5	
				Z5961	266.7	268.7	2.00	-5	
			6e(c,d)						

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-07

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
268.7	292.5	Mafic Volcanics	foliated dark green fine grained amphibolite; traces disseminated pyrite; upper portion is weakly epidotized; local well developed biotite-hornblende-chlorite; increase in Pukaskwa granodiorite sills down hole; foliation to ca 48 @ 278m and 54 @ 287m	Z5962	268.7	270.2	1.50	-5	
				Z5963	270.2	271.7	1.50	-5	
				Z5964	271.7	273.2	1.50	-5	
				Z5965	273.2	274.7	1.50	-5	
				Z5966	274.7	276.2	1.50	-5	
				Z5967	276.2	277.7	1.50	-5	
				Z5968	277.7	279.2	1.50	-5	
				Z5969	279.2	280.7	1.50	-5	
				Z5970	280.7	282.2	1.50	-5	
				Z5971	282.2	283.7	1.50	-5	
2a(2k)									
292.5	321	Pukaskwa/Pegmatites	Pukaskwa granodiorite with pegmatite dykes; minor mafic volcanic remnants						
7(10e)									
321	321	End of Hole							
EOH									

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-08

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Test felsic volcanics north of Gouda Horizon with coincident mag high and IP anomalies	<i>Tests</i>		
				<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>NTS</i>	042 C/12			0	190	-55
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik			
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/17/2001	50	188	-55
<i>Claim Number</i>	625830	<i>Finish Date (m/d/y)</i>	8/20/2001	150	187	-53
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/20/2001	200	188	-53
<i>UTM Easting (m)</i>	593010	<i>Geologist</i>	J. PAAKKI	250	187	-53
<i>UTM Northing (m)</i>	5388964	<i>Hole Length</i>	300	300	185	-53
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	300			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	374	<i>Casing Lost</i>	3m NW casing			

Drill Log Summary:

Target not intersected; hit probable north trending diabase dyke at 178.1 to 300.0m

Total Samples Z5972 to Z6032

TECK EXPLORATION LTD.

Project Number

167900

DIAMOND DRILL LOG

Hole Number

WR01-08

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	3	Overburden and Casina OB							
3	36	Mafic Volcanics/Sediments	massive dark green fine to medium grained mafic volcanics with intercalated (15%) feldspathic and hornblende wackes +/- chlorite wacke; unit appears undeformed and is poorly mineralized with only rare disseminated pyrite; bedding to ca 78 @ 6.5m and 82 @ 27m	Z5972	3	36	33.00	-5	
		2a(6)							
36	74.5	Sediments	well bedded sedimentary rock interval consisting of predominantly fine grained biotite wacke with lesser interbedded hornblende and more feldspathic layers; minor narrow graphitic sediments towards lower contact; minor narrow feldspar porphyry dykes near upper portion of unit and mafic dykes near upper and lower contacts; portions of the core is highly broken; sediments appear locally altered (bleached) to 53m; overall nil to traces of pyrite however very locally up to 2-3% bedded, fine disseminated pyrite; bedding to ca 80 @ 45m and 63m	Z5973	36	39	3.00	-5	
				Z5974	39	42	3.00	-5	
				Z5975	42	45	3.00	-5	
				Z5976	45	48	3.00	-5	
				Z5977	48	51	3.00	-5	
				Z5978	51	54	3.00	-5	
				Z5979	54	57	3.00	-5	
				Z5980	57	60	3.00	-5	
				Z5981	60	63	3.00	-5	
				Z5982	63	66	3.00	-5	
				Z5983	66	69	3.00	-5	
				Z5984	69	72	3.00	-5	
				Z5985	72	74.5	2.50	-5	

6d

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-08

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
74.5	87	Sediments w Pyrrhotite	well bedded sedimentary rock interval generally as above with the exception of local developed bands of pyrrhotite +/- pyrite overall 3%; increasing biotite and chlorite towards downhole contact which is gradational; bedding consistant at 80 to ca	Z5986	74.5	76	1.50	-5	
				Z5987	76	77.5	1.50	-5	
				Z5988	77.5	79	1.50	-5	
				Z5989	79	80.5	1.50	-5	
				Z5990	80.5	82	1.50	-5	
				Z5991	82	83.5	1.50	-5	
				Z5992	83.5	85	1.50	-5	
				Z5993	85	87	2.00	-5	
			6d(po)						

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-08

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
								<i>From</i>	<i>To</i>
87	126.7	CADI ZONE	well bedded/banded locally contorted chlorite-biotite-carbonate rock, possibly "CADI" zone; alternating dark green chlorite-hornblende, brown biotite and white carbonate layers; numerous mafic dykes at low angles to the ca, intervals noted below; traces to locally 1% pyrrhotite; bedding/banding to ca 80 @ 101m and 124m	Z5994	87	89	2.00	-5	
			105 105.7 mafic dyke	Z5995	89	91	2.00	-5	
				Z5996	91	93	2.00	-5	
				Z5997	93	95	2.00	-5	
				Z5998	95	97	2.00	-5	
			114.8 115.5 mafic dyke	Z5999	97	99	2.00	-5	
				Z6000	99	101	2.00	-5	
			116.2 120.4 mafic dyke	Z6001	101	103	2.00	-5	
				Z6002	103	105	2.00	-5	
				Z6003	105	107	2.00	-5	
				Z6004	107	109	2.00	-5	
				Z6005	109	111	2.00	-5	
				Z6006	111	113	2.00	-5	
				Z6007	113	115	2.00	-5	
				Z6008	115	117	2.00	-5	
				Z6009	117	119	2.00	-5	
				Z6010	119	121	2.00	-5	
				Z6011	121	123	2.00	-5	
				Z6012	123	125	2.00	-5	
				Z6013	125	126.7	1.70	-5	

5d

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-08

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
<i>From</i>	<i>To</i>	<i>Rock Code</i>							
126.7	178.1	Feldspathic Sediments	bedded medium to light grey to brown intercalated feldspathic wacke and biotite wacke; local hornblende-chlorite beds and occasional garnets; most of interval to 166m is highly blocky; numerous mafic dykes at low angles to ca. intervals noted below; overall traces of pyrite; increase in quartz veining towards lower contact with diabase dyke; bedding to ca. 85 @ 158m and 172m	Z6014	126.7	128.7	2.00	-5	
			130.8 137.9 mafic dyke	7	Z6015	128.7	130.8	2.10	-5
					Z6016	137.9	140	2.10	-5
					Z6017	140	142	2.00	-5
					Z6018	142	144	2.00	-5
					Z6019	144	146	2.00	-5
					Z6020	146	148	2.00	-5
					Z6021	148	149.5	1.50	-5
					Z6022	156.8	158	1.20	-5
					Z6023	158	159.3	1.30	-5
					Z6024	159.3	161.3	2.00	-5
					Z6025	161.3	163.3	2.00	-5
					Z6026	163.3	165.3	2.00	-5
					Z6027	165.3	167.3	2.00	-5
					Z6028	167.3	169.3	2.00	-5
					Z6029	169.3	171.3	2.00	-5
					Z6030	171.3	173.3	2.00	-5
					Z6031	173.3	175.3	2.00	-5
					Z6032	175.3	178.1	2.80	-5

6c,6d

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-08

<i>From</i>	<i>To</i>	<i>Rock Type</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
		<i>Rock Code</i>							
178.1	300	Diabase Dyke	fine grained weakly to moderately magnetic diabase dyke; upper contact irregular; local chill margins (running down north trending dyke)						
		12a	1495 152.2 mafic dyke	7					
300	300	End of Hole							
		EOH	1495 152.2 mafic dyke	7					

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-09

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Test deep down plunge of weak surface Au anomaly	<i>Tests</i>		
				<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>NTS</i>	042 C/12			0	180	-85
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik			
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/22/2001	150	178	-83
<i>Claim Number</i>	625632	<i>Finish Date (m/d/y)</i>	8/25/2001	200	176	-82.5
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/25/2001	250	176	-82
<i>UTM Easting (m)</i>	591607	<i>Geologist</i>	J. PAAKKI	300	175	-80.5
<i>UTM Northing (m)</i>	5388892	<i>Hole Length</i>	324			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	300			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	343	<i>Casing Lost</i>	3m NW casing			

Drill Log Summary:

Gouda Horizon at 283.3 to 307.6m Z6037 to Z6060
 Total Samples: Z6037 to Z6060

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-09

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	3	Overburden and Casino OB							
3	129	Mafic Volcanics	broad interval of rather monotonous foliated dark green fine grained amphibolite; prominent foliation/banding defined by light greenish-grey to pistachio green epidote layers which locally appear to be clasts and are locally boudinaged; minor intervals of coarser grained mafic flows/sills; numerous pegmatitic dykes intervals noted below; no significant mineralization, only traces of pyrite; foliations to ca 50 @ 10m and 34m, 43 @ 48m, 55 @ 60m, 52 @ 84m, 55 @ 100m						
	2a		61.6 64.1 90% pegmatite dykes	10e					
			65.7 66.8 pegmatite dyke	10e					
			79 80.5 pegmatite dyke	10e					
129	140.9	Granodiorite/Pegmatite	grey, medium grained to brick red (hematized) massive granodiorite with lesser pegmatitic sections						
		10a,e							
140.9	149.8	"Pokerchip" Mafic Volcanics	well foliated mafic variolitic flow/lapilli tuff; epidotized varioles/clasts; well foliated, locally rounded hosted in a fine grained amphibolite; occasional pegmatite dykes; nil to rare disseminated pyrite; foliation to ca 50 @ 144.4m and 147m						
		2i/f							

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

<i>Project Number</i>	167900
<i>Hole Number</i>	WR01-09

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
149.8	196.4	Sediments with Pegmatites 6e(10e)	bedded hornblende wackes; dark grey to light greenish-grey and locally epidotized; more mafic upper portion; numerous pegmatite dykes, intervals noted below; traces to locally 1% disseminated pyrite; bedding to ca 45 @ 159m, 50 @ 170.7m and 48 @ 195.3m 151.5 153.1 pegmatite dyke 163.1 163.7 pegmatite dyke 172.1 173.9 pegmatite dyke 177.4 178.6 pegmatite dyke 182.5 187 90% pegmatite dykes	10e					
196.4	201.6	Granodiorite 10a	grey massive medium grained feldspar porphyritic granodiorite						
201.6	283.3	Sediments 6e	bedded to locally gneissic banded hornblende wacke with lesser more feldspathic sedimentary beds and minor mafic volcanics near lower contact; occasional pegmatitic and feldspar porphyritic dykes; rare to only traces locally disseminated pyrite; bedding to ca 62 @ 222m, 55 @ 259.2m and 62 @ 273m						

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number

167900

Hole Number

WR01-09

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
283.3	307.6	Felsic Volcanics (Gouda Horizon)	more varied package including muscovite schist, biotite-muscovite-quartz eye schist, quartz eye volcanics/porphyry and lesser intercalated garnetiferous sediments/mafic volcanics near upper portions of interval; 1 to locally 3% disseminated pyrrhotite/pyrite, rare probable molybdenite; minor quartz veining with up to 5% galena and sphalerite; foliations to ca 60 @ 286.6m, 63 @ 294.4m and 70 @ 306.5m	Z6037	283.3	284.3	1.00	-5	
				Z6038	284.3	285.3	1.00	-5	
				Z6039	285.3	286.3	1.00	-5	
				Z6040	286.3	287.3	1.00	-5	
				Z6041	287.3	288.3	1.00	-5	
				Z6042	288.3	289.3	1.00	-5	
				Z6043	289.3	290.3	1.00	-5	
				Z6044	290.3	291.3	1.00	5	
				Z6045	291.3	292.3	1.00	-5	
				Z6046	292.3	293.3	1.00	-5	
				Z6047	293.3	294.3	1.00	-5	
				Z6048	294.3	295.3	1.00	-5	
				Z6049	295.3	296.3	1.00	-5	
				Z6050	296.3	297.3	1.00	-5	
				Z6051	297.3	298.3	1.00	-5	
				Z6052	298.3	299.3	1.00	-5	
				Z6053	299.3	300.3	1.00	-5	
				Z6054	300.3	301.3	1.00	-5	
				Z6055	301.3	302.3	1.00	-5	
				Z6056	302.3	303.3	1.00	-5	
				Z6057	303.3	304.3	1.00	-5	
				Z6058	304.3	305.3	1.00	-5	
				Z6059	305.3	306.3	1.00	-5	

TECK EXPLORATION LTD.

DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-09

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
				Z6060	306.3	307.6	1.30	-5	
			4f						
307.6	314.4	Granodiorite (Gneissic Sediments)	80% of interval is coarse grained massive feldspar porphyritic granodiorite and 20% well banded/bedded weakly biotitic feldspathic sediments; traces to 1% pyrite in sediments; sharp down hole contact; bedding/banding to ca 65						
			10a(6j)						
314.4	324	Mafic Volcanics	dark green fine grained amphibolite, foliated and contorted (folded); rare pyrite; one 5mm quartz vein @ 316.9m						
			2a						
324	324	End of Hole							
			EOH						

TECK EXPLORATION LTD.
DIAMOND DRILL LOG



Hole Number WR01-10

Page 1 of 1 Drill Log Summary

<i>Project Number</i>	167900	<i>Objective</i>	Test 800m gap in Gouda Horizon near White River	<i>Tests</i>		
				<i>Depth (m)</i>	<i>Azimuth (d)</i>	<i>Dip (d)</i>
<i>NTS</i>	042 C/12					
<i>Project Name</i>	White River	<i>Drilling Company</i>	Major Dominik	0	190	-47
<i>Township/Area</i>	Brothers	<i>Start Date (m/d/y)</i>	8/25/2001	50	191	-47
<i>Claim Number</i>	625634	<i>Finish Date (m/d/y)</i>	8/26/2001	100	192	-47
<i>UTM Zone</i>	16 NAD 83	<i>Date Logged (m/d/y)</i>	8/26/2001	150	193	-47
<i>UTM Easting (m)</i>	591125	<i>Geologist</i>	J. PAAKKI			
<i>UTM Northing (m)</i>	5388655	<i>Hole Length</i>	150			
<i>Grid Identifier</i>		<i>Core Location</i>	David Bell Core Shack			
<i>Easting (+E,-W)</i>		<i>Distance to Water</i>	100			
<i>Northing (+N,-S)</i>		<i>Core Size</i>	NQ			
<i>Elevation:</i>	355	<i>Casing Lost</i>	3m NW casing			

Drill Log Summary:

Gouda Horizon at 67.8 to 99.0m Z6064 to Z6091

Total Samples: Z6064 to Z6091

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-10

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
0	3	Overburden and Casina OB							
3	49.5	Gneissic Sediments/Mafic	mixed interval of foliated to gneissic to bedded grey to greenish grey hornblende wacke and dark green epidotized mafic volcanics and lesser probable intermediate tuff sections near upper contact; numerous narrow feldspar porphyritic granodiorite dykes; occasional barren quartz veins; overall traces to locally 1% disseminated pyrite; foliation and banding to ca 80 @ 16m, 70 @ 31.5m and 82 @ 45m						
		6e (2)							
49.5	67.8	Mafic Volcanics	well foliated fine to medium grained mafic volcanics (amphibolite); overall planar banded with only local folding; epidote banding near upper portions; narrow barren quartz veins and narrow feldspar porphyritic granodiorite dykes near downhole contact; overall traces of disseminated pyrite; foliation to ca 82 @ 52m and 61.5m						
		2a							

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number
Hole Number

167900
WR01-10

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
67.8	99	Felsic Volcanics (Gouda Horizon)	varied interval consisting of well developed muscovite schist, muscovite-biotite schist, banded muscovite-sericite-biotite+/-garnet rock, quartz eye felsic volcanics and lesser mafic volcanics near upper portions of interval, details below; traces to 3% disseminated pyrite; foliation to ca 75 @ 81.7m, 70 @ 90.5m and 78 @ 97.5m	Z6064	67.8	68.8	1.00	-5	
			67.8 71.9	Z6065	68.8	69.8	1.00	-5	
			banded grey to light reddish brown fine grained quartz eye felsic volcanics; trace pyrite	Z6066	69.8	70.8	1.00	-5	
			71.9 75	Z6067	70.8	71.9	1.10	-5	
			dark green foliated and epidotized mafic volcanics; trace pyrite	Z6068	71.9	73.4	1.50	-5	
			75 88.4	Z6069	73.4	75	1.60	-5	
			mixed interval of quartz eye felsics, banded biotite-muscovite rock, muscovite+biotite+/-garnets rock; traces green mica; trace-2% pyrite	Z6070	75	76	1.00	-5	
			88.4 92.8	Z6071	76	77	1.00	-5	
			muscovite schist; traces wispy green mica; 1% pyrite	Z6072	77	78	1.00	-5	
			92.8 94.4	Z6073	78	79	1.00	-5	
			intermediate tuff/dyke; 1% pyrite	Z6074	79	80	1.00	-5	
			94.4 99	Z6075	80	81	1.00	-5	
			excellent sheared banded muscovite schist; 2-3% finely disseminated pyrite	Z6076	81	82	1.00	-5	
				Z6077	82	83	1.00	-5	
				Z6078	83	84	1.00	-5	
				Z6079	84	85	1.00	-5	
				Z6080	85	86	1.00	-5	
				Z6081	86	87.2	1.20	-5	
				Z6082	87.2	88.4	1.20	-5	
				Z6083	88.4	89.5	1.10	-5	
				Z6084	89.5	90.6	1.10	5	
				Z6085	90.6	91.7	1.10	5	
				Z6086	91.7	92.8	1.10	5	

TECK EXPLORATION LTD.
DIAMOND DRILL LOG

Project Number 167900
Hole Number WR01-10

<i>From</i>	<i>To</i>	<i>Rock Type</i> <i>Rock Code</i>	<i>Geology</i>	<i>Sample No.</i>	<i>From</i>	<i>To</i>	<i>Length</i>	<i>Au (ppb)</i>	<i>Au (g/t)</i>
				Z6087	92.8	94.4	1.60	-5	
				Z6088	94.4	95.5	1.10	-5	
				Z6089	95.5	96.6	1.10	-5	
				Z6090	96.6	97.8	1.20	-5	
				Z6091	97.8	99	1.20	-5	
41									
99	145.7	Mafic Volcanics	foliated dark green fine grained amphibolite; nil to traces of disseminated pyrite; local moderately to well developed biotite-chlorite-hornblende near upper portion of interval; very minor interflow sediments; foliation to ca 75 @ 111.5m and 129.5m and 80 @ 143.8m						
		2a (2k)	99 103.3 numerous Pukaskwa granodiorite sills +/- gneissic banded sediments						
145.7	153	Pukaskwa	granodiorite to granodioritic gneisses						
		7							
153	153	End of Hole							
		EOH							

APPENDIX III

Assay Certificates



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: M. Thompson
Project: 167900

TSL Report: S10646
Date Received: Jun 15, 2001
Date Reported: Jun 19, 2001
Invoice: 20586

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	7	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/t) are weighed at 29.16 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/t	Fire Assay/Gravimetric	.03	100%
Hg	ppb	Cold Vapour/AA	10	50000

*Test reports may be reproduced, in their entirety, without our consent.
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
c/o David Bell Mine P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10646

SAMPLE(S) OF Rock

INVOICE #:20586
P.O.:

M. Thompson
Project: 167900

	Au ppb	Hg ppb
N-05501	10	<10
N-05502	<5	<10
N-05503	<5	<10
N-05507	<5	<10
N-05508	<5	<10
N-05509	<5/5	<10
N-05510	5	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Jun 19/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: M. Thompson
Project: 167900

TSL Report: S10646
Date Received: Jun 15, 2001
Date Reported: Jun 29, 2001
Invoice: 20586
Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	1	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle, Pulverize

Element	Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
	SiO ₂	ICP	LiBO ₂ - Fusion	%	.01	100%
	Al ₂ O ₃	ICP	LiBO ₂ - Fusion	%	.01	100%
	Fe ₂ O ₃	ICP	LiBO ₂ - Fusion	%	.01	100%
	CaO	ICP	LiBO ₂ - Fusion	%	.01	100%
	MgO	ICP	LiBO ₂ - Fusion	%	.01	100%
	Na ₂ O	ICP	LiBO ₂ - Fusion	%	.01	100%
	TiO ₂	ICP	LiBO ₂ - Fusion	%	.01	100%
	K ₂ O	ICP	LiBO ₂ - Fusion	%	.01	100%
	MnO	ICP	LiBO ₂ - Fusion	%	.01	100%
	P ₂ O ₅	ICP	LiBO ₂ - Fusion	%	.01	100%
	LOI	ICP	LiBO ₂ - Fusion	%	.01	100%
	Ba	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Sr	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Zr	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Sc	ICP	LiBO ₂ - Fusion	ppm	1	10000
	Y	ICP	LiBO ₂ - Fusion	ppm	2	10000

*Test reports may be reproduced, in their entirety, without our consent.
Liability is limited to the analytical cost for analyses.*

TSL Laboratories

#2 - 302 East 48th Street, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: Rock

Report No : S10646

File No : IM0646 PL

Date : Jun-29-01

ICP Whole Rock Assay

Lithium Metaborate Fusion

Sample Number	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	CaO %	MgO %	Na ₂ O %	K ₂ O %	TiO ₂ %	MnO %	P ₂ O ₅ %	Ba ppm	Sr ppm	Zr ppm	Y ppm	Sc ppm	LOI %	Total %
N-05510	58.72	15.22	8.11	3.28	3.38	4.38	1.97	0.58	0.08	0.18	600	670	150	5	10	3.52	99.56

Sample is fused with Lithium metaborate
and dissolved in dilute HNO₃.





2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: M. Thompson
Project: 167900

TSL Report: S10646
Date Received: Jun 15, 2001
Date Reported: Jun 29, 2001
Invoice: 20586

Sample Type:	Number	Size Fraction	Sample Preparation
Core	7	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle, Pulverize

The Aqua Regia Leach digestion liberates most of the metals except those marked with an asterisk where the digestion will not be complete.

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

*Test reports may be reproduced, in their entirety, without our consent.
Liability is limited to the analytical cost for analyses.*

TSL Laboratories

#2 - 302 East 48th Street, Saskatoon, Saskatchewan, S7K 6A4

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: Rock

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No : S10646

File No : IM0646 PJ

Date : Jun-29-01

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
N-05501	<0.2	<5	<5	8	39	230	6	22	2	5	29	30
N-05502	<0.2	<5	<5	8	41	135	4	22	6	5	41	123
N-05503	<0.2	<5	<5	5	22	185	6	7	14	5	62	23
N-05507	<0.2	30	<5	132	104	145	8	433	8	5	34	155
N-05508	<0.2	<5	<5	14	53	345	4	40	6	5	54	115
N-05509	0.6	<5	<5	44	277	265	26	216	14	5	33	94
N-05510	<0.2	<5	<5	26	45	415	8	105	8	5	103	126

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95°C for 2 hours and diluted to 25ml with D.I.H2O.





2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10736
Date Received: Aug 07, 2001
Date Reported: Aug 13, 2001
Invoice: 20686

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	20	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.
Samples for Ag (ppm) are weighed at 1 gram.
Samples for Ag (g/tonne) are weighed at 4 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
P.O.T 2E0

REPORT No.
S10736

SAMPLE(S) OF Core

INVOICE #: 20686
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05698	5	.4	<10
Z05699	10	.8	<10
Z05700	<5	.8	<10
Z05701	10	.6	<10
Z05702	10	.8	<10
Z05703	10/10	.6	<10
Z05704	10	.8	<10
Z05705	20	.6	<10
Z05706	35	1.8	30
Z05707	65	4.6	20
Z05708	10	.6	10
Z05709	150	2.8	10
Z05710	130	5.4	40
Z05711	5	.4	<10
Z05712	15	.6	<10
Z05713	5/5	.6	<10
Z05714	<5	.6	<10
Z05715	<5	.6	<10
Z05716	5	1.6	<10
Z05717	10	.6	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 13/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10738
Date Received: Aug 09 2001
Date Reported: Aug 13, 2001
Invoice: 20687

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	16	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.
Samples for Ag (ppm) are weighed at 1 gram.
Samples for Ag (g/tonne) are weighed at 4 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10738

SAMPLE(S) OF Core

INVOICE #: 20687
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05747	15	.2	<10
Z05748	<5	.2	<10
Z05749	10	.2	<10
Z05750	<5	.2	<10
Z05751	<5	.2	<10
Z05752	<5	.2	<10
Z05753	<5	.6	<10
Z05754	<5/<5	<.2	<10
Z05755	<5	.2	<10
Z05756	<5	.4	<10
Z05757	5	.8	<10
Z05758	<5	.4	<10
Z05759	<5	.2	<10
Z05760	<5	.2	<10
Z05761	<5	.2	<10
Z05762	<5	<.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 13/01

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10736
Date Received: Aug 07, 2001
Date Reported: Aug 16, 2001
Invoice: 20686

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	20	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Teck Exploration Ltd.
Attention: J. Paakki
Project: 167900
Sample: Core

Report No: SI0736
File No: M567
Date: August 16 2001

Multi-Element ICP Analysis
Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 5698	0.3	2	<1	2	17	179	6	8	21	<1	4	257
Z 5699	0.6	1	<1	3	10	62	1	6	8	<1	1	49
Z 5700	0.2	1	<1	4	6	162	21	9	10	<1	5	34
Z 5701	0.4	2	<1	4	3	255	2	6	37	<1	9	89
Z 5702	0.6	2	<1	5	10	315	11	10	20	<1	10	59
Z 5703	0.3	2	<1	4	7	473	7	8	13	<1	13	79
Z 5704	0.5	2	<1	4	29	430	19	7	124	<1	9	215
Z 5705	0.2	1	<1	<1	35	91	<1	3	188	<1	1	285
Z 5706	1.4	1	<1	1	93	58	41	6	540	<1	<1	1690
Z 5707	5.2	2	11	2	70	68	269	6	197	<1	<1	572
Z 5708	0.5	4	<1	4	26	34	22	12	12	<1	1	432
Z 5709	2.8	4	<1	4	233	22	7	8	6	<1	1	123
Z 5710	5.1	4	<1	3	570	55	4	7	17	<1	1	1910
Z 5711	0.3	1	<1	3	13	69	5	7	9	<1	5	29
Z 5712	0.6	2	1	6	23	155	2	11	14	<1	12	58
Z 5713	<0.2	1	2	<1	35	220	6	5	103	<1	<1	259
Z 5714	0.2	<1	1	2	28	192	<1	6	56	<1	4	90
Z 5715	0.2	4	<1	12	20	533	3	39	15	<1	42	108
Z 5716	1.4	2	1	12	196	112	10	25	21	<1	11	51
Z 5717	0.3	4	<1	28	38	463	4	57	16	<1	60	194
Z 5714REP	<0.2	1	1	3	28	199	<1	6	58	<1	4	91

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10738
Date Received: Aug 09, 2001
Date Reported: Aug 16, 2001
Invoice: 20687

Sample Type:	Number	Size Fraction	Sample Preparation
Core	16	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J.Paakki

Project: 167900

Sample:

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10738

File No: M582

Date: August 16 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 5747	<0.2	2	<1	9	63	344	<1	40	33	<1	33	161
Z 5748	<0.2	3	<1	7	31	274	<1	16	14	<1	25	68
Z 5749	<0.2	3	<1	5	31	111	2	7	17	<1	9	112
Z 5750	0.2	2	<1	8	24	122	9	12	15	<1	11	195
Z 5751	0.2	2	<1	6	49	65	5	11	36	<1	5	97
Z 5752	<0.2	2	<1	4	6	33	8	5	6	<1	1	191
Z 5753	0.5	3	<1	7	19	164	71	26	43	<1	21	144
Z 5754	<0.2	1	<1	4	4	37	2	6	10	<1	2	15
Z 5755	<0.2	2	<1	4	7	49	8	6	34	<1	5	51
Z 5756	0.3	3	<1	4	9	53	62	7	81	<1	5	157
Z 5757	0.8	3	2	9	42	85	13	11	113	<1	5	162
Z 5758	0.2	3	<1	4	12	82	4	8	116	<1	8	150
Z 5759	0.2	2	<1	4	9	83	8	8	48	<1	8	166
Z 5760	<0.2	<1	<1	4	7	51	4	6	20	<1	5	155
Z 5761	0.2	4	<1	7	14	99	5	9	125	<1	14	577
Z 5762	<0.2	1	<1	4	9	178	1	7	10	<1	19	51
Z 5758 REP	0.2	4	<1	5	12	83	4	7	115	<1	8	153

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO₃
at 95C for 1 hour and diluted to 15 ml with D.I. H₂O.

Page 1 of 1

Signed:

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10753
Date Received: Aug 14, 2001
Date Reported: Aug 22, 2001
Invoice: 20698

Sample Type:	Number	Size Fraction	Sample Preparation
Core	24	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Teck Exploration Ltd.
Attention: J. Paakki
Project: 167900
Sample: 24 Core


Report No: S10753
File No: M613
Date: August 22, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 5794	<0.2	16	<1	4	20	173	4	9	3	<1	7	151
Z 5795	0.4	1	<1	6	18	276	<1	9	2	<1	12	47
Z 5796	0.8	<1	<1	5	43	299	1	12	7	<1	14	249
Z 5797	0.4	<1	<1	4	16	296	3	6	11	<1	6	58
Z 5798	<0.2	2	<1	4	2	48	1	5	2	<1	1	36
Z 5799	<0.2	2	<1	4	3	31	4	6	3	<1	1	72
Z 5800	1	1	<1	5	54	340	<1	12	20	<1	16	69
Z 5801	<0.2	2	<1	4	2	54	4	5	20	<1	1	52
Z 5802	13	4	9	7	95	108	2	12	106	<1	16	470
Z 5803	14.4	3	<1	8	171	95	145	18	73	<1	2	381
Z 5804	0.7	1	<1	6	23	37	35	8	5	<1	3	54
Z 5839	0.5	1	1	4	17	225	5	7	20	<1	8	141
Z 5840	<0.2	9	<1	6	13	281	1	8	14	<1	13	55
Z 5841	<0.2	38	2	5	26	49	5	9	6	<1	1	80
Z 5842	<0.2	5	<1	6	30	178	4	13	21	<1	11	102
Z 5843	3.4	16	9	5	12	46	10	9	49	<1	1	373
Z 5844	1.4	5	2	5	17	17	9	8	34	<1	1	328
Z 5845	1.1	7	<1	4	41	41	82	10	64	<1	2	138
Z 5846	0.7	4	<1	5	22	57	7	8	77	<1	5	681
Z 5847	0.2	1	<1	5	11	36	3	9	45	<1	2	77
Z 5848	0.5	1	<1	5	11	90	2	6	24	<1	4	155
Z 5849	0.4	1	<1	5	97	110	3	10	19	<1	7	203
Z 5850	0.2	3	<1	11	15	123	9	21	13	<1	11	78
Z 5851	<0.2	20	<1	30	21	108	7	44	15	<1	12	148
Z 5849 REP	0.4	1	<1	5	94	106	3	10	17	<1	7	194

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

Signed: 

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10753
Date Received: Aug 14, 2001
Date Reported: Aug 17, 2001
Invoice: 20698

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	24	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.
Samples for Ag (ppm) are weighed at 1 gram.
Samples for Ag (g/tonne) are weighed at 4 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tslab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10753

SAMPLE(S) OF Core

INVOICE #:20698
P.O.:


J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05794	<5	.2	<10
Z05795	<5	.6	<10
Z05796	<5/<5	1.0	<10
Z05797	<5	.6	<10
Z05798	<5	.2	<10
Z05799	5	.2	<10
Z05800	<5	1.4	<10
Z05801	<5	.2	<10
Z05802	200/240	16.	<10
Z05803	10/10	13.	<10
Z05804	<5	1.2	<10
Z05839	<5	.6	<10
Z05840	<5	.4	<10
Z05841	<5	.2	<10
Z05842	<5/<5	.4	<10
Z05843	15	3.8	<10
Z05844	10	1.6	<10
Z05845	<5	1.4	<10
Z05846	<5	1.0	<10
Z05847	<5	.6	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 17/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10753

SAMPLE(S) OF Core

INVOICE #: 20698
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05848	<5	.8	<10
Z05849	<5	.6	<10
Z05850	<5	.4	<10
Z05851	<5	.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 17/01

SIGNED

M Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10764
Date Received: Aug 17, 2001
Date Reported: Aug 21, 2001
Invoice: 20705

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Samples for Ag (ppm) are weighed at 1 gram.

Samples for Ag (g/tonne) are weighed at 4 grams.

Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10764

SAMPLE(S) OF Core

INVOICE #: 20705
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05886	<5	.2	<10
Z05887	<5	<.2	<10
Z05888	<5	.2	<10
Z05889	<5 / <5	<.2	<10
Z05890	<5	.2	<10
Z05891	<5	<.2	<10
Z05892	<5	<.2	<10
Z05893	<5	<.2	<10
Z05894	<5	<.2	<10
Z05895	<5	<.2	<10
Z05896	<5	<.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 21/01

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10764
Date Received: Aug 17, 2001
Date Reported: Aug 27, 2001
Invoice: 20705

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: 11 Core

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10764

File No: M637


Date: August 27, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 5886	<0.2	<1	<1	4	16	264	5	4	7	<1	8	43
Z 5887	<0.2	<1	<1	2	10	168	3	6	30	<1	7	48
Z 5888	<0.2	<1	1	1	4	117	2	3	55	<1	5	85
Z 5889	<0.2	<1	<1	4	7	196	2	8	5	<1	7	47
Z 5890	<0.2	<1	9	6	16	109	3	9	7	<1	10	40
Z 5891	<0.2	<1	<1	3	5	98	4	6	3	<1	9	21
Z 5892	<0.2	<1	<1	2	6	82	5	4	2	<1	8	10
Z 5893	0.3	<1	<1	<1	2	212	1	3	1	<1	4	9
Z 5894	<0.2	<1	<1	3	6	116	2	6	2	<1	10	19
Z 5895	<0.2	<1	<1	3	9	67	5	6	2	<1	6	23
Z 5896	<0.2	<1	<1	8	18	145	16	15	3	<1	17	98
Z 5893REP	0.2	<1	<1	<1	2	211	1	3	1	<1	3	9

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

Signed: 

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10767
Date Received: Aug 20, 2001
Date Reported: Aug 21, 2001
Invoice: 20706

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	5	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.
Samples for Ag (ppm) are weighed at 1 gram.
Samples for Ag (g/tonne) are weighed at 4 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10767

SAMPLE(S) OF Rock

INVOICE #: 20706
P.O. :

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
N05701	<5	<.2	<10
N05702	<5	<.2	<10
N05703	<5	<.2	<10
N05704	<5	<.2	<10
N05705	<5/<5	<.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 21/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10767
Date Requested: Aug 20, 2001
Date Reported: Aug 27, 2001
Invoice: 20706
Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	5	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle, Pulverize

Element	Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
	SiO ₂	ICP	LiBO ₂ - Fusion	%	.01	100%
	Al ₂ O ₃	ICP	LiBO ₂ - Fusion	%	.01	100%
	Fe ₂ O ₃	ICP	LiBO ₂ - Fusion	%	.01	100%
	CaO	ICP	LiBO ₂ - Fusion	%	.01	100%
	MgO	ICP	LiBO ₂ - Fusion	%	.01	100%
	Na ₂ O	ICP	LiBO ₂ - Fusion	%	.01	100%
	TiO ₂	ICP	LiBO ₂ - Fusion	%	.01	100%
	K ₂ O	ICP	LiBO ₂ - Fusion	%	.01	100%
	MnO	ICP	LiBO ₂ - Fusion	%	.01	100%
	P ₂ O ₅	ICP	LiBO ₂ - Fusion	%	.01	100%
	LOI	ICP	LiBO ₂ - Fusion	%	.01	100%
	Ba	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Sr	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Zr	ICP	LiBO ₂ - Fusion	ppm	10	10000
	Sc	ICP	LiBO ₂ - Fusion	ppm	1	10000
	Y	ICP	LiBO ₂ - Fusion	ppm	2	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: 5 Rock

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No. S10767

File No. M641

Date: August 27, 2001


ICP Whole Rock Assay

Lithium Metaborate Fusion

Sample Number	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	CaO %	MgO %	Na ₂ O %	TiO ₂ %	K ₂ O %	MnO %	P ₂ O ₅ %	Ba ppm	Sr ppm	Zr ppm	Y ppm	Sc ppm	LOI %	Total %
NO 5701	53.00	13.10	6.06	16.79	3.82	1.01	0.45	1.70	0.28	0.10	403	278	85	11	16	2.23	98.53
NO 5702	53.90	13.70	6.79	17.29	3.32	1.10	0.46	0.65	0.26	0.15	219	415	77	10	10	1.87	99.49
NO 5703	55.20	14.20	5.79	13.70	3.13	1.26	0.47	2.79	0.20	0.14	519	327	97	11	13	1.52	98.39
NO 5704	54.60	14.30	5.86	13.91	3.20	1.31	0.47	2.81	0.26	0.11	280	361	84	10	10	2.05	98.88
NO 5705	61.00	13.00	4.74	11.10	2.67	3.04	0.52	1.35	0.14	0.13	321	321	88	10	12	0.88	98.56
NO 5703 REP	55.40	14.10	5.86	13.90	3.20	1.31	0.48	2.81	0.21	0.15	520	330	93	11	13	1.49	98.91

Sample is fused with Lithium metaborate
and dissolved in dilute HNO₃.

Signed:


Mark Acres - Quality Assurance

Company: Teck Exploration Ltd.
 Geologist: J. Paakki
 Project: 167900

TSL Report: S10767
 Date Received: Aug 20, 2001
 Date Reported: Aug 27, 2001
 Invoice: 20706

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	5	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.
 Attention: J. Paakki
 Project: 167900
 Sample: 5 Rock

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10767
 File No: M641
 Date: August 27, 2001

Multi-Element ICP Analysis
Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
N0 5701	<0.2	<1	2	5	21	193	52	15	3	<1	15	8
N0 5702	<0.2	<1	<1	5	6	194	3	11	4	<1	14	12
N0 5703	0.2	<1	<1	6	44	153	163	15	2	<1	12	9
N0 5704	<0.2	<1	<1	4	11	187	53	12	3	<1	15	9
N0 5705	<0.2	<1	<1	7	59	99	20	19	2	<1	15	9
N0 5703 REP	<0.2	<1	<1	6	45	159	176	16	2	<1	12	10

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
 at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

Signed:

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1133 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10768
Date Received: Aug 20, 2001
Date Reported: Aug 21, 2001
Invoice: 20707

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Samples for Ag (ppm) are weighed at 1 gram.

Samples for Ag (g/tonne) are weighed at 4 grams.

Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10768

SAMPLE(S) OF Core

INVOICE #:20707
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z05912	<5	.2	<10
Z05913	<5	.2	<10
Z05914	<5	.2	<10
Z05915	<5	.6	<10
Z05916	<5	.2	<10
Z05917	<5	<.2	<10
Z05918	<5	<.2	<10
Z05919	<5/<5	.4	<10
Z05920	<5	<.2	<10
Z05921	<5	<.2	<10
Z05922	<5	<.2	<10
Z05923	<5	<.2	<10
Z05924	<5	.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 21/01

SIGNED

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsl.lab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10768
Date Received: Aug 20, 2001
Date Reported: Aug 28, 2001
Invoice: 20707

Sample Type:	Number	Size Fraction	Sample Preparation
Core	13	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teek Exploration Ltd.
 Attention: J. Paakki
 Project: 167900
 Sample:

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10768
 File No: M642
 Date: August 27, 2001

Multi-Element ICP Analysis
Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z0 5912	0.3	1	1	3	19	60	22	8	47	<1	2	138
Z0 5913	<0.2	<1	<1	6	22	276	16	11	39	<1	11	134
Z0 5914	<0.2	<1	4	4	15	151	3	10	10	<1	13	41
Z0 5915	<0.2	<1	23	3	15	40	1	7	2	<1	4	93
Z0 5916	<0.2	<1	<1	3	10	47	26	6	2	<1	4	44
Z0 5917	<0.2	<1	<1	6	11	184	8	7	7	<1	25	73
Z0 5918	<0.2	<1	<1	5	5	240	2	5	4	<1	23	31
Z0 5919	<0.2	<1	3	2	6	79	2	6	6	<1	11	9
Z0 5920	<0.2	<1	<1	6	11	168	7	19	2	<1	18	26
Z0 5921	<0.2	<1	<1	4	9	71	3	8	2	<1	10	31
Z0 5922	<0.2	<1	<1	4	10	79	6	7	2	<1	13	36
Z0 5923	<0.2	<1	<1	4	6	103	2	11	2	<1	12	30
Z0 5924	<0.2	<1	<1	11	59	117	11	13	3	<1	13	97
Z0 5921 REP	<0.2	1	<1	3	9	70	3	7	2	<1	10	31

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
 at 95C for 1 hour and diluted to 15 ml with D.I. H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Limited
Geologist: J. Paakki
Project: 167900

TSL Report: S10769
Date Received: Aug 20, 2001
Date Reported: Aug 24, 2001
Invoice: 20715

Sample Type:	Number	Size Fraction	Sample Preparation
Core	122	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%

*Test reports may be reproduced, in their entirety, without our consent.
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05651	10
Z05652	<5
Z05653	<5
Z05654	5
Z05655	5
Z05656	5
Z05657	5
Z05658	5
Z05659	5/5
Z05660	<5
Z05661	5
Z05662	<5
Z05663	<5
Z05664	<5
Z05665	<5
Z05666	<5
Z05667	<5
Z05668	<5
Z05669	<5/<5
Z05670	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900


Au
ppb

Z05671	5
Z05672	<5
Z05673	<5
Z05674	<5
Z05675	<5
Z05676	5
Z05677	5
Z05678	5
Z05679	5/5
Z05680	5
Z05681	<5
Z05682	<5
Z05683	<5
Z05684	5
Z05685	<5
Z05686	<5
Z05687	10
Z05688	5
Z05689	5/5
Z05690	5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05691	<5
Z05692	<5
Z05693	<5
Z05694	10
Z05695	5
Z05696	5
Z05697	5
Z05718	<5
Z05719	<5 / <5
Z05720	<5
Z05721	<5
Z05722	<5
Z05723	<5
Z05724	<5
Z05725	<5
Z05726	<5
Z05727	<5
Z05728	<5
Z05729	<5 / <5
Z05730	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05731	<5
Z05732	<5
Z05733	<5
Z05734	<5
Z05735	5
Z05736	<5
Z05737	<5
Z05738	<5
Z05739	<5/<5
Z05740	<5
Z05741	<5
Z05742	5
Z05743	<5
Z05744	<5
Z05745	<5
Z05746	<5
Z05763	<5
Z05764	5
Z05765	<5/<5
Z05766	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900


Au
ppb

Z05767	5
Z05768	<5
Z05769	<5
Z05770	<5
Z05771	<5
Z05772	<5
Z05773	<5
Z05774	5
Z05775	<5 / 5
Z05776	5
Z05777	5
Z05778	5
Z05779	<5
Z05780	<5
Z05781	<5
Z05782	5
Z05783	<5
Z05784	<5
Z05785	<5 / <5
Z05786	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2EO

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05787	5
Z05788	<5
Z05789	<5
Z05790	<5
Z05791	5
Z05792	<5
Z05793	<5
Z05805	<5
Z05806	<5/5
Z05807	<5
Z05808	5
Z05809	5
Z05810	<5
Z05811	<5
Z05812	<5
Z05813	<5
Z05814	<5
Z05815	<5
Z05816	<5/<5
Z05817	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10769

SAMPLE(S) OF Core

INVOICE #: 20715
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05818 <5
Z05819 <5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 24/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10778
Date Received: Aug 22, 2001
Date Reported: Aug 28, 2001
Invoice: 20723

Remarks: Sample Z05940 was not received

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Samples for Ag (ppm) are weighed at 1 gram.

Samples for Ag (g/tonne) are weighed at 4 grams.

Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10778

SAMPLE(S) OF Core

INVOICE #:20723
P.O.:

J. Paakki
Project: 167900

Sample Z05940 was not received

	Au ppb	Ag ppm	Hg ppb
Z05948	5	.2	<10
Z05949	<5	1.4	<10
Z05950	<5	.2	<10
Z05951	<5	<.2	<10
Z05952	<5	<.2	<10
Z05953	<5	<.2	<10
Z05954	<5	<.2	<10
Z05955	<5/<5	<.2	<10
Z05956	<5	<.2	<10
Z05957	<5	.2	<10
Z05958	<5	.2	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Aug 28/01

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10778
Date Received: Aug 22, 2001
Date Reported: Aug 31, 2001
Invoice: 20723

Sample Type:	Number	Size Fraction	Sample Preparation
Core	11	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: 11 Core

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10778

File No: M729


Date: August 31, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 5948	<0.2	3	<1	4	15	148	7	11	2	<1	9	48
Z 5949	1.2	<1	3	6	32	307	8	9	85	<1	22	339
Z 5950	<0.2	1	<1	7	20	435	4	5	3	<1	38	67
Z 5951	<0.2	<1	<1	4	14	54	3	5	3	<1	10	53
Z 5952	<0.2	<1	<1	2	4	63	1	4	1	<1	14	31
Z 5953	<0.2	<1	<1	6	6	193	<1	15	2	<1	30	36
Z 5954	<0.2	<1	<1	3	9	106	<1	5	12	<1	14	35
Z 5955	<0.2	<1	<1	3	7	198	<1	6	17	<1	13	60
Z 5956	<0.2	<1	<1	1	6	233	1	4	38	<1	5	40
Z 5957	<0.2	<1	1	2	6	136	2	5	32	<1	10	79
Z 5958	<0.2	<1	<1	5	14	119	7	8	56	<1	11	178
Z 5955 REP	<0.2	<1	<1	3	7	207	<1	6	18	<1	13	62

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO₃
at 95C for 1 hour and diluted to 15 ml with D.I. H₂O.

Signed: 

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Limited
Geologist: J. Paakki
Project: 167900

TSL Report: S10832
Date Received: Sep 04, 2001
Date Reported: Sep 07, 2001
Invoice: 20759

Sample Type:	Number	Size Fraction	Sample Preparation
Core	104	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%

*Test reports may be reproduced, in their entirety, without our consent.
Liability is limited to the analytical cost for analyses.*



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #: 20759
P.O.:

J. Paakki
Project: 167900


Au
ppb

Z05820	<5
Z05821	<5 / <5
Z05822	<5
Z05823	<5
Z05824	<5
Z05825	10
Z05826	<5
Z05827	<5
Z05828	<5
Z05829	<5
Z05830	<5
Z05831	<5 / <5
Z05832	<5
Z05833	<5
Z05834	<5
Z05835	<5
Z05836	<5
Z05837	<5
Z05838	<5
Z05852	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #:20759
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05853	<5
Z05854	<5/<5
Z05855	<5
Z05856	<5
Z05857	<5
Z05858	<5
Z05859	<5
Z05860	<5
Z05861	<5
Z05862	<5
Z05863	<5
Z05864	<5/<5
Z05865	<5
Z05866	<5
Z05867	<5
Z05868	<5
Z05869	<5
Z05870	<5
Z05871	<5
Z05872	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #: 20759
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05873	<5
Z05874	<5/<5
Z05875	<5
Z05876	<5
Z05877	5
Z05878	<5
Z05879	<5
Z05880	<5
Z05881	<5
Z05882	<5
Z05883	<5
Z05884	<5/<5
Z05885	<5
Z05897	<5
Z05898	<5
Z05899	10
Z05900	<5
Z05901	<5
Z05902	15
Z05903	10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #: 20759
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05904	<5
Z05905	<5 / <5
Z05906	<5
Z05907	<5
Z05908	<5
Z05909	<5
Z05910	<5
Z05911	<5
Z05925	<5
Z05926	<5
Z05927	<5
Z05928	<5 / 5
Z05929	5
Z05930	<5
Z05931	<5
Z05932	<5
Z05933	<5
Z05934	<5
Z05935	<5
Z05936	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #: 20759
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05937	<5
Z05938	<5/<5
Z05939	<5
Z05940	<5
Z05941	<5
Z05942	<5
Z05943	<5
Z05944	<5
Z05945	<5
Z05946	<5
Z05947	<5
Z05959	<5/<5
Z05960	<5
Z05961	<5
Z05962	<5
Z05963	<5
Z05964	<5
Z05965	<5
Z05966	<5
Z05967	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10832

SAMPLE(S) OF Core

INVOICE #:20759
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05968	<5
Z05969	<5
Z05970	<5
Z05971	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 07/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10833
Date Received: Sep 04, 2001
Date Reported: Sep 07, 2001
Invoice: 20760

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Core	52	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.
Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.
Samples for Ag (ppm) are weighed at 1 gram.
Samples for Ag (g/tonne) are weighed at 4 grams.
Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Ag	ppm	HCl-HNO ₃ /AA	.2	50
Ag	g/tonne	HCl-HNO ₃ /AA	1.7	1700
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10833

SAMPLE(S) OF Core

INVOICE #: 20760
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z06037	<5	.2	<10
Z06038	<5	.2	<10
Z06039	<5/<5	<.2	<10
Z06040	<5	<.2	<10
Z06041	<5	<.2	<10
Z06042	<5	.2	<10
Z06043	<5	.2	<10
Z06044	5	.4	<10
Z06045	<5	.2	<10
Z06046	<5	1.2	<10
Z06047	<5	.2	<10
Z06048	<5	.2	<10
Z06049	<5/<5	.2	<10
Z06050	<5	.2	<10
Z06051	<5	.2	<10
Z06052	<5	.4	<10
Z06053	<5	.2	<10
Z06054	<5	.2	<10
Z06055	<5	.2	<10
Z06056	<5	1.6	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 10/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10833

SAMPLE(S) OF Core

INVOICE #: 20760
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z06057	<5	.8	<10
Z06058	<5	.2	<10
Z06059	<5/<5	<.2	<10
Z06060	<5	1.2	<10
Z06064	<5	<.2	<10
Z06065	<5	<.2	<10
Z06066	<5	<.2	<10
Z06067	<5	<.2	<10
Z06068	<5	<.2	<10
Z06069	<5	<.2	<10
Z06070	<5	.2	<10
Z06071	<5	.2	<10
Z06072	<5/<5	.2	10
Z06073	<5	.2	<10
Z06074	<5	<.2	<10
Z06075	<5	<.2	<10
Z06076	<5	.6	<10
Z06077	<5	.2	<10
Z06078	<5	.2	<10
Z06079	<5	.6	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 10/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10833

SAMPLE(S) OF Core

INVOICE #: 20760
P.O.:

J. Paakki
Project: 167900

	Au ppb	Ag ppm	Hg ppb
Z06080	<5	.2	<10
Z06081	<5	.6	<10
Z06082	<5/<5	.4	<10
Z06083	<5	.4	<10
Z06084	5	.6	<10
Z06085	5	.6	<10
Z06086	5	.6	<10
Z06087	<5	.6	<10
Z06088	<5	.2	<10
Z06089	<5	.2	<10
Z06090	<5	.2	<10
Z06091	<5	.4	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 10/01

SIGNED

Mark Acres
Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: J. Paakki
Project: 167900

TSL Report: S10833
Date Received: Sep 04, 2001
Date Reported: Sep 14, 2001
Invoice: 20760

Sample Type:	Number	Size Fraction	Sample Preparation
Core	52	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: 52 Core

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: SI0833

File No: M768

Date: Sept 13, 2001

Multi-Element ICP Analysis
Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 6037	<0.2	1	<1	25	63	142	1	63	3	<1	58	299
Z 6038	<0.2	1	<1	36	111	293	1	86	5	<1	114	105
Z 6039	<0.2	1	<1	35	107	619	2	95	3	<1	102	61
Z 6040	<0.2	<1	<1	14	42	136	1	34	<1	<1	32	33
Z 6041	<0.2	1	<1	35	86	369	<1	105	2	<1	142	73
Z 6042	<0.2	1	<1	50	139	493	<1	144	3	<1	190	193
Z 6043	<0.2	1	<1	19	67	214	1	39	3	<1	60	89
Z 6044	0.3	1	<1	49	153	300	<1	47	2	1	219	91
Z 6045	<0.2	<1	<1	52	134	446	<1	49	3	<1	204	121
Z 6046	0.9	1	17	58	142	469	<1	86	19	<1	243	130
Z 6047	<0.2	<1	<1	4	8	127	<1	17	4	<1	10	36
Z 6048	0.2	<1	<1	5	7	195	<1	8	3	<1	9	40
Z 6049	<0.2	<1	<1	5	11	253	5	9	34	<1	7	72
Z 6050	<0.2	<1	<1	4	12	278	1	7	18	<1	4	51
Z 6051	<0.2	<1	<1	4	6	221	<1	5	23	<1	4	115
Z 6052	0.3	<1	1	5	6	359	23	10	4	<1	17	48
Z 6053	<0.2	1	<1	4	10	305	12	7	6	<1	11	49
Z 6054	<0.2	<1	2	5	23	436	27	19	21	<1	9	133
Z 6055	<0.2	<1	1	2	10	449	63	5	12	<1	6	97
Z 6056	1.2	1	1	4	138	284	34	10	50	<1	6	1540
Z 6057	0.6	<1	1	4	29	24	37	7	9	<1	1	37
Z 6058	<0.2	<1	<1	2	11	51	5	4	1	<1	4	18
Z 6059	<0.2	<1	3	1	4	35	17	4	<1	<1	4	28
Z 6060	0.5	2	2	35	78	98	23	59	3	<1	20	225
Z 6064	<0.2	<1	<1	3	11	101	<1	10	<1	<1	10	31
Z 6065	<0.2	<1	<1	3	4	88	<1	9	<1	<1	9	45
Z 6066	<0.2	<1	<1	3	5	93	<1	9	<1	<1	5	23
Z 6067	<0.2	1	<1	14	31	139	2	34	<1	<1	64	23
Z 6068	<0.2	<1	<1	31	143	383	<1	83	2	<1	104	33
Z 6069	<0.2	1	<1	45	140	561	<1	107	1	<1	153	43
Z 6070	<0.2	1	<1	76	172	145	<1	164	1	1	228	53
Z 6071	<0.2	2	<1	50	160	183	<1	45	4	1	221	59
Z 6072	<0.2	<1	<1	12	38	70	<1	18	5	<1	20	350
Z 6073	<0.2	<1	<1	4	21	26	<1	7	<1	<1	3	52
Z 6074	<0.2	1	<1	16	33	224	<1	16	<1	<1	54	28
Z 6075	<0.2	1	<1	13	32	295	<1	15	2	<1	59	72
Z 6076	0.4	<1	<1	25	70	336	<1	41	4	<1	102	209
Z 6073 REP	<0.2	<1	<1	4	21	25	<1	7	<1	<1	3	50

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J. Paakki

Project: 167900

Sample: 52 Core

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10833

File No: M769

Date: Sept 13, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
Z 6077	<0.2	1	<1	3	10	144	<1	6	2	<1	3	37
Z 6078	<0.2	1	<1	5	9	235	<1	10	2	<1	14	45
Z 6079	0.4	1	<1	5	12	134	2	11	1	<1	4	33
Z 6080	<0.2	2	<1	5	10	258	2	7	2	<1	10	60
Z 6081	0.4	2	<1	4	13	236	3	12	16	<1	6	87
Z 6082	0.2	2	<1	6	22	396	3	13	7	<1	13	221
Z 6083	0.3	1	<1	5	15	314	3	13	7	<1	7	68
Z 6084	0.4	2	<1	5	15	59	3	9	12	<1	2	129
Z 6085	0.5	3	<1	5	9	98	3	15	11	<1	6	93
Z 6086	0.5	4	<1	9	24	205	6	18	9	<1	29	114
Z 6087	0.5	1	<1	8	22	238	2	27	3	<1	32	65
Z 6088	0.2	3	<1	7	16	71	4	27	10	<1	7	79
Z 6089	0.2	3	<1	5	7	24	3	12	1	<1	1	50
Z 6090	<0.2	4	<1	4	13	14	2	7	<1	<1	1	90
Z 6091	0.3	3	<1	5	19	30	5	11	3	<1	4	31
Z 6088 REP	0.2	4	<1	8	17	73	4	28	11	<1	7	81

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

Page 2 of 2

Signed:

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.

Geologist: J. Paakki

Project: 167900

TSL Report: S10834

Date Received: Sep 04, 2001

Date Reported: Sep 07, 2001

Invoice: 20761

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	8	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10834

SAMPLE(S) OF Rock

INVOICE #: 20761
P.O.:

M. Thompson
Project: 167900

	Au ppb	Hg ppb
N05715	<5	10
N05716	<5	<10
N05717	<5	<10
N05718	<5 / <5	<10
N05719	<5	<10
N05720	<5	<10
N05721	<5	<10
N05722	<5	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 10/01

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: M. Thompson
Project: 167900

TSL Report: S10834
Date Received: Sep 04, 2001
Date Reported: Sep 14, 2001
Invoice: 20761

Sample Type:	Number	Size Fraction	Sample Preparation
Core	8	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	.2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.
 Attention: M. Thompson
 Project: 167900
 Sample:

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4
 Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10834
 File No: M770
 Date: September 13, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
N 5715	0.2	3	<1	43	71	143	10	176	2	<1	32	103
N 5716	0.2	1	<1	48	77	259	3	197	3	<1	50	97
N 5717	<0.2	2	<1	32	63	140	48	140	1	<1	31	280
N 5718	<0.2	<1	<1	24	37	269	1	59	2	<1	68	66
N 5719	<0.2	<1	<1	34	63	145	7	57	1	<1	36	26
N 5720	0.2	<1	<1	40	107	172	2	137	2	<1	58	63
N 5721	<0.2	<1	<1	27	54	224	<1	74	2	<1	51	40
N 5722	0.2	<1	<1	43	56	142	9	100	3	<1	40	43
N 5720 REP	0.2	<1	<1	39	106	168	2	132	3	<1	56	61

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
 at 95C for 1 hour and diluted to 15 ml with D.I. H2O.

Page 1 of 1

Signed:

Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.

Geologist: M. Thompson

Project: 167900

TSL Report: S10882

Date Received: Sep 20, 2001

Date Reported: Sep 25, 2001

Invoice: 20795

Remarks:

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	36	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Samples for Hg (ppb) are weighed at 1 gram.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%
Hg	ppb	Cold Vapour/AA	10	50000



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10882

SAMPLE(S) OF Rock

INVOICE #: 20795
P.O.:

M. Thompson
Project: 167900

	Au ppb	Hg ppb
N05748	10	<10
N05749	40/40	<10
N05750	<5	<10
N05751	55	<10
N05752	<5	<10
N05753	<5	<10
N05754	<5	<10
N05755	<5	<10
N05756	<5	<10
N05757	<5	<10
N05758	<5	<10
N05759	<5/<5	<10
N05760	<5	<10
N05761	<5	<10
N05762	<5	<10
N05763	<5	<10
N05764	<5	<10
N05765	<5	<10
N05766	<5	<10
N05767	<5	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 26/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10882

SAMPLE(S) OF Rock

INVOICE #: 20795
P.O.:

M. Thompson
Project: 167900

	Au ppb	Hg ppb
N05768	<5	<10
N05769	<5/<5	<10
N05770	<5	<10
N05771	<5	<10
N05772	<5	<10
N05773	<5	<10
N05774	<5	<10
N05775	<5	<10
N05776	<5	95
N05777	<5	<10
N05778	<5	<10
N05779	<5/<5	<10
N05780	<5	<10
N05781	<5	<10
N05782	<5	<10
N05783	<5	<10

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Sep 26/01

SIGNED


Mark Acres - Quality Assurance



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Ltd.
Geologist: M. Thompson
Project: 167900

TSL Report: S10882
Date Received: Sep 20, 2001
Date Reported: Oct 11, 2001
Invoice: 20795

Sample Type:	Number	Size Fraction	Sample Preparation
Rock	36	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Aqua Regia Leach digestion:

Element Name	Method	Extraction Technique	Unit	Lower Detection Limit	Upper Detection Limit
Ag	ICP	HNO ₃ - HCl	ppm	2	100
As	ICP	HNO ₃ - HCl	ppm	5	10000
Bi	ICP	HNO ₃ - HCl	ppm	5	10000
Co	ICP	HNO ₃ - HCl	ppm	1	10000
Cu	ICP	HNO ₃ - HCl	ppm	1	10000
Mn	ICP	HNO ₃ - HCl	ppm	5	10000
Mo	ICP	HNO ₃ - HCl	ppm	2	10000
Ni	ICP	HNO ₃ - HCl	ppm	1	10000
Pb	ICP	HNO ₃ - HCl	ppm	2	10000
Sb	ICP	HNO ₃ - HCl	ppm	5	10000
V	ICP	HNO ₃ - HCl	ppm	1	10000
Zn	ICP	HNO ₃ - HCl	ppm	1	10000

TSL LABORATORIES INC.

Teck Exploration Ltd.

Attention: J.Paakki

Project: 167900

Sample: 36 Rock

2 - 302 48th Street East, Saskatoon, Saskatchewan, S7K 6A4

Tel: (306) 931-1033 Fax: (306) 242-4717

Report No: S10882

File No: M839

Date: October 11, 2001

Multi-Element ICP Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	As ppm	Bi ppm	Co ppm	Cu ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Sb ppm	V ppm	Zn ppm
N0 5748	<0.2	<1	52	13	65	234	6	46	3	<1	45	35
N0 5749	<0.2	<1	<1	34	11	162	1	8	3	<1	21	8
N0 5750	<0.2	5	<1	31	95	265	4	104	14	<1	52	61
N0 5751	<0.2	<1	<1	5	2	179	<1	12	4	<1	30	62
N0 5752	<0.2	<1	<1	12	18	190	<1	34	2	<1	74	44
N0 5753	<0.2	<1	<1	5	14	171	<1	24	5	<1	31	53
N0 5754	<0.2	<1	<1	6	30	206	1	18	2	<1	37	18
N0 5755	<0.2	<1	<1	12	28	253	2	46	2	<1	65	43
N0 5756	<0.2	<1	<1	10	13	417	1	44	2	<1	49	28
N0 5757	<0.2	<1	<1	8	38	260	<1	24	3	<1	60	28
N0 5758	<0.2	<1	<1	10	41	340	<1	21	2	<1	74	31
N0 5759	<0.2	<1	<1	20	51	322	<1	54	2	<1	108	43
N0 5760	<0.2	<1	<1	10	24	429	12	20	3	<1	62	66
N0 5761	<0.2	<1	<1	10	19	274	<1	26	3	<1	60	31
N0 5762	<0.2	<1	<1	17	38	148	7	82	4	<1	44	33
N0 5763	<0.2	<1	<1	8	24	229	<1	20	15	<1	47	62
N0 5764	<0.2	2	<1	6	34	196	2	14	5	<1	55	58
N0 5765	<0.2	<1	<1	4	19	136	2	11	4	<1	37	57
N0 5766	<0.2	1	<1	9	41	174	9	24	9	<1	35	70
N0 5767	<0.2	<1	<1	17	51	293	2	55	6	<1	57	89
N0 5768	<0.2	<1	<1	8	31	225	2	22	3	<1	49	44
N0 5769	<0.2	<1	<1	9	19	225	1	21	3	<1	44	43
N0 5770	<0.2	<1	<1	3	11	195	1	5	3	<1	29	58
N0 5771	<0.2	<1	<1	8	20	226	1	29	5	<1	50	45
N0 5772	<0.2	<1	<1	7	13	416	1	24	2	<1	42	29
N0 5773	<0.2	<1	<1	10	22	337	1	12	2	<1	64	36
N0 5774	<0.2	<1	<1	9	29	248	1	26	3	<1	50	47
N0 5775	<0.2	<1	<1	10	38	134	4	25	2	<1	28	13
N0 5776	<0.2	3	<1	24	110	135	4	78	17	<1	45	1250
N0 5777	<0.2	1	<1	13	46	372	3	30	5	<1	45	131
N0 5778	<0.2	1	<1	11	39	156	15	29	4	<1	22	60
N0 5779	<0.2	3	<1	11	40	179	3	37	4	<1	49	162
N0 5780	<0.2	1	<1	12	60	159	14	32	8	<1	42	101
N0 5781	<0.2	<1	<1	9	15	316	2	32	2	<1	37	40
N0 5782	<0.2	<1	<1	6	7	212	2	23	1	<1	35	31
N0 5783	<0.2	<1	<1	6	27	252	2	17	2	<1	43	27
N0 5763R	<0.2	<1	<1	8	24	232	<1	20	15	<1	46	62

A .5 gm sample is digested with 3 ml 3:1 HCl/HNO3
at 95C for 1 hour and diluted to 15 ml with D.I. H2O.



2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

Company: Teck Exploration Limited
Geologist: J. Paakki
Project: 167900

TSL Report: S10907
Date Received: Oct 01, 2001
Date Reported: Oct 04, 2001
Invoice: 20815

Sample Type:	Number	Size Fraction	Sample Preparation
Core	61	Reject ~ 70% at -10 mesh (1.70 mm) Pulp ~ 90% at -150 mesh (106 µm)	Crush, Riffle Split, Pulverize

Standard Procedure:

Samples for Au Fire Assay/AA (ppb) are weighed at 30 grams.

Samples for Au Fire Assay/Gravimetric (g/tonne) are weighed at 29.16 grams.

Element Name	Unit	Extraction Technique	Lower Detection Limit	Upper Detection Limit
Au	ppb	Fire Assay/AA	5	1000
Au	g/tonne	Fire Assay/Gravimetric	.03	100%

2.25751



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10907

SAMPLE(S) OF Core

INVOICE #: 20815
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05972	<5
Z05973	<5
Z05974	<5
Z05975	<5
Z05976	<5
Z05977	<5
Z05978	<5 / <5
Z05979	<5
Z05980	<5
Z05981	<5
Z05982	<5
Z05983	<5
Z05984	<5
Z05985	<5
Z05986	<5
Z05987	<5
Z05988	<5 / <5
Z05989	<5
Z05990	<5
Z05991	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Oct 04/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10907

SAMPLE(S) OF Core

INVOICE #: 20815
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z05992	<5
Z05993	<5
Z05994	<5
Z05995	<5
Z05996	<5
Z05997	<5
Z05998	<5 / <5
Z05999	<5
Z06000	<5
Z06001	<5
Z06002	<5
Z06003	<5
Z06004	<5
Z06005	<5
Z06006	<5
Z06007	<5
Z06008	<5 / <5
Z06009	<5
Z06010	<5
Z06011	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Oct 04/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10907

SAMPLE(S) OF Core

INVOICE #: 20815
P.O.:

J. Paakki
Project: 167900

Au
ppb

Z06012	<5
Z06013	<5
Z06014	<5
Z06015	<5
Z06016	<5
Z06017	<5
Z06018	<5 / 5
Z06019	<5
Z06020	<5
Z06021	<5
Z06022	<5
Z06023	<5
Z06024	<5
Z06025	<5
Z06026	<5
Z06027	<5
Z06028	<5 / <5
Z06029	<5
Z06030	<5
Z06031	<5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Oct 04/01

SIGNED


Mark Acres - Quality Assurance



#2 - 302 48th Street • Saskatoon, SK • S7K 6A4
P (306) 931-1033 F (306) 242-4717 E tsllab@sk.sympatico.ca

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Teck Exploration Ltd.
P.O. Bag 11
Marathon, ON
POT 2E0

REPORT No.
S10907

SAMPLE(S) OF Core

INVOICE #: 20815
P.O.:

J. Paakki
Project: 167900


Au
ppb

Z06032 <5

COPIES TO: J. Paakki
INVOICE TO: Teck Exploration - Marathon

Oct 04/01

SIGNED


Mark Acres - Quality Assurance

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED
Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15
Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Client(s):
301000 LAC EXPLORATION INC.

Survey Type(s):

	ASSAY	PDRILL	PSTRIP						
Work Report Details:									
Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 386679	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-13
TB 386680	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-13
TB 386681	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-13
TB 386682	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-13
TB 542588	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-09
TB 542589	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-09
TB 542590	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-09
TB 542591	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-09
TB 607720	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607721	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607722	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607723	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607724	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607725	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607726	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607727	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607728	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607729	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607730	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607731	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607732	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607733	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607734	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607735	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607736	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607737	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607738	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607739	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607740	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607741	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607742	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607743	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607744	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607745	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607746	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12



900

42C12NE2005 2.25751 LABERGE

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED

Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15

Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607747	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607748	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607749	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607750	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607751	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607752	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607753	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607754	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607755	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607756	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607757	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607758	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607759	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607760	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607761	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607762	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607763	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607764	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607765	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607766	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607767	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607768	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607769	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607770	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607771	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607772	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607773	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607774	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607775	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607776	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607777	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607778	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607779	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607780	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607781	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607782	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607783	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607784	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607785	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607786	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED
Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15
Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607787	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607788	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607789	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607790	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607791	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607792	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607793	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607794	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607795	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607796	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607797	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607798	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607799	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607800	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607801	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607802	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607803	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607804	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607805	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607806	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607807	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607808	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607809	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607810	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607811	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607812	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607813	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607814	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607815	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607816	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607817	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607820	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607821	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607822	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607823	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607824	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607825	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607826	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607827	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607828	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607829	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607830	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607831	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607832	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607833	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607834	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607835	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607836	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607837	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607838	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607839	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607840	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607841	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607842	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607843	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607844	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607845	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607846	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607847	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607848	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607849	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607850	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607851	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607852	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607853	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607854	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607855	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607856	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607857	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607858	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607859	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607860	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607861	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607862	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607863	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607864	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607865	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607866	\$18,565	\$18,565	\$400	\$400	\$18,165	18,165	\$0	\$0	2004-JUN-12
TB 607867	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607868	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607869	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607870	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607871	\$24,542	\$24,542	\$400	\$400	\$18,604	18,604	\$5,538	\$5,538	2004-JUN-12
TB 607872	\$44,159	\$44,159	\$400	\$400	\$22,000	22,000	\$21,759	\$21,759	2004-JUN-12
TB 607873	\$52,206	\$52,206	\$400	\$400	\$22,000	22,000	\$29,806	\$29,806	2004-JUN-12
TB 607874	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607875	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607876	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607877	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607878	\$19,694	\$19,694	\$400	\$400	\$19,294	19,294	\$0	\$0	2004-JUN-12
TB 607879	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607880	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607881	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607882	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607883	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607884	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607885	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607886	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607887	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607888	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607889	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607890	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607900	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607901	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607902	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607903	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607904	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607905	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607906	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607907	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607908	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607909	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607910	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607911	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607912	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607913	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607914	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607915	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607916	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607917	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607918	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607919	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607920	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607921	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607922	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607923	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607924	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607925	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607926	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607927	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607928	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607929	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607930	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607931	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607932	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607933	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607934	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607935	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607936	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607937	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607938	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607939	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607940	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607941	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607942	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607943	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607944	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607945	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607946	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607947	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607948	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607949	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607950	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607951	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607952	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607953	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607954	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607955	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607956	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607957	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 607958	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607959	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607960	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607961	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607962	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607963	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607964	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607965	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607966	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607967	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607968	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607969	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607970	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607971	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607972	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607973	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607980	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607981	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607982	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607983	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607984	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607985	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607986	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607987	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607988	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607989	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607990	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607991	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607992	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607993	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607994	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607995	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 607996	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 608965	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608966	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608967	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608968	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608969	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608970	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608971	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Approve	Applied	Approve	Assign	Approve	Reserve	Approve	Due Date
TB 608972	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608973	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 608974	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-SEP-10
TB 616424	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 616425	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 616426	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 616427	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 616428	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 616429	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620464	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620465	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620466	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620467	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620468	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620469	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620470	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620471	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620472	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620473	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620474	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620475	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620476	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620477	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620478	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620479	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620480	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620481	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620482	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620484	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620485	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620486	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620487	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620488	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620489	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620490	\$18,637	\$18,637	\$400	\$400	\$18,237	18,237	\$0	\$0	2004-AUG-31
TB 620491	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620492	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 620493	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-31
TB 625501	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625502	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625503	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625504	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625505	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625506	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625507	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625508	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625509	\$4,873	\$4,873	\$400	\$400	\$4,473	4,473	\$0	\$0	2004-JUN-12
TB 625510	\$4,669	\$4,669	\$400	\$400	\$4,269	4,269	\$0	\$0	2004-JUN-12
TB 625511	\$13,260	\$13,260	\$400	\$400	\$12,860	12,860	\$0	\$0	2004-JUN-12
TB 625512	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625513	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625514	\$11,725	\$11,725	\$400	\$400	\$11,325	11,325	\$0	\$0	2004-JUN-12
TB 625515	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625516	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625517	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625518	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625519	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625520	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625521	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625522	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625523	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625524	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625525	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625526	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625527	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625528	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625529	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625530	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625531	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625532	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625533	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625534	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625535	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625536	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625537	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625538	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625539	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625540	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625541	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625542	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625543	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625544	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625545	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625546	\$14,013	\$14,013	\$400	\$400	\$13,613	13,613	\$0	\$0	2004-JUN-12
TB 625547	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625548	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625549	\$10,940	\$10,940	\$400	\$400	\$10,540	10,540	\$0	\$0	2004-JUN-12
TB 625550	\$13,887	\$13,887	\$400	\$400	\$13,487	13,487	\$0	\$0	2004-JUN-12
TB 625551	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625552	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625553	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625554	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625555	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625556	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625557	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625558	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625559	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625571	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625572	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625577	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625578	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625581	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625582	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625583	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625584	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625585	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625586	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625587	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625588	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625589	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625591	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625592	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625593	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625594	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625595	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625596	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625597	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625598	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625599	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625600	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625601	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625602	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625603	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625604	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625605	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625606	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625607	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625608	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625609	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625610	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625611	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625612	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625613	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625614	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625615	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625616	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625617	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625618	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625619	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625620	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625621	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625622	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625623	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625624	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625625	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625626	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625627	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625628	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625629	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625630	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625631	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625632	\$21,294	\$21,294	\$400	\$400	\$20,894	20,894	\$0	\$0	2004-JUN-12
TB 625633	\$17,308	\$17,308	\$400	\$400	\$16,908	16,908	\$0	\$0	2004-JUN-12
TB 625634	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625640	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625641	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625642	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625643	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625644	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625645	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625646	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625647	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625648	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625649	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625650	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625651	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625652	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625653	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625654	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625655	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625656	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625657	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625658	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625659	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625660	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625661	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625662	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625663	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625664	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625665	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625666	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625667	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625668	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625669	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625670	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625671	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625672	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625673	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625674	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625675	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625676	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625677	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625678	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625679	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625680	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625681	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625682	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625683	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625684	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625685	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED
Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15
Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625686	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625687	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625688	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625689	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625690	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625691	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625692	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625693	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625694	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625695	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625696	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625697	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625698	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625699	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625700	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625701	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625702	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625703	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625704	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625705	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625706	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625707	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625708	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625709	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625710	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625711	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625712	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625713	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625714	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625715	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625716	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625717	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625718	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625719	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625720	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625721	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625722	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625723	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625724	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625725	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625726	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625727	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625728	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625729	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625730	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625732	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625733	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625734	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625737	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625738	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625739	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625740	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625741	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625742	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625743	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625744	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625745	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625746	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625747	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625748	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625749	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625750	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625751	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625752	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625753	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625754	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625755	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625756	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625757	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625758	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625759	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625760	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625761	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625762	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625763	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625764	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625765	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625766	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625767	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625768	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED

Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15

Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625769	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625770	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625771	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625772	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625773	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625774	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625775	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625776	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625777	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625778	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625779	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625780	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625781	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625782	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625783	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625784	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625785	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625786	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625787	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625788	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625789	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JUN-12
TB 625790	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625791	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625792	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625793	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625794	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625795	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625796	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625797	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625798	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625799	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625800	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625801	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625802	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625803	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625804	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625805	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625806	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625807	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625808	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED

Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15

Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 625809	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625810	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625811	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625812	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625813	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625814	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625815	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625816	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625817	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625818	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625819	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625820	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625821	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625822	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625823	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625824	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625825	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625826	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625827	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625828	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625829	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625830	\$18,415	\$18,415	\$400	\$400	\$18,015	18,015	\$0	\$0	2004-JUN-12
TB 625831	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625832	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625833	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625834	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 625835	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUN-12
TB 626734	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-06
TB 626735	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-06
TB 626736	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-06
TB 626737	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-22
TB 626738	\$11,223	\$11,223	\$400	\$400	\$10,823	10,823	\$0	\$0	2004-JUL-22
TB 642695	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 642696	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 642697	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 642698	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 642699	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 642700	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-20
TB 1052877	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052878	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22

Work Report Summary

Transaction No: W0340.00942

Status: APPROVED

Recording Date: 2003-JUN-02

Work Done from: 2001-JUN-15

Approval Date: 2003-JUN-06

to: 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 1052879	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052880	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052881	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052882	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052883	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1052884	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1074781	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1074782	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086628	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086629	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086630	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086631	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086632	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086633	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086634	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086635	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086636	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086639	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086640	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086641	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086642	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086643	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086644	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1086645	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-06
TB 1092354	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1092355	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1092356	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-NOV-22
TB 1092552	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092553	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092554	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092555	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092556	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092557	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092560	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092561	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092562	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092563	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092564	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092565	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092566	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED
Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15
Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
TB 1092567	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092568	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1092569	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-OCT-26
TB 1097120	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-25
TB 1097121	\$21,293	\$21,293	\$400	\$400	\$20,893	20,893	\$0	\$0	2004-JUL-25
TB 1097122	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-25
TB 1097123	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-JUL-25
TB 1122888	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122889	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122890	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122891	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122892	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122893	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122894	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122900	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122901	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122902	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122903	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122904	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122905	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122906	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1122907	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2004-AUG-10
TB 1164907	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164908	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164909	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164910	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164911	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164912	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164913	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164914	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1164915	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-AUG-15
TB 1172954	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-FEB-19
TB 1216678	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-08
TB 1216778	\$0	\$0	\$400	\$400	\$0	0	\$0	\$0	2005-JAN-08
	\$340,703	\$340,703	\$283,600	\$283,600	\$276,400	\$276,400	\$57,103	\$57,103	

Work Report Summary

Transaction No: W0340.00942 **Status:** APPROVED

Recording Date: 2003-JUN-02 **Work Done from:** 2001-JUN-15

Approval Date: 2003-JUN-06 **to:** 2001-OCT-31

External Credits: \$0

Reserve:
\$57,103 Reserve of Work Report#: W0340.00942

\$57,103 Total Remaining

Status of claim is based on information currently on record.

Ministry of
Northern Development
and Mines

Ministère du
Développement du Nord
et des Mines

Date: 2003-JUN-06



GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

LAC EXPLORATION INC.
ROYAL BANK PLAZA, SOUTH TOWER, #2700
BOX 119, 200 BAY STREET
TORONTO, ONTARIO
M5J 2J3 CANADA

Tel: (888) 415-9845
Fax:(877) 670-1555

Submission Number: 2.25751
Transaction Number(s): W0340.00942

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at steve.beneteau@ndm.gov.on.ca or by phone at (705) 670-5855.

Yours Sincerely,

A handwritten signature in black ink, appearing to read "Ron Gashinski".

Ron Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Jari J. Paakki
(Agent)

Assessment File Library

Lac Exploration Inc.
(Claim Holder)

Lac Exploration Inc.
(Assessment Office)




42C12NE2005 2.25751 LABERGE

200

ONTARIO
CANADAMINISTRY OF NORTHERN
DEVELOPMENT AND MINES
PROVINCIAL MINING
RECORDER'S OFFICEMining Land Tenure
Map

Date / Time of Issue: Fri Jun 06 12:59:18 EDT 2003

PLAN
G-3172

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willie Green Miller Centre 933 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/miannpge.htm

Toll Free:
Tel: 1 (888) 415-9845 ext 578#; E-mail: miannpge@ontario.ca
Fax: 1 (877) 670-1444

Map Datum: NAD 83
Projection: UTM (6 degree)
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interests from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

TOWNSHIP / AREA
BROTHERS

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

Thunder Bay
THUNDER BAY
WAWA

TOPOGRAPHIC


Land Tenure

<input type="checkbox"/>	Administrative Boundaries	Freehold Patent
<input type="checkbox"/>	Township	Surface And Mining Rights
<input type="checkbox"/>	Concession, Lot	Surface Rights Only
<input type="checkbox"/>	Provincial Park	Mining Rights Only
<input type="checkbox"/>	Indian Reserve	
<input type="checkbox"/>	CIM, PII & PIA	
<input type="checkbox"/>	Contour	
<input type="checkbox"/>	Mine Shafts	Mining Rights Only
<input type="checkbox"/>	Mine Headframe	
<input type="checkbox"/>	Railway	
<input type="checkbox"/>	Road	
<input type="checkbox"/>	Trail	
<input type="checkbox"/>	Natural Gas Pipeline	
<input type="checkbox"/>	Utilities	
<input type="checkbox"/>	Tower	
<input checked="" type="checkbox"/>	Order in Council (Not open for staking)	
<input type="checkbox"/>	Water Power Lease Agreement	
<input type="checkbox"/>	Mining Claim	
<input type="checkbox"/>	1234567	
<input type="checkbox"/>	1234567	

LAND TENURE WITHDRAWALS

1234	Areas Withdrawn from Disposition
	Mining Act Withdrawal Types
Wam	Surface And Mining Rights Withdrawn
Wm	Surface Rights Only Withdrawn
Wm	Mining Rights Only Withdrawn
W-TB	Order in Council Withdrawal Types
W-TB	Surface And Mining Rights Withdrawn
W-TB	Surface Rights Only Withdrawn
W-TB	Mining Rights Only Withdrawn

No



1234567

1234567

IMPORTANT NOTICE

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567

1234567


1234567

1234567

1234567


1234567

1234567



42C12NE2005 2.25751 LABERGE

210



Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown herein. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willie Green Miller Centre 533 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/mlempage.htm

Toll Free
Tel: 1 (888) 415-0845 ext 578
Fax: 1 (877) 670-1444

Map Datum: NAD 83
Projection: UTM (8 degrees)
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

ONTARIO
CANADA

MINISTRY OF NORTHERN
DEVELOPMENT AND MINES
PROVINCIAL MINING
RECORDER'S OFFICE

Mining Land Tenure
Map

Date / Time of Issue: Fri Jun 06 13:12:52 EDT 2003

**TOWNSHIP / AREA
BROTHERS**

**PLAN
G-3172**


ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

Thunder Bay
THUNDER BAY
WAWA

TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cliff, Pit & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower




LAND TENURE WITHDRAWALS

- | | |
|-----------------------------------|-------------------------------------|
| 1234 | Area Withdrawn from Disposition |
| Wm | Mining Act Withdrawal Types |
| Wm | Surface And Mining Rights Withdrawn |
| Wm | Surface Rights Only Withdrawn |
| Wm | Mining Rights Only Withdrawn |
| Order In Council Withdrawal Types | |
| W'm | Surface And Mining Rights Withdrawn |
| W'm | Surface Rights Only Withdrawn |
| W'm | Mining Rights Only Withdrawn |

IMPORTANT NOTICE


LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
3180	Wm	Jan 1, 2001	ALL MINING CLAIMS AROUND WHITE RIVER AND CONNECTING L
3188	Wm	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON'
W-LI-P1506	Wm	Nov 21, 2001	Mining and Surface rights withdrawal Section 35 of the Mining Act RS
W-TB-65/02	Wm	Nov 26, 2002	Sec. 35 W-TB-65/02 M+S 2002/11/26 195150
WNCR 20/84	Wm	Jan 1, 2001	SEC. 36 W/D ORDER #WNCR 20/84 M.R. ONLY BALLAST PIT STR
W-LI-P1506	Wm	Nov 21, 2001	Mining and Surface rights withdrawal Section 35 of the Mining Act RS



42C12NE2005 2.25751 LABERGE

230

ONTARIO
CANADAMINISTRY OF NORTHERN
DEVELOPMENT AND MINES
PROVINCIAL MINING
RECORDER'S OFFICEMining Land Tenure
Map

Date / Time of Issue: Fri Jun 06 14:02:19 EDT 2003

TOWNSHIP / AREA
BROTHERSPLAN
G-3172

ADMINISTRATIVE DISTRICTS / DIVISIONS


Mining Division
Land Titles/Registry Division
Ministry of Natural Resources DistrictThunder Bay
THUNDER BAY
WAWA

TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- CII, PH & Pile
- Contour
- Mine Shafts
- Mine Headframes
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower

Land Tenure

- Freehold Patent
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only
- Leasehold Patent
- Surface And Mining Rights
- Surface Rights Only
- Mining Rights Only
- Licence of Occupation
- Uses Not Specified
- Water Power Lease Agreement
- Order in Council (Not open for staking)
- Land Use Permit
- Mining Claim
- Filed Only Mining Claims



- Areas Withdrawn from Disposition
- Mining Act Withdrawal Types
- Surface And Mining Rights Withdrawn
- Surface Rights Only Withdrawn
- Mining Rights Only Withdrawn
- Order in Council Withdrawal Types
- Surface And Mining Rights Withdrawn
- Surface Rights Only Withdrawn
- Mining Rights Only Withdrawn

IMPORTANT NOTICE

Scale 1:400000
700m 0m 2.1km

LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
3090	Wam	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON'
3180	Wam	Jan 1, 2001	ALL MINING CLAIMS AROUND WHITE RIVER AND CONNECTING I'
3188	Wam	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON'
8990	Wam	Jan 1, 2001	INDIAN RESERVE
8992	Wam	Jan 1, 2001	SEC.35 W-TB-21/98 26/06/98 S&M 195150
W-LI-P1508	Wam	Nov 21, 2001	Mining and Surface rights withdrawal Section 35 of the Mining Act R1:
W-TB-20/03	Wam	Apr 5, 2003	Section 35, The Mining Act, R.S.O., 1990, W-TB 20/03 NE M+S Apr
W-TB-21/98	Wam	Jun 26, 1998	SEC.35 W-TB-21/98 26/06/98 S&M 195150
W-LI-P1606	Wam	Nov 21, 2001	Mining and Surface rights withdrawal Section 35 of the Mining Act R1:

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willet Green Miller Centre 933 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDM/MINES/LANDS/mismpge.htm

Toll Free

Tel: 1 (888) 415-9845 ext 577
Fax: 1 (877) 870-1444


Map Datum: NAD 83

Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office



42C12NE2005 2.25751 LABERGE

240



Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:
Provincial Mining Recorders' Office
Willow Green Miller Centre 933 Ramsey Lake Road
Sudbury ON P3E 6B5
Home Page: www.mndm.gov.on.ca/MNDMMINELANDS/miampge.htm

Toll Free: 1 (888) 415-9845 ext 5788
Map Datum: NAD 83
Tel: 1 (877) 670-1444
Projection: UTM (6 degrees)
Fax: 1 (877) 670-1444
Topographic Data Source: Land Information Ontario
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.

ONTARIO
CANADA

MINISTRY OF NORTHERN
DEVELOPMENT AND MINES
PROVINCIAL MINING
RECORDER'S OFFICE

Mining Land Tenure
Map

Date / Time of Issue: Fri Jun 06 15:42:07 EDT 2003

TOWNSHIP / AREA
LABERGE


PLAN
G-3174

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division
Land Titles/Registry Division
Ministry of Natural Resources District

TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- CIL, PII & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower



LAND TENURE WITHDRAWALS

- Areas Withdrawn from Disposition
- Mining Act Withdrawal Types
 - Surface And Mining Rights Withdrawn
 - Surface Rights Only Withdrawn
 - Mining Rights Only Withdrawn
- Order in Council Withdrawal Types
 - Surface And Mining Rights Withdrawn
 - Surface Rights Only Withdrawn
 - Mining Rights Only Withdrawn



IMPORTANT NOTICE

Scale 1:40000
700m 0m 8.1km

LAND TENURE WITHDRAWAL DESCRIPTIONS


Identifier	Type	Date	Description
3046	Wam	Jan 1, 2001	P-3132-7
3049	Wam	Jan 1, 2001	P-3132-7
3075	Wam	Jan 1, 2001	O.C. INDIAN RESERVE
3077	Wam	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON
3090	Wam	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON
3091	Wam	Jan 1, 2001	Surface and Mining Rights Withdrawn from Staking. Sec. 43 Mining A
3108	Wam	Jan 1, 2001	CROWN RESERVE SURFACE RIGHTS ONLY. FILE 188546.
3110	Wam	Jan 1, 2001	ALL MINING CLAIMS ALONG WHITE RIVER AND CONNECTING LA
3115	Wam	Jan 1, 2001	SURFACE RIGHTS ONLY WITHDRAWN FROM STAKING. SEC. 36 I
3123	Wam	Jan 1, 2001	SEC.35 W-TB-2/18 260/0/88 8AM 195150
3125	Wam	Jan 1, 2001	SURFACE RIGHTS ONLY WITHDRAWN FROM STAKING. SEC. 36 I
3180	Wam	Jan 1, 2001	ALL MINING CLAIMS AROUND WHITE RIVER AND CONNECTING I
3188	Wam	Jan 1, 2001	FLOODING RIGHTS ON WHITE RIVER AND WHITE LAKE TO CON
5987	Wam	Jan 1, 2001	SEC.35 W-TB-2/18 260/0/88 8AM 195150
8990	Wam	Jan 1, 2001	INDIAN RESERVE
8992	Wam	Jan 1, 2001	SEC.35 W-TB-2/18 260/0/88 8AM 195150
W-682	Wa	Apr 4, 1982	SURFACE RIGHTS ONLY WITHDRAWN FROM STAKING. SEC. 36 I
W-LI-P1506	Wam	Nov 21, 2001	Mining and Surface rights withdrawal Section 36 of the Mining Act RS

WR01-02

5388400N

5388500N

5388600N



Legend for Rock Lithologies

- 12a Dbase
- 10a Granodiorite
- 8/d Clastic Sediments, feldspathic & bioclastic wackes
- 8j Clastic Sediments and derived gneisses
- 4cf Felsic Volcanics, quartz porphyritic & quartz-sericite schist
- 3e6j Intermediate Volcanics and derived gneisses
- 2/f Mafic Volcanic, lapilli tuff & variolitic flows
- 2a Mafic Volcanic, Massive
- Ovb Overburden



42C12NE2005 2.25751 LABERGE

280

0 25 75
metres

**WHITE RIVER PROPERTY
SECTION 593650E
HOLE WR01-02**


Projection: UTM Zone 16 (NAD 83)

Mining Claim 607873

teckcominco
Exploration**Teck Cominco Limited**P.O. Box 11
Phone: (807) 238-9906Marathon, Ontario
Fax: (807) 238-1136

Drawn At Time
Dated 04/23/2002
Job No. 165300
N.T.S.: 42 D/00
Scale: 1:10 000

Dwg: 6011



A standard linear barcode is positioned vertically on the right side of the page. It consists of vertical black bars of varying widths on a white background.


LABERGH

290

Legend for Rock Lithologies

Legend for Rock Ethnologies

Rock Code	Rock Code	Ethnology
Text	Trace	12a Diabase
	Shade	7 Pukaskwa Gneissic Complex
		6 Clastic Sediments
		e Hornblende wacke
		f Argillite/pelite
		j Derived Gneiss
		4 Felsic Volcanics
		f Quartz porphyritic flow
		2 Mafic Volcanics
		a Massive flows, fine
		c Medium to coarse-grained flow
		f Variolitic flows
		l Amphibolite



**WHITE RIVER PROPERTY
SECTION 593847E
HOLE WD61-62**

HOLE WR01-0

Section: UTM Zone 18 (N)

1

Mining Claim 6078

— 1 —

Teck Com

P.O. Box 11
Phone: (807) 238-9906

Trans. (Sov.) 1970 11: 3

— 1 —


400m

5388300N

5388400N

300m

200m



310

WR01-05



WR01-05

Ovb

WR01-05

2c/2f

<5



**WHITE RIVER PROPERTY
SECTION 594695E
HOLE WR01-06**

Dmv: A.Times
Date: 04/25/2002
Job No: 185300
N.T.S.: 42 D09
Scale: 1:5000
Dwg: 8015


Projection: UTM Zone 16 (NAD 83)

Mining Claim 1097101

teck cominco
Exploration

Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906
Marathon, Ontario
Fax: (807) 238-1136



Legend for Rock Lithologies

- 12a Diabase
- 7 Pukaskwa Gneissic Complex
- 8 Clastic Sediments
 - e Homblende wacke
 - f Argillite/pelite
 - j Derived Gneiss
- 4 Felsic Volcanics
 - c Quartz porphyritic flow
- 2 Mafic Volcanics
 - a Massive flows, fine
 - b Medium to coarse-grained flows
 - f Vanolitic flows
 - i Amphibolite



42C12NE2005 2.25751 LABERGE

Hole ID:
Rock Code: Rock Code: Trace Shds:
Ag & Hg Assay: Ag: Mo: Cu:
Cu & Zn Assay:
in ppm

0 25 50

metres

WHITE RIVER PROPERTY
SECTION 594050E
HOLE WR01-07

Projection: UTM Zone 16 (NAD 83)


Mining Claim 607872

teckcominco

Exploration Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906

Marathon, Ontario
Fax: (807) 238-1136



Legend for Rock Lithologies	
12a	Diabase
7	Pukaskwa Gneissic Complex
6	Clastic Sediments
c	Feldspathic arenitic, wacke
d	Biotitic wacke
j	Derived Gneiss
5	Chemical Sediment
d	Calc-silicate layered
2	Mafic Volcanics
a	Massive flows, fine
c	Medium to coarse-grained flc
f	Vanalitic flows
i	Amphibolite
Ovb	Overburden

HoleID: Au Assay in g/t
Rock Code Text: Rock Code Trace Shale
0 25 50 metres



42C12NE2005

2.25751

LABERGE

340

0 25 50 metres

**WHITE RIVER PROPERTY
SECTION 593010E
HOLE WR01-08**

Drawn At: Times
Date: 04/25/2002
Job No: 188300
N.T.S.: A2 D/08
Scale: 1:1 000
Dwrg: 8017

Projection: UTM Zone 18 (NAD 83)

Dwrg: 8017


Mining Claim 625830

teckcominco
Exploration

Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906

Marathon, Ontario
Fax: (807) 238-1136



Legend for Rock Lithologies

- 12a Database
- 10 High Level Intrusives
 - a Granodiorite
 - e Pegmatitic
- 8 Contact Metamorphics
 - c Feldspathic arenitic wacke
 - e Hornblende wacke
 - j Derived gneiss
- 4 Felsic Volcanics
 - f Quartz-Sericite Schist
- 2 Mafic Volcanics
 - a Massive flows, fine
 - c Medium to coarse-grained flows
 - f Variolitic flows
 - i Amphibolite

HOME
Rock Chip Test
Rock Core Thick Shale
Au & Hg Assays
As, Ni, Co & Pb Assays
Ovb Overburden



42C12NB2005 2.25751 LABERGE 350

0 25 50
metres

**WHITE RIVER PROPERTY
SECTION 591607E
HOLE WR01-09**

Projection: UTM Zone 18 (NAD 83)

Dwg: 8018

Mining Claim 625632 & 625633


Exploration

Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906

Marathon, Ontario
Fax: (807) 238-1136

Dwn: A.Tims
Date: 04/26/2002
Job No: 185300
N.T.S.: 42 D/09
Scale: 1:1 000




Legend for Rock Lithologies

Rock_Type	Rock_Code	Trace_Shape	12a Database	7 Putaskwa Gneissic Complex	6 Clastic Sediments
			c Felspathic arenitic, wacke	e Hornblende wacke	j Derived gneiss
			f Quartz-Sericite Schist		
			4 Felsic Volcanics		
			a Massive flows, fine		
			b Variolitic flows		
			k Chloritic schist		
			l Amphibolite		
			2 Mafic Volcanics		
			Ovb Overburden		

A horizontal scale bar with markings at 0, 12.5, and 25 metres. The bar is divided into four equal segments by vertical tick marks. The first segment is labeled '0' at its left end. The third segment is labeled '12.5' at its center. The fourth segment is labeled '25' at its right end. Below the bar, the word 'metres' is written in a bold, italicized font.

WHITE RIVER PROPERTY		Own: A.Tims
SECTION 591125E		Date: 04/27/2002
HOLE WR01-10		Job No: 168300
Projection: UTM Zone 18 (NAD 83)		N.T.S.: 42 D/09
		Scalor: 1:5000
		Dwg: 8019
Mining Claim 620490		
teck cominco Exploration	Teck Cominco Limited	
P.O. Box 11 Phone: (807) 238-9905	Marathon, Ontario Fax: (807) 238-1136	



PROTEROZOIC

Alkalic Intrusive Rocks

13a Coldest Complex gabbro, alkalic gabbro

13b Coldest Complex pegmatite syenite, olivine syenite

13c leucite dyke ("Coldest dyke")

13d lamprophyre dykes

Mafic Intrusive Rocks

12a diabase dyke

12b plagioclase-phryic dyke

ARCHEAN

High-Level Intrusive Rocks

11a quartz porphyry

11b felspar porphyry

11c quartz monzonite

11d felspar dyke

Felsic to Intermediate Intrusive Rocks

10a granodiorite

10b granite

10c quartz monzonite

10d syenite

Intermediate to Mafic Intrusive Rocks

9a diorite

9b quartz diorite

9c intermediate dyke

Pukaskwa Gneissic Complex

4

Felsic Volcanic Rocks

4a massive flows

4b gabbro, coarse-grained amphibolite

4c anorthosite

4d pyroxene

4e peridotite

4f serpentinite

4g amphibolite gneiss

4h mafic dyke

Intermediate Volcanic Rocks

3a massive flows

3b feldspar porphyritic flows

3c tuff breccia

3d tuff breccia schists, gneisses

Intermediate Sedimentary Rocks

2a ankerite

2b anorthite

2c feldspathic dolomite, wacke

2d dolomite wacke

2e hornblende wacke

2f argillite

2g dolomite sedimentary rock

2h mica schist ± aluminosilicate

2i biotite schist ± aluminosilicate

2j derived gneisses

Chemical Sedimentary Rocks

2a dolite

2b magnetite iron formation

2c pyritic iron formation

2d calc-silicate layered rock

2e banded rock

Ultimate Volcanic Rocks

1a massive flow

1b flow breccia

1c spine-flow breccia

1d serpentinite

1e talc-schist

1f talc-schist ± quartz

1g talc-schist ± aluminosilicate

1h talc-schist ± pyrite

1i talc-schist ± pyrrhotite

1j talc-schist ± pyrrhotite

1k talc-schist ± pyrrhotite

1l talc-schist ± pyrrhotite

1m talc-schist ± pyrrhotite

1n talc-schist ± pyrrhotite

1o talc-schist ± pyrrhotite

1p talc-schist ± pyrrhotite

1q talc-schist ± pyrrhotite

1r talc-schist ± pyrrhotite

1s talc-schist ± pyrrhotite

1t talc-schist ± pyrrhotite

1u talc-schist ± pyrrhotite

1v talc-schist ± pyrrhotite

1w talc-schist ± pyrrhotite

1x talc-schist ± pyrrhotite

1y talc-schist ± pyrrhotite

1z talc-schist ± pyrrhotite

1aa talc-schist ± pyrrhotite

1bb talc-schist ± pyrrhotite

1cc talc-schist ± pyrrhotite

1dd talc-schist ± pyrrhotite

1ee talc-schist ± pyrrhotite

1ff talc-schist ± pyrrhotite

1gg talc-schist ± pyrrhotite

1hh talc-schist ± pyrrhotite

1ii talc-schist ± pyrrhotite

1jj talc-schist ± pyrrhotite

1kk talc-schist ± pyrrhotite

1ll talc-schist ± pyrrhotite

1mm talc-schist ± pyrrhotite

1nn talc-schist ± pyrrhotite

1oo talc-schist ± pyrrhotite

1pp talc-schist ± pyrrhotite

1qq talc-schist ± pyrrhotite

1rr talc-schist ± pyrrhotite

1ss talc-schist ± pyrrhotite

1tt talc-schist ± pyrrhotite

1uu talc-schist ± pyrrhotite

1vv talc-schist ± pyrrhotite

1ww talc-schist ± pyrrhotite

1xx talc-schist ± pyrrhotite

1yy talc-schist ± pyrrhotite

1zz talc-schist ± pyrrhotite

1aa talc-schist ± pyrrhotite

1bb talc-schist ± pyrrhotite

1cc talc-schist ± pyrrhotite

1dd talc-schist ± pyrrhotite

1ee talc-schist ± pyrrhotite

1ff talc-schist ± pyrrhotite

1gg talc-schist ± pyrrhotite

1hh talc-schist ± pyrrhotite

1ii talc-schist ± pyrrhotite

1jj talc-schist ± pyrrhotite

1kk talc-schist ± pyrrhotite

1ll talc-schist ± pyrrhotite

1mm talc-schist ± pyrrhotite

1nn talc-schist ± pyrrhotite

1oo talc-schist ± pyrrhotite

1pp talc-schist ± pyrrhotite

1qq talc-schist ± pyrrhotite

1rr talc-schist ± pyrrhotite

1ss talc-schist ± pyrrhotite

1tt talc-schist ± pyrrhotite

1uu talc-schist ± pyrrhotite

1vv talc-schist ± pyrrhotite

1ww talc-schist ± pyrrhotite

1xx talc-schist ± pyrrhotite

1yy talc-schist ± pyrrhotite

1zz talc-schist ± pyrrhotite

1aa talc-schist ± pyrrhotite

1bb talc-schist ± pyrrhotite

1cc talc-schist ± pyrrhotite

1dd talc-schist ± pyrrhotite

1ee talc-schist ± pyrrhotite

1ff talc-schist ± pyrrhotite

1gg talc-schist ± pyrrhotite

1hh talc-schist ± pyrrhotite

1ii talc-schist ± pyrrhotite

1jj talc-schist ± pyrrhotite

1kk talc-schist ± pyrrhotite

1ll talc-schist ± pyrrhotite

1mm talc-schist ± pyrrhotite

1nn talc-schist ± pyrrhotite

1oo talc-schist ± pyrrhotite

1pp talc-schist ± pyrrhotite

1qq talc-schist ± pyrrhotite

1rr talc-schist ± pyrrhotite

1ss talc-schist ± pyrrhotite

1tt talc-schist ± pyrrhotite

1uu talc-schist ± pyrrhotite

1vv talc-schist ± pyrrhotite

1ww talc-schist ± pyrrhotite

1xx talc-schist ± pyrrhotite



1yy talc-schist ± pyrrhotite

1zz talc-schist ± pyrrhotite

1aa talc-schist ± pyrrhotite

1bb talc-schist ± pyrrhotite


1cc talc-schist ± pyrrhotite



Legend for Rock Lithologies & Symbols

- 11 High-Level Intrusives
 - b feldspar porphyry dykes
 - 10 Felsic intrusive
 - a granodiorite
 - e felsite dyke
 - 9 Intermediate to Mafic Intrusives
 - a diorite
 - c intermediate dyke
 - 6 Clastic Sediments
 - c feldspathic wacke
 - d biotitic wacke
 - e hornblende Wacke
 - f argillite
 - g volcanoclastic sediment
 - j derived gneisses
 - 4 Felsic Volcanic
 - f quartz-sericite schist
 - 3 Intermediate Volcanic
 - b feldspar phryic flow
 - c tuff/lapilli tuffs
 - e derived gneisses
 - 2 Mafic Volcanic,
 - a massive flow
 - i lapilli tuff
 - j tuff breccia
 - l amphibolite
 - m amphibolite gneiss
 - 1 Ultramafic Volcanic
 - e talc-chlorite schist


MS = Massive Slabbed



Water Filled areas



Steep Cliff Face



Strike and Dip of Elevation





Direction and Range of Mineral Lines



6


WHITE RIVER PROPERTY		Dwnt: M. Thompson
NI & BABY NI TRENCHES		Date: 04/09/2002
		Job No: 185300
		N.T.S.L. 43 D/08
		Scale: 1:500
Projection: UTM Zone 18 (NAD 83)		Dwg: B009
 teck cominco Exploration		
<h1>Teck Cominco Limited</h1> <p>P.O. Box 11 Phone: (807) 238-9906</p> <p>Marathon, Ontario Fax: (807) 238-1136</p>		





Legend for Rock Lithologies & Symbols

- 11 High-Level Intrusives
 - b feldspar porphyry dykes
 - 10 Felsic Intrusive
 - a granodiorite
 - e felsite dyke
 - 9 Intermediate to Mafic Intrusive
 - a diorite
 - c intermediate dyke
 - 6 Clastic Sediments
 - c feldspathic wacke
 - d biotitic wacke
 - e hornblende Wacke
 - f argillite
 - g volcanoclastic sediment
 - j derived gneisses
 - 4 Felsic Volcanic
 - f quartz-sericite schist
 - 3 Intermediate Volcanic
 - b feldspar phryic flow
 - c tuff/lapilli tuffs
 - e derived gneisses
 - 2 Mafic Volcanic,
 - a massive flow
 - i lapilli tuff
 - j tuff breccia
 - l amphibolite
 - m amphibolite gneiss
 - 1 Ultramafic Volcanic
 - e talc-chlorite schist
 - MS Massive Sulphides


MS Massive Sulphides



Water Filled area



Grab Sample



Direction and Plunge of Mineral Lineation




Direction and Plunge of Fold Axis

Teck Cominco Limited

**WHITE RIVER PROPERTY
SECTION 598700E
TRENCH PG T1**

WHITE RIVER PROPERTY		Dwn: M. Thompson
SECTION 598700E		Date:04/09/2002
TRENCH PG T1		Job No: 165300
Projection: UTM Zone 16 (NAD 83)		N.T.S.: 42 D/09
		Scale: 1:500
		Dwg: 8005
teck cominco Exploration	Teck Cominco Limited	
P.O. Bag 11 Phone: (807) 238-9906		Marathon, Ontario Fax: (807) 238-1136



Magnetic Declination of $3^{\circ} 37' W$



42C12NE2005


2.25751

LABERGE


400

Legend for Rock Lithologies & Symbols


- 11 High-Level Intrusives
- b feldspar porphyry dykes
- 10 Felsic Intrusive
- a granodiorite
- e felsite dyke
- 9 Intermediate to Mafic Intrusive
- a diorite
- c intermediate dyke
- 6 Clastic Sediments
- c feldspathic wacke
- d biotitic wacke
- e hornblende wacke
- f argillite
- g volcanoclastic sediment
- j derived gneisses
- 4 Felsic Volcanic
- f quartz-senite schist
- 3 Intermediate Volcanic
- b feldspar phryic flow
- c tuffapilli tuffs
- e derived gneisses
- 2 Mafic Volcanic
- a massive flow
- i lapilli tuff
- j tuff breccia
- l amphibolite
- m amphibolite gneiss
- 1 Ultramafic Volcanic
- e talc-chlorite schist
- MS Massive Sulphides



Trench Outline




Water Filled area




Steep Cliff Face



Channel Sample



Grab Sample



Strike & Dip of Bedding or Contacts




Strike and Dip of Foliation



Direction and Plunge of Mineral Lineation



Direction and Plunge of Fold Axis



598000 mE

5390200 mN

40 25

45

15 45

50

0 12.5 25

metres

2.25751

5390100 mN

WHITE RIVER PROPERTY SECTION 597985E TRENCH MT T2

Projection: UTM Zone 16 (NAD 83)

Draft: M. Thompson
Date: 04/09/2002
Job No: 165300
N.T.R.: 42 D/09
Scale: 1:500



Dwg: B006

teckcominco
Exploration

Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906

Marathon, Ontario
Fax: (807) 238-1136




Magnetic Declination of 3° 37' W


Legend for Rock Lithologies & Symbols

- 11 High-Level Intrusives
 - b feldspar porphyry dykes
- 10 Felsic Intrusive
 - a granodiorite
 - e felsite dyke
- 9 Intermediate to Mafic Intrusive
 - a diorite
 - c intermediate dyke
- 6 Clastic Sediments
 - c feldspathic wacke
 - d biotitic wacke
 - e hornblende Wacke
 - f argillite
 - g volcanoclastic sediment
 - j derived gneisses
- 4 Felsic Volcanic
 - f quartz-sericite schist
- 3 Intermediate Volcanic
 - b feldspar phryic flow
 - c tuff/lapilli tuffs
 - e derived gneisses
- 2 Mafic Volcanic,
 - a massive flow
 - i lapilli tuff
 - j tuff breccia
 - k amphibolite
 - m amphibolite gneiss
- 1 Ultramafic Volcanic
 - e talc-chlorite schist
- MS Massive Sulphides

- Trench Outline
- Water Filled area
- Steep Cliff Face
- Channel Sample
- Sample No. N02345 200
- Sample No. N05789 X 340
- Grab Sample
- Strike & Dip of Bedding or Contacts
- Strike and Dip of Foliation
- Direction and Plunge of Mineral Lineation
- Direction and Plunge of Fold Axis



2. 25751



410

0 12.5 25
metres

WHITE RIVER PROPERTY SECTION 598350E TRENCH MT T3

Projection: UTM Zone 16 (NAD 83)

Dwg: M. Thompson
Date: 04/09/2002
Job No: 165300
N.T.S.: 42 D/09
Scale: 1:500

teckcominco

Exploration

Teck Cominco Limited

P.O. Box 11
Phone: (807) 238-9906

Marathon, Ontario
Fax: (807) 238-1136

