



52B14SW0024 13 HUTCHINSON

010

Diamond Drilling

Township of HUTCHINSON

Report N<sup>o</sup> 13

Work performed by: Anjamin Mines Limited (Regan)

Claim N <sup>o</sup>	Hole N <sup>o</sup>	Footage	Date	Note
FF 15299	70-1	408'	Mar/70	(1)

Notes:

(1) #17-70

# DIAMOND DRILL RECORD

F. Vincent Regan  
 PROPERTY (ANJAMER MINES LIMITED) HOLE No. FF 25299-70-2

SHEET NUMBER 1 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED March 19, 1970

#4 Post FF15299 plus 200' South LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED March 26, 1970

#4 Post FF15299 plus 300' East DEPARTURE \_\_\_\_\_ BEARING 100° 00' ULTIMATE DEPTH 400'

ELEVATION Lake Simcoe water level 150' PROPOSED DEPTH 400'


DEPTH FEET	FORMATION	SAMPLE NO.	FROM	TO	WIDTH	ASSAY VALUES			
0' - 6'	Mudstone								
6' - 63'	Silt and sand to bedrock,								
0' - 63'	Casing,								
63' - 114'	Intermediate volcanics, fine grained, grey, interspersed with the odd band, 2" to 6", of pyroclastic materials with graded bedding, Well sheared at 45° to 55°, Considerable sericite and chlorite with sericite predominating, Considerable 1/16" to 1/4" quartz seams parallel to shearing at 1/2" to 6" spacing, Sparse, disseminated pyrite in cubic form in volcanics and quartz seams,								
114' - 149'	Same as above except many 1/8" to 3" quartz seams parallel to shearing,								
149' - 400'	Intermediate volcanics, fine grained, grey, interspersed with many 2" to 6" bands of pyroclastic materials with graded bedding, Well sheared at 45° to 55°, Considerable sericite and chlorite with sericite predominating, Considerable 1/16" to 1/4" quartz seams parallel to bedding shearing, 1/2" to 6" spacing, Sparse, disseminated cubic pyrite in volcanics and quartz seams, End of Hole.								
400'									
Drilled by <u>New Northwest Drilling Limited,</u> 240 S. High St., Thunder Bay, Ont. Drillers: <u>Harold Johnston,</u> <u>George Johnston,</u> 1047 B Dawson Road, Thunder Bay, Ont. 242 Monogram St., Thunder Bay Core Sizes: <u>AX, 1 &amp; 5/16"</u>									

NORTHERN MINER FORM 505 REV. 7/54

DRILLED BY \_\_\_\_\_

SIGNED \_\_\_\_\_

*[Signature]*  
 Date: March 26, 1970



DETAIL  
Scale Rep.

SABAWI LAKE

DDH FF 15299-70-1  
26 unpatented claims  
1 Patented Claim.

ANSAMIN MINES LIMITED  
HUTCHINSON TWP

Scale 1" = 1/2 mile  
Alluvium Grant P. Reg.

#17/70 Hutchinson Twp  
F.V. Regan