



52C10NE0090 19 BAD VERMILION LAKE

010

## Diamond Drilling

Area BAD VERMILLION LAKE

Report NO 19

Work performed by: G. L. Pidgeon (Kerr Addison Mines Limited)

Claim NO	Hole NO	Footage	Date	Note
P 683	P.G. - 1	104'	June/69	(1)
	P.G. - 2	107.5'	July/69	(1)
	P.G. - 3	110'	July/69	(1)
	P.G. - 4	121'	July/69	(1)
	P.G. - 5	116'	Aug/69	(1)

5/558.5'

Notes: (1) For More Information See File # 63.3367, MEAP Contract A-6

52C/10 NE L-1 PIGEON, G.L. (Kerr Addison)


# DIAMOND DRILL RECORD

RECORDED BY Alfred Lambert

Kerr Addison Mines Limited.

*Lambert*

PROPERTY Line Centro Project (0-9) Pigeon Group D.D.H. No. P.C-1 PAGE 1  
 LATITUDE 1+50 N BEARING OF HOLE S 20° E STARTED June 13, 1969 CLAIM No. P. 683  
 DEPARTURE 2+50 E DIP OF HOLE -50° COMPLETED June 23, 1969 DIRECTION AND DISTANCE FROM  
 ELEVATION \_\_\_\_\_ DIP TESTS \_\_\_\_\_ DEPTH 104.0 NE. CLAIM POST



FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY				
FROM	TO			FROM	TO		Au	Ag	Cu	Pb	Zn
0.0	10.0	Casing	1610	10.0	15.0	5.0					0.82
			1611	35.0	40.0	5.0					1.08
10.0		Fine grained silicified Andesite, sheared with less than 1% pyrite, occasional	1612	55.0	60.0	5.0					0.20
	88.0	blobs of sphalerite and rare flecks of chalcopryite throughout.	1613	90.0	95.0	5.0					-
			1614	15.0	20.0	5.0		-		3.53	0.25
			1615	20.0	25.0	5.0		0.08		tr	-
83.0	104.0	Flow breccia with some carbonates and occasional specs of pyrite	1616	25.0	30.0	5.0		-		-	-
			1617	30.0	35.0	5.0		0.04		-	0.15
			1618	40.0	45.0	5.0		tr		-	-
104.0		END OF HOLE - CASING PULLED	1619	45.0	50.0	5.0		-		-	-
			1620	50.0	55.0	5.0		-		-	-
			1621	60.0	65.0	5.0		-		-	-
			1622	65.0	70.0	5.0		tr		-	-
			1623	70.0	75.0	5.0		tr		-	-
			1624	75.0	80.0	5.0		-		-	-
			1625	80.0	85.0	5.0		0.08		-	-
			1626	85.0	98.0	3.0		tr		-	-

# DIAMOND DRILL RECORD

LOGGED BY Alfred Lambert

Karr Adilson Mines Ltd.


PROPERTY Mine Control Project 0-9 (Pidgeon Group)

D.D.H. No.          P.G. 2 PAGE 1

LATITUDE 2+10 N BEARING OF HOLE S 20° E STARTED July 2, 1969

CLAIM No. 2683

DEPARTURE 2+60 E DIP OF HOLE -50° COMPLETED July 6, 1969



DIRECTION AND DISTANCE FROM

ELEVATION          DIP TESTS nil DEPTH 107.5

NE. CLAIM POST

FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY				
FROM	TO			FROM	TO		Pb	Zn	Ag	Cu	Cd
0.0	11.8	Casing	1627	11.8	15.0	3.2	nil	nil	nil		
			1628	15.0	20.0	5.0	nil	nil	tr		
11.8		Fine grained silicified andesite, sheared with occasional specs of pyrite and	1629	20.0	25.0	5.0	nil	nil	tr		
	72.5	occasional blobs of sphalerite throughout.	1630	25.0	30.0	5.0	nil	nil	tr		
			1631	30.0	35.0	5.0	nil	nil	nil		0.02
			1632	35.0	37.5	2.5	nil	nil	nil		0.07
72.5	75.5	Flow breccia with some carbonates and rare specs of pyrite	1633	37.5	38.0	0.5	nil	5.61	8.32		0.03
			1634	38.0	43.0	5.0	nil	nil	nil		0.02
			1635	43.0	43.5	0.5	nil	1.50	nil		0.02
75.5	88.0	Fine grained silicified andesite, sheared with occasional specs of pyrite	1636	43.5	50.0	6.5	nil	nil	nil		tr
			1637	50.0	55.0	5.0	nil	nil	nil		
			1638	55.0	60.0	5.0	nil	nil	tr		
88.0		Flow breccia with some carbonates and rare specs of pyrite. Lost core from	1639	60.0	65.0	5.0	nil	nil	tr		
	107.5	from 98.0 to 103.0	1640	65.0	70.0	5.0	nil	nil	tr		
			1641	70.0	72.0	2.0	0.18	2.10	0.16		
			1642	72.0	75.5	3.5	nil	nil	tr		
			1643	75.5	80.0	4.5	nil	nil	tr		
			1644	80.0	85.0	5.0	nil	nil	tr		
107.5		END OF HOLE - CASING PULLED	1645	85.0	88.0	3.0	nil	nil	tr		

# DIAMOND DRILL RECORD

LOGGED BY Alfred Lambert

Korr Addison Mines Limited

PROPERTY Mine Control Project 0-9 (Pigeon Group)



D.D.H. No. P.G. 3

PAGE 1

LATITUDE 0+60 N BEARING OF HOLE S 20° E STARTED July 10, 1959

DEPARTURE 2+50 E DIP OF HOLE -50° COMPLETED July 20, 1969

ELEVATION \_\_\_\_\_ DIP TESTS \_\_\_\_\_ DEPTH 110.0'



CLAIM No. P 683

DIRECTION AND DISTANCE FROM

NE. CLAIM POST

FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY		
FROM	TO			FROM	TO		Zn	Pb	Ag
0.0	12.0	Casing	1646	12.0	15.0	3.0	nil	nil	tr
			1647	15.0	20.0		nil	nil	tr
12.0		Fine grained silicified Andasite, sheared with occasional carbonate threads	1648	20.0	25.0		nil	nil	nil
		and rare specs of Pyrite (Several sections from 12.0' to 50.0' are oxidized	1649	25.0	30.0		nil	nil	tr
	110.0	and porous.)	1650	30.0	35.0		nil	nil	tr
110.0		END OF HOLE - CASING PULLED	1651	35.0	40.0		nil	nil	0.08
			1652	40.0	45.0		nil	nil	nil
			1653	45.0	50.0		nil	nil	nil
			1654	50.0	55.0		nil	nil	nil
			1655	55.0	60.0		nil	nil	tr
			1656	60.0	65.0		nil	nil	tr
			1657	65.0	70.0		nil	nil	tr
			1658	70.0	75.0		nil	nil	nil
			1659	75.0	80.0		nil	nil	tr
			1660	80.0	85.0		nil	nil	nil
			1661	85.0	90.0				nil
			1662	90.0	95.0				tr
			1663	95.0	100.0				nil
			1664	100.0	105.0				tr
			1665	105.0	110.0				tr

# DIAMOND DRILL RECORD

LOGGED BY J. Campbell

Zerr Addison Mines Ltd.


PROPERTY Mine Centre Project - Pidgeon Option

D.D.H. No. P.G. 4 PA 1

LATITUDE 2+50 north BEARING OF HOLE Grid E STARTED July 23, 1969

CLAIM No. (P 683)


DEPARTURE 3+40 E DIP OF HOLE -45° COMPLETED July 31, 1969



ELEVATION \_\_\_\_\_ DIP TESTS \_\_\_\_\_ DEPTH 121.0'

FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY				
FROM	TO			FROM	TO		Gold	Ag	Zn	Pb	Cd
0.0	7.0	Casing	1070	7.0	12.0	5.0	trace	trace	none		
			1071	12.0	17.0	5.0		trace	none		
7.0	27.0	Andesite sheared, silicified with some rusty shear faces, some quartz carbonate	1072	17.0	22.0	5.0	.01	trace	none		
			1073	22.0	27.0	5.0	trace	trace	none		
		threads 1% pyrite	1074	27.0	29.0	2.0			none		
			1075	29.0	32.5	3.5				trace	
27.0	29.0	Flow breccia:	1076	34.0	39.0	5.0	.01	trace	.15	none	
			1077	39.0	42.5	3.5			.21		
		angular andesite fragments with white rhyolite matrix, less than 1% pyrite	1078	42.5	47.0	4.5		.10	.15	none	
			1079	50.0	55.0	5.0			none		
29.0	121.0	Andesite silicified, sheared with 3%-5% fine grained pyrites	1080	55.0	60.0	5.0			none		
			1081	60.0	65.0	5.0			none		
		Carbonate sections with 10% pyrite, specs. of sphalerite 34-39', 88' - 93'	1082	65.0	70.0	5.0			none		
			1083	70.0	75.0	5.0			none		
		Lost core 32-34', 47.0' - 50.0', 111.0' - 119.0'	1084	75.0	80.0	5.0			none		
			1085	80.0	85.0	5.0		nil	none		
121.0		END OF HOLE	1086	85.0	88.0	3.0			none		
			1087	88.0	93.0	5.0		trace	none		
			1088	93.0	99.0	6.0			none		
			1089	99.0	101.0	2.0		.12	.51	.03	
			1090	101.0	106.0	5.0			none		
			1091	106.0	111.0	5.0			.21		





GRASSY LAKE  
 M2474  
 52 C/10 NW 1-1  
 PIGEON, G.L.  
 (Kerr Addition)

E.B. 570  
 L.B.F.  
 Reserve

18009 18011

Gravel Pit  
 988

A.L. 144

E.B.

53

H.P. 118

H.P. 106

J.O. 36

J.O. 37

BELL CITY  
 REG.  
 PLAN M-59  
 File 13713

J.O. 28

Og. 2713  
 Og. 2712

Og. 2705

Og. 2711

290

J.O. 14

J.O. 13

P 669

McLeod Cr.

Wild

Saine R.

R.

FF 60